CONTENTS

Number 1, February, 1922

 The Action of Diphtheria Toxin upon the Circulation. By S. Yabe Studies on Stimulation of the Respiration: The Action of Respiratory Stimulants upon the Respiration When Depressed by Increased Intracranial Pressure with Special Reference to Sodium Cyanide. By A. S. 	1
Loevenhart, J. Y. Malone and H. G. Martin	13
of Strychnine. By Erich W. Schwartze	49
• • • • •	59
	87
	97
Number 2, March, 1922	
VII. Perfusion of the Medulla of the Terrapin (Pseudomys troosti) with Adrenalin. By W. J. R. Heinekamp	31
P. Underhill and Louis Errico	35
The Toxicity of Vaughan's Crude Soluble Poison. By Frank P. Underhill and Axel M. Hjort	.45
The Relation of Blood Concentration to Peptone Shock. By Frank P. Underhill and Michael Ringer	63
XI. Studies on the Physiological Action of Some Protein Derivatives. VI. The influence upon Blood Concentration of Vaughan's Crude Soluble Poison. By Frank P. Underhill and Michael Ringer	179
XII. Biological Reactions of Arsphenamine. I. The Mechanism of Its Agglutinative Action on Red Blood Cells in Vitro. By Jean Oliver	
and Ethel Douglas	187
of Hydrophilic Colloids on the Agglutination of Red Blood Cells by Arsphenamine	199

Ţ

CONTENTS

Number 3, April, 1922

XIV. The Action of Salicylates on the Uterus. By J. W. C. Gunn and Morris Goldberg	215 221 239
Number 4, May, 1922	
XIX. Functional Evidence of the Phylogeny of the Nervous System as shown by the Behavior and Resistance of the Developing Rat to Strychnine. By Erich W. Schartze	293 307 315 331
Number 5, June, 1922	
XXVI. Feeding Experiments on Tadpoles: Prostate Gland and Other Substances. By J. M. Rogoff and Wm. Rosenberg	
Number 6, July, 1922	
XXX. Biological Reactions of Arsphenamine. JII. Its Immediate Toxicity as Contrasted with Its Late Ill Effects, and the Rôle of Agglutination in the Production of the Former. By Jean Oliver and So Sabro Yamada. XXXI, Studies on Strychnin. By Soma Weiss and Robert A. Hatcher	

ILLUSTRATIONS

Apparatus for recording stimulation of the respiration (Fig. 1)	16		
Tracing showing stimulation of the respiration (Fig. 2)	18		
- showing stimulation of the respiration (Figs. 3 and 4)			
showing stimulation of the respiration (Fig. 5)	21		
showing stimulation of the respiration (Figs. 6 and 7)	30		
showing stimulation of the respiration (Fig. 8)	34		
	36		
showing stimulation of the respiration (Fig. 10)	37		
Intestine tracings; bloods from cat 619 (Fig. 1)	63		
— tracings; bloods from cat 619 (Fig. 2)	64		
— tracings; bloods from cat 626 (Fig. 3)	67		
— tracings; bloods from cat 624 (Fig. 4)	71		
— tracings; bloods from cat 625 (Fig. 5)	73		
— tracings; bloods from dog 622 (Fig. 6)	77		
— tracings; bloods from dog 623 (Fig. 7)	80		
	105		
Partial inhibition produced by perfusing the brain of Pseudomys troosti			
	132		
Complete inhibition effected by the perfusion of 1:50,000 adrenalin through			
· · · · · · · · · · · · · · · · · · ·	132		
Dog A. The influence of magnesium sulphate upon hemoglobin content			
(Fig. 1)	138		
-B. The influence of magnesium sulphate upon hemoglobin content			
	138		
— A. The influence of magnesium sulphate upon hemoglobin content	-00		
(Fig. 3)	138		
—— A. The influence of sodium sulphate upon hemoglobin content (Fig. 4)			
B. The influence of sodium sulphate upon hemoglobin content (Fig. 5)			
— A. The influence of sodium sulphate upon hemoglobin content (Fig. 6)			
• • •			
1 0 ,	139		
A. The influence of castor oil upon hemoglobin content (Fig. 10)	140		
— A. The influence of castor oil upon hemoglobin content (Fig. 12)	141		
B. The influence of cascara sagrada upon hemoglobin content (Fig. 12)			
A. The influence of cascara sagrada upon hemoglobin content (Fig. 14)			
B. The influence of cascara sagrada upon hemoglobin content (Fig. 12)			
(Chart 1)	167		
(101		

ILLUSTRATIONS

Dog 48. Injection of 0.5 gram per kilo "Witte Pepton" in ten seconds	
(Chart 2)	167
46. Injection of 0.5 gram per kilo "Witte Pepton" in two minutes	
(Chart 3)	168
7. Injection of 0.5 gram "Witte Pepton" in twelve minutes	168
— 51. Rapid injection of 0.5 gram per kilo "Witte Pepton" (Chart 5)	169
52. Rapid injection of 0.5 gram per kilo "Witte Pepton" (Chart 6)	169
54. Rapid injection of 0.5 gram per kilo "Witte Pepton" (Chart 7)	
56. Rapid injection of 0.5 gram per kilo "Witte Pepton" (Chart 8)	
58. Rapid injection of 0.5 gram per kilo "Witte Pepton" (Chart 9)	
— 61. One-half ounce of amyl nitrite inhaled (Chart 10)	172
34. Rapid injection (five seconds) of 0.5 gram per kilo of dentero-	
proteoses (Chart 11)	175
40. Injection slowly (in four minutes) 1 mgm. per kilo of histamine	
(Chart 12)	175
16. Injected intermittently during an interval of thirteen minutes	-
1 mgm. per kilo of histamine (Chart 18)	176
53. Injected rapidly 1 mgm. per kilo histamine followed by injections	
of 7 cc. 1 per cent BaCl ₂ solution (Chart 14)	176
—— 19. Rapid injection of Vaughan's crude soluble poison (Chart 1)	182
—— 20. Rapid injection of Vaughan's crude soluble poison (Chart 2)	183
—— 22. Rapid injection of Vaughan's non-toxic residue (Chart 3)	184
Effect of 1: 2000 sodium salicylate on the excised uterus of the pregnant rabbit	
(Fig. 1)	208
Slight increase of tone of the isolated uterus after 1:5000 sodium salicylate	
(Fig. 2)	208
Uppermost line shows uterine movements, contraction recorded by down-	
ward movement of the uterus of the non-pregnant rabbit. Effect of in-	
jecting 200 mgm. of sodium salicylate per kilo. Lowest line records the	
injection (Fig. 3)	
Same tracing as in figure 3 after ten minutes (Fig. 4)	
Determination of circulation time (Fig. 1)	
Slowing produced by potassium bromide (Fig. 1)	
produced by potassium chloride (Fig. 2)	
— produced by potassium iodide (Fig. 3)	
produced by potassium sulphate (Fig. 4)	
— produced by potassium fluoride (Fig. 5)	
— produced by potassium nitrate (Fig. 6)	
— produced by potassium tartrate (Fig. 7)	241
Inhibition produced by potassium hydroxide (Fig. 8)	
Slowing produced by potassium bromate (Fig. 9)	
Inhibition produced by potassium cyanide (Fig. 10)	
Slowing produced by potassium thiocyanide (Fig. 11)	
Experiment 13. Cat, weight 2.4 kilos. Ether anesthesia (Fig. 1)	
21. Dog, weight 6.3 kilos. Ether anesthesia (Fig. 2)	297
— 97. Frog heart perfused with 5 per cent acetone in Ringer's solution	300
for twenty-five minutes (Fig. 3)	300
94. Frog heart (Fig. 4)	OLA /

ILLUSTRATIONS	vii
Experiment 102. Turtle heart (Fig. 5)	
Cat, Weight 2.2 kilos. Ether anesthesia (Fig. 1)	310
Experiment 33. Injected 50 mgm. skatol in 1 cc. acetone (Fig. 2)	
tone (Fig. 3)	
40. Cat, weight 2.8 kilos. Urethane anesthesia (Fig. 1)	
— 5. Dog, weight 6 kilos. Morphine ether anesthesia (Fig. 2)	
- 44. Turtle heart (Fig. 3)	
55. Turtle heart perfused with mercuric chloride (Hg 1:1,000,000)	
for ten minutes (Fig. 4)	325
79. Frog heart perfused for one minute with mercuric chloride in	
Ringer's solution (Hg 1:10,000) shows depression (Fig. 5)	326
- 80. Frog heart perfused for one minute with mercuric chloride in	
Ringer's solution (Hg 1:10,000) (Fig. 6)	327
Type curves of effects of lead carbonate on growth (Fig. 1)	381
Rate of disappearance of phenoltetrachlorphthalein from blood of normal	
dogs (Fig. 1)	386
Dog 3. Two hours chloroform anesthesia (Fig. 2)	
- 4. Two hours and twenty minutes chloroform anesthesia (Fig. 3)	
5. Two hours and fifteen minutes chloroform anesthesia (Fig. 4)	
Rabbit 48a, 0.28 gram of arsphenamine per kilo (Fig. 1)	
— 20, 0.32 gram arsphenamine per kilo (Fig. 2)	
48a. Sudden death following 0.28 gram arsphenamine per kilo (Fig. 3)	
51. Sudden death following 0.42 gram arsphenamine per kilo (Fig. 4)	
—— 19. 0.40 gram arsphenamine per kilo (Fig. 5)	
— 20. Died acutely following 0.32 gram of arsphenamine (Fig. 6)	
- 27. Immediate death following 0.21 gram arsphenamine per kilo (Fig. 7).	
·	
agglutinated with arsphenamine (Fig. 8)	101
arsphenamine (Fig. 9)	400
arsphenannie (Fig. 9)	409