CONTENTS

4559

Number 1, August, 1924

I. The Treatment of Lobar Pneumonia with Subcutaneous Injections of Pneumococcus Antibody Solution. By Russell L. Cecil and Horace S.	
Baldwin	1
Leeuwen	13
III. On Antagonism of Drugs. By W. Storm van Leeuwen	21
in Men. By W. Storm van LeeuwenV. The Control of the Motility of the Human Stomach by Drugs and Other	25
Means. By W. H. Dickson and M. J. Wilson	33
M. M. Dietchman, G. M. Katzman and B. S. Kleinman	5 3
the Pituitary Gland. By A. C. Kolls and E. M. K. Geiling	67
tions for a subsidiary Test. By W. G. Mackersie	83
Number 2, September, 1924	
 IX. Natural Resistance of Albino Rats and Mice to Histamine, Pituitary and Certain Other Poisons. By Carl Voegtlin and Helen A. Dyer X. Studies of Chromic Intoxications on Albino Rats. VIII. Yellow phospho- 	101
rus. By Torald Sollmann	119
XI. The Nephropathic Action of the Dicarboxylic Acids and Their Derivatives. I. Tartaric, Malic and Succinic Acids. By William C. Rose	123
XII. The Nephropathic Action of the Dicarboxylic Acids and Their Derivatives. II. Glutaric and Malonic Acids. By William C. Rose	147
XIII. A Study of Two Series of Procaine Derivatives with Reference to the Relationship between Their Pharmacological Action and Chemical	
Constitution. By H. L. Schmitz and A. S. Loevenhart	159
Benzoyl Di-iso-propyl Amino Ethanol Hydrochloride ("Isocaine"), Cocaine, Procaine and Butyn. By H. L. Schmitz and A. S. Loevenhart	167
Number 3, October, 1924	
XV. The Mechanism of Edema Production by Paraphenylenediamine. By	
M. L. Tainter and P. J. Hanzlik	179
Macht	213
XVII. The Toxicity of Chaulmoogra Oil (Oleum Hydnocarpi). By Bernard	
E. Read	221

Number 4, November, 1924

XVIII. Barbital Narcosis. II. Blood Sugar and Blood Coagulation Time during Barbital Hypothermia. By M. M. Ellis and O. W. Barlow XIX. Studies in Hepatic Function. VI. A. The Pharmacological Behavior of Certain Phthalein Dyes. B. The Value of Selected Phthalein Compounds in the Estimation of Hepatic Function. By Sanford M. Rosenthal and Edwin C. White	265 289 301
Number 5, December, 1924	
XXIII. Does Insulin Significantly Affect the Blood Concentration? By W. F. Hamilton, H. G. Barbour and J. H. Warner	339 359 371 391
Number 6, January, 1925	
XXIX. Studies upon the Local Anesthetic and Antispasmodic Actions of Some Ethers and Esters of Saligenin. By Herman H. Jensen and Arthur D. Hirschfelder XXX. The Effects of Excitement on the Action of a Soporific Drug (Sodium Barbital). By A. D. Hirschfelder and Carl H. Rice XXXI. The rôle of Epinephrin on the Production of Edema by Local Anesthetics. By Arthur D. Hirschfelder, Irma Backe and Janette Jennison XXXII. The Penetration of Mercurochrome, Acriflavin and Gentian Violet into Edematous Tissues. By A. D. Hirschfelder, George Malmgren and Donald Creavy XXXIII. Insulin and Tissue Sugar. By Carl F. Cori and Gerty T. Cori	449 453 459
- · · ·	

ILLUSTRATIONS

Effect of forced breathing (Fig. 1) facing	p. 40
The increase of intragastric pressure due to forced breathing (Fig. 2)	
Epinephrine on arterial rings (Fig. 1)	
Strychnine on frogs (Fig. 2)	. 60
Chloral hydrate on frogs (Fig. 3)	
Curves showing the action of pituitary liquid on the diastolic and systoli	
pressure levels and pulse rate in unanesthetized and anesthetized dog	s
(Fig. 1)	. 72
Heart shadow. Dog G1 (Fig. 2)	73
Photomicrographs of capillaries taken from inner aspect of an unanesthetize	d
dog's ear (Fig. 3)	. 78
Blood pressure tracings (Fig. 1)	. 97
pressure tracings (Fig. 2)	
Showing fall of blood pressure in a rat weighing 368 grams following th	
intravenous injection of 24.4 mgm. histamine phosphate per kilogram	11
body weight (Fig. 1)	. 109
— the effect of histamine phosphate (β-I) on the isolated virgin uterus of	
rats (Fig.2)	
contraction of isolated uterus of virgin rat produced by an extract of th	
standard pituitary powder (Fig. 3)	
the contraction produced by histamine phosphate on the isolated loop of	
the jejunum of a rat (Fig. 4)	
Shows the effect of a purified extract from the posterior lobe of the pituitar	
extract—Abel's tartrate (A), and an extract of the standard pituitary	•
powder (B) on the jejunum of a rat (Fig. 5)	
Explanation of growth curves (Figs. 1 to 4)	
Influence of a paraphenylene diamine on swelling of umbilical cord (con	
nective tissue) and gelatine in horse serum (Fig. 1)	
Effect of paraphenylene diamine on relative concentrations of hemoglobic	
and total solids of blood in rabbits (Fig. 2)	
Perfusion of the head and posterior extremities of rabbits without and with	
paraphenylenediamine (0.38 per cent concentration in Tyrode's solution	
containing 6 per cent acacia and 1:1,000,000 pituitary extract— (Fig. 3).	
Fatty infiltration of the liver after administration of hydnocarpus of	
(Fig. 1)	. 228
Blood sugar, coagulation time and anal temperature of pigeons during	
barbital narcosis (Fig. 1)sugar, coagulation time and anal temperature of cats during barbita	. 261
	. 262
Rate of excretion in the bile of rabbits of certain phthalein dyes after thei	
intravenous injection of 5 mgm. per kilo (Chart 1)	
more remote injection of a might, per kno (Onarer)	. 4.0

Disappearance from the blood stream of certain phthalein dyes after ligation	·
of approximately 80 per cent of the liver in rabbits (Chart 2)	282
Sections of rabbits' brains after intravenous injection with trypan blue (Fig. 1)	
The effect of peptone on the passage of trypan blue into fluid in the peritoneal	201
cavity (Fig. 1)	303
Reducing power of normal and cancer tissue (Fig. 1)	309
power of normal and cancer tissue (Chart I)	321
— power of normal and cancer tissue (Chart II)	
power of normal and cancer tissue (Chart III)	326
— power of normal and cancer tissue (Chart IV)	327
Effects of insulin injections upon normal dogs and rabbits (Fig. 1)	
Showing the effect of an intravenous injection of ephedrine on kidney volume	
and blood pressure after paralytic doses of nicotine (Fig. 1)	
— the effect on the heart of intravenous injection of ephedrine (Fig. 2)	
showing the comparative effect on the heart of intravenous injection	
of epinephrine and of application of ephedrine to the stellate ganglion	
(Fig. 3)	343
— the effects of ephedrine on the venous outflow from a perfused kidney	0.0
(Fig. 4)	345
— the effect of ephedrine on the isolated intestine (Fig. 5)	
Effect of pituitary extract on renal secretion of normal man (Chart I)	380
Rabbit, female, weight, 3.4 kgm.; urethane per os 3 grams per kilo. Cannula	
in bladder (Chart II)	383
, female, weight 1.5 kgm.; urethane per os 2 grams per kilo. Cannula	
in bladder (Chart III)	384
Effect of pituitary extract on diuresis in the non-anesthetized rabbit with	
polyuria (Chart IV)	386
Anti-diuretic effect of pituitary extract in the normal non-anesthetized	
rabbit (Chart V)	
Uterus of guinea pig, 200 grams (Tracings 1 and 2)	395
—— of guinea pig, 200 grams (Tracing 3)	396
Dog, male, 8 kilos. Morphine and chloretone anesthesia. Atropine intra-	
venously (Tracing 4)	398
, male, 10 kilos. Morphine and chloretone anesthesia. Atropine	
intravenously (Tracing 5)	399
Rabbit, female, 2 kilos. Paraldehyde. Cannula in bladder. Diffusion of	
renal active constituent of infundibulum (Chart I)	400
, male, 2.2 kilos. Urethane. Cannula in bladder (Chart II)	401
${\bf Effect\ of\ trichlor methyl phenyl carbinol\ on\ the\ blood-pressure\ and\ respiration}$	
of a cat (Fig. 1)	420
Intestinal segment from rabbit; di-benzoyl ether of saligenin (Fig. 1)	436
segment from rabbit; benzyl ether of saligenin (Fig. 2)	437
Blood pressure and respiration—rabbit; normal butyl ether of saligenin	
(Fig. 3)	
pressure and respiration-rabbit; dibenzovl ether of saligenin (Fig. 4)	446