CONTENTS

Number 1, January, 1930

I. Cobalt as Vaso-Dilator. By J. M. Le Goff	1
Nerve Tissue. By M. A. F. Sherif	11 31
Experimental Local Tetanus. By H. H. Dixon and S. V. Ranson V. Biochemical Studies on the Absorption of the Ethylester of Paramethylphenylcinchoninic Acid (Tolysin) and Its Fate in Metabolism. I. The Absorption of Tolysin from the Intestinal Tract. By Otto Fürth and	51
Erwin Kuh	57
Erwin Kuh	71
Basicity. By Jesse L. Serby and M. S. Dooley	85
	101
tions of Cocaine, Procaine and Pilocarpine. By Theodore Koppányi X. Experimental and Clinical Studies of Ergotamine. I. Effect of Ergotamine on the Blood Sugar and Epinephrine Hyperglycemia in Trained,	113
Unanesthetized Dogs. By John B. Youmans and W. H. Trimble XI. Experimental and Clinical Studies of Ergotamine. II. The Effect of Ergotamine on the Heart Rate of Trained, Unanesthetized Dogs. By John B. Youmans and William H. Trimble	
NUMBER 2, FEBRUARY, 1930	
XII. The Pharmacological and Toxicological Actions of Acriflavine. By R. St. A. Heathcote and A. L. Urquhart	145
	161
By Wyly McG. Billing XV. An Artificial Heart. By O. S. Gibbs XVI. Biochemical Studies of Mercury Compounds. I. The Effect of Acids, Bases, Salts and Blood Serum on the Diffusion of Mercury Compounds in	
Vitro. By F. H. L. Taylor and A. G. Young	

iv CONTENTS

XVIII. The Estimation of Small Quantities of Strychnine in Biologic Material. By James T. Priestley	
Number 3, March, 1930	
XIX. Effects of Pure Nitrous Oxide Anesthesia on Human Blood Pressure. By Samson Wright and J. H. Thompson	247 261 271 291 303 313
Number 4, April, 1930	
XXVII. Growth and Bone Changes in Rats Injected with Anterior Pituitary	
Extract. By Milton B. Handelsman and Ernest F. Gordon	
XXIX. The Potassium and Calcium Content of the Brain under MgSO ₄ Anesthesia. By W. E. Callison, J. Lander, and F. P. Underhill	385
W. M. Crawford	
and Garrett Pipkin	
XXXII. Studies on the Colloid Chemistry of Antisepsis and Chemotherapy. I. The Mode of Combination of Antiseptic Dyes with Proteins. By Arthur D. Hirschfelder and Harold N. Wright	411
XXXIII. Studies on the Colloid Chemistry of Antisepsis and Chemotherapy. II. Does the Fraction of an Antiseptic Which Has Been Adsorbed on Protein Still Exert an Antiseptic Action? By Harold N. Wright and Arthur	
D. Hirschfelder	
James B. Ross and R. L. Stehle	451
Gibbs XXXVI. The Action of Pituitary Extract upon Blood Pressure. By B. B.	
Raginsky, James B. Ross and R. L. Stehle	

ILLUSTRATIONS

Record of the blood pressure. $\times \frac{1}{2}$. Rabbit 3 kgm. Morphin anesthesia	
(Fig. 1)	8
Showing the effect of novocaine borate 2 per cent solution on oxygen uptake	
(Fig. 1)	17
Effect of novocaine borate 0.5 per cent solution on oxygen uptake (Fig. 2)	18
of cocaine hydrochloride 1 per cent solution on oxygen uptake (Fig. 3)	18
of cocaine hydrochloride 0.5 per cent solution on oxygen uptake (Fig. 4).	19
- of cocaine hydrochloride 0.2 per cent solution on oxygen uptake (Fig. 5).	20
of urethane 5 per cent solution on oxygen uptake (Fig. 6)	21
— of urethane 2.5 per cent on oxygen uptake (Fig. 7)	22
— of caffeine citrate 0.1 per cent solution on oxygen uptake (Fig. 8)	23
- of caffeine citrate 1 per cent solution on oxygen uptake (Fig. 9)	24
— of eucupinotoxin 0.2 per cent on oxygen uptake (Fig. 10)	25
of galactose 0.1 per cent solution on oxygen uptake by isolated nerve	
(Fig. 11)	26
Cardiazol (Fig. 1)	34
Coramine (Fig. 2)	37
— (Fig. 3)	37
Hexetone (Fig. 4)	39
— (Fig. 5)	40
Adrenaline-ephedrine (Fig. 6)	43
ephetonine (Fig. 7)	44
Shows apparatus used, except for lower part of drop recorder (Fig. 1)	88
A condensed record (1 to 7) of a single experiment, illustrating both acid and	
alkali effects (Fig. 2)	91
Simultaneous recording of peristalsis and action of the pyloric valve in the	
isolated stomach of the frog. I. The influence of acidity and basic-	
ity (Fig. 3)	95
Effect of ergotamine on the blood sugar: curves showing a rise and a fall	
in Normal unanesthetized dogs (Fig. 1)	127
of ergotamine on the hyperglycemic response to an injection of epi-	
nephrine in a normal dog (Fig. 2)	128
of ergotamine on the epinephrine hyperglycemia of a normal dog	
(Fig. 3)	129
Tracing from isolated toad's heart, perfused with acriflavine, 1:250,000	
(Fig. 1)	147
— from isolated intestine of rabbit (Fig. 2)	
Blood pressure tracing from anesthetised dog (Fig. 3)	
Section of kidney, under \(\frac{1}{6}\)-inch objective, showing typical dilation of the	
tubules and the atrophy of the epithelium (Fig. 4)	156
— of spleen, under f-inch objective, showing a portion of one of the tra-	
beculae and the adjoining splenic pulp (Fig. 5)	156

Section of liver, under &-inch objective, showing an area in which the liver	
cells are shrunken and atrophied (Fig. 6)	157
An artificial heart (Fig. 1)	200
— artificial heart (Fig. 2)	200
artificial heart (Fig. 3)	201
Photograph of the instrument in place on a cat (Fig. 4)	
An artificial heart (Fig. 5)	203
Shows the effect of commercial pituitrin (Fig. 6)	209
— the effect of 0.5 mgm. ergotoxin (Fig. 7)	209
- the effect of adrenalin (1 drop 1:1000) on a circulation in which reversal	
is probably complete (Fig. 8)	210
— a typical adrenalin reaction (Fig. 9)	210
— the typical result of a vaso-depressor (Fig. 10)	212
Biochemical studies of mercury compounds (Fig. 1)	221
studies of mercury compounds (Fig. 2)	221
Apparatus for the determination of pH in gas mixture (Fig. 1)	233
Effects of pure nitrous oxide anesthesia on human blood pressure (Fig. 1)	
— of pure nitrous oxide anesthesia on human blood pressure (Fig. 2)	249
— of pure nitrous oxide anesthesia on human blood pressure (Fig. 3)	251
— of pure nitrous oxide anesthesia on human blood pressure (Fig. 4)	252
— of pure nitrous oxide anesthesia on human blood pressure (Fig. 5)	254
— of pure nitrous oxide anesthesia on human blood pressure (Figs. 6 and	201
7)	255
of pure nitrous oxide anesthesia on human blood pressure (Fig. 8)	256
— of pure nitrous oxide anesthesia on human blood pressure (Figs. 9A and	200
9B)	257
Pharmacology of Xysmalobinum (Figs. 1 and 2)	264
— of Xysmalobinum (Fig. 3)	265
— of Xysmalobinum (Fig. 4)	266
— of Xysmalobinum (Fig. 5)	267
Coxic effects of irradiated ergosterol (Fig. 1)	273
Section of thoracic aorta of rat 5 (Fig. 2)	276
	277
— of myocardium of rat 8 (Fig. 4) of myocardium of rat 8, showing the wall of a small arteriole completely	277
	277
of kidney of rat 8, showing much calcium deposit at the junction of me-	211
	דדים
	277
	279 282
	293
	293
of 4 cc. alcohol per kilogram on the phenoltetrachlorphthalein test in	ഛ
	293
	294 296
on normal and damaged liver (Chart 5)	
— on normal and damaged liver (Chart 5)	
	298
	400

Representing the perfused isolated lungs of a rabbit, female, weight 1.75 kgm.	
(Chart 1)	
—— the perfused isolated lungs of a cat, male, weight 2.200 kgm. (Chart 2)	
— the perfused isolated lungs of a cat, male, weight 1.8 kgm. (Chart 3)	
— the perfused isolated lungs of a dog, female, weight 6.5 kgm. (Chart 4)	
— the perfused isolated lungs of a cat, male, weight 1.9 kgm. (Chart 5)	
Antipyretic effects of phenacetin 200 mgm. per kilogram plus magnesium 100	
mgm. per kilogram (heavy lines and circles) compared with phenacetin	~
alone (light lines) (Figs. 1 to 6)	
effects of phenacetin alone (Fig. 7)	346
Average growth results in a cage of eight rats, 4 of which received 0.5 cc. of	255
the alkaline pituitary extract twice daily for thirteen days (Curve A)	300
growth results in a cage of eight rats, 4 of which received 0.5 cc. of the	255
alkaline pituitary extract twice daily for thirteen days (Curve B)	
Medial aspect of the mandible from the same animal as in figure 2 (Fig. 1)	
	338
Lateral aspect of the mandible of an experimental rat weighing 215 grams at the onset of the experiment. 0.5 cc. of alkaline pituitary extract was ad-	
ministered twice daily for two weeks, with madder included in its diet	
throughout this period (Fig. 3)	250
	000
grams after ingesting madder for two weeks (Fig. 4)	250
Dialysis of cerebrospinal fluid against glucose and sodium arabinate through	
collodion sacs (Fig 1)	
Experiment 28. (Dog 979, weight 8.5 kgm. Amytal anesthesia.) Effect of	000
27 per cent solution sodium arabinate (2.3 cc. per kilogram) on cerebro-	
spinal fluid pressure and blood pressure (Fig. 2)	372
- 40. (Dog 760, weight 10 kgm. Colonic ether anesthesia.) (Time, 6	
seconds.) Effect of 25 per cent solution sodium arabinate (2.5 cc. per	
kilogram) on cerebrospinal fluid pressure, blood pressure, and respiration	
(Fig. 3)	373
- 40. (Dog. 760, weight 10 kgm. Colonic ether anesthesia.) (Time, 6 sec-	
onds.) Effect of 50 per cent glucose (2.5 cc. per kilogram) (Fig. 4)	375
- 38. (Dog 762, weight 12 kgm. Amytal anesthesia.) Effect of sodium	
arabinate (1.7 cc. per kilogram 25 per cent solution) on blood and cere-	
brospinal fluid pressures (Fig. 5)	376
10. (Dog 5, weight 7 kgm. Amytal anesthesia.) Effect of ammonium	
arabinate (2.8 cc. per kilogram 25 per cent solution) on cerebrospinal	
pressure (Fig. 6)	37 8
—— 14. (Dog 827, weight 4.5 kgm. Amytal anesthesia.) Effect of am-	
monium arabinate (2.6 cc. per kilogram 25 per cent solution) on cerebro-	
spinal pressure (Fig. 7)	379
23. (Dog 365, weight 17.9 kgm. Amytal anesthesia.) Effect of sodium	
arabinate (2.2 cc. per kilogram 25 per cent solution) on cerebrospinal	200
pressure (Fig. 8)	380
- 26. (Dog 962, weight 6.8 kgm. Amytal anesthesia.) Effect of sodium	
arabinate (2.9 cc. per kilogram 25 per cent solution) on cerebrospinal	201
pressure (Fig. 9)	381

Experiment 36. (Dog 6, weight 6.7 kgm. Amytal anesthesia.) Effect of sodium arabinate (2.9 cc. per kilogram 25 per cent solution) on blood	
pressure and increased cerebrospinal pressure (Fig. 10)	382
Unanesthetized 10 kgm. dog, intact intestine (Fig. 1)	392
10 kgm. dog (Fig. 2)	
14 kgm. dog. Unanesthetized (Fig. 3)	
9.5 kgm. dog. Unanesthetized (Fig. 4)	
Unanesthetized 14.2 kgm. dog (Fig. 5)	
14 kgm. dog. Unanesthetized (Fig. 6)	
Longitudinal segment of normal intestine (Fig. 1)	
— segment of normal intestine (Fig. 2)	
	407
Excised longitudinal segment from a Thiry-Vella loop of dog's intestine	10.
(Fig. 5)	408
	409
	416
Binding of crystal violet, gentian violet and rose bengal by coagulated egg	410
	400
albumin (Fig. 2)	420
	401
	421
Diagrammatic representation of probable effect of concentration of a protein	
-F	424
Application of Freundlich absorption isotherm equation to binding of tri-	
1 1 00 00	427
	42 8
Binding of crystal violet and malachite green by 1 per cent egg albumin	
	442
Effect of 1 per cent egg albumin in decreasing the antiseptic efficiency of	
	443
— of 1 per cent egg albumin in decreasing the antiseptic efficiency of mala-	
O (O)	444
(- 6)	447
	457
— the immediate anti-diuretic action of pituitary extract (Fig. 2)	4 57
the immediate anti-diuretic action of pituitary extract (Fig. 3)	457
The cardiac action of pituitary extract (posterior lobe) (Fig. 1)	466
cardiac action of pituitary extract (posterior lobe) (Fig. 2)	466
cardiac action of pituitary extract (posterior lobe) (Fig. 3)	467
cardiac action of pituitary extract (posterior lobe) (Fig. 4)	46 8
cardiac action of pituitary extract (posterior lobe) (Fig 5)	469
cardiac action of pituitary extract (posterior lobe) (Fig. 6)	
- action of pituitary extract upon blood pressure (Figs. 1-4)	
action of pituitary extract upon blood pressure (Figs. 5-8)	
- action of nituitary extract upon blood pressure (Figs. 9-12)	478