CONTENTS

Number 1, September, 1913

I. The Action of Serum on the Perfused Heart of the Rabbit. By A. R. Cushny and J. A. Gunn	1
II. The Effect of Certain Oxidizing Substances and of Acids and Alkalies on the Isolated Mammalian Heart. By A. S. Loevenhart and J. A. E.	
Eyster	21
III. An Apparatus for the Perfusion of Isolated Organs, Especially the Isolated Mammalian Heart. By J. A. E. Eyster and A. S. Loevenhart.	57
IV. The Effect of Atophan and Novatophan on the Endogenous Uric Acid Excretion of Normal Men. By Howard D. Haskins	63
V. The Treatment of Experimental Beri-Beri with Extracts of Spinal Cord. By Carl Voegtlin and Caroline Towles	67
VI. The Action of Nitrites and Drugs of the Digitalis Group on the Isolated	01
Coronary Artery. By Carl Voegtlin and David I. Macht VII. The Reversible Action of Adrenaline and Some Kindred Drugs on the	77
Bronchioles. By F. L. Golla and W. L. Symes	87
Number 2, November, 1913	
 VIII. I. The Direct Application of Drugs to the Temperature Centers. By Henry G. Barbour and Elihu S. Wing. IX. II. Paradoxical Action of Antipyrin in Partially and Completely Decerebrate Rabbits. By Henry G. Barbour and Clyde L. Deming. X. Quantitative Studies on the Gastro-Intestinal Absorption of Drugs. III. The Absorption of Alcohol. By Paul J. Hanzlik and Russell J. Collins. 	149
Number 3, January, 1914	
XI. The Mode of Action of Strophanthin upon Cardiac Tissue. By A. J. Clark XII. Time Recorder for Kymograph Tracings. By Oliver E. Closson	235 239
Number 4, March, 1914	
XV. Quantitative Studies of Vagus Stimulation and Atropin. By J. D. Pilcher and Torald SollmannXVI. The Alkaloids of Quebracho. By Douglas Cow	

XVII. Observations on the Changes in the Circulatory System in Periodic	
Respiration. By A. J. Clark and P. Hamill	357
XVIII. The Calibration of the Waller Gas Balance and the Connell Anaes-	001
	369
XIX. The Determination of the Anaesthetic Tension of Ether Vapor in	-
Man, with Some Theoretical Deductions Therefrom, as to the Mode of	
Action of the Common Volatile Anaesthetics. By Walter M. Boothby.	379
XX. Two Types of Periodic Respiration Due to Morphin. By Henry G.	
Barbour	393
Number 5, May, 1914	
XXI. On the Action of Muscarine on the Electrical Response of the Heart.	
	425
XXII. The Swelling of Colloids and Hydrogen Ion Concentration. By	
,	449
XXIII. The Site of the Action of Strychnine. By Hugh McGuigan and F. C. Becht	469
XXIV. The Action of Certain Drugs on the Bronchioles. By D. E. Jackson	
XXV. Scientific Proceedings of the American Society for Pharmacology	110
and Experimental Therapeutics	511
and Emporation and appearance of the control of the	J.,
Number 6, July, 1914	
XXVI. The Action of Certain Drugs on the Uterus of the Guinea-Pig and	
of the Rat. By James A. Gunn and John W. C. Gunn	527
XXVII. The Effect on the Respiration of Altered Vascular Conditions in	
the Lungs. By W. E. Dixon and Fred Ransom	539
XXVIII. The Solubility of Lead Sulphide Ores and of Lead Sulphide in	
	549
XXIX. Effects of Chloroform and of Ether Anesthesia on the Protein Con-	
tents of the Blood Serum of Rabbits. By Leonard W. Buck	553
XXX. A New Standard for the Determination of the Strength of Pituitary	F F O
Extracts. By George B. RothXXXI. Experiments on the Cardiac Action of Camphor. By O. H. Plant.	559 571
XXXII. A Note on the Efficiency of the Knowlton-Starling Isolated Heart-	371
Lung Preparation for Testing the Cardiac Action of Drugs. By O. H.	
· · · · · · · · · · · · · · · · · · ·	603
XXXIII. On the Removal of Diffusible Substances from the Circulating	
Blood of Living Animals by Dialysis. II. Some Constituents of the	
Blood. By John J. Abel, Leonard G. Rowntree and B. B. Turner	611
XXXIV. Plasma Removal with Return of Corpuscles (Plasmaphaeresis).	
By John J. Abel, L. G. Rowntree and B. B. Turner	625

ILLUSTRATIONS

Tracing of rabbit's heart (Fig. 1)	5
Tracing of rabbit's heart (Fig. 2)	7
Tracing of rabbit's heart (Fig. 3)	9
Continuation of experiment from which figure 3 was taken (Fig. 4)	10
Experiments 5 and 10 (Figs. 1 and 2)	41
Experiments 14 and 17 (Figs 3 and 4)	43
Experiments 19, 21 and 22 (Figs. 5, 6 and 7)	45
Experiments 23 and 24 (Figs. 8 and 9)	47
Experiments 25 and 26 (Figs. 10 and 11)	49
Experiment 30 (Fig. 12)	51
Experiment 31 (Fig. 13)	53
Experiment 33 (Fig. 14)	55
Apparatus for the perfusion of isolated organs especially the mammalian	
heart (Fig. 1)	58
Apparatus for the perfusion of isolated organs especially the mammalian heart	
(Figs. 2 and 3)	60
Ox coronary—four rings (Fig. 1)	84
Ox coronary—three rings (Fig. 2)	84
Pig's coronary—four rings (Fig. 3)	84
Ox coronary—four rings (Fig. 4)	85
Ox coronary—three rings (Fig. 5)	85
Ox coronary—five rings (Fig. 6)	85
Ox coronary—three rings (Fig. 7)	85
Pig's coronary—four rings (Fig. 8)	85
Pig's coronary—five rings (Fig. 9)	86
Ox coronary—three rings (Fig. 10)	86
Ox coronary—three rings (Fig. 11)	86
Ox coronary—three rings (Fig. 12)	86
First line, spontaneous respiration (plethysmograph) (Fig. 1)	89
First line, respiratory tracing, from tambour on abdomen (Fig. 2)	91
Lateral tracheal pressure showing constriction of air-way from 5 mg. of pilo-	
carpine hydrochloride, etc. (Fig. 3)	93
Lateral tracheal (upper line) and carotid pressures of cat, under artificial	
respiration by aspiration (Fig. 4)	94
Plethysmographic record of lungs of rabbit, under insufflation thirty times	
a minute, showing bronchiolar constriction by adrenaline (Fig. 5)	95
Plethysmographic record of cat's lungs (upper line), lateral trachea, pres-	
sure (second line), and carotid pressure (Fig. 6)	96
A constriction of air-way by epinine (1.0 mg.) (Fig. 7)	97
Lateral tracheal and carotid pressures (Fig. 8):	98
Simultaneous records of lateral tracheal pressure (upper tracing) and of	
tracheal slip (lower tracing) (Fig. 9)	101

Rabbit T. 10. 0.01 gram chloral in brain reduces body temperature (Fig. 1). Rabbit T. 13. Difference between 0.002 and 0.02 gram chloral in brain	. 120
(Fig. 2)	123
Rabbit T. 21. 0.017 gram chloral and 0.04 gram antipyrin in brain (Fig. 3)	
Rabbit T. 12. 0.04 gram antipyrin in brain first day after "heat puncture"	
(Fig. 4)	127
Rabbit T. 24. 0.04 gram antipyrin in brain first day after orbital puncture	121
(Fig. 5)	190
Rabbit T. 56. 0.001 gram quinin in brain more effective than 0.004 gram	125
subcutaneously in same animal (Fig. 6)	191
Rabbit T. 57. 0.001 and 0.002 gram caffein during puncture hyperthermia	131
(Fig. 7)	136
Rabbit T. 51. Caffein, quinin, epinephrin and antipyrin in brain after a	
puncture not giving hyperpyrexia (Fig. 8)	139
Rabbit T. 43. Beta-tetrahydronaphtylamin in brain causing sharp temper-	
ature rise, other symptoms and death (Fig. 9)	142
Rabbit T. 11. Temperature curve after removal of right cerebrum and	
corpus striatum, showing antipyrin rise (Fig. 1)	157
Rabbit T. 18. Antipyrin rise second day after removal of cerebrum and	
corpus striatum (Fig. 2)	159
Rabbit T. 25. Antipyrin and quinin after removal of cerebrum and corpus	
striatum (Fig. 3)	166
Rabbit T. 4. Antipyrin two days after a puncture which resulted in a sub-	
normal temperature (Fig. 4)	166
Rabbit T. 19. Antipyrin reduces temperature of partially decerebrate	
rabbit which had had no hypopyrexia (Fig. 5)	169
Rabbit T. 47. Antipyrin after complete decerebration including basal gan-	100
glia (Fig. 6)	175
Rabbit T. 48. No antipyrin after same operation.	175
action of strophanthin upon the freshly excised heart (Fig. 1)	
action of minimal lethal concentration of strophanthin upon the frog's	210
	010
heart (Fig. 2)	218
action of strophanthin upon the freshly excised heart of a frog in good con-	000
dition (Fig. 3)	220
action of strophanthin upon the freshly excised heart of a frog in good con-	
dition (Fig. 4)	
action of strophanthin upon the frog's heart in the presence of acid (Fig. 5).	
action of alkali on the frog's heart (Fig. 6)	224
action of strophanthin upon the frog's heart in alkaline Ringer ($C^H = 10^{-8.7}$)	
(Fig. 7)	
action of alkali upon the frog's heart (Fig. 8)	226
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	229
action of strophanthin upon the hypodynamic heart of the frog (Fig. 10)	
Time recorder for kymograph tracings (Fig. A)	
Time recorder for kymograph tracings (Figs. B and C)	
Experiment 12, Rabbit (Fig. 1)	
Experiment 9, Rabbit (Fig. 2)	
Experiment 6, Rabbit (Fig. 3)	247

ILLUSTRATIONS	vii
Rabbit. At signal 78 cc. pure CO given (Fig. 4)	
Experiment 23. Dog (Fig. 6)	
Experiment 24. Dog (Fig. 7)	
Experiment 33. Dog (Fig. 8)	
Experiment 29. Cat (Fig. 9)	
Experiment 34. Dog (Fig. 10)	
Perspective view of vivid diffusion apparatus; earlier form with sixteen tubes (Fig. 1)	
Cross section of apparatus shown in figure 1 (Fig. 2)	
Arterial cannula (Fig. 3)	286
Cannulae for portal vein (Fig. 4)	
Larger apparatus with thirty-two tubes (Fig. 5)	
View of proximal end of thirty-two-tube apparatus from outside (Fig. 6)	
Diagrammatic representation of branching of eight-fold distribution tubes of	
thirty-two-tube apparatus (Figs. 7 and 8)	
Diagrammatic plan of largest apparatus, with one hundred and ninety-two	
tubes (Fig. 9)	
Small type of apparatus for individual organs (Figs. 10 and 11)	
Mean heart rate before and after section of the vagi (Fig. 1)	
Mean blood pressure before and after section of the vagi (Fig. 2)	
Experiment 10. "Submaximal" summation (Fig. 3)	
Experiment XI. Variability of response of the vagi to stimulation (Fig. 4).	328
Experiment 5. After atropin 0.2 mg. per kilogram (Fig. 5)	
Experiment II. Vagus response to increase in current after atropin (Fig. 6)	
Experiment III. The slight effect of increased current after nearly com-	
plete vagus paralysis. (Fig. 7)	334
Rabbit; urethane, respiratory movements recorded by an isolated slip of	
diaphragm (Fig. 1)	342
Cat; urethane; respiratory movements; blood-pressure; base-line (Fig. 2)	343
Isolated rabbit's heart perfused with Locke's solution (Fig. 3)	
Isolated rabbit's heart perfused with Locke's solution (Fig. 4)	348
Isolated rabbit's heart twenty minutes after commencement of perfusion	
with 1-10000 quebrachamine (Fig. 5)	349
Isolated rabbit's heart two hours after commencement of perfusion with	
1-150000 quebrachine (Fig. 6)	
Drop-record of perfusion of frog's vessels (Fig. 7)	
Cat; urethane; Blood-pressure; base-line (Fig. 8)	
Cat; urethane; Blood-pressure; base-line (Fig. 9)	
Cat; pithed intestinal movements recorded by Trendelenberg's apparatus	
(Fig. 10)	
Cat; pithed; intestinal movements recorded as in figure 10 (Fig.11)	
Records from H. M. (Fig. 1)	
Case of H. M. (Fig. 2)	
Curve showing the changes in the blood pressure, Case III (Fig. 3)	
Curve showing the changes in the blood pressure, Case IV (Fig. 4)	
Chart representing an ideal other anaesthesia (Fig. 1)	
Chart representing an ideal ether anaesthesia (Figs. 2-3)	
Chart (Fig. 5)	o ō4

ILLUSTRATIONS

Chart (Figs. 4 and 6)	
Chart (Figs. 7 and 8)	
Cat, ether. Both vagi cut. Experiment 24 (Fig. 1)	
Cat, ether. Twenty minutes later. Experiment 24 (Fig. 2)	
Cat, ether. Experiment 26 (Fig. 3)	
Cardiac type of periodic respiration. Experiment 16 (Fig. 4)	
Cardiac type of periodic respiration. Experiment 22 (Fig. 5)	406
Cardiac type of periodic respiration, after brain injury. Experiment 21	
(Fig. 6)	407
Apnea following brain injury. Experiment 22 (Fig. 7)	
Exposed heart showing asphyxia and recovery. Experiment 28 (Fig. 8)	
Cardiac type of periodic respiration after morphin. Experiment 35 (Fig. 9).	
Same a few minutes later. Experiment 35 (Fig. 10)	413
Apnea and beginning periodic respiration after two doses of 0.02 gram mor-	
phin each. Experiment 37 (Fig. 11)	413
lem:periodic respiration reinduced by occlusion of trachea between the two marks.	
Experiment 37 (Fig. 12)	414
Same as figure 12. Experiment 37 (Fig. 13)	415
Vasomotor type of periodic respiration, after 0.06 gram morphin. Experi-	
ment 14 (Fig. 14)	416
Vasomotor type of periodic respiration. Experiment 46 (Fig. 15)	
Frog's heart perfused (Fig. 1)	
Described in text. (Fig. 2)	
Described in text (Fig. 3)	
Frog's heart suspended, not perfused (Fig. 4)	
Frog's heart (Fig. 5)	
Ventricle of tortoise (Fig. 6)	
Apparatus for artificial (aspiration) respiration (Fig. 1)	
Pithed dog. Aspiration respiration (Fig. 2)	
Pithed dog. Aspiration respiration (Fig. 3)	
Pithed dog. Aspiration respiration (Fig. 4)	
Pithed dog. Aspiration respiration (Fig. 5)	
Pithed dog. Aspiration respiration (Fig. 6)	
Pithed dog (Fig. 7)	
Anaesthetised pregnant guinea-pig, uterus in situ (Fig. 1)	
Same uterus as in figure 1, subsequently isolated (Fig. 2)	
Isolated pregnant guinea-pig's uterus (Fig. 3)	
Isolated pregnant guinea-pig's uterus (Fig. 4)	
Isolated non-pregnant rat's uterus (Fig. 5)	535
Anaesthetised pregnant rat, uterus in situ (Fig. 6)	535
Isolated pregnant rat's uterus (Fig. 7)	
Cat A. C. E. (Fig. 1)	
Cat A. C. E. (Fig. 2)	
Decerebrate cat (Fig. 3)	
Cat anaesthetised with A. C. E. (Fig. 4)	543
Diagrammatic representation of apparatus for heart-lung preparation (Fig. 5)	
Heart-lung preparation of cat with suction inspiration (Fig. 6)	
m :	-

ILLUSTRATIONS ix Heart-lung preparation of cat with suction inspiration (Fig. 6)..... Apparatus used for work on the isolated uterus..... Effects upon the isolated uterus of a virgin guinea pig of a slightly deteriorated solution of β -iminazolylethylamine hydrochloride (Fig. 1)...... 566 Later effects of the same solution of β -iminazolylethylamine hydrochloride Effects of fresh solution of β -iminazolylethylamine hydrochloride upon the Tracings from the isolated uterus of the same animal used in Fig 3 (Fig. 4) 569 Effect on heart rate of dropping saturated solution of camphor on chloralized Effect on heart rate of dropping 1 per cent ether solution on chloralized frog's Strips of ventricular muscle from the same turtle's heart contracting in Effect of camphor on chloralized mammalian heart (Fig. 9)................ 598 Effect of camphor on phosphorous poisoned mammalian heart (Fig. 10)..... 601 Strophanthin (Fig. 2) 606