CONTENTS

Number 1, May, 1934

I. A Study of Cyclopropane Anesthesia with Especial Reference to Gas Concentrations, Respiratory and Electrocardiographic Changes. By M. H. Seevers, W. J. Meek, E. A. Rovenstine	
and J. A. Stiles	1
Herrick, and Hiram E. Essex	18
III. The Action of Crystalline Thevetin, a Cardiac Glucoside of Thevetia neriifolia. By K. K. Chen and A. Ling Chen IV. Studies of Morphine, Codeine and Their Derivatives. IV.	23
Hydrogenated Codeine Isomers. By Nathan B. Eddy V. Low Oxygen Tensions and Temperatures on the Actions and	35
Toxicity of Dinitrophenol. By M. L. Tainter	45
VI. Interaction of Acetylcholine and Epinephrine on the Isolated Small Intestines of Various Animals. By Frederick Bernheim	59
VII. The Interaction of Acetylcholine, Epinephrine and Certain Other Drugs on the Isolated Small Intestine of the Rat. By	
Frederick Bernheim	68
Products, First Variations: The Effect of Muzzling the Hydroxy Group of 2- or 3-Hydroxy-Phenanthrene. By Nathan	
B. Eddy	75
Movements. II. The Effect of Morphine on the Pressures Developed by the Intestinal Musculature. By Hugo Krueger	85
X. The Rôle of Acetylcholine in Bladder Contractile Mechanisms and in Parasympathetic Ganglia. By V. E. Henderson and M. H.	99
Roepke	97
XI. Aspirin and Calcium Aspirin. Their Action on Growing Bone. By N. Mutch	112
Number 2, June, 1934	
XII. The Scientific Proceedings of the American Society for Pharmacology and Experimental Therapeutics. Twenty-fifth Annual Meeting, Held at New York City, New York, March 29, 30, 31,	
1934. Edited by the Secretary, V. E. Henderson	
Foster	100

XIV.	The Effect of Codeine, Dihydrocodeine and Their Isomers on Blood Pressure in Anaesthetized Cats. By R. H. K. Foster	170
XV.	Pharmacology and Toxicology of the Azo Dye, Phenyl-azo- alpha-alpha-diaminopyridine (Pyridium). By Robert P.	
	Walton and Edwin H. Lawson	200
XVI.	A Comparative Pharmacologic Study of the Three Phosphoric	
	Esters of Orthocresol. By Maurice I. Smith with the assistance of E. F. Stohlman	017
XVII.	Further Studies of the Methyl Cholines and Analogous Com-	216
	pounds. By Reid Hunt and R. R. Renshaw	237
	Number 3, July, 1934	
XVIII.	Proof of the Existence of a Follicle-Stimulating and a Luteinizing Hormone in the Anterior Lobe of the Pituitary Body. By	
	Zonja Wallen-Lawrence	263
XIX.	The Cardiac Irregularities Produced by Ephedrine and a Pro-	
	tective Action of Sodium Barbital. By Walter J. Meek and	
vv	M. H. Seevers	287
AA.	trin, Pitocin and Pitressin on Intestinal Propulsive Activity	
	Determined in the Unanesthetized Dog by the Bolus Method.	
	By J. P. Quigley, William H. Highstone and A. C. Ivy	308
XXI.	Pigeon Emesis and Drug Action. By C. C. Lieb and Michael	
	G. Mulinos	321
XXII.	The Respiratory Effects of Morphine, Codeine and Related Substances. I. The Effect of Codeine, Isocodeine, Allopseudo-	
	codeine and Pseudocodeine on the Respiration of the Rabbit.	
	By Charles I. Wright	327
XXIII.	The Respiratory Effects of Morphine, Codeine and Related	
	Substances. II. The Effect of Dihydrocodeine, Dihydroiso-	
	codeine, Dihydroallopseudocodeine and Dihydropseudoco-	0.40
XXIV	deine. By Charles I. Wright	040
12221.	Pregnancy. By Fred E. D'Amour and R. G. Gustavson	353
XXV.	The Use of Pigeons in the Estimation of Digitalis Potency. By	
	H. B. Haag and J. D. Woodley	360
	Number 4, August, 1934	
XXVI.	Comparative Actions of Sympathomimetic Compounds: Bron-	
	chodilator Actions in Perfused Guinea Pig Lungs. By M. L.	
vvvii	Tainter, John R. Pedden and Martha James	371
AAVII.	Coronary Dilator Action of Theophylline Ethylenediamine.	
	B. The Effect of Insulin-free Pancreatic Extract on the Cor-	
	onary Circulation. By O. O. Stoland, A. M. Ginsberg, D. L.	
	Loy, and P. E. Hiebert	387
XXVIII.	A Colorimetric Method for the Determination of Nitrite in Blood.	000
	By Edward J. Stieglitz and Alice E. Palmer	398

CONTENTS V

XXIX. A Contribution to the Pharmacology of Narcotine. By Nathaniel	44.4
Cooper and Robt. A. Hatcher	411
XXX. The Effect of Tissue Extract and Other Vascular Depressor	
Substances on Isolated Intestines. By Jean D. Craven and	
Forest D. McCrea	421
XXXI. The Effect of Dinitrophenol on the Spontaneous Activity of the	
Rat. By Victor E. Hall and Margaret Lindsay	430
XXXII. Diffusible and Non-diffusible Calcium in Blood and Cerebro-	
spinal Fluid of Cats Intoxicated with Bulbocapine and of	
Human Beings under Bromide Treatment. By S. Katzenel-	
bogen with the technical assistance of Theodore J. Czarski	425
XXXIII. The Effects of Morphine and Its Derivatives on Intestinal Move-	700
•	440
ments. III. Peristalsis. By Hugo Krueger	44 U
XXXIV. The Diuretic Action of Pituitary Extracts and the Responsible	
Principle or Constituent. By K. I. Melville and D. V.	
Holman	4 59
XXXV. Aconite. IV. Electrocardiographic and Pharmacological Stud-	
ies of Aconite and its Alkaloids. By Joseph B. Wolffe and	
James C. Munch	471
XXXVI. The Effect of Dinitrophenol upon the Circulation Time. By	
H. Freeman	477
XXXVII. A Comparative Study of Hydrastine, Bicuculline and Adlumine.	
By Arnold D. Welch and V. E. Henderson	482
XXXVIII. A Note on Bicucine. By Arnold D. Welch and V. E. Henderson	
XXXIX. Index	
AAAIA, Illuex	490

ILLUSTRATIONS

External and sagittal views of be-still nuts (Fig. 1)	
Electrocardiographic changes caused by the vetin	
Morphine, codeine and their derivatives (Fig. 1)	
Degree of metabolic stimulation produced in rats by a range of doses of	
dinitrophenol (Fig. 1)	49
Maximum metabolic rates produced in individual rats by a range of doses of	-1
dinitrophenol (Fig. 2)	50
Percentage mortality curves for dinitrophenol injected subcutaneously in	
rats (Fig. 3)	52
Average curves for metabolic changes caused by 30 mgm. per kilogram dinitro-	
phenol subcutaneously in rats (Fig. 4)	54
Mouse jejunum (Fig. 1)	61
Cat ileum (Fig. 2)	62
ileum (Fig. 2A)	62
—— ileum (Fig. 2B)	62
jejunum (Fig. 2C)	62
Rabbit ileum (Fig. 3)	64
Dog ileum (Fig. 4)	65
Interaction of certain drugs on intestine (Fig. 1)	70
— of certain drugs on intestine (Fig. 1A)	70
of certain drugs on intestine (Fig. 2)	71
— of certain drugs on intestine (Fig. 3)	72
Diagram of apparatus for recording movements of intestinal musculature	
under relatively isobaric or isometric conditions (Fig. 1)	86
Effect of morphine on the pressures developed by the intestine (Fig. 2)	88
Relationship between pressure as recorded by mercury manometer, distend-	
ing force in intestinal balloon and volume of water in balloon for experi-	
ments of July 29, 1932, and July 19, 1932 (Fig. 3)	91
Pressures in the intestine during the passage of a peristaltic wave (Fig. 4)	91
Effect of morphine on the pressures developed by the intestine (Fig. 5)	93
Acetylcholine in bladder mechanisms (Fig. 1)	99
— in bladder mechanisms (Fig. 2)	101
in bladder mechanisms (Fig. 3)	102
— in bladder mechanisms (Fig. 4)	106
— in bladder mechanisms (Fig. 5)	107
Growth curves (litter 4) (Fig. 1)	
curves (litter 12) (Fig. 2)	
	117
— curves (litter 14) (Fig. 4)	117
Aspirin and calcium aspirin (Plate 1)	120
and calcium aspirin (Plate 2)	121

(A) Rate of hydrolysis of aspirin in aqueous solution at 15°C.; (B) rate of hy-	
drolysis of calcium aspirin in aqueous solution at 15°C. (Fig. 5)	
Rate of hydrolysis of dry crystallised calcium aspirin at 37°C. (Fig. 6)	
— of hydrolysis of the dry protected salt (calcium aspirin—Coplans), at	
ordinary room temperature 10° to 20°C. (Fig. 7)	
Serum calcium values after calcium aspirin (Coplans) by mouth (Fig. 8)	
Effect of codeine isomers on blood pressure (Fig. 1)	
Blood pressure curves. Points on curves indicate averages of principle	
effects (Fig. 1)	
Effects of initial doses of codeine (Fig. 2)	
of initial doses of pseudocodeine (Fig. 3)	
Injection of pyridium (1 per cent stock solution) (Figs. 1 and 2)	105
Effects of pyridium and aniline on hemoglobin (Fig. 3)	
Azo dye—pharmacology and toxicology (Fig. 4)	
Effect of drug on red cell counts (Fig. 5)	
Free and conjugated blood phenols following the intravenous injection of	
the phosphoric mono-, di-, and tri-esters of orthocresol in the rabbit	
(Fig. 1)	
Total blood phenols following the intravenous injection of the three phos-	
phoric esters of orthocresol in the rabbit (Fig. 2)	
Hormone in anterior lobe of pituitary body (Fig. 1)	
— in anterior lobe of pituitary body (Fig. 2)	
The effects of fractions B and C on the ovaries and uteri of immature rats	
(Fig. 3)	
Various cardiac irregularities seen after ephedrine (Fig. 1)	
Two records taken on the same animal without injection (Fig. 1)	
Structural formulae for codeine and the three derivatives studied (Fig. 2)	
Percentage change in the minute volume of the rabbit one hour after the in-	
jection of codeine hydrochloride, isocodeine acid tartrate, pseudocodeine	
hydrochloride and allopseudocodeine hydrochloride (Fig. 3)	
change in the minute volume of the rabbits while inhaling a carbon dioxide	
air mixture one hour after the injection of codeine hydrochloride, iso-	
codeine acid tartrate, pseudocodeine hydrochloride and allopseudo-	
codeine hydrochloride (Fig. 4)	
Graphs showing continuous records of the oxygen consumption, respiratory	
rate, and minute volume after subcutaneous injection of codeine hydro-	
chloride, isocodeine acid tartrate and pseudocodeine hydrochloride at the	
doses indicated (Fig. 5)	339
Structural formulae for dihydrocodeine and the three derivatives studied	
(Fig. 1)	
Percentage change in the minute volume of the rabbits one hour after the	
injection of dihydrocodeine, dihydroisocodeine and dihydroallopseudo-	
codeine as acid tartrates and dihydropseudocodeine hydrochloride	
(Fig. 2)	
change in the minute volume of the rabbits while inhaling a carbon	
dioxide air mixture one hour after the injection of dihydrocodeine, dihy-	
droisocodeine and dihydroallopseudocodeine as acid tartrates and di-	
hydropseudocodeine hydrochloride (Fig. 3)	348

Graphs showing continuous records of the oxygen consumption, respiratory	
rate and minute volume after subcutaneous injection of the salts of	
dihydrocodeine, dihydroisocodeine, dihydroallopseudocodeine and dihy-	
	349
A transverse section of the uterus of a rat which received 10 rat units of	
estrin daily from the first to the tenth day after insemination and was	
killed on the eleventh day (Fig. 1)	355
Control uterus eleven days pregnant (Fig. 2)	355
Fibrosis in the basal half of the uterine mucosa of a rat which received 20 rat	
units of estrin daily from the first to the fifth day after insemination	
(shortest period of treatment) and was killed on the sixth day (Fig. 3)	355
Control preparation from a fifteen-day pregnancy, a stage which shows	
greater development of reticulum fibres than any other of the control series	
(Fig. 4)	355
Longitudinal section of uterus including the edge of an implantation site	
from a rat which received 50 rat units daily from the tenth to the fifteenth	
days and was killed on the sixteenth (Fig. 5)	356
Control preparation from a fifteen-day pregnancy, taken transversely be-	
tween implantation sites (Fig. 6)	356
Placenta from an animal which received 50 rat units daily from the tenth to	
fifteenth days and was killed on the sixteenth (Fig. 7)	357
	357
Results of a typical lung perfusion, showing sequence of injections and charac-	
teristic bronchial responses (Fig. 1)	
Guinea pig intestine in Tyrode's solution (Fig. 1)	
pig intestine in Ringer's solution (Fig. 2)	
Large intestine of guinea pig in Tyrode's solution (Fig. 3)	
Guinea pig, large intestine in Tyrode's solution (Fig. 4)	
Large intestine of guinea pig in Tyrode's solution (Fig. 5)	
Spontaneous activity of rats receiving dinitrophenol and of controls (Fig. 1) \cdot	
Multiple balloons (Fig. 1)	441
Record of intestinal movements obtained with triple balloon system of figure	
1, B (Fig. 2)	443
of intestinal movements obtained with triple balloon system of figure 1,	
B (Fig. 3)	44 3
of peristaltic activity obtained with rapidly moving kymograph (Fig. 4)	444
— of peristaltic activity obtained with rapidly moving kymograph (Fig. 5)	
— of intestinal movements with triple balloon system (Fig. 6)	
of intestinal activity using double balloon of figure 1, A (Fig. 7)	447
Diuretic action of pituitary extracts (Fig. 1)	4 61
Typical record simultaneous kymogram, pneumogram and electrocardiogram:	
intravenous injection of aconite to anesthetized dog (Fig. 1)	47 3
electrocardiogram, showing lead III; aconine intravenously to anesthe-	
tized dog (Fig. 2)	475
Condensed electrocardiograms showing characteristics of aconitine, benzoyl-	
aconine, and aconine on anesthetized dogs; intravenous injection (Fig. 3).	475
Circulation time vs. basal metabolic rate under dinitrophenol medication in	
9 schizophrenic patients (Fig. 1)	478