## CONTENTS

## Number 1, September, 1935

<ul> <li>I. The Relative Efficiency of a Series of Analeptics as Antidotes to Sublethal and Lethal Dosages of Pentobarbital, Chloral Hydrate, and Tribromethanol ("Avertin"). By O. W. Barlow.</li> <li>I. Studies on Ether Dosage after Pre-Anesthetic Medication with Narcotics (Barbiturates, Magnesium Sulphate and Morphine).</li> </ul>	
By Frank A. Calderone	***
I. The Pharmacological Action of the Alkaloids of Furmaraceous plants. II. Corydine. By R. A. Waud	
tion of Barbiturates. By James M. Dille, Charles R. Linegar and Theodore Koppanyi	
V. Studies on Barbiturates. XIII. Analysis of the Duration of Action of Barbiturates. By Theodore Koppanyi, Charles R.	V.
Linegar and James M. Dille	
I. Narcosis and the Chronaxie. By P. K. Knoefel	
I. Alcohol Injected Intravenously: Effect of Habituation on Rate of Metabolism. By Henry W. Newman and Windsor C.	VII.
Cutting	VIII.
By George A. Emerson 90	
X. The Quantitative Assay for the Testicular Hormone by the	IX.
Comb-growth Reaction. Second Communication. By T. F.	
Gallagher and F. C. Koch 97	
X. A Comparative Study of Choline and Certain of Its Analogues.  I. The Pharmacological Activity of Acetylphosphocholine and Acetylarsenocholine Relative to Acetylcholine. By Arnold	X.
DeM. Welch and Martin H. Roepke	
•	
Number 2, October, 1935	
I. Studies of Morphine, Codeine and Their Derivatives. IX.	XI.
Methyl Ethers of the Morphine and Codeine Series. By	
Nathan B. Eddy 127	
I. The Purification of the Pressor and Oxytocic Hormones of the	XII.
Pituitary Gland and Some Observations on the Chemistry of	
the Products. By R. L. Stehle and A. M. Fraser 136	
I. Some Unsymmetrical Alkylaryl Ureas. Preparation, Physical	XIII.
Properties and Hypnotic Effects. By Axel M. Hjort, Edwin	
J. deBeer, Johannes S. Buck and Walter S. Ide 152	
,	

XIV.	The Effect of Temperature on the Calorigenic Action of Dinitrophenol in Normal and Thyroidectomized Pigeons. By Oscar Riddle and Guinevere C. Smith	172
XV.	On the Mechanism of Chemotherapeutic Action. XII. Com-	110
XVI.	parison of the Binding of Chemotherapeutic Agents by Normal and Resistant Trypanosomes. By J. T. Pedlow and L. Reiner Antipyretic and Toxic Effects of Combinations of Acetanilid with Sodium Bromide and with Caffeine. By Paul K. Smith and	179
XVII	W. E. Hambourger	200
	Scott and A. M. Fisher	206
XVIII.	Acetanilid Studies. By B. Fantus, H. A. Dyniewicz and J. M. Dyniewicz	222
	Number 3, November, 1935	
VIV	The Rate of Production of Anesthesia in Mice by Ether Con-	
AIA.	taining Aldehyde and Peroxide. By Peter K. Knoefel and	
	Florence C. Murrell	235
XX.	Comparative Actions of Sympathomimetic Compounds: Broncho- dilator Actions in Experimental Bronchial Spasm of Para-	
	sympathetic Origin. By J. R. Pedden, M. L. Tainter, and	
	W. M. Cameron	242
XXI.	Studies of Morphine, Codeine and Their Derivatives. X. Desoxymorphine-C, Desoxycodeine-C and Their Hydrogenated	
	Derivatives. By Nathan B. Eddy and Homer A. Howes	257
XXII	Notes on Acetyl-methyl-choline. By Reid Hunt	
	Study of the Effect of Nicotinism in the Albino Rat. By Clayton	
	S. Smith, Sam Rosenfeld, Jr., and Leon J. Sacks	274
XXIV.	The Effects of Morphine and Its Derivatives on Intestinal Move- ments. IV. Dihydropseudocodeine and Dihydroallopseudo-	
	codeine. By Hugo Krueger, Homer Howes, and Harold Gay	200
XXV.	The Pharmacological Action of Dendrobine, the Alkaloid of Chin-	400
	shih-hu. By K. K. Chen and A. Ling Chen	319
XXVI.	Effects of Moderate Doses of Dinitrophenol on the Energy Ex-	
	change and Nitrogen Metabolism of Patients under Conditions	
	of Restricted Dietary. By M. L. Tainter, W. C. Cutting, and	
	Elizabeth Hines	326
XXVII.	Studies of Phenanthrene Derivatives. V. Homologous Acids	
	and Aldehydes and Some of Their Derivatives. By Nathan	954
VVVIII	B. Eddy	<b>004</b>
	Riddle	365
XXIX.	The Effect of Phlorizin upon Glomerular Filtration. By Erwin E. Nelson	372
	Number 4, December, 1935	
vvv	,	
XXX.	The Wash-out of Cardiac Glucosides from the Frog's Ventricle.  By G. Kingisepp	

CONTENTS V

XXXI. Spinal Reflexes in Nicotin Poisoning. By F. E. Franke and M.	
Helen Denvir	390
XXXII. Cinchophen and Para-methyl-phenyl Cinchoninic Acid Ethyl	
Ester (Tolysin). A Comparison of the Effects of Administra-	
tion of Each in Rats. By H. G. Barbour and A. Gilman	400
XXXIII. A Study of the Action of Drugs on Bell's Muscle-"Muscles of	
the Ureters." By Charles M. Gruber	412
XXXIV. Studies of Phenanthrene Derivatives. VI. Amino alcohols of	
the Ethanolamine and Propanolamine Type. By Nathan B.	
Eddy	419
XXXV. A Comparison of the Actions of Dilaudid Hydrochloride and	
Morphine Sulphate upon Segments of Excised Intestine and	
Uterus. By Charles M. Gruber, John T. Brundage, Anthony	
DeNote, and Raymond Heiligman	<b>43</b> 0
XXXVI. The Action of Posterior Pituitary Hormone upon the Blood	
Sugar of the Heart. By H. C. Ellsworth	435
XXXVII. Studies in Obesity. III. Effect of Dinitrophenol on Blood	
Velocity. By Michael G. Wohl and L. N. Ettelson	439
XXXVIII. State of Bismuth in Body Fluids and Tissues. By P. J. Hanzlik	
and A. P. Richardson	
XXXIX. The Fate of Procaine in the Dog. By John Gaskin Dunlop	464
XL. Index	483

## **ILLUSTRATIONS**

Series of analeptics as antidotes (Fig. 1)	7
— of analeptics as antidotes (Fig. 2)	13
— of analeptics as antidotes (Fig. 3)	15
of analeptics as antidotes (Fig. 4)	17
Tracing showing the effects on the isolated uterus of the rabbit of 1:33,000	
corydine as compared with one in ten million adrenalin (Fig. 1)	43
Studies on barbiturates (Fig. 1)	49
— on barbiturates (Fig. 2)	52
Narcosis and the chronaxie (Fig. 1)	74
and the chronaxie (Fig. 2)	76
and the chronaxie (Fig. 3)	76
—— and the chronaxie (Fig. 4)	77
— and the chronaxie (Fig. 5)	78
Course of blood alcohol concentration after injection of test dose (Fig. 1)	84
— of blood alcohol concentration after injection of test dose (Fig. 2)	84
— of blood alcohol concentration after injection of test dose (Fig. 3)	85
— of blood alcohol on three successive injections of test dose (Fig. 4)	86
Relation of initial comb length to growth (Fig. 1)	104
of body weight to growth (Fig. 2)	108
Quantitative assay for testicular hormone (Fig. 3)	110
assay for testicular hormone (Fig. 4)	111
Accuracy of routine assay in fractionation studies (Fig. 5)	114
Pressor and oxytocic hormones of pituitary gland (Chart 1)	139
— and oxytocic hormones of pituitary gland (Chart 2)	139
— and oxytocic hormones of pituitary gland (Chart 3)	140
— and oxytocic hormones of pituitary gland (Chart 4)	141
— and oxytocic hormones of pituitary gland (Chart 5)	142
— and oxytocic hormones of pituitary gland (Chart 6)	143
— and oxytocic hormones of pituitary gland (Chart 7)	144
and oxytocic hormones of pituitary gland (Chart 8)	144
— and oxytocic hormones of pituitary gland (Chart 9)	
and oxytocic hormones of pituitary gland (Chart 10)	146
Relationship between hypnotic potencies and relative surface tensions of the	
	159
Minimum hypnotic and minimum lethal doses of the unsymmetrical alkylaryl	
<b>\9</b> - <b>/</b>	163
Time relationships of the various phases of the intoxication induced by	
minimum hypnotic doses of the unsymmetrical alkylaryl ureas (Fig. 3)	164
Minimum hypnotic and minimum lethal doses of some commonly used com-	
mercial hypnotics (Fig. 4)	164

Time relationships of the various phases of the intoxication induced by	
minimum hypnotic doses of some commonly used commercial hypnotics	
(Fig. 5)	165
Toxicity of sodium bromide (Fig. 1)	
— of caffeine (Fig. 2)	202
Therapeutic doses of acetanilid, sodium bromide and caffeine in milligrams	~~.
	204
Level of the blood sugar of rabbits following the injection of 2.0 units of	
	212
Amount of acetanilid ingested and duration of life of white mice given aceta-	
nilid in their food (Fig. 1)	224
Five per cent sodium citrate (Fig. 2)	<b>22</b> 6
Two per cent acetanilid and 5 per cent sodium citrate (Fig. 3)	226
per cent acetanilid and sodium citrate (5 per cent and 2 per cent) (Fig. 4).	227
	<b>23</b> 0
— of feeding 25 mice on 3 per cent acetanilid with the addition of 1 per cent	
	231
	237
— of production of anesthesia (Fig. 2)	
— of production of anesthesia (Fig. 2)	
— of production of anesthesia (Fig. 4)	240
Dilator power of various amines against arecoline bronchoconstriction	
	244
1	248
	277
	277
Voluntary activity of a typical nicotinized female rat (Fig. 3)	278
—— activity of a typical nicotinized male rat (Fig. 4)	<b>278</b>
— activity of a typical control female rat (Fig. 5)	279
— activity of a typical control male rat (Fig. 6)	280
Effect of nicotine on weight (Fig. 7)	
of various doses of morphine on movements of the ileum (Fig. 1)	
	296
between the volume of water displaced or external work done by the	
	297
between drug dosage and the number of peristaltic waves (Figs. 9-13)	
( ) ,	
Volume distribution curves (Figs. 15-24)	
Action of dendrobine on smooth muscle organs (Fig. 1)	322
Effects of dinitrophenol on the daily excretion of metabolites in the urine,	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<b>33</b> 0
— of dinitrophenol on the daily excretion of metabolites in the urine, body	
weight and basal metabolism of patient B (Fig. 2)	331
— of dinitrophenol on the daily excretion of metabolites in the urine, body	
weight and basal metabolism of patient C (Fig. 3)	332
— of phlorizin intravenously during diuresis (Fig. 1)	
Ordinate: Height of mechanical response of ventricle; abscissa: time in	
minutes (Fig. 1)	381

ILLUSTRATIONS	ix
Curves as in figure 1 (Fig. 2)	381
— as in figure 1 (Fig. 3)	
— as in figure 1 (Fig. 4)	383
— as in figure 1 (Fig. 5)	
— as in figure 1 (Fig. 6)	385
Irritability of a spinal reflex arc before and after the administration of nicotin	
(Fig. 1)	395
Spinal reflexes in nicotin poisoning (Fig. 2)	396
Growth rate of rats receiving 1 gram per kilogram of tolysin contrasted with	
litter mate controls (Fig. 1)	403
- rate of rats receiving varying doses of Na cinchophen contrasted with	
litter mate controls (Fig. 2)	406
Cinchophen and tolysin in rats (Figs 3-6)	408
Sketch showing the inner surface of the cat's urinary bladder magnified 5	
times (Fig. 1)	
Tyrode's and Locke's solutions, pH 7.6 to 7.8 at a temperature of 36°C. (Fig. 2).	415
Locke's solution, pH 7.6 to 7.8 at a temperature of 38.5°C. (Fig. 3)	416
Conditions of the bath were same as those used in figure 3 (Fig. 4)	417
Excised intestine of the cat (Fig. 1)	432
Action of pituitary hormone on blood sugar (Fig. 1)	437
— of pituitary hormone on blood sugar (Fig. 2)	437
Effect of dinitrophenol on blood velocity (Fig. 1)	443
Patient L. W., no. 31, given 300 mgm. dinitrophenol daily for four weeks	
(Fig. 2)	444
N. L., no. 9, given 300 mgm. dinitrophenol daily for six weeks (Fig. 3)	445