

CONTENTS

NUMBER 1, JANUARY, 1934

| | |
|--|-----|
| I. On the Action of Certain Ethers of β -Alkyl Choline Derivatives. By André Simonart | 1 |
| II. Comparison of the Pharmacologic Action of Atropine and Its Optical Isomers, Levo- and Dextro-hyoscyamine. By W. F. Von Oettingen and I. H. Marshall. | 15 |
| III. Effect of Cyanide on Primary Muscle Types. By Carroll J. Bellis. | 21 |
| IV. The Action of Cinchophen on the Nitrogen Metabolism. By G. P. Grabfield and M. G. Gray. | 28 |
| V. The Absorption of Methyl Salicylate by the Human Skin. By Ernest W. Brown and W. O. Scott. | 32 |
| VI. The Effect of Pathologic States on the Minimum Lethal Dose of Procaine Intracisternally. By Frank Wang Cotui. | 51 |
| VII. Some Pharmacological Actions of Glycine-Ethyl-Ester Hydrochloride. By J. H. Weatherby and H. R. Hulpieu. | 61 |
| VIII. Contributing Factors to the Pulse Changes Resulting from Injections of Epinephrin in Rabbits. By William F. Allen. | 70 |
| IX. The Reversal Effect of Chorda Tympani Stimulation. By George W. Stavraký. | 79 |
| X. Narcotic Potency of the Aliphatic Acyclic Acetals. By P. K. Knoefel. | 88 |
| XI. Toxicity of Alpha- and Beta-Nicotines and Nornicotines. An Inquiry into Chemopharmacodynamic Relationships. By David I. Macht and Mary E. Davis. | 93 |
| XII. The Pharmacological Action of the Alkaloids of Fumaraceous Plants. I. Isocorydine. By R. A. Waud. | 100 |
| XIII. The Influence of Liver Degeneration and Recuperation on the Acid-base Equilibrium of the Blood. By Wm. deB. MacNider. | 108 |
| XIV. Studies on the Denervated Kidney. I. The Action of Cinchophen on the Uric Acid and Allantoin Excretion in Dogs, and Its Effect on the Nitrogen and Sulphur Excretion. By G. P. Grabfield and Mildred G. Gray. | 123 |

NUMBER 2, FEBRUARY, 1934

| | |
|--|-----|
| XV. Some Observations on the Relationship Between Chemical Constitution and Physiological Action: The Comparative Effects of Benzyl- β -Phenylethyl-, and di-(β -Phenylethyl) Amines and Some of Their Derivatives. By Axel M. Hjort. | 131 |
|--|-----|

| | |
|--|-----|
| XVI. The Influence of Insulin-free Pancreatic Extract on the Gaseous Exchange of the White Rat. By C. Jelleff Carr, Jacob E. Schmidt and William Harne. With John C. Krantz, Jr. | 151 |
| XVII. The Action of Certain Nucleic Acid-Derivatives on the Coronary Flow in the Dog. By Alfred M. Wedd and Alan N. Drury. | 157 |
| XVIII. The Actions of Pituitary Preparations (Posterior Lobe) upon the Intestines of the Dog. By K. I. Melville and R. L. Stehle. | 165 |
| XIX. The Actions of Pituitary Preparations (Posterior Lobe) upon the Intestines of the Rabbit. By K. I. Melville and R. L. Stehle. | 174 |
| XX. Further Experimental Observations on the Combined Effects of Digitalis and Quinidine on the Heart. Nathaniel T. Kwit and Harry Gold. | 180 |
| XXI. An Experimental Study of Mapharsen (Meta-Amino Para-Hydroxy Phenyl Arsine Oxide) as an Antisymphilitic Agent. By A. L. Tatum and G. A. Cooper. With the Assistance of H. M. Kelly, V. A. Benn and C. C. Pfeiffer. | 198 |
| XXII. Action of Drugs on the Isolated Intestine of Certain Teleost Fish. By Frederick Bernheim. | 216 |
| XXIII. The Comparative Effect of Various Diuretics in Dogs with Special Reference to the Excretion of Urine, Chloride, and Urea. Marshall N. Fulton, Howard A. Van Auken, Robert J. Parsons and Lowrey F. Davenport. | 223 |

NUMBER 3, MARCH, 1934

| | |
|---|-----|
| XXIV. The Diuretic-antidiuretic Activity of Posterior Pituitary Extracts. By Erwin E. Nelson and G. G. Woods. | 241 |
| XXV. The Effects of Morphine and Its Derivatives on Intestinal Movements. I. Morphine and the Codeine Isomers. By H. M. Krueger. | 254 |
| XXVI. Heat Regulation and Water Exchange. XVII. The Relation of Serum Osmotic Pressure to the Onset of Fever. By Henry G. Barbour and Alfred Gilman. | 277 |
| XXVII. The Action of Amyl Nitrite in Complete Heart-block. By A. Rae Gilchrist. | 286 |
| XXVIII. The Maintenance Requirements of Myxedema Patients. Clinical and Chemical Assay of Commercial Thyroid Preparations. By J. Lerman and W. T. Salter. | 298 |
| XXIX. Investigation into the Action of St. Johns Wort. By C. H. Horsley. | 310 |
| XXX. The Toxicity and Anesthetic Efficiency of a New Local Anesthetic. By Leonard S. Fosdick and Harold L. Hansen. | 323 |
| XXXI. The Effect of Some Compounds of Barbituric Acid and of Urethane. By N. Rakieten, L. H. Nahum, D. DuBois, E. F. Gildea and H. E. Himwich. | 328 |
| XXXII. The Mechanism of Sudden Death in Experimental Acute Benzol Poisoning. By L. H. Nahum and H. E. Hoff. | 336 |

CONTENTS

v

NUMBER 4, APRIL, 1934

| | |
|--|-----|
| XXXIII. Sodium Salt of C-C-cyclohexenylmethyl-N-methyl Barbituric Acid (Evipan) Anaesthesia in Laboratory Animals. By Walter P. Kennedy..... | 347 |
| XXXIV. Circulatory Responses to Acetylcholine in Normal Dogs and in Dogs with Experimental Aortic Regurgitation. By Irving Brotman, George Brewer and W. F. Hamilton..... | 354 |
| XXXV. The Action of Mescaline and Some Related Compounds. By George S. Grace..... | 359 |
| XXXVI. The Comparative Absorption of Certain Salicylate Esters by the Human Skin. By E. W. Brown and W. O. Scott..... | 373 |
| XXXVII. The Action of the Enzymes of the Venom of <i>Crotalus adamanteus</i> on the Proteins of Blood and Milk. By Edwin E. Dunn..... | 386 |
| XXXVIII. The Separation of the Enzymes and Toxic Principles of the Venom of <i>Crotalus adamanteus</i> . By Edwin E. Dunn..... | 393 |
| XXXIX. The Physiologic Action of Toluyldiamin—and Its Relation to Experimental Jaundice. By Herman J. Wolff..... | 407 |
| XL. Observations Regarding the Mechanism of Gastro-intestinal Inhibition by Barbituric Acid Compounds. By J. P. Quigley and K. R. Phelps..... | 420 |
| XLI. Correlation of Visceral and Somatic Activity Following Administration of Hypnotics (a) Barbitol Compounds, and (b) Tribromethanol (Avertin-crystals and Fluid). By J. P. Quigley, O. W. Barlow and C. K. Himmelsbach..... | 425 |
| XLII. Index..... | 441 |

ILLUSTRATIONS

| | |
|--|-----|
| Ethers of β -alkyl choline derivatives (Fig. 1)..... | 3 |
| — of β -alkyl choline derivatives (Fig. 2)..... | 4 |
| — of β -alkyl choline derivatives (Fig. 3)..... | 8 |
| — of β -alkyl choline derivatives (Fig. 4)..... | 8 |
| — of β -alkyl choline derivatives (Fig. 5)..... | 8 |
| — of β -alkyl choline derivatives (Fig. 6)..... | 11 |
| — of β -alkyl choline derivatives (Fig. 7)..... | 11 |
| Response of frog rectal ring to stimulation (Fig. 1)..... | 24 |
| Action of cinchophen on nitrogen metabolism (Fig. 1)..... | 30 |
| Hemorrhage, dog 7 (Fig. 1)..... | 54 |
| Amyl nitrite, dog 6 (Fig. 2)..... | 56 |
| Histamine, dog 2 (Fig. 3)..... | 57 |
| —, dog 3 (Fig. 4)..... | 58 |
| Glycine-ethyl-ester hydrochloride (Fig. 1)..... | 64 |
| — -ethyl-ester hydrochloride (Fig. 2)..... | 64 |
| — -ethyl-ester hydrochloride (Fig. 3)..... | 67 |
| Pulse changes following epinephrin (Fig. 1)..... | 71 |
| — changes following epinephrin (Fig. 2)..... | 73 |
| — changes following epinephrin (Fig. 3)..... | 75 |
| Effect of chorda tympani stimulation (Fig. 1)..... | 82 |
| — of chorda tympani stimulation (Fig. 2)..... | 84 |
| — of chorda tympani stimulation (Fig. 3)..... | 84 |
| Liver degeneration and recuperation (Fig. 1)..... | 116 |
| — degeneration and recuperation (Fig. 2)..... | 118 |
| Studies on the denervated kidney (Fig. 1)..... | 125 |
| — on the denervated kidney (Fig. 2)..... | 126 |
| — on the denervated kidney (Fig. 3)..... | 127 |
| — on the denervated kidney (Fig. 4)..... | 128 |
| Illustrating a response to 5 mgm. of muscle adenylic acid, injected at arrow (Fig. 1)..... | 159 |
| Dog D. Illustrating the responses to 7.5 mgm. each of adenosine, muscle adenylic acid, and yeast adenylic acid (Fig. 2)..... | 160 |
| Response to 1 mgm. of yeast adenylic acid. Illustrating increased coronary flow without change in mean blood pressure (Fig. 3)..... | 161 |
| Dog C. Comparison of yeast cytidylic and yeast adenylic acids; dose, 7.5 mgm. (Fig. 4)..... | 161 |
| Actions of pituitary preparations on intestines (Fig. 1)..... | 167 |
| — of pituitary preparations on intestines (Fig. 2)..... | 168 |
| — of pituitary preparations on intestines (Fig. 3)..... | 168 |
| — of pituitary preparations on intestines (Fig. 4)..... | 169 |
| — of pituitary preparations on intestines (Fig. 5)..... | 170 |

| | |
|---|-----|
| Actions of pituitary preparations on intestines (Fig. 6)..... | 171 |
| — of pituitary preparations on intestines (Fig. 7)..... | 171 |
| Tracings from isolated segments of upper and lower colon of rabbit (Fig. 1).. | 175 |
| Rabbit, weight 2.5 kgm. Chloralose anesthesia (Fig. 2)..... | 176 |
| —, weight 2.5 kgm. Chloralose anesthesia (Fig. 3)..... | 177 |
| —, weight 2.35 kgm. Chloralose anesthesia (Fig. 4)..... | 178 |
| Combined effects of digitalis and quinidine (Fig. 1)..... | 189 |
| — effects of digitalis and quinidine (Fig. 2)..... | 190 |
| — effects of digitalis and quinidine (Fig. 3)..... | 193 |
| — effects of digitalis and quinidine (Fig. 4)..... | 195 |
| Action of drugs on intestine of fish (Fig. 1)..... | 218 |
| — of drugs on intestine of fish (Fig. 2)..... | 219 |
| — of drugs on intestine of fish (Fig. 3)..... | 220 |
| Dog C3. Showing the half-hourly changes in urine volume, chloride excretion and blood chloride following various diuretics (Fig. 1)..... | 227 |
| Posterior pituitary extracts (Fig. 1)..... | 244 |
| — pituitary extracts (Fig. 2)..... | 245 |
| — pituitary extracts (Fig. 3)..... | 246 |
| — pituitary extracts (Fig. 4)..... | 247 |
| — pituitary extracts (Fig. 5)..... | 248 |
| — pituitary extracts (Fig. 6)..... | 250 |
| Apparatus for recording intestinal movements (Fig. 1)..... | 255 |
| Effects of morphine on intestinal movements (Fig. 2)..... | 263 |
| — of morphine on intestinal movements (Fig. 3)..... | 263 |
| — of morphine on intestinal movements (Fig. 4)..... | 263 |
| — of morphine on intestinal movements (Fig. 5)..... | 266 |
| — of morphine on intestinal movements (Fig. 6)..... | 266 |
| — of morphine on intestinal movements (Fig. 7)..... | 266 |
| — of morphine on intestinal movements (Fig. 8)..... | 269 |
| — of morphine on intestinal movements (Fig. 9)..... | 269 |
| — of morphine on intestinal movements (Fig. 10)..... | 269 |
| — of morphine on intestinal movements (Fig. 11)..... | 270 |
| — of morphine on intestinal movements (Fig. 12)..... | 270 |
| — of morphine on intestinal movements (Fig. 13)..... | 270 |
| — of cocaine-hydrochloride on temperature, serum osmotic pressure and serum specific gravity in rabbits (Fig. 1)..... | 279 |
| Serum osmotic pressure increase compared with lactic acid and dextrose in- crease in the onset of fever (Fig. 2)..... | 280 |
| Showing the effect of the inhalation of amyl nitrite on the auricular and ventricular rates in case 4 (Fig. 1)..... | 293 |
| — the effect of the inhalation of amyl nitrite in case 13 (Fig. 2)..... | 294 |
| — a portion of the long film record from which figure 2 has been constructed (Fig. 3)..... | 294 |
| Action of St. Johns wort (Fig. 1)..... | 317 |
| Sudden death in acute benzol poisoning (Fig. 1)..... | 338 |
| — death in acute benzol poisoning (Fig. 2)..... | 339 |
| — death in acute benzol poisoning (Fig. 3)..... | 340 |
| The relation of duration of anaesthesia to dose of evipan sodium (Fig. 1).... | 349 |

| | |
|--|-----|
| Isolated gastrocnemius muscle of frog showing effect of preparation 1952, 1:4000 (Fig. 1)..... | 363 |
| Anaesthetised cat showing effect of mescaline on blood pressure (<i>B. P.</i>) and respiration (<i>R.</i>) (Fig. 2)..... | 364 |
| — cat showing effect of mescaline on blood pressure (<i>B. P.</i>), intestine (<i>I.</i>) and uterus (<i>U.</i>) (Fig. 3)..... | 365 |
| — cat showing effect of mescaline on blood pressure (<i>B. P.</i>) and respiration (<i>R.</i>) after atropine (Fig. 4)..... | 365 |
| Decapitate cat showing effect of mescaline on blood pressure (<i>B. P.</i>) and uterus (<i>U.</i>) (Fig. 5)..... | 366 |
| — cat showing effect on blood pressure of preparation 1950 (<i>A</i>) and preparation 1952 (<i>B</i>) (Fig. 6)..... | 367 |
| Isolated rabbit's heart showing effect of preparation 1950, 1:10,000 (Fig. 7)..... | 368 |
| Rabbit's intestine showing effect of mescaline, (<i>A</i>) on isolated tissue, (<i>B</i>) in situ (Fig. 8)..... | 370 |
| Disappearance of toluylendiamin from the blood stream of a normal dog; subsequent establishment of icterus (Fig. 1)..... | 410 |
| — of toluylendiamin from the blood stream of a dog three weeks after splenectomy; subsequent establishment of severe icterus (Fig. 2)..... | 411 |
| Relation of excretion of galactose to serum bilirubin following the administration of toluylendiamin (Fig. 3)..... | 413 |
| Recovery of toluylendiamin in the gastric juice. The abrupt terminal rise and fall may be noted (Fig. 4)..... | 416 |
| Hepatic necrosis with marked inspissation of bile following administration of toluylendiamin (Fig. 5)..... | 418 |
| Vagotomized dog, given intravenous injection of 20 mgm. per kilogram pentobarbital in A (Fig. 1)..... | 422 |
| Simultaneous records from auto-transplanted gastric pouch and the portion of normal stomach remaining (Fig. 2)..... | 423 |
| Barbital compounds and tribromethanol (Fig. 1)..... | 432 |
| — compounds and tribromethanol (Fig. 2)..... | 436 |