P\$vel 2 4 49 \$ 7 1.5 4 1.5 \$ 1.

CONTENTS

| NUMBER | 1 | MAY. | 1937 |
|--------|----|-------|------|
| NUMBER | 1. | WLAI. | 1301 |

| | 1,02221 1, 2,221, 2001 | | |
|------------------|--|---|-----|
| | nd Syntropan. A Comparative Study ionship Between Age and the Action | | 1 |
| Morphin | e. H. A. Schlossmann | | 14 |
| A. S. M. | inot and Margaret Keller | | 32 |
| | Continuous Venoclysis in Dogs with G A. S. Minot and Margaret Keller | | 45 |
| V. On the P | harmacology of Phenylisopropylamin trick, Ralph Millikan, F. S. Modern an | ne (Benzedrine). | 56 |
| VI. Actions of | Erythrina Americana, a Possible Cu | urare Substitute. | |
| A. J. Le | hman | • | 69 |
| the Pitu | ed Antidiuretic Action of the Pigment itary Gland. A. M. Fraser | | 82 |
| | etic Action of the Oxytocic Hormone and its Effect on the Assay of Pituitary I | | |
| Fraser. | | | 89 |
| | Number 2, June, 1937 | | |
| | tific Proceedings of the American Soci nd Experimental Therapeutics, Incorp | | 97 |
| X. A Pharma | cologic Study of Certain Thiobarb | iturates. O. M. | |
| XI. The Effect | A. W. Dox, L. W. Rowe and M. C. Doo is of Anesthetic Doses of Sodium Thi | o-Pentobarbital, | 125 |
| | Thio-Ethamyl and Pentothal Sodium ustem, the Heart and Blood Pressure | | |
| Animals | . Charles M. Gruber | | 143 |
| | nacology of Meta-Synephrin. Eldon | | |
| XIII. Studies on | Calcium Creosotate. II. The "in V | litro" Compara- | |
| Guaiaco | late and Creosote as Bactericidal Ag | gents. Edwin J. | 170 |
| | Calcium Creosotate. III. The Elim | | 110 |
| | nols in Rabbit Urine after the Ad | | |
| "Calciur | n Creosotate Solution" and after Cr | reosote Solution. | 100 |
| | . Fellows | | 183 |
| Nembuta | ative Study of Several Ultrashort-acti al, and Tribromethanol. H. W. Wern | ner, T. W. Pratt | 100 |
| | . Tatum | | 189 |
| | nacological and Toxic Actions of Dex A. C. White and E. Stedman | | 198 |
| | | | |

| XVII. | An Investigation of the Possible Protective Action of Calcium Gluconate in Aspirin Poisoning. Henry G. Barbour and Janet | 00.4 |
|--------|--|-------------|
| XVIII. | A. Porter | 224 |
| | Leech Muscle Due to Acetyl-Choline, Choline and Nicotine. J. H. Quastel and M. Tennenbaum | 228 |
| | Number 3, July, 1937 | |
| | Reticulocytosis in the Guinea Pig. I. The Use of Standard Guinea Pigs in the Assay of Anahaemin. M. M. O. Barrie | 235 |
| XX. | Reticulocytosis in the Guinea Pig. II. The Haematopoietic Response of "Reactive" Guinea Pigs to Anahaemin and Other | |
| XXI. | Substances. M. M. O. Barrie | |
| XXII. | Man. Thorne M. Carpenter and Robert C. Lee | 254 |
| vviii | Thorne M. Carpenter and Robert C. Lee | 264 |
| AAIII. | Man. Thorne M. Carpenter and Robert C. Lee | 286 |
| XXIV. | Human Autonomic Pharmacology. X. The Synergism of Prostigmin and Mecholyl. Abraham Myerson, Max Rinkel, | |
| xxv | Julius Loman and Paul Myerson | 296 |
| | tion, with a Method for Estimation in Body Fluids. A. J. | |
| XXVI. | Lehman and H. W. Newman | 312 |
| | Barbiturates and to Nicotine. Harald G. O. Holck, Munit A. Kanan, Lucille M. Mills and Edwin L. Smith | 393 |
| XXVII. | Methods of Anesthetizing Chimpanzees. J. H. Elder | |
| | Chemical Studies on Mocassin Venom. I. Some Properties of the Hemorrhagic and Hemolytic Components. Samuel M. | |
| | Peck and Walter Marx | 3 58 |
| | Number 4, August, 1937 | |
| XXIX. | Some Unsymmetrical Alkylaryl Ureas. II. Preparation, Physical Properties and Hypnotic Effects. Johannes S. Buck, | |
| | Axel M. Hjort, Edwin J. de Beer, Clayton W. Ferry and Walter | |
| XXX. | S. Ide | 369 |
| | Experimental Evaluation. Eugene J. Stanton | 387 |
| XXXI. | Studies on Coronary Circulation. V. Effect of Pyridine- carboxylic Acid Diethylamide (Coramine) and Pentameth- | |
| | ylenetetrazol (Metrazol) on Coronary Circulation. O. O. Stoland and A. M. Ginsberg | 396 |
| XXXII. | Uterine Stimulating, Depressor, and Bladder Contracting Ac- | |
| | tivities in Extracts of Submaxillary Gland of Rat. George F. Koepf and J. F. Mezen | 407 |

CONTENTS V

| XXXIII. Oestrogenic Potency of Orally Administered Oestriolglucuronide. Arthur Duston Odell, Dorothy Irene Skill and Guy Frederic | |
|--|---|
| Marrian 420 |) |
| XXXIV. Analysis of Cardiac Irregularities Produced by Calcium, and | |
| Their Prevention by Sodium Amytal. H. E. Hoff and L. H. | |
| Nahun 425 | • |
| XXXV. Effect of Ephedrine on Absorption from Small Intestine. Ed- | |
| ward J. Van Liere, David Northup and Clark K. Sleeth 434 | ŧ |
| XXXVI. Study of Toxic and Anesthetic Properties of Sodium n-hexylethyl | |
| Barbiturate (Ortal Sodium) in Experimental Animals. | |
| Charles M. Gruber and John T. Brundage 439 |) |
| XXXVII. Toxicity and Pathology of Selenium. M. I. Smith, E. F. Stohl- | |
| man and R. D. Lillie 449 |) |
| XXXVIII. Picrotoxin as Respiratory Stimulant. E. K. Marshall, Jr., | |
| Edward M. Walzl and D. H. Le Messurier 472 | , |
| XXXIX. Index | , |

ILLUSTRATIONS

| Salivary secretion (fig. 1) | 7 |
|---|-----|
| Effect of acetylcholine, atropine and syntropan on blood pressure of cat | |
| (fig. 2) | 9 |
| — of acetylcholine, atropine and syntropan on isolated rabbit intestine (figs. 3 and 4) | 11 |
| (ngs. 3 and 4) | 11 |
| older rabbits (fig. 1) | 20 |
| Influence of atropine on rate of heart beat and of respiration related to non- | 20 |
| lethal doses of atropine (fig. 2) | 24 |
| Mortality curves for rabbits in first and second weeks of life and for rabbits | 44 |
| older than two months (fig. 3) | 28 |
| Effect of benzedrine sulphate on isolated cat ileum (fig. 1) | 59 |
| — of benzedrine on isolated cat ileum (fig. 2) | 60 |
| — of benzedrine on isolated cat ileum (fig. 3) | 61 |
| — of benzedrine on isolated cat duodenum (fig. 4) | 62 |
| — of benzedrine on isolated rabbit ileum (fig. 5) | 63 |
| Typical effects of erythrina on contractions of diaphragm and blood pressure | |
| in cat (fig. 1) | 76 |
| Effect on respiration of thiobarbiturate administration in dog (fig. 1) | 135 |
| — on respiration and blood pressure of thiobarbiturate administration in | |
| dog (fig. 2) | 136 |
| on respiration, blood pressure, and heart action of thiobarbiturate | |
| administration in dog (figs. 3 and 4) | 137 |
| Changes in respiration following injection of pentothal sodium in rabbit, cat, | |
| and monkey (fig. 1) | 150 |
| Electrocardiogram showing effect of thiobarbiturate on respiration and heart | |
| action of dog (fig. 2) | 152 |
| — taken 55 minutes later than figure 2 (fig. 3) | 153 |
| showing effect of thiobarbiturate on respiration and heart action of dog | |
| (fig. 4) | 154 |
| showing effect of thiobarbiturate on respiration and heart action of dog | |
| (fig. 5) | 157 |
| showing effect of thiobarbiturate on respiration and heart action of dog | |
| | 159 |
| - showing effect of thiobarbiturate on respiration and heart action of dog | |
| (fig. 7) | 161 |
| showing effect of thiobarbiturate on respiration and heart action of dog | |
| (fig. 8) | 162 |
| showing effect of thiobarbiturate on respiration and heart action of dog | 100 |
| (fig. 9) | 163 |
| showing effect of thiobarbiturate on respiration and heart action of dog | 107 |
| (fig. 10) | 167 |

| Electrocardiogram showing effect of thiobarbiturate on respiration and heart | |
|--|---------|
| action of dog (fig. 11) | 168 |
| | 170 |
| Actions of dextro- and laevo-miotine on blood pressure in cat (fig. 1) | |
| Miotic action in cat, goat and fowl (fig. 2) | |
| Actions of dextro- and laevo-miotine on isolated rabbit vas deferens (fig. 3) | |
| — of dextro- and laevo-miotine on rabbit vas deferens (figs. 4 and 5) | |
| — of dextro- and laevo-miotine on guinea pig uterus (fig. 6) | 213 |
| of dextro- and laevo-miotine on leech muscle (fig. 7) | 215 |
| Duration and amounts of alcohol in expired air after ingestion of alcohol plus | |
| galactose (fig. 1) | 255 |
| Amounts of alcohol in expired air after ingestion of alcohol plus glucose (fig. 1) | 270 |
| Changes in respiratory quotient in successive periods after ingestion of glu- | |
| cose and after ingestion of sugar plus alcohol (fig. 2) | 274 |
| Duration and amounts of alcohol in expired air after ingestion of alcohol plus | |
| fructose (fig. 1) | 287 |
| Effect of injection of mecholyl and synergistic effect of prostigmin when | |
| combined with mecholyl on free HCl and gastric juice production (fig. 1) | 302 |
| of mecholyl iontophoresis alone and effect of mecholyl iontophoresis | |
| when combined with prostigmin on gastric free HCl and gastric juice pro- | • |
| duction (fig. 2) | 303 |
| of injection of mecholyl, of injections of prostigmin, and of combinations | 000 |
| of these drugs on blood pressure and pulse rate (fig. 3) | 306 |
| of prostigmin alone and of mecholyl and prostigmin in combination on | 210 |
| blood pressure and pulse rate (fig. 4) | 310 |
| propylene glycol (fig. 1) | 317 |
| Rate of disappearance and concentration of propylene glycol in blood of | 01 |
| normal and nephrectomized dogs (fig. 2) | 319 |
| Comparative average recovery times after administration of sodium evipal | - |
| and of sodium barbital (chart 1) | 33 |
| Average recovery times after administration of sodium evipal (chart 2) | |
| Comparative average recovery times after administration of sodium evipal | |
| (chart 3) | 33 |
| average recovery times after administration of sodium evipal (chart 4) | |
| Anesthetizing chamber; also chimpanzee coöperating in process of rectal | |
| injection (fig. 1) | 349 |
| Minimum hypnotic and minimum lethal doses of some unsymmetrical al- | |
| kylaryl ureas (fig. 1) | 37 |
| Time relationships of various phases of intoxications induced by minimum | |
| hypnotic doses of some unsymmetrical alkylaryl ureas (fig. 2) | 370 |
| Relationships between melting points, chemical constitution and minimum | |
| hypnotic and minimum lethal doses of some unsymmetrical alkylaryl | |
| ureas (fig. 3) | 278 |
| between Distribution coefficients, chemical constitution and minimum | |
| hypnotic and minimum lethal doses of some unsymmetrical alkylaryl | |
| ureas (fig. 4) | 38 |

| Rate of coronary flow and blood pressure in dog's heart-lung preparation |
|--|
| after adding 1 cc. coramine to circulating blood (fig. 1) |
| of coronary flow and blood pressure in dog under ether anesthesia follow- |
| ing intravenous injection of 1.5 cc. coramine (fig. 2) |
| Effect of tissue extracts on isolated cat bladder and rat uterus (fig. 1) 409 |
| - of submaxillary gland of rat, mouse, and cat on rat uterus (fig. 2) 410 |
| - of submaxillary gland of rat on blood pressure of etherized cat (fig. 3) 411 |
| Heat destruction curve of uterine principle of submaxillary gland of rat |
| (fig. 4) 413 |
| Effect of acetylcholine and submaxillary gland of rat on rat uterus before and |
| after atropine and effect of acetylcholine and submaxillary gland of rat |
| on leech muscle (fig. 5) |
| Oestrogenic potency of orally administered oestriolglucuronide (fig. 1) 422 |
| Cardiac irregularities produced by calcium and prevention by sodium amytal |
| (fig. 1) |
| - irregularities produced by calcium and prevention by sodium amytal |
| (fig. 2) |
| irregularities produced by calcium and prevention by sodium amytal |
| (figs. 3 and 4) |
| - irregularities produced by calcium and prevention by sodium amytal |
| (fig. 5) |
| Curve plotted from data obtained on 62 rats which received sodium n-hexyl- |
| ethyl barbiturate intraperitoneally (fig. 1) |
| — plotted from data obtained from 275 observations on rats which received |
| sodium n-hexylethyl barbiturate (fig. 2) |
| Mortality curve of 29 rats on adequate synthetic diet containing 50 parts per |
| million selenium as sodium selenite (fig. 1) |
| Effect of picrotoxin on respiration (fig. 1) |
| — of picrotoxin on respiration (figs. 2 and 3) |
| — of picrotoxin on respiration (figs. 4 and 5) |