

CONTENTS

NUMBER 1, MAY, 1938

| | |
|--|----|
| I. The Scientific Proceedings of the Twenty-Ninth Annual Meeting of the American Society for Pharmacology and Experimental Therapeutics, Incorporated..... | 1 |
| II. Respiratory Parasympathetic Action of Some Shorter Acting Barbituric Acid Derivatives. Charles L. Burstein and E. A. Rovenstine..... | 42 |
| III. Growth, Life-span and Food Intake of White Rats Fed Dinitrophenol Throughout Life. M. L. Tainter..... | 51 |
| IV. Colloidal Uranium. I. Toxicity. A. H. Maloney and A. F. Burton..... | 58 |
| V. A Comparative Study of the Effects of Various Anesthetic Agents on the Emptying Time of the Stomach. Clark K. Sleeth and Edward J. Van Liere..... | 65 |
| VI. Influence of Autonomic Drugs on Ejaculation. S. Loewe..... | 70 |
| VII. The Use of Dogs for the Standardization of Digitalis. Robert A. McGuigan and H. A. McGuigan..... | 76 |
| VIII. The Duration of Anaesthesia Produced in the Dog by the Repeated Administration of Dial and Nembutal. G. H. Ettinger..... | 82 |
| IX. Effects of Drinking Sobisminol on Skeletal Changes in Growing White Rats. A. J. Lehman and W. Dock..... | 88 |
| X. The Use of Estrogenic Hormone in Experimental Peripheral Gangrene. Leo Loewe and Sidney Edward Lenke..... | 93 |

NUMBER 2, JUNE, 1938

| | |
|---|-----|
| XI. Phenol-Contaminated Waters and Their Physiological Action. V. G. Heller and Lee Pursell..... | 99 |
| XII. A Comparative Study of the Effects of the Barbiturates, Ether, and Bulbocapnine on Micturition. Lawrence C. Kolb and Orthello R. Langworthy..... | 108 |
| XIII. A Comparative Study of Various Agents in the Chemotherapy of Rat Trichomoniasis. Phyllis M. Nelson and A. L. Tatum..... | 122 |
| XIV. An Initial Depression of Heart Rate in Response to Epinephrine in Human Subjects. Robert T. Fuchs..... | 143 |
| XV. Experimental Carbon Tetrachloride Poisoning in the Cat. I. The Influence of Calcium Administration. A. Cantarow, Harold L. Stewart and David R. Morgan..... | 153 |
| XVI. A Study of the Fibrin Factor in its Relation to Subacute Endocarditis. Meyer Friedman..... | 173 |
| XVII. The Hypnotic Properties of Some Derivatives of Trihalogenated Alcohols. Robert R. Burtner and Gerhard Lehmann..... | 183 |

- XVIII. The Cardiac Arrhythmia, Characteristic Effect of the Thio-barbiturates, (Pentothal, Thio-pentobarbital and Thio-ethamyl) as Influenced by Changes in Arterial Blood Pressure. Charles M. Gruber, Victor G. Haury and Charles M. Gruber, Jr. 193

NUMBER 3, JULY, 1938

- XIX. The Irritability of the Cardiac Vagus Nerves as Influenced by the Intravenous Injections of Barbiturates, Thio-barbiturates and Picrotoxin. Charles M. Gruber, Charles M. Gruber, Jr., and Nicholas A. Colosi. 215
- XX. The Depressant and Paralytic Actions of the Barbiturates on the Terrapin Cardiac Vagus Nerve. Charles M. Gruber, Victor G. Haury and Charles M. Gruber, Jr. 229
- XXI. The Point of Action of the Barbiturates in Depressing the Cardiac Vagus Nerves. Charles M. Gruber, Victor G. Haury and Charles M. Gruber, Jr. 239
- XXII. Some Tetrahydroisoquinolines. II. Their Action on Blood Pressure, Respiration and Smooth Muscle. David W. Fassett and Axel M. Hjort. 253
- XXIII. On the Relation of Blood Pressure to the Plasma Potassium Level. George Brewer and P. S. Larson. 272
- XXIV. Pharmacological Properties of Some 2,2,2 Trialkylethanols. David I. Macht, Hilah F. Bryan and Mary Lou Grumbein. 279
- XXV. The Effect of Apomorphine on the Movements of the Small Intestine in Unanesthetized Dogs. D. Slaughter and E. G. Gross. 289
- XXVI. The Effects of Bismuth Sodium Tartrate on the Blood and Hematopoietic Organs. J. W. Brown, S. P. Lucia and E. S. Mills. 292
- XXVII. The Effect of Parenteral Injection of Purines, Methylated Purines, and Various Drugs upon Creatine-Creatinine Metabolism. Howard H. Beard and Phillip Pizzolato. 306
- XXVIII. On the Pharmacological Properties of dl Alfa-nicotine. L. Waterman, M.D. and A. G. Oosterhuis, Ph.D. 318
- XXIX. Pharmacological Actions of Corlumine. H. V. Rice. 329
- XXX. On the Reported Anemia-Producing Qualities of 1-Methyl-5- Δ' -cyclohexenyl-5-methyl-barbituric Acid (Evipan, Evipal). Henry K. Beecher. 335
- XXXI. Further Evidences on the Nature of the Vasomotor Actions of Ethyl-norsuprarenin. W. M. Cameron, L. J. Whitsell, J. M. Crismon and M. L. Tainter. 340

NUMBER 4, AUGUST, 1938

- XXXII. The Sulphanilamides in Tertian Malaria. W. E. B. Hall. 353
- XXXIII. The Toxicity of Some Organic Selenium Compounds. A. L. Moxon, H. D. Anderson and E. P. Painter. 357
- XXXIV. The Pharmacology of Some New Local Anesthetics. A. R. McIntyre and R. F. Sievers. 369

CONTENTS

V

| | |
|---|-----|
| XXXV. Effect on Intestinal Motility of Cyclopropane Anesthesia Alone and after Morphine-Scopolamine Anesthesia. Wilson Weisel, W. B. Youmans and W. H. Cassels..... | 391 |
| XXXVI. Further Studies on the Mechanism of Peptone Shock. Carl A. Dragstedt, Franklin B. Mead and Simon W. Eyer..... | 400 |
| XXXVII. The Effect of Para-Amino Benzene Sulfonamide on the Oxygen Consumption of Tissue and Certain Pathogenic Bacteria. H. I. Chu and A. B. Hastings..... | 407 |
| XXXVIII. The Effect of Morphine on the Skin and Rectal Temperatures of Dogs as Related to Thermal Polypnea. Allan Hemingway.... | 414 |
| XXXIX. The Antianesthetic Effects of some Convulsants in the Albino Mouse. Axel M. Hjort, Edwin J. De Beer and David W. Fassett..... | 421 |
| XL. Some Tetrahydroisoquinolines. III. The Relative Antianesthetic Effects. Axel M. Hjort, Edwin J. De Beer and David W. Fassett..... | 432 |
| XLI. Bulbocapnine-Benzedrine Antagonism. E. Spiegel..... | 438 |
| XLII. Further Studies on the Absorption of Mercurial Diuretics as Influenced by Theophylline and other Substances. Robert A. Lehman and Arnold Dater..... | 443 |
| XLIII. Trichlorethanol, Tribromethanol, Chloral Hydrate and Bromal Hydrate. G. Lehmann and P. K. Knoefel..... | 453 |
| XLIV. Index..... | 467 |

ILLUSTRATIONS

| | |
|--|-----|
| Average weights and food consumption of white rats in series II receiving dinitrophenol in food from time of weaning (fig. 1)..... | 52 |
| — weights and food consumption of white rats in series III receiving dinitrophenol in food from time of weaning (fig. 2)..... | 53 |
| Effect of colloidal uranium on respiration and carotid blood pressure (fig. 1). | 59 |
| Duration of anesthesia with repeated injections of dial and nembutal (fig. 1). | 85 |
| Growth, food and bismuth intake of young white rats drinking sobisminol solution continuously (fig. 1)..... | 89 |
| Curves showing variation of uric acid and phenolic content of rat blood according as phenol content of drinking water is increased (fig. 1)..... | 106 |
| Record of vesical filling, animal unanesthetized (fig. 1)..... | 110 |
| Ether anesthesia (fig. 2)..... | 111 |
| — anesthesia during induction (fig. 3)..... | 112 |
| Nembutal anesthesia (fig. 4)..... | 113 |
| Bulbocapnine anesthesia (fig. 5)..... | 115 |
| Time relationships of mean changes of reaction to epinephrine (fig. 1)..... | 145 |
| — relationships of mean changes of ten schizophrenic subjects after injection of epinephrine (fig. 2)..... | 146 |
| Effects on cats who have been experimentally poisoned by calcium and carbon tetrachloride (fig. 1)..... | 156 |
| Fibrin permeability apparatus (fig. 1)..... | 175 |
| Cardiac arrhythmia in blood pressure changes produced by injection of pentothal sodium (fig. 1)..... | 198 |
| — arrhythmia in blood pressure changes produced by injection of acetylcholine chloride (fig. 2)..... | 199 |
| — arrhythmia in blood pressure changes produced by sodium thio-pentobarbital anesthesia (fig. 3)..... | 203 |
| — arrhythmia in blood pressure changes produced by sodium thio-pentobarbital anesthesia (fig. 4)..... | 204 |
| — arrhythmia in blood pressure changes produced by injection of pentothal sodium (fig. 5)..... | 206 |
| — arrhythmia in blood pressure changes produced by pentothal sodium anesthesia (fig. 6)..... | 208 |
| — arrhythmia in blood pressure changes produced by pentothal sodium anesthesia (fig. 7)..... | 210 |
| Blood pressure of dog injected with barbiturates (fig. 1)..... | 220 |
| — pressure of decerebrated cat injected with barbiturates (fig. 2)..... | 221 |
| — pressure of monkey injected with barbiturates (fig. 3)..... | 222 |
| — pressure of dog injected with barbiturates (fig. 4)..... | 223 |
| — pressure of dog injected with barbiturates (fig. 5)..... | 224 |
| — pressure of monkey injected with barbiturates (fig. 6)..... | 225 |

| | |
|--|-----|
| Chelydra serpentina in Ringer-ortal-sodium solution (fig. 1)..... | 233 |
| Clemmys guttata in Ringer-evipal-sodium solution (fig. 2)..... | 234 |
| — guttata in Ringer-sodium-amytal solution (fig. 3)..... | 235 |
| — guttata in solution of phanadorn in Ringer's (fig. 4)..... | 236 |
| — guttata in ortal sodium (figs. 1 and 2)..... | 242 |
| Chrysemys marginata in ortal sodium (fig. 3)..... | 244 |
| — marginata in evipal sodium (fig. 4)..... | 245 |
| — marginata in sodium amytal (fig. 5)..... | 247 |
| — marginata in Ringer's sodium amytal (fig. 6)..... | 248 |
| Clemmys guttata in ortal sodium (fig. 7)..... | 250 |
| Relative potency of some tetrahydroisoquinolines (fig. 1)..... | 260 |
| Sympathomimetic action of N—CH ₂ -6,7-(OH) ₂ tetrahydroisoquinoline (fig. 2)..... | 261 |
| Depressor action of N—CH ₂ -6-ethoxy tetrahydroisoquinoline. Comparison with histamine (fig. 3)..... | 263 |
| Comparison of isomeric secondary and tertiary amines (fig. 4)..... | 264 |
| Effects of substituent groups and position of groups (fig. 5)..... | 265 |
| Depressor activity in compounds containing the 6-ethoxy group (fig. 6)..... | 266 |
| Reversal of epinephrine action by N—CH ₂ -tetrahydroisoquinoline (fig. 7)..... | 270 |
| Blood pressure tracing for dog during later stages of infusion of potassium (fig. 1)..... | 275 |
| Comparative effects of 50 mgm. of tri-ethyl ethanol and di-methyl-ethyl ethanol, respectively, on blood pressure of cat (fig. 1)..... | 283 |
| Effects of apomorphine on movements of small intestine (fig. 1)..... | 290 |
| Section of spleen of rabbit injected intravenously with bismuth sodium tartrate (fig. 1)..... | 300 |
| Same as figure 1 (fig. 2)..... | 301 |
| Low power view of section of spleen of rabbit injected intravenously with bismuth sodium tartrate showing many giant cells and many small areas of erythropoiesis (fig. 3)..... | 302 |
| Section of bone-marrow of rabbit injected intravenously with bismuth sodium tartrate (fig. 4)..... | 303 |
| Effects of repeated injections and ergotization on blood pressure response to ethyl-norsuprarenin and epinephrine (fig. 1)..... | 342 |
| — on arterial and venous pressures, and intestinal, leg and hepatic vol- umes, from ethyl-norsuprarenin (ENS), nitroglycerine and epinephrine (Epi) (fig. 2)..... | 342 |
| — on arterial pressure from ethyl-norsuprarenin and epinephrine after repeated injections and ergotization (fig. 3)..... | 345 |
| Responses of the normal nictitating membrane compared by the nictitating membrane sensitized by sympathetic degeneration, and of arterial pres- sure, to ethyl-norsuprarenin (ENS) and epinephrine (fig. 4)..... | 347 |
| Stimulation of cholinergic fibers by ethyl-norsuprarenin as shown by changes in arterial pressure (fig. 5)..... | 348 |
| Growth curves of male rats (chart 1)..... | 361 |
| — curves of female rats (chart 2)..... | 362 |
| Typical livers from groups fed organic selenium compounds (fig. 1)..... | 363 |

| | |
|--|-----|
| Female dog: respiration ceased before terminal fall in blood pressure with β -(N-methyl-N-phenethylamino) ethyl carbanilate (fig. 1)..... | 385 |
| Male dog: circulation and respiration appear to fail almost simultaneously. N-(β -diethylaminoethyl) α -butyl cinnamamide (fig. 2)..... | 386 |
| — dog: illustrates that total amount of drug injected into portal vein approximates fatal amount by femoral vein. Cocaine (fig. 3)..... | 387 |
| Typical effect of cyclopropane anesthesia on motility of jejunal fistula of unpremedicated dog (fig. 1)..... | 395 |
| Effect of morphine and scopolamine followed by cyclopropane anesthesia on an innervated and a denervated jejunal fistula (fig. 2)..... | 397 |
| Shock-producing potency of peptone preparation low in proteose and that of one high in proteose (fig. 1)..... | 401 |
| Showing effect of histamine acid phosphate and ultrafiltrate of dog's blood drawn during peptone shock, upon blood pressure of partially eviscerated cat when injected intra-arterially via stump of celiac artery (fig. 2)..... | 403 |
| — presence of histamine in blood plasma of dog following peptone injection which produced shock, and absence of any comparable amount of histamine in blood drawn after second injection of peptone (fig. 3)..... | 404 |
| — blood pressure tracing of peptone shock in dog in which primary fall due to depressor constituents of preparation used is readily distinguished from shock reaction (fig. 4)..... | 404 |
| — primary and secondary fall of blood pressure from first injection of peptone solution and absence of secondary fall or shock reaction from second injection (fig. 5)..... | 405 |
| Pre-panting temperatures and panting thresholds in three dogs (fig. 1)..... | 415 |
| Effects of rest followed by morphine in unheated dog (fig. 2)..... | 416 |
| Conditions same as figure 2, except that two diathermy periods are introduced after morphine injection (fig. 3)..... | 417 |
| Effect of picrotoxin on average sleeping-time of mice anesthetized with unsymmetrical n-propyl-o-tolyl urea (fig. 1)..... | 427 |
| — of strychnine on average sleeping time of mice anesthetized with unsymmetrical n-propyl-o-tolyl urea (fig. 2)..... | 428 |
| — of 6-ethoxy-7-methoxy-1,2,3,4-tetrahydroisoquinoline upon average sleeping-time of mice anesthetized with unsymmetrical n-propyl-o-tolyl urea (fig. 1)..... | 436 |
| — of 6,7-diethoxy-1,2,3,4-tetrahydroisoquinoline upon the average sleeping-time anesthetized with unsymmetrical n-propyl-o-tolyl urea (fig. 2)..... | 436 |
| — of 6-ethoxy-7-methoxy- and 6,7-diethoxy-1,2,3,4-tetrahydroisoquinoline upon the average sleeping-time of mice anesthetized with sodium-ethyl (1-methyl-butyl) barbiturate (fig. 3)..... | 437 |
| Influence of increasing amounts of theophylline upon absorption of mercurin and salyrgan and influence of pH upon absorption of mercupurin (fig. 1)..... | 447 |
| — of increasing amounts of various "protective agents" upon absorption of mercurin (fig. 2)..... | 450 |
| Titration of mercurin and salyrgan with theophylline (fig. 3)..... | 450 |
| Depression of respiration with tribromethanol, trichlorethanol, chloral hydrate (fig. 1)..... | 457 |

| | |
|---|-----|
| Same as figure 1 (fig. 2)..... | 458 |
| Decerebrate dog injected with trichlorethanol and tribromethanol (fig. 3)... | 458 |
| Dog, anesthetized, injected with tribromethanol and trichlorethanol (fig. 4). | 459 |
| Spinal dog injected with same (fig. 5)..... | 460 |
| Same as figure 5 (fig. 6)..... | 460 |
| Perfused rabbit heart injected with trichlorethanol and tribromethanol (fig. 7)..... | 461 |
| Spinal dog injected with bromal hydrate and epinephrine (fig. 8)..... | 462 |