

INDEX

- Abdou, Ismail A., Anderson, Hamilton H., Elliott, Henry W., and Chang, Frances N-H. Distribution of radioactivity in rats after administration of C¹⁴-labeled methadone, 494
- Abreu, Benedict E., Chen, James Y. P., Burnett, Richard C., Bostick, Warren C., and Pickering, Raymond W. Pharmacology of PPT, 122
- 3-Acetylpyridine and niacinamide, Effect of, on perfused heart, 58
- Adrenergic blocking drugs, 448
 blocking effect of certain β -chloroethyl amines, 177
- Adrenolytic drugs and large doses of sympathomimetic amines, Altered blood pressure response after, 415
- Alles, Gordon A., and Ellis, Charles H. Comparative central depressant actions of some 5-phenyl-5-alkenyl barbituric acids, 352
- β -Aminoethyl heterocyclic nitrogen compounds, Histamine activity of some, 71
- 4-Amino-pteroylglutamic acid, Actions of, in rats and mice, 303
- 8-Aminoquinolines, Central impairment of sympathetic reflexes by, 407
- Ananenko, Estelle, Siegmund, O. H., Miller, Lloyd C., and Luduena, F. P. Optical isomers of arterenol, 155
- Anderson, Hamilton H., Elliott, Henry W., Chang, Frances N-H., and Abdou, Ismail A. Distribution of radioactivity in rats after administration of C¹⁴-labeled methadone, 494
- Anesthetics, Effect of, on uptake of radioactive phosphorus by human erythrocytes, 106
- Antifilarial action of cyanine dyes, 212
- Antihistaminic compounds, containing pyridine radical, Quantitative method for determination, 465
- drugs, Pharmacological properties of three new, 45
 drugs, topically applied, Effect of, on mammalian capillary bed, 293
- Arterenol and epinephrine, Acute toxicity of optical isomers of, 502
 Optical isomers of, 155
- Auer, John, 1875-1948, obituary, 235
- BAL, Effect of, on toxicity of 2-methyl-1,4-naphthoquinone to mice, 92
- Bale, William F., Hodge, Harold C., Warren, Stafford L., and Mann, Walter. Distribution in rabbit tissues of intravenously injected iodine as shown by radioisotope I 130, 12
- Bass, Allan D., and Richert, Dan A. Effect of BAL on toxicity of 2-methyl-1,4-naphthoquinone to mice, 92
- Bennett, Willard D., Dhuner, Karl-Gustav, and Orth, O. Sidney. Comparison of effectiveness of DHE-45 and DHO-180 in prevention of cardiac irregularities during cyclopropane anesthesia, 237
- Bhattacharya, B. K., Schmidt, J. L., and Chase, Harold F. Prolongation of curarizing and anti-curarizing action, 95
- Blanchard, K. C., and Marshall, E. K., Jr. Antidiuretic effect of 3-hydroxy-cinchonic acid derivatives, 185
- Bliss, Eleanor A., Wilson, Catherine E., and Durlacher, Stanley H. Control of experimental pneumonia with penicillin, 509
 Blood pressure response, Altered, after adrenolytic drugs and large doses of sympathomimetic amines, 415
- Bostick, Warren C., Pickering, Raymond W., Abreu, Benedict E., Chen, James Y. P., and Burnett, Richard C. Pharmacology of PPT, 122
- Braun, K. Effect of 3-acetylpyridine and niacinamide on perfused heart, 58
- Brodie, Bernard B., Rosenberg, Benjamin, Kayden, Herbert J., Lief, Philip A., Mark, Lester C., and Steele, J. Murray. Diethylaminoethanol, 18
- Bueding, Ernest, Valk, Arthur D., Jr., Higashi, Aeme, Welch, Arnold D., and Peters, Lawrence. Antifilarial action of cyanine dyes, 212
- Burnett, Richard C., Bostick, Warren C., Pickering, Raymond W., Abreu, Benedict E., and Chen, James Y. P. Pharmacology of PPT, 122
- Butler, Thomas C. Reduction and oxidation of chloral hydrate by isolated tissues *in vitro*, 360

- Canine hysteria, Causative agent of, 429
- Capillary bed, mammalian, Effect on, of topically applied antihistaminic drugs, 293
- Carbonic anhydrase activity, Effect on, of convulsant and anticonvulsant agents, 444
- Cardiac arrhythmias, cyclopropane-epinephrine, Dibenamine protection against, 1 irregularities during cyclopropane anesthesia, Comparison of effectiveness of DHE-45 and DHO-180 in, 287
- Chang, Frances N-H., Abdou, Ismail A., Anderson, Hamilton H., and Elliott, Henry W. Distribution of radioactivity in rats after administration of C¹⁴-labeled methadone, 494
- Chase, Harold F., Bhattacharya, B. K., and Schmidt, J. L. Prolongation of curarizing and anti-curarizing action, 95
- Chen, James Y. P., Burnett, Richard C., Bostick, Warren C., Pickering, Raymond W., and Abreu, Benedict E. Pharmacology of PPT, 122
- Chen, K. K., Henderson, Francis G., Rose, Charles L., and Harris, Paul N. γ -Dichroine, 191
- Chloral hydrate, Reduction and oxidation of, by isolated tissues *in vitro*, 360
- β -Chloroethyl amines; Adrenergic blocking effect of certain, 177
- Chlorguanide, Development of resistance to, during treatment of infections with *P. cynomolgi*, 382
- Cholinesterase inhibition and function in neuroeffector system, Relationship between, 515
- Cinchonic acid derivatives, Antidiuretic effect of, 185
- Clark, William G., and Geissman, T. A. Potentiation of effects of epinephrine by flavonoid compounds, 363
- Codeine, dilaudid and morphine, Effects of, on blood flow, 318
Inhibition of succinic oxidase system by, 117
- Coon, Julius M., and Salerno, Paul R. Pharmacologic comparison of HETP and TEPP with physostigmine, neostigmine and DFP, 240
- DuBois, Kenneth P., Doull, John, and Salerno, Paul R. Toxicity and mechanism of action of parathion, 79
- Congo red and related compounds, Antagonism by, of curare, 28
- Convulsant and anticonvulsant agents, Effect of, on carbonic anhydrase activity, 444
- Coret, I. A., and van Dyke, H. B. Altered blood pressure response after adrenergic drugs and large doses of sympathomimetic amines, 415
- Curare, Antagonism of, by congo red and related compounds, 28
- Curariform activity of N-methoxyacanthine, 100
- Curarizing and anti-curarizing action, Prolongation of, 95
- Cyanine dyes, Antifilarial action of, 212
- Cyclopropane-epinephrine cardiac arrhythmias, Dibenamine protection against, 1
- DAS, Effect of, on enzymatic reactions of intermediary carbohydrate metabolism, 272
Toxicity and pharmacological action of, 262
- DeEds, Floyd, and Wilson, Robert H. *In vitro* protection of epinephrine by flavonoids, 399
- DFP, physostigmine and neostigmine, Pharmacologic comparison of, with HETP and TEPP, 240
- DHE-45 and DHO-180, Comparison of effectiveness of, in prevention of cardiac irregularities during cyclopropane anesthesia, 287
- DHO-180 and DHE-45, Comparison of effectiveness of, in prevention of cardiac irregularities during cyclopropane anesthesia, 287
- Dhuner, Karl-Gustav, Orth, O. Sidney, and Bennett, Willard D. Comparison of effectiveness of DHE-65 and DHO-180 in prevention of cardiac irregularities during cyclopropane anesthesia, 287
- Diatropine derivatives as proof that d-tubocurarine is a blocking moiety containing twin atropine - acetylcholine prosthetic groups, 149
- Dibenamine protection against cyclopropane-epinephrine cardiac arrhythmias, 1
- γ -Dichroine, the antimalarial alkaloid of Ch'ang Shan, 191
- Diethylaminoethanol, physiological disposition of, and action on cardiac arrhythmias, 18

- Dilaudid, codeine and morphine, Effects of, on blood flow, 318
- Doull, John, Salerno, Paul R., Coon, Julius M., and DuBois, Kenneth P. Toxicity and mechanism of action of parathion, 79
- Dresibach, Robert H. Antagonists for fatal and non-fatal doses of quinine intravenously in depressed circulatory states and in hyperthermia, 347
- DuBois, Kenneth P., and Herrmann, Roy G. Effect of DAS on enzymatic reactions of intermediary carbohydrate metabolism, 272
- and Herrmann, Roy G. Toxicity and pharmacological action of DAS, 262
- Doull, John, Salerno, Paul R., and Coon, Julius M. Toxicity and mechanism of action of parathion, 79
- Dudley, H. C. Determination of gallium in biological materials, 482
- and Levine, Milton D. Toxic action of gallium, 487
- Durlacher, Stanley H., Bliss, Eleanor A., and Wilson, Catherine E. Control of experimental pneumonia with penicillin, 509
- Elliott, Henry W., Chang, Frances N-H., Abdou, Ismail A., and Anderson, Hamilton H. Distribution of radioactivity in rats after administration of C¹⁴-labeled methadone, 494
- Ellis, Charles H., and Alles, Gordon A. Comparative central depressant actions of some 5-phenyl-5-alkenyl barbituric acids, 352
- Enzymatic reactions of intermediary carbohydrate metabolism, Effect on, of DAS, 272
- Epinephrine and arterenol, Acute toxicity of optical isomers of, 502
- In vitro* protection of, by flavonoids, 399
- Potentialiation of effects of, by flavonoid compounds, 363
- Erythrocytes, human, uptake of radioactive phosphorus by, Effect of anesthetics on, 106
- Ethanol and various metabolites, Effect of, on fluoroacetate poisoning, 62
- Finnegan, J. K., Haag, H. B., and Larson, P. S. Fate of nicotine in body, 506
- Flavonoid compounds, Potentialiation of effects of epinephrine by, 363
- Flavonoids, *In vitro* protection of epinephrine by, 399
- Fluoroacetate poisoning, Effect on, of ethanol and various metabolites, 62
- Fradkin, Rochelle, Squires, Wanda, Schmidt, L. H., and Genther, Clara Sesler. Development of resistance to chlorguanide during treatment of infections with *P. cynomolgi*, 382
- Gabrio, Beverly Wescott, Thale, Thomas, and Salomon, Kurt. Mescaline in human subjects, 455
- Gallium, Determination of, in biological materials, 482
- Toxic action of, 487
- Geissman, T. A., and Clark, William G. Potentialiation of effects of epinephrine by flavonoid compounds, 363
- Gemmill, C. L., and Pertzoff, V. Effect of anesthetics on uptake of radioactive phosphorus by human erythrocytes, 106
- Genther, Clara Sesler, Fradkin, Rochelle, Squires, Wanda, and Schmidt, L. H. Development of resistance to chlorguanide during treatment of infections with *P. cynomolgi*, 382
- Giles, W. E., Wolff, William A., and Hawkins, Marina A. Nicotine in blood in relation to smoking, 145
- Grunberg, E., Randall, L. O., Schnitzer, R. J. Chemotherapeutic and pharmacological properties of Tersavin, 336
- Haag, H. B., Larson, P. S., and Finnegan, J. K. Fate of nicotine in body, 506
- Haley, Thomas J., and Harris, D. Harriette. Effect of topically applied antihistaminic drugs on mammalian capillary bed, 293
- Hambourger, W. E., Winbury, Martin M., and Schmalgemeier, Dorothy M. Simple assay for parasympatholytic agents using lacrimation response in rats, 53
- La Forge M., and Huggins, R. A. Effects of morphine, codeine and dilaudid on blood flow, 318
- Handley, C. A., La Forge, M., Huggins, R. A., and Morse, R. A. Protective action of various agents against chloroform-epinephrine ventricular fibrillation, 312
- Harris, D. Harriette, and Haley, Thomas J. Effect of topically applied antihista-

- mimic drugs on mammalian capillary bed, 293
 Harris, Paul N., Chen, K. K., Henderson, Francis G., and Rose, Charles L. γ -Dichroine, 191
 Hawkins, Marina A., Giles, W. E., and Wolff, William A. Nicotine in blood in relation to smoking, 145
 Heart, perfused, Effect on, of 3-acetylpyridine and niacinamide, 58
 Heinz body formation by certain chemical agents, 201
 Henderson, Francis G., Rose, Charles L., Harris, Paul N., and Chen, K. K. γ -Dichroine, 191
 Herring, D. A., Sleeth, Clark K., and Marsh, David F. Curariform activity of N-methylxyacanthine, 100
 Herrmann, Roy G., and DuBois, Kenneth P. Effect of DAS on enzymatic reactions of intermediary carbohydrate metabolism, 272
 and DuBois, Kenneth P. Toxicity and pharmacological action of DAS, 262
 HETP and TEPP, Pharmacologic comparison of, with physostigmine, neostigmine and DFP, 240
 Higashi, Aeme, Welch, Arnold D., Peters, Lawrence, Bueding, Ernest, and Valk, Arthur D., Jr. Antifilarial action of cyanine dyes, 212
 Highman, Benjamin, Monaco, A. Ralph, and Spicer, Samuel S. Toxic and pathologic effects of xyloidine in fasting and non-fasting states, 256
 Histamine activity of some β -aminoethyl heterocyclic nitrogen compounds, 71
 HN2, Acute pharmacology of, 131
 Hodge, Harold C., Scott, James K., Maynard, Elliott A., and Randall, Challiss. Effects of feeding uranium nitrate hexahydrate in diets of breeding white rats, 421
 Warren, Stafford L., Mann, Walter, and Bale, William F. Distribution in rabbit tissues of intravenously injected iodine as shown by radioisotope I 130, 12
 Hoppe, James O., Seppelin, D. K., and Lands, A. M. Acute toxicity of optical isomers of arterenol and epinephrine, 502
 Siegmund, O. H., Luduena, F. P., and Lands, A. M. Three new antihistaminic drugs, 45
 Huggins, R. A., Handley, C. A., and La Forge, M. Effects of morphine, codeine and dilaudid on blood flow, 318
 Morse, R. A., Handley, C. A., and La Forge, M. Protective action of various agents against chloroform-epinephrine ventricular fibrillation, 312
 Hunt, Carlton C. Adrenergic blocking effect of certain β -chloroethyl amines, 177
 and Philips, Frederick S. Acute pharmacology of HN2, 131
 Hutchens, John O., Wagner, Harold, Podolsky, Betty, and McMahan, T. M. Effect of ethanol and various metabolites on fluoroacetate poisoning, 62
 Hypoxia, Effect of, on *in vivo* formation of methemoglobin by aniline and nitrite, 438
 Hysteria, canine, Causative agent of, 429
 Iodine, intravenously injected, Distribution in rabbit tissues of, as shown by radioisotope I 130, 12
 Jones, Reuben G., and Lee, Henry M. Histamine activity of some β -aminoethyl heterocyclic nitrogen compounds, 71
 Kayden, Herbert J., Lief, Philip A., Mark, Lester C., Steele, J. Murray, Brodie, Bernard B., and Rosenberg, Benjamin. Diethylaminoethanol, 18
 Kensler, C. J. Antagonism of curare by congo red and related compounds, 28
 Kimura, K. K., Unna, Klaus, and Pfeiffer, Carl C. Diatropine derivatives as proof that d-tubocurarine is a blocking moiety containing twin atropine-acetylcholine prosthetic groups, 149
 Kunze, Frieda M., and Laug, Edwin P. Absorption of phenylmercuric acetate from vaginal tract of rat, 460
 Lacrimation response in rats, Simple assay for parasympatholytic agents using, 53
 La Forge, M., Huggins, R. A., and Handley, C. A. Effects of morphine, codeine and dilaudid on blood flow, 318
 Huggins, R. A., Morse, R. A., and Handley, C. A. Protective action of various

- agents against chloroform-epinephrine ventricular fibrillation, 312
- Lands, A. M., Hoppe, James O., and Sepelín, D. K. Acute toxicity of optical isomers of arterenol and epinephrine, 502
- Hoppe, James O., Siegmund, O. H., and Luduena, F. P. Three new antihistaminic drugs, 45
- Larson, P. S., Finnegan, J. K., and Haag, H. B. Fate of nicotine in body, 506
- Laug, Edwin P., and Kunze, Frieda M. Absorption of phenylmercuric acetate from vaginal tract of rat, 460
- Lee, Henry M., and Jones, Reuben G. Histamine activity of some β -aminoethyl heterocyclic nitrogen compounds, 71
- Levine, Milton D., and Dudley, H. V. Toxic action of gallium, 487
- Lief, Philip A., Mark, Lester C., Steele, J. Murray, Brodie, Bernard B., Rosenberg, Benjamin, and Kayden, Herbert J. Diethylaminoethanol, 18
- Liljegren, Ervin J., Zimmer, David J., and Webster, Stewart H. Heinz body formation by certain chemical agents, 201
- Loew, Earl R., and Micetich, Audrey. Adrenergic blocking drugs, 448
- Luco, J. V., and Marconi, J. Effects of tetraethylammonium bromide on parasympathetic neuroeffector system, 171
- Luduena, F. P., Ananenko, Estelle, Siegmund, O. H., and Miller, Lloyd C. Optical isomers of arterenol, 155
- Mann, Walter, Bale, William F., Hodge, Harold C., and Warren, Stafford L. Distribution in rabbit tissues of intravenously injected iodine as shown by radioisotope I 130, 12
- Marconi, J., and Luco, J. V. Effects of tetraethylammonium bromide on parasympathetic neuroeffector system, 171
- Mark, Lester C., Steele, J. Murray, Brodie, Bernard B., Rosenberg, Benjamin, Kayden, Herbert J., and Lief, Philip A. Diethylaminoethanol, 18
- Marsh, David F., Herring, D. A., and Sleeth, Clark K. Curariform activity of N-methyloxyacanthine, 100
- Marshall, E. K., Jr., and Blanchard, K. C. Antidiuretic effect of 3-hydroxy-cinchonic acid derivatives, 185
- Maynard, Elliott A., Randall, Challiss, Hodge, Harold C., and Scott, James K. Effects of feeding uranium nitrate hexahydrate in diets of breeding white rats, 421
- McMahon, T. M., Hutchens, John O., Wagner, Harold, and Podolsky, Betty. Effect of ethanol and various metabolites on fluoroacetate poisoning, 62
- Meperidine, Inhibition of succinic oxidase system by, 117
- Mescaline in human subjects, 455
- Methadon, Inhibition of succinic oxidase system by, 117
- Methadone, C¹⁴-labeled, Distribution of radioactivity in rats after administration of, 494
- Methemoglobin, formation of, *in vivo*, by aniline and nitrite, Effect on, of hypoxia, 438
- 2-Methyl-1,4-naphthoquinone, toxicity of, to mice, Effect on, of BAL, 92
- Micetich, Audrey, and Loew, Earl R. Adrenergic blocking drugs, 448
- Miller, Lloyd C., Luduena, F. P., Ananenko, Estelle, and Siegmund, O. H. Optical isomers of arterenol, 155
- Moe, Gordon K., Peralta, Braulio, and Severs, Maurice H. Central impairment of sympathetic reflexes by 8-aminoquinolines, 407
- Monaco, A. Ralph, Spicer, Samuel S., and Highman, Benjamin. Toxic and pathologic effects of xyloidine in fasting and non-fasting states, 256
- Morphine, codeine and dilaudid, Effects of, on blood flow, 318
- Inhibition of succinic oxidase system by, 117
- Morse, R. A., Handley, C. A., La Forge, M., and Huggins, R. A. Protective action of various agents against chloroform-epinephrine ventricular fibrillation, 312
- Neal, P. A., and Spicer, S. S. Effect of hypoxia on *in vivo* formation of methemoglobin by aniline and nitrite, 438
- Neostigmine, physostigmine and DFP, Pharmacologic comparison of, with HETP and TEPP, 240

- Niacinamide and 3-acetylpyridine, Effect of, on perfused heart, 58
- Nickerson, Mark, and Nomaguchi, George M. Dibenamine protection against cyclopropane-epinephrine cardiac arrhythmias, 1
- Nicotine, Fate of, in body, 506
in blood in relation to smoking, 145
- N-methyloxyacanthine, Curariform activity of, 100
- Nomaguchi, George M., and Nickerson, Mark. Dibenamine protection against cyclopropane - epinephrine cardiac arrhythmias, 1
- Orth, O. Sidney, Bennett, Willard D., and Dhuner, Karl-Gustav. Comparison of effectiveness of DHE-45 and DHO-180 in prevention of cardiac irregularities during cyclopropane anesthesia, 287
- Parasympatholytic agents, Simple assay for, using lacrimation response in rats, 53
- Parathion, Toxicity and mechanism of action of, 79
- Penicillin, Control of experimental pneumonia with, 509
- Peralta, Braulio, Seevers, Maurice H., and Moe, Gordon K. Central impairment of sympathetic reflexes by 8-aminoquinolines, 407
- Perlman, Ely. Quantitative method for determination of anti-histaminic compounds containing pyridine radical, 465
- Pertzoff, V., and Gemmill, C. L. Effect of anesthetics on uptake of radioactive phosphorus by human erythrocytes, 106
- Peters, Lawrence, Bueding, Ernest, Valk, Arthur D., Jr., Higashi, Aeme, and Welch, Arnold D. Antifilarial action of cyanine dyes, 212
- Pfeiffer, Carl C., Kimura, K. K., and Unna, Klaus. Diatropine derivatives as proof that d-tubocurarine is a blocking moiety containing twin atropine-acetylcholine prosthetic groups, 149
- Phenylmercuric acetate, Absorption of vaginal tract, 460
- 5-Phenyl-5-alkenyl barbituric acids, Comparative central depressant actions of some, 352
- Phillips, Frederick S., and Hunt, Carlton C. Acute pharmacology of HN2, 131
and Thiersch, John B. Actions of 4-amino-pteroylglutamic acid in rats and mice, 303
- Phosphorus, radioactive, Effect of anesthetics on uptake of, by human erythrocytes, 106
- Physostigmine, neostigmine and DFP, Pharmacologic comparison of, with HETP and TEPP, 240
- Pickering, Raymond W., Abreu, Benedict E., Chen, James Y. P., Burnett, Richard C., and Bostick, Warren C. Pharmacology of PPT, 122
- Plasmodium cynomolgi*, treatment of infections with, Development of resistance to chlorguanide during, 382
- Pneumonia, experimental, Control of, with penicillin, 509
- Podolsky, Betty, McMahon, T. M., Hutchens, John O., and Wagner, Harold. Effect of ethanol and various metabolites on fluoroacetate poisoning, 62
- PPT, Pharmacology of, 122
- Quinine intravenously, Antagonists for fatal and non-fatal doses of, in depressed circulatory states and in hyperthermia, 347
- Radioactivity in rats, Distribution of, after administration of C¹⁴-labeled methadone, 494
- Radioisotope I 130, Distribution in rabbit tissues of intravenously injected iodine as shown by, 12
- Radomski, Jack L., and Woodard, Geoffrey. Causative agent of canine hysteria, 429
- Randall, Challis, Hodge, Harold C., Scott, James K., and Maynard, Elliott A. Effects of feeding uranium nitrate hexahydrate in diets of breeding white rats, 421
- Randall, L. O., Schnitzer, R. J., and Grunberg, E. Chemotherapeutic and pharmacological properties of Tersavin, 336
- Rennick, B., Seevers, M. H., Woods, L. A., and Wyngaarden, J. B. Comparison of cardiovascular toxicity of thiopental and Surital in dogs, 328
- Richert, Dan A., and Bass, Allan D. Effect of BAL on toxicity of 2-methyl-1,4-naphthoquinone to mice, 92

- Ridley, R., Seevers, M. H., Wyngaarden, J. B., and Woods, L. A. Anesthetic properties of Surital and certain other thiobarbiturates in dogs, 322
- Riker, Walter F., and Wescoe, W. Clarke. Relationship between cholinesterase inhibition and function in neuroeffector system, 515
- Rose, Charles L., Harris, Paul N., Chen, K. K., and Henderson, Francis G. γ -Dichroine, 191
- Rosenberg, Benjamin, Kayden, Herbert J., Lief, Philip A., Mark, Lester C., Steele, J. Murray, and Brodie, Bernard B. Diethylaminoethanol, 18
- Salerno, Paul R., and Coon, Julius M. Pharmacologic comparison of HETP and TEPP with physostigmine, neostigmine and DFP, 240
- Coon, Julius M., DuBois, Kenneth P., and Doull, John. Toxicity and mechanism of action of parathion, 79
- Salomon, Kurt, Gabrio, Beverly Wescott, and Thale, Thomas. Mescaline in human subjects, 455
- Schmalgemeier, Dorothy M., Hambourger, W. E., and Winbury, Martin M. Simple assay for parasympatholytic agents using lacrimation response in rats, 53
- Schmidt, J. L., Chase, Harold F., and Bhattacharya, B. K. Prolongation of curarizing and anti-curarizing action, 95
- Schmidt, L. H., Genter, Clara Sesler, Fradkin, Rochelle, and Squires, Wanda. Development of resistance to chlorguanide during treatment of infections with *P. cynomolgi*, 382
- Schnitzer, R. J., Grunberg, E., and Randall, O. Chemotherapeutic and pharmacological properties of Tersavin, 336
- Scott, James K., Maynard, Elliott A., Randall, Challiss, and Hodge, Harold C. Effects of feeding uranium nitrate hexahydrate in diets of breeding white rats, 421
- Seevers, Maurice H., Moe, Gordon K., and Peralta, Braulio. Central impairment of sympathetic reflexes by 8-aminoquinolines, 407
- Woods, L. A., Wyngaarden, J. B., and Rennick, B. Comparison of cardiovascular toxicity of thiopental and Surital in dogs, 328
- Wyngaarden, J. B., Woods, L. A., and Ridley, R. Anesthetic properties of Surital and certain other thiobarbiturates in dogs, 322
- Seppelin, D. K., Lands, A. M., and Hoppe, James O. Acute toxicity of optical isomers of arterenol and epinephrine, 502
- Siegmund, O. H., Luduena, F. P., Lands, A. M., and Hoppe, James O. Three new antihistaminic drugs, 45
- Miller, Lloyd C., Luduena, F. P., and Ananenko, Estelle. Optical isomers of arterenol, 155
- Sleeth, Clark K., Marsh, David F., and Herring, D. A. Curariform activity of N-methyloxyacanthine, 100
- Smoking and nicotine in blood, 145
- Spicer, Samuel S., Highman, Benjamin, and Monaco, A. Ralph. Toxic and pathologic effects of xylydine in fasting and non-fasting states, 256
- and Neal, P. A. Effect of hypoxia on *in vivo* formation of methemoglobin by aniline and nitrite, 438
- Squires, Wanda, Schmidt, L. H., Genter, Clara Sesler, and Fradkin, Rochelle. Development of resistance to chlorguanide during treatment of infections with *P. cynomolgi*, 382
- Steele, J. Murray, Brodie, Bernard B., Rosenberg, Benjamin, Kayden, Herbert J., Lief, Philip A., and Mark, Lester C. Diethylaminoethanol, 18
- Succinic oxidase system, Inhibition of, by meperidine, methadon, morphine and codeine, 117
- Surital and certain other thiobarbiturates, Anesthetic properties of, in dogs, 322 and thiopental, comparison of cardiovascular toxicity of, in dogs, 328
- Sympathomimetic amines, large doses of, and adrenolytic drugs, Altered blood pressure response after, 415
- TEPP and HETP, Pharmacologic comparison of, with physostigmine, neostigmine and DFP, 240
- Tersavin, Chemotherapeutic and pharmacological properties of, 336
- Tetraethylammonium bromide, Effects of, on parasympathetic neuroeffector system, 171

- Thale, Thomas, Salomon, Kurt, and Gabrio, Beverly Wescott. Mescaline in human subjects, 455
- Thiersch, John B., and Philips, Frederick S. Action of 4-amino-pteroylglutamic acid in rats and mice, 303
- Thiopental and Surital, Comparison of cardiovascular toxicity of, in dogs, 328
- Torda, Clara, and Wolff, Harold G. Effect of convulsant and anticonvulsant agents on activity of carbonic anhydrase, 444
- d-Tubocurarine a blocking moiety containing twin atropine-acetylcholine prosthetic groups, 149
- Unna, Klaus, Pfeiffer, Carl C., and Kimura, K. K. Diatropine derivatives as proof that d-tubocurarine is a blocking moiety containing twin atropine-acetylcholine prosthetic groups, 149
- Uranium nitrate hexahydrate, Effects of feeding, in diets of breeding white rats, 421
- Valk, Arthur D., Jr., Higashi, Aeme, Welch, Arnold D., Peters, Lawrence, and Bueding, Ernest. Antifilarial action of cyanine dyes, 212
- Van Dyke, H. B., and Coret, I. A. Altered blood pressure response after adrenergic drugs and large doses of sympathomimetic amines, 415
- Ventricular fibrillation, chloroform - epinephrine, Protective action of various agents against, 312
- Wagner, Harold, Podolsky, Betty, McMahon, T. M., and Hutchens, John O. Effect of ethanol and various metabolites on fluoroacetate poisoning, 62
- Warren, Stafford L., Mann, Walter, Bale, William F., and Hodge, Harold C. Distribution in rabbit tissues of intravenously injected iodine as shown by radioisotope I 130, 12
- Watts, Daniel T. Inhibition of succinic oxidase system by meperidine, methadon, morphine and codeine, 117
- Webster, Stewart H., Liljegren, Ervin J., and Zimmer, David J. Heinz body formation by certain chemical agents, 201
- Welch, Arnold D., Peters, Lawrence, Bueding, Ernest, Valk, Arthur D., Jr., and Higashi, Aeme. Antifilarial action of cyanine dyes, 212
- Wescot, W. Clarke, and Riker, Walter F. Relationship between cholinesterase inhibition and function in neuroeffector system, 515
- Wilson, Catherine E., Durlacher, Stanley H., and Bliss, Eleanor A. Control of experimental pneumonia with penicillin, 509
- Wilson, Robert H., and DeEds, Floyd. *In vitro* protection of epinephrine by flavonoids, 399
- Winbury, Martin M., Schmalgemeier, Dorothy M., and Hamburger, W. E. Simple assay for parasympatholytic agents using lacrimation response in rats, 53
- Wolff, Harold G., and Torda, Clara. Effect of convulsant and anticonvulsant agents on activity of carbonic anhydrase, 444
- Wolff, William A., Hawkins, Marina A., and Giles, W. E. Nicotine in blood in relation to smoking, 145
- Woodard, Geoffrey, and Radomski, Jack L. Causative agent of canine hysteria, 429
- Woods, L. A., Ridley, R., Seevers, M. H., and Wyngaarden, J. B. Anesthetic properties of Surital and certain other thiobarbiturates in dogs, 322
- Wyngaarden, J. B., Rennick, B., and Seevers, M. H. Comparison of cardiovascular toxicity of thiopental and Surital in dogs, 328
- Wyngaarden, J. B., Rennick, B., Seevers, M. H., and Woods, L. A. Comparison of cardiovascular toxicity of thiopental and Surital in dogs, 323
- Woods, L. A., Ridley, R., and Seevers, M. H. Anesthetic properties of Surital and certain other thiobarbiturates in dogs, 322
- Xylidine, Toxic and pathologic effects of, in fasting and non-fasting states, 256
- Zimmer, David J., Webster, Stewart H., and Liljegren, Ervin J. Heinz body formation by certain chemical agents, 201