

Injectable pasty biodegradable polymers derived from castor oil and hydroxy-acid
lactones

Noam Y. Steinman[†] and Abraham J. Domb^{†*}

[†]Institute of Drug Research, School of Pharmacy-Faculty of Medicine, The Hebrew
University of Jerusalem, Jerusalem, 91120, Israel

Supplementary Information

1. ^1H NMR spectra




Figure S1. ^1H NMR spectrum of CO:PCL 1




Figure S2. ¹H NMR spectrum of CO:PCL 2




Figure S3. ^1H NMR spectrum of CO:PCL 3




Figure S4. ^1H NMR spectrum of CO:PCL 4




Figure S5. ^1H NMR spectrum of CO:PTMC 5




Figure S6. ^1H NMR spectrum of CO:PTMC 6




Figure S7. ¹H NMR spectrum of CO:PTMC 7




Figure S8. ^1H NMR spectrum of CO:PTMC 8




Figure S9. ^1H NMR spectrum of CO:PTMC 9




Figure S10. ^1H NMR spectrum of CO:PLGA 10




Figure S11. ¹H NMR spectrum of CO:PLGA 11




Figure S12. ^1H NMR spectrum of HS:PCL 12




Figure S13. ^1H NMR spectrum of HS:PCL 13




Figure S14. ^1H NMR spectrum of HS:PCL 14




Figure S15. ^1H NMR spectrum of HS:PTMC 15




Figure S16. ^1H NMR spectrum of HS:PTMC 16




Figure S17. ^1H NMR spectrum of HS:PLGA 17




Figure S18. ^1H NMR spectrum of HS:PLGA 18




Figure S19. ^1H NMR spectrum of HS:PLGA 19