CONTENTS

Number 1, June, 1909

Editorial Announcement	
I. The Comparative Toxicity of the Chlorides of Magnesium, Calcium, Potassium and Sodium. By Don R. Joseph and S. J. Meltzer	1
II. Studies in Tolerance: I. Nicotine and Lobeline. By Charles Wallis Edmunds	27
III. Studies in Tolerance: II. Strychnine. By Worth Hale	39
IV. The Mechanism of Hæmolysis with Special Reference to the Relations of Electrolytes to Cells. By G. N. Stewart	49
V. Studies Concerning the Iodine-containing Principle of the Thyroid Gland: I. Pharmacological Action and Therapeutic Behavior of Diiodotyrosin. By S. Strouse and C. Voegtlin.	123
VI. The Antagonism of the Adrenal Glands against the Pancreas. By Charles Wallis Edmunds	135
VII. Quantitative Experiments with the Cutaneous Tuberculin Reaction. By Clemens F. von Pirquet	151
Number 2, August, 1909	
VIII. Some Convenient Laboratory Apparatus. By Albert C. Crawford and Harlan Verne Honn	175
IX. The Effects of Caffeine and Sodium Bicarbonate upon the Toxicity of Acetanilide. By Worth Hale	185
X. Anæsthesia by the Intracerebral Injection of Magnesium Chloride. By V. E. Henderson	
XI. Ergot. By W. H. Cronyn and V. E. Henderson	203
XII. On the Pharmacological Action of Some Phthaleins and Their Derivatives, with Especial Reference to Their Behavior as Purgatives: I. By John J. Abel and L. G. Rowntree	021
XIII. Clavin, Vahlen's Active Constituent of Ergot. By Donald D. Vans-	265
XIV. The Effect of Collodion on the Amanita-Hemolysin. By William W. Ford	269
XV. The Distribution of Poisons in the Amanitas. By William W. Ford 2	
XVI. On the Pharmacological Action of Iod-, Iodoso- and Oxyiodosobenzoic Acids. A Preliminary Note. By A. S. Loevenhart and W. E. Grove 2	



CONTENTS

Number 3, October, 1909

XVII. Experimental Criticism of Recent Results in Testing Adrenalin. By W. H. Schultz	291
XVIII. On the Relation between the Toxicity and Chemical Constitution of a Number of Derivatives of Choline and Analogous Compounds. By Reid Hunt and R. deM. Taveau	303
XIX. The Action of Adrenalin on the Pulmonary Vessels. By Carl J. Wiggers	341
XX. A Clinical Study of Crystalline Strophanthin. By Harold C. Bailey	34 9
XXI. The Life-saving Action of Physostigmin in Poisoning by Magnesium Salts. By Don R. Joseph and S. J. Meltzer	369
Number 4, January, 1910	
XXII. Note on the Amanita-Toyin. By William W. Ford and Ira H. Prouty	389
XXIII. The Action of Urea and of Hypertonic Solutions on the Heart and Circulation. By J. A. E. Eyster and A. G. Wilde	391
 XXIV. Quantitative Studies on the Gastro-intestinal Absorption of Drugs: I. The Inhibitory Action of Phenol on Absorption. By Torald Sollmann, Paul J. Hanzlik and J. Douglas Pilcher 	409
XXV. On the Toxicity of Dextro-, Laevo- and Inactive Camphor. By W. E.	
Grove	445
XXVI. Apparatus for Recording the Outflow of Liquids. By William R. Williams	457
Number 5, March, 1910	
XXVII. Anastomosis between the Portal Vein and the Inferior Vena Cava (Eck's Fistula). By Bertram M. Bernheim, John Homans and Carl Voegtlin	463
XXVIII. The Pharmacologic Action of Certain Protein Cleavage Products upon the Heart. By R. B. Gibson and W. H. Schultz	469
XXIX. The Influence of Alcohol on the Composition of Urine. By William Salant and F. C. Hinkel	
XXX. A Poisonous Principle in Certain Cotton-seed Meals. By Albert C.	
Crawford	519
XXXI. Physiological Studies in Anaphylaxis: I. The Reaction of Smooth Muscle of the Guinea-pig Sensitized with Horse Serum. By W. H. Schultz	54 9
XXXII. Proceedings of the American Society for Pharmacology and Experimental Therapeutics	56 9
Number 6, June, 1910	
XXXIII. An Experimental and Clinical Study of the Functional Activity of the Kidneys by Means of Phenolsulphonephthalein. By L. G. Rowntree and J. T. Geraghty	579
XXXIV. A Practical Method for the Preparation of Phenolsulphonephthalein	
By Edgar A. Slagle	662

ILLUSTRATIONS

Conductivities plotted along vertical and dilutions along horizontal axis (Fig.	70
1)	70 142
From dog. Effect of injection 2 mg. nicotine (Tracing 2)	
From same dog as tracing 2 (Tracing 3)	
From dog. Effect of asphyxia (Tracing 4).	
From dog. Effect of stimulation of central end of cut vagus (Tracing 5)	
Curves of a first vaccination with cowpox (Fig. 1)	
Consecutive vaccinations. Development of "Allergy" (Fig. 2)	
Quantitative experiments with tuberculin (Fig. 3)	
Field of vaccination under tangential illumination (Fig. 4)	
Field of vaccination under vertical illumination (Fig. 5)	
Field of vaccination (Fig. 6)	
Course of reaction of point ¼ (Fig. 7)	
Course of reaction or point in (Fig. 8)	
Course of reaction of tuberculin 32 times diluted (Fig. 9)	
Course of reaction of tuberculin 256 times diluted (Fig. 10)	
Average curve of dilution 1:4+ average points of two single curves (Fig. 11)	
Average curves 1, 4, 16, 64, 256 (Fig. 12)	
Average curves 2, 8, 32, 128, 512 (Fig. 13)	
Dilution and diameter (Fig. 14)	
Influence of both factors on the course of reaction (Fig. 15)	
Automatic winding device for kymograph (Fig. 1)	
Clutch of the automatic winding device for kymograph (Fig. 2)	177
Apparatus for registering injections (Fig. 3)	
Improved apparatus for registering injections (Fig. 4)	180
A nerve stimulating apparatus (Fig. 5)	
A combined signal and base line (Fig. 6)	182
Cat, ergot 0.5 cc., B. W. and Co. liquid extract intravenous (Tracing 1)	
Cat, ergot 1 cc., P. D. and Co. aseptic ergot (Tracing 2)	
Cat, ergot 0.75 cc., B. W. and Co liquid extract intravenous (Tracing 3)	
Cat, pregnant near full term (Tracing 4)	223
Cat, pregnant near full term, ergotoxine 0.5 mgm. (Tracing 5)	224
Cat, uterine contractions and blood-pressure (Tracing 6)	225
Cat, uterine contractions and blood pressure (Tracing 7)	226
Uterine contractions from a cat about 6 weeks pregnant on receiving equal	
fractions of the average recommended dose, etc. (Tracing 8)	
Cat, intracerebral magnesium chloride, in shock, (Tracing 9)	
At 11.54, 0.65 ergotoxine intravenously (Tracing 10)	229
Apparatus to produce a rhythmical perfusion stream through the lungs (Fig. 1)	
Terror of a describe (1 mm) as marked discount (Eim 9)	0.40

Segments of 3 records showing the effect of the adrenalin solvent on the pul-	
monary vessels perfused with saline gelatin solution (Fig. 3)	348
Jugular (upper) and radial tracings (Tracing 1)	352
One hour after injection (Tracing 2)	353
Four hours after injection (Tracing 3)	353
Very irregular rhythm. Groups of extra systoles (Tracing 4)	354
Eighteen hours after preceding tracing (Tracing 5)	354
Thirty hours after last strophanthin injection (Tracing 6)	355
Five hours later than the preceding. Tracing four hours after an injection of	
strophanthin (Tracing 7)	355
Rapid and irregular pulse. Groups of extra systoles (Tracing 8)	356
Taken the same hour as the preceding tracing but at a faster speed (Tracing 9)	
Apex (upper) and radial tracing showing that there is an extra beat at the	000
apex that is not perceptible at the wrist (Tracing 9)	356
Apex (upper) and radial tracings showing that each beat at the heart goes	330
through to the wrist (Tracings 10 and 11)	357
Jugular (upper) and radial tracings. Pulse very rapid and irregular. (Trac-	331
ing 12)	36n
Twenty-four hours later than preceding tracing. Rhythm still somewhat ir-	300
	360
• • • •	
Three days after treatment was started (Tracing 14)	. 360
	301
Radial tracing following day, four hours before death and eleven hours after	001
the last injection (Tracing 16)	361
	362
	362
Jugular (upper) and radial. Three hours before death and ten hours after last	040
injection (Tracing 19)	362
Respiratory tracing by pneumograph, inspiration upwards (Fig. 1)	378
	379
Shows the effect of the direct application to the frog's heart of a 0.1 per cent	
solution of urea in Ringer's fluid (Fig. 1)	395
Plethysmographic record of the terrapin's heart under artificial perfusion (Fig.	
	395
	396
Shows the effects of the application of a 3 per cent solution of urea in Ringer's	
(1.6)	397
Shows the effects of urea on the blood pressure and cardiac output in the cat	
	402
Shows the continued dilitation of the intestines with unchanged mean arterial	
	403
· · · · · · · · · · · · · · · · · · ·	405
Plethysmographic record of the intestinal volume and the mean arterial pres-	
	406
Drop recorder; 1, clamp for glass tube; 2, wing-nut on adjustment for clamp;	
, , ,	458
Tipping bucket, to be substituted for the tilting plate for more rapid flow	
(Fig. 2)	459

ILLUSTRATIONS	VII
Simple form of frame for tilting plate and tipping bucket (Fig. 3)	
thesia (Fig. 4)	461
Dog. Amputated hind leg. Canula in femoral artery, perfused with Ringer's solution, venous outflow recorded by means of tipping bucket (Fig. 5) Ligature around portal vein. First continuous suture placed, second begun	462
and dots showing its continuation (Fig. 1)	465
position to enter (Fig. 2)	465
Effect of edestinose upon the excised cat heart (Fig. 1)	475
Effect of 0.5 per cent edestinose upon the excised cat heart (Fig. 2)	476
Effect of 2 per cent edestinose upon the excised cat heart (Fig. 3)	479
Effect of edestinose ash (2.0%) upon the excised cat heart (Fig. 4)	480
Effect of 4.0 per cent edestinose upon the frog heart in situ (Fig. 5)	481
Effect of alcohol soluble edestinose upon the frog heart (Fig. 6)	482
Effect of edestin-peptone upon the frog heart (Fig. 7)	483
Effect of 1.0 per cent alcohol-soluble caseose upon the frog heart (Fig. 8)	484
Effect of 2 per cent alcohol-soluble egg-albumin proteose upon the frog heart	101
(Fig. 9)	487
Effect of 2.0 per cent Witte peptone upon the frog heart (Fig. 11)	489
Small intestine from a non-sensitized guinea-pig treated with pure horse serum	-00
and with boiled serum (Fig. 1)	553
Small intestine from sensitized and from non-sensitized guinea-pigs treated	
with pure horse serum (Fig. 2)	554
Small intestine from a sensitized guinea-pig treated with pure and with boiled	
horse serum (Fig. 3)	559
Small intestine from a sensitized guinea-pig treated with pure and with boiled	
horse serum (Fig. 4)	560