## CONTENTS

## Number 1, July, 1926

1101112511 1, 0021, 1020	
The Effect of the Acidity of the Solvent on the Stability of the Active Principle of the Infundibulum. By A. Stasiak	1
W. G. MacKersie	9
II. Further Studies of the Effect of Ephedrine on the Circulation. By K. K. Chen and Walter J. Meek	31
	59
. The Effect of Atropin on the Pulse Rate. By Daniel Nicholson I. Studies in the Pharmacology of Bismuth Salts. I. A Method for Deter-	77
mination of Bismuth. Clifford S. Leonard	81
III. Studies in the Pharmacology of Bismuth Salts. III. Toxicity and	89
Urinary Elimination of Potassium Bismuth Tartrate. By Clifford S. Leonard and John L. O'Brien	109
S. Leonard 1	21
By W. F. Petersen and T. P. Hughes	131
by the Blood Chemistry and Pathologic Changes in the Organs. By Herman Brown, Eli R. Saleeby and Jay F. Schamberg	41
Number 2, August, 1926	
II. The Effects of Epinephrine on the Response of the Frog Heart to Stimulation of the Accelerator Nerve. By O. W. Barlow and Torald	
Sollmann	157
on the Response of the Frog Heart to Stimulation of the Cardio-Inhibitory Nerve. By Torald Sollmann and O. W. Barlow	59
Eli R. Saleeby and Jay F. Schamberg	l <b>6</b> 5
Liver Injury and Pancreatectomy. By W. Koskowski and P. Stradin. 1 VI. The Anti-Diuretic Action of Pituitary. By Andrew McFarlane 1	

XVII. Studies on Vomiting. By Harry Gold and Robert A. Hatcher	209
XVIII. The Effect of Cocaine on the Iris Compared with its Effect on Certain	
Other Structures Containing Smooth Muscle. By G. H. Miller	219
XIX. On the Toxicity of Arsine-Tri-1-Piperidinium Chloride. By Clifford	
S. Leonard	233
XX. Effect of Morphine and Some Other Opium Alkaloids on the Muscular	
Activity of the Alimentary Canal. II. Influence of Continued Ad-	
ministration of Morphine and of Withdrawal on the Contractions of	
Small Intestines of Dogs. By G. H. Miller and O. H. Plant	241
XXI. The Comparative Physiological Action of Some Derivatives of Guani-	
dine. By Gordon A. Alles	251
XXII. Effects of Trivalent and Pentavalent Arsenic on Heart Pulsations of	
the Silkworm. F. L. Campbell	277
XXIII. The Pharmacology of Denervated Mammalian Muscle. II. Some	
Phenomena of Antagonism, and the Formation of Lactic Acid in Chemical	
Contracture. By H. S. Gasser and H. H. Dale	287
Number 3, September, 1926	
XXIV. The Toxicological Properties of Certain Thiocarbamine Com-	
pounds. By J. V. Supniewski	317
XXV. Temperature and Epinephrine on the Perfused Frog Heart. Relation	
of Epinephrine Response to Temperature and Rhythmic Vigor. By O. W.	
Barlow and Torald Sollmann	325
XXVI. Some Observations on the Trypanocidal Action of Arsenicals. By	
F. M. Durham, J. Marchal and Harold King	341
XXVII. So-Called Habituation to "Arsenic." By Erich W. Schwartze	
and James C. Munch	351
XXVIII. The Action of Morphin in Slowing the Pulse. By F. D. McCrea	
and Walter J. Meek	361
XXIX. Some Effects of Quaternary Ammonium Compounds on the Auto-	
nomic Nervous System. By Reid Hunt.	367
XXX. Labile Sulphur in the Blood. By David Campbell and E. M. K.	000
Geiling	389
XXXI. The Stability of Hexylresorcinol in Pharmaceutical Preparation.	005
By William A. Feirer and Veader Leonard	395
XXXII. Blood Fibrin and Levulose Tolerance in Acute and Chronic Carbon	200
Tetrachloride Intoxication. By Paul D. Lamson and Raymond Wing.	399
XXXIII. On the Effects of Acetaldehyde, Ether Peroxide, Ethyl Mercaptan,	
Ethyl Sulphide, and Several Ketones—Di-methyl, Ethyl Methyl and	400
Di-ethyl—When Added to Anaesthetic Ether. By Wesley Bourne	<b>4</b> 09
XXXIV. Thrombocyte and Erythrocyte Changes Produced by Agents Causing Anaphylactoid Reactions. By Floyd de Eds and Vaughn	
Mitchell	433
XXXV. Thrombocyte and Erythrocyte Changes During Anaphylactic	-00
Shock in Pigeons. By Floyd de Eds	451
DHUUR III I IGUUID. DY I IUYU UU DUD	

## **ILLUSTRATIONS**

Active principle of infundibulum (Fig. 1)	3
principle of infundibulum (Fig. 2)	4
— principle of infundibulum (Fig. 3)	5
principle of infundibulum (Fig. 4)	6
Mechanical systems (Fig. 2)	15
Relation of stimulus (dose) to effect (Fig. 3)	18
— of stimulus (dose) to effect (Fig. 4)	20
Effect of indaconitine on body temperature (Fig. 5)	24
Relation of stimulus (dose) to effect (Fig. 6)	26
The effect of repeated injections of ephedrine intravenously on blood pressure	
(Fig. 1)	34
summative effect of repeated injections, given close together, or very	
small doses of ephedrine on blood pressure, followed by larger dose at	
end (Fig. 2)	34
effect of ephedrine on splenic and intestinal volumes and blood pressure	
(Fig. 3)	36
Perfusion of terrapin's heart with ephedrine in Ringer's fluid (Fig. 4)	39
Arrangement of Langendorff's method of perfusion with isolated rabbit's	
heart (Fig. 5)	<b>4</b> 0
Aortic cannula for isolated rabbit's heart in Langendorff's method of per-	
fusion (Fig. 6)	41
Stimulation of rabbit's heart by ephedrine sulphate 1:100,000 in Locke's	
solution with Langendorff's method of perfusion (Fig. 7)	43
Depression of rabbit's heart by ephedrine sulphate 1:10,000 in Locke's	
solution with Langendorff's method of perfusion (Fig. 8)	44
and disturbance in rhythm of rabbit's heart by ephedrine sulphate	
1:2,000 in Locke's solution with Langendorff's method of perfusion	
(Fig. 9)	45
The changes of electrocardiogram in a non-anesthetized dog by a depressing	50
dose of ephedrine (Fig. 10)	οu
dose of ephedrine (Fig. 11)	<b>5</b> 2
effect of ephedrine on the cardiac output during the rise of blood pressure	02
(Fig. 12)	53
Comparison of ephedrine and epinephrine in raising blood pressure (Fig. 1)	61
Synergism of ephedrine and epinephrine in raising blood pressure (Fig. 2)	62
Comparison of tyramine and ephedrine in raising blood pressure (Fig. 3)	63
The effect of repeated injections of tyramine on blood pressure from the	
same experiment as shown in figure 3 (Fig. 4)	63
Comparison of efficiency in raising blood pressure by tyramine and ephedrine,	
when given by mouth, in a man (Fig. 5)	66

The changes of electrocardiogram in an anesthetized dog by a large dose of	
tyramine (Fig. 6)	70
	146
from R44, injected with gold sodium thiosulphate showing hemorrhagic	
	150
Influence of epinephrine and of stimulation of the accelerator nerves on the	
threshold of the inhibitory vagus response (Fig. 1)	161
4, normal liver of the dog; B, after injections of toluylendiamine (fat stain);	
acute fatty degeneration of the liver (Fig. 1)	173
, injection of toluylendiamine, P, pancreatectomy (Fig. 2)	
Dog (bitch), 9.5 kgm. (Chart I)	
(bitch), 9.5 kgm. (Chart II)	
Rabbit (male), 2.4 kgm. (Chart III)	
Dog (bitch), 9.4 kgm. (Chart IV)	
— (bitch), 9.4 kgm. (Chart V)	
— (bitch), 9.4 kgm. (Chart VI)	
— (bitch), 9.4 kgm. (Chart VII)	
— (bitch), 6.4 kgm. (Chart VIII)	187
4, intravenous administration of saline solution; B, urine in cubic centimeters	
per ten minutes (Chart IX)	195
Rabbit (male) 2.3 kgm. Anaesthetic—urethane 1.2 grams per kilogram	
subcutaneously (Chart X)	195
U, drops of urine each minute from left ureter, B, drops of urine each minute	
from bladder (Chart XI)	199
Upstroke represents expiration, downstroke inspiration (Fig. 1)	214
represents expiration, downstroke inspiration (Fig. 2)	214
represents expiration, downstroke inspiration (Fig. 3)	215
Graphs of pupillary response in rabbit after degeneration of sympathetic	
on the left side (Fig. 1)	221
showing pupillary response in an animal operated on both sides (Fig. 2).	222
(solated circular muscle from the iris of a steer (Fig. 3)	224
— segments of rabbit uterus (non-pregnant) (Fig. 4)	226
	227
	228
segment of duodenum of rabbit (Fig. 7)	229
Experiment I. Daily administration of ascending doses of morphine for	
71 days (Fig. 1)	243
I. Intestinal contractions during withdrawal of morphine, after	
administration of daily ascending doses for 71 days (Fig. 2)	245
11 1 (0.1	210
II. Daily repetition of the same small dose (U.I mgm. per kgm.) of	947
morphine sulphate for 42 days (Fig. 3)	256
Physiological action of guanidine (Fig. 1)	257
— action of guanidine (Fig. 2)	201
action of guanidine (Fig. 4)	201
action of guanidine (Fig. 9)	200
The effect of heart rate of handling (solid line) and of distilled water injec-	
tion (dotted line), and the succeeding effect of 0.02 mgm. As per gram in-	050
jected into the same individuals (Fig. 1)	279

The comparative effect of heart rate of As <sup>III</sup> and As <sup>V</sup> , 0.02 mgm. per gram by	20
injection (Fig. 2)	28
mouth (Fig. 3)	281
relative toxicity of As <sup>III</sup> and As <sup>V</sup> by injection into fifth instar silk-	20.
worms (Fig. 4)	283
Effect of adrenaline on response of denervated gastrocnemius (cat) to acetyl-	
choline (Fig. 1)	291
of adrenaline on nicotine-contracture of normal fowl's gastrocnemius	
(Fig. 2)	293
Same experiment as figure 1. Effect of adrenaline, after 8 mgm. of ergota-	
mine, on action of acetyl-choline (Fig. 3)	295
Effect of acetyl-choline on response of denervated muscle to maximal tetani-	000
zation (Fig. 4)	298
acetyl-choline (Fig. 5)	200
a, denervated fowl's gastrocnemius, response to acetyl-choline and max-	499
imal tetanization. b, normal gastrochemius of same fowl; response to	
same stimuli (Fig. 6)	301
Rectus abdominis of normal frog, suspended in Ringer's solution. Effects of	-00
acetyl-choline and tetanus. Reimmersion, after washing, in same	
acetyl-choline dilution (Fig. 7)	302
The respiration and the blood pressure of an etherized rabbit injected intra-	
venously with 50 and 100 mgm. per kilogram of dithiopiperazine (Fig. 1)	319
cardiographic curve of a rat injected intravenously with 50 and 150	
	320
- cardiographic curve of a perfused heart of the frog by the solution of	
	321
Rate of unpoisoned perfused frog heart, in relation to temperature (Fig. 1).	
	329
Amplitude of unpoisoned perfused frog heart in relation to temperature	ววก
(Fig. 3)	oou
its relation to temperature (Fig. 4)	221
Comparison of rate-increase by epinephrine 1:10 <sup>7</sup> and by accelerator nerve	<i>,</i>
stimulation, in relation to temperature (Fig. 5)	332
	334
Effect of the initial heart rate, at a given temperature, on the epinephrine	
response (Fig. 7)	335
Fibrin in milligrams per 100 cc. plasma is plotted in hours after giving carbon	
	102
Two sets of curves giving blood sugar after administering 3 grams of levulose	
	103
Impurities in anaesthetic ether (Plate I)	
— in anaesthetic ether (Plate II)	
— in anaesthetic ether (Plate III).— in anaesthetic ether (Plate IV).— 4	114
in anaesthetic ether (Plate V)	
*** **********************************	

## ILLUSTRATIONS

Impurities in anaesthetic ether (Plate VI)	418
in anaesthetic ether (Plate VII)	420
in anaesthetic ether (Plate VIII)	
in anaesthetic ether (Plate IX)	
— in anaesthetic ether (Plate X)	
in anaesthetic ether (Plate XI)	
— in anaesthetic ether (Plate XII)	
— in anaesthetic ether (Plate XIII)	
in anaesthetic ether (Plate XIV)	
— in anaesthetic ether (Plate XV)	429
in anaesthetic ether (Plate XVI)	
in anaesthetic ether (Plate XVII)	431
Control venous blood before injection in pigeon 3. A typical smear of	
normal pigeon blood. 4 mm. objective (Fig. 1)	443
Clumping and increased number of thrombocytes (platelets) in venous	
blood of pigeon 3 after intravenous injection of peptone (0.0006 gram	
per gram body weight). 4 mm. objective (Fig. 2)	444
Typical injuries to erythrocytes after intravenous injection of barium sul-	
phate (0.0033 mgm. per gram body weight) in pigeon 64. 1.8 mm. objec-	
tive (Fig. 3)	445