CONTENTS

NUMBER 1, SEPTEMBER, 1911

I.	The Effects of Pilocarpine and Atropine upon the Amylolytic Power and	
	the Composition of the Saliva. By E. M. Ewing	1
II.	The Actions of Caffein on the Mammalian Circulation. I. The Per-	
	sistent Effects of Caffein on the Circulation. By Torald Sollmann and J.	
	D. Pilcher	19
III.	A Consideration of Some Biologic Tests for Epinephrin. By. R. G.	
	Hoskins	93

NUMBER 2, NOVEMBER, 1911

• •
101
131
145
155
161
183

NUMBER 3, JANUARY, 1912

•

X. The Physiological Action of Cytisine, the Active Alkaloid of Laburnum	
(Cytisus-Laburnum). By H. H. Dale and P. P. Laidlaw	205
XI. The Influence of Sodium Iodoxybenzoate and Sodium Cyanide upon an	
Allergic Reaction of Inflammatory Character. By Samuel Amberg and	
J. H. Máson Knox, Jr.	223
XII. Alcohol and Caffein: A Study of Antagonism and Synergism. By	
J. D. Pilcher. With a Discussion by Torald Sollmann	267
XIII. Physiological Studies in Anaphylaxis. IV. Reaction of the Cat toward	
Horse Serum. By. W. H. Schultz	299
XIV. Two Crystalline Pharmacological Agents Obtained from the Tropical	
Toad, Bufo Agua. By John J. Abel and David I. Macht	319
iii	

CONTENTS

NUMBER 4, MARCH, 1912

XV. A Note on the Effect of Nicotine Injection on Adrenal Secretion. By	
W. B. Cannon, J. C. Aub, and C. A. L. Binger	379
XVI. Quantitative Studies on the Gastro-Intestinal Absorption of Drugs.	
II. The Absorption of Sodium Iodide. By Paul J. Hanzlik	387
XVII. A Study of the Action of Various Diuretics in Uranium Nephritis.	
By William de B. MacNider	423
XVIII. Isocalycanthine and Its Quaternary Base. By Hugh McGuigan and	
C. L. von Hess	441
XIX. Scientific Proceedings of the American Society for Pharmacology and	
Experimental Therapeutics. Edited by the Secretary, Dr. John Auer.	455

NUMBER 5, MAY, 1912

XX. The Pharmacological Action of Vanadium. By D. E. Jackson	477
XXI. Studies on the Convulsive Reflex Produced by Strychnine. I. Habit.	
By H. T. Mostrom and H. McGuigan	515
XXII. Studies on the Convulsive Reflex Produced by Strychnine. II. As	
Modified by Epinephrine. By H. T. Mostrom and H. McGuigan	521
XXIII. On the Convulsant Action of Some Sulphonated Dyes. By David	
I. Macht	531
XXIV. The Seat of the Emetic Action of Apomorphine. By Cary Eggleston	
and Robert A. Hatcher	551
XXV. On the Action of Drugs and the Function of the Anterior Lymph	
Hearts in Cardiectomized frogs. By John J. Abel	581

NUMBER 6, JULY, 1912

XXVI. The Action of Caffein on the Mammalian Heart. By J. D. Pilcher. 60	9
XXVII. The Action of Glandular Extracts upon the Amount of Epi-	
nephrine in the Blood. By Isaac Ott and John C. Scott	5
XXVIII. On the Action of Sodium Citrate upon Mammalia, with Especial	
Reference to Acquired Tolerance and to Its Action upon the Cerebellum.	
By T. Brailsford Robertson and Theo. C. Burnett	5
XXIX. The Action of Salts of Choline on Arterial Blood Pressure. By	
Lafayette B. Mendel, Frank P. Underhill and R. R. Renshaw 64	9

•

ILLUSTRATIONS

•

77

٠

Effects of caffein on respiration and blood pressure (Experiment C, 110-1) (Fig. 1)	21
Effects of caffein on spleen-volume (upper tracing), and mean blood pressure (Experiment C, 134) (Fig. 2)	22
Composite curve of blood pressure in the caffein experiments (Fig. 3)	23
Average curves of blood pressure under caffein (Fig. 4)	24
Effects of caffein on low blood pressure (Fig. 5)	26
Curves of heart-rate under caffein, vagi divided: type I (Fig. 6)	29
Curves of heart-rate under caffein, vagi divided: type II (Fig. 7)	29
Average curves of heart-rate, vagi divided (Fig. 8)	30
Effects of caffein on heart-rate (vagi intact) (Fig. 9)	30
Caffein on the Huerthle excursions (Fig. 10)	35
Caffein on vasomotor center (rate of flow of prepared organs) (Fig. 11)	36
Effect of caffein on respiration, Huerthle and mean blood pressure, and vaso-	
motor center (Fig. 12)	37
Curves of blood pressure and oncometer (Fig. 13)	38
Effects of caffein on the respiration (Fig. 14)	39
Acute death under small doses of caffein (Fig. 15)	43
Death after large doses of caffein (Fig. 16)	44
Death after very large dose of caffein (Fig. 17)	45
Effect of caffein on sciatic stimulation (Fig. 1)	53
Effect of caffein on splanchnic stimulation (Fig. 2)	54
Effect of caffein on epinephrin 200 mg. (Fig. 3)	56
Effect of caffein on epinephrin, $\frac{1}{20}$ mg. (Fig. 4)	57
Effects of caffein on spleen-volume (upper tracing), and mean blood pressure	
(Experiment C, 134) (Fig. 1)	67
Caffein 40 mg. per kg., intravenous (Experiment C, 109-4, vagi intact) (Fig. 2) Caffein (10 mg.) on oncometer (middle tracing) and blood pressure (lower	68
tracing) (Fig. 3)	69
Caffein 20 mg. on kidney oncometer (upper tracing) and blood pressure (sec-	
ond tracing) (Fig. 4)	70
Effects of caffein on respiration and blood pressure (Experiment C, 110-1)	
(Fig. 5)	71
Intravenous injection of caffein after large doses have been administered	
(Experiment C, 13-43) (Fig. 6)	77
Caffein on spleen oncometer (upper line) and blood pressure (Fig. 7)	78
Diagram of the acute oncometer and blood pressure phenomena, with caffein	
injection (Fig. 8)	87
Segment of rabbit's intestine beating in defibrinated blood of epinephrectom-	
ized rabbit (Fig. 1)	99
Rabbit's intestine in Ringer's solution (Fig. 2)	99

v

ILLUSTRATIONS

Tracing from cardioplethysmograph, piston recorder (Fig. 1)	110
Tracing from cardioplethysmograph (Fig. 2)	110
Cat, volume of loop of intestine, piston recorder, etc. (Fig. 3)	120
Cat, the splanchnics had been cut (Fig. 4)	
At 3.11, 5 cc. $\frac{N}{20}$ NaOH injected into saphenous vein (Fig. 5)	
Cat, male, 2100 g. ether, vagi intact (Fig. 6)	
At 3.33 p.m. 5 cc. $\frac{N}{20}$ sodium iodosobenzoate injected into saphenous vein	120
(Fig. 7)	126
At 3.41 p.m. 5 cc. $\frac{N}{20}$ sodium iodbenzoate injected into saphenous vein (Fig. 8).	127
Female cat, 3.52 k. (See experiment 2) (Fig. 1).	
At 10, 2 cc. $\frac{N}{54}$ hydrocyanic injected into right femoral vein (Fig. 2)	
At 12, 1 cc. $\frac{N}{20}$ sodium iodosobenzoate injected into left femoral vein (Fig. 3)	
Effect of phenolphthalein oxime upon pyrexia in the rabbit (Fig. 1)	
Effect of phenolphthalein oxime upon pyrexia in the rabbit (Fig. 2)	
Cat, brain and cord pithed (Fig. 1)	
Continuation of experiment shown in Fig. 1 (Fig. 2)	
Cat, paraldehyde. Carotid blood-pressure (Fig. 3)	
Cat, brain pithed (Fig. 4)	
Isolated loop of rabbit's small intestine, etc. (Fig. 5)	
Continuation of record shown in Fig. 5 (Fig. 6)	
Alcohol on temperature (Fig. 1)	
Showing the effect of horse serum upon the heart and blood pressure of cat	
(Fig. 1)	303
Showing the effect of horse serum upon the intrapleural pressure and upon the	
blood pressure of the carotid artery (Fig. 2)	305
The effect of horse serum upon the heart and blood pressure of a cat treated	
with atropin sulphate (Fig. 3)	308
Perfusion of blood-vessels of B. agua with Bufo-epinephrin at a pressure of	
30 cm (Fig. 1)	332
Action of bufagin on excised frog's heart (Fig. 2)	349
Action of bufagin on excised heart of Bufo agua (Fig. 3)	352
Perfusion of B. agua with bufagin (Fig. 4)	354
Excised stomach of B. agua (Fig. 5)	355
Parts of a graphic record illustrating action on circulation (Fig. 6)	360
Dog (7 kilos). Ether. Showing effect of 2.1 mg. of bufagin in divided doses	
intravenously (Fig. 7)	365
Dog (7 kilos). Ether (Fig. 8)	
Effect of bufagin on plain muscle (Fig. 9)	370
Dog, (9.15 kilos). Trichlor-tertiary-butyl alcohol (Fig. 10)	372
Dog (9.5 kilos). Ether and trichlor-tertiary-butyl alcohol (Fig. 11)	372
Dog (6 kilos). Anaesthetized with trichlor-tertiary-butyl alcohol (Fig. 12)	373
Cat (1.6 kilos). Anesthesia with trichlor-tertiary-butyl alcohol. Fig. 13)	374
Cat (2.7 kilos). Trichlor-tertiary-butyl alcohol (Fig. 14)	
Intestinal strip beating first in Ringer's solution (Fig. 1)	
Intestinal strip beating in about 3.5 cc. normal defibrinated blood (Fig. 2)	383
Intestinal strip beating first in Ringer's solution (Fig. 3)	
Absorption of sodium iodide according to time of sojourn (Fig. 1)	
The permeability of sodium iodide through the excised intestine, etc. (Fig. 2)	408

•

-

•

vi

•

ILLUSTRATIONS

٠

The effect of various substances on the permeability of sodium iodide through	400
the excised intestine (Fig. 3) Absorption of sodium iodide according to time of sojourn in hyperchloric	409
animals (Fig. 4)	417
Average curves of absorption of iodide in normal, chlorine-poor and hyper-	
chloric animals (Fig. 5) Absorption of sodium iodide by animals whose tissues were poor in chlorides	417
(Fig. 6)	419
Kidneys of a nephritic, glycosuric and polyuric animal before the use of an	
anesthetic (Figs. 1 and 2) Kidneys of two animals which were excessively polyuric before the administra-	439
tion of an anesthetic (Figs. 3 and 4)	439
Kidneys of two animals which were responsive to the diuretics (Figs. 5 and 6)	439
Myocardiogram of turtle's heart with 1 per cent isocalycanthine hydrochloride irrigation (Tracing 1)	116
Blood pressure and myocardiogram from cat with isocalycanthine hydro-	110
chloride injection (Tracing 2)	448
Blood pressure and myocardiogram from cat with isocalycanthine hydro- chloride and epinephrine injection (Tracing 3)	450
Kidney volume, respiratory and blood pressure tracings from a dog (Fig. 1)	
Kidney volume, leg volume, carotid pressure and respiratory tracings from a	
dog (Fig. 2) Kidney volume, uterus, spleen volume, right carotid pressure and respiratory	497
tracings from a dog (Fig. 3)	498
Kidney volume, blood pressure and respiratory tracings from a normal ether-	
ized dog (Fig. 4) Kidney volume, uterus, time in seconds (Fig. 5)	500 502
Volume of an excised perfused spleen from a dog (Fig. 6)	
Heart tracing showing action of epinephrine on strychnine depressed heart	522
Cardiectomized frogs that have each received the same quantity of acid fuchs in $(F_{12}, 1, 2, 2)$	
(Figs. 1, 2, 3). Acute change in cardiac volume. Decreased volume with small doses of caffein	587
-cardioplethysmogram (Fig. 1)	611
Acute changes in cardiac volume—cardiac plethysmograph (Fig. 2)	
Myocardiogram—left ventricle (Fig. 3) Effect of iodothyrin per jugular upon amount of epinephrin in the blood (Fig. 1)	
Effect of infundibulin (20 per cent extract of the posterior part of the pitu-	
itary) upon the amount of epinephrin in the blood (Fig. 2)	629
Effect of 0.118 cc. of egg albumen upon the amount of epinephrin in the blood thirty minutes after the injection per jugular (Fig. 3)	631
Effect of 0.0648 gram of peptone (Merck) upon the contents of epinephrin in the	
blood (Fig. 4)	
Cat, 2 kgm. Injection of 0.6 mgm. (0.3 cc.)	
Cat, 2.8 kgm. Injection of 0.5 mgm. (0.5 cc.)	656
Cat, 2.7 kgm. The animal had received 1 cc. ½ per cent solution of atropine	
sulfate seven minutes earlier	657

•

.

.

,