

## CONTENTS

NUMBER 1, SEPTEMBER, 1911

I. The Effects of Pilocarpine and Atropine upon the Amylolytic Power and the Composition of the Saliva. By E. M. Ewing.....	1
II. The Actions of Caffein on the Mammalian Circulation. I. The Persistent Effects of Caffein on the Circulation. By Torald Sollmann and J. D. Pilcher.....	19
III. A Consideration of Some Biologic Tests for Epinephrin. By R. G. Hoskins.....	93

NUMBER 2, NOVEMBER, 1911

IV. Studies on the Pharmacological Action of Oxidizing Substances. By A. S. Loevenhart and W. E. Grove.....	101
V. The Action of Hydrocyanic Acid on the Respiration and the Antagonistic Action of Sodium Iodosobenzoate. By W. E. Grove and A. S. Loevenhart.....	131
VI. On the Antiseptic and Bactericidal Action of the Sodium Salts of Iodbenzoic, Iodosobenzoic and Iodoxybenzoic Acids. By Aaron Arkin.....	145
VII. A New Water Soluble Active Constituent of Squills. By Arthur James Ewins.....	155
VIII. The Physiological Action of Phenolphthalein Oxime. By M. Dresbach.....	161
IX. On the Convulsant Action of Acid Fuchsin upon Frogs Deprived of Their Cardiac Circulation. By D. R. Joseph and S. J. Meltzer.....	183

NUMBER 3, JANUARY, 1912

X. The Physiological Action of Cytisine, the Active Alkaloid of Laburnum ( <i>Cytisus-Laburnum</i> ). By H. H. Dale and P. P. Laidlaw.....	205
XI. The Influence of Sodium Iodoxybenzoate and Sodium Cyanide upon an Allergic Reaction of Inflammatory Character. By Samuel Amberg and J. H. Mason Knox, Jr.....	223
XII. Alcohol and Caffein: A Study of Antagonism and Synergism. By J. D. Pilcher. With a Discussion by Torald Sollmann.....	267
XIII. Physiological Studies in Anaphylaxis. IV. Reaction of the Cat toward Horse Serum. By W. H. Schultz.....	299
XIV. Two Crystalline Pharmacological Agents Obtained from the Tropical Toad, <i>Bufo Aguia</i> . By John J. Abel and David I. Macht.....	319

## NUMBER 4, MARCH, 1912

XV. A Note on the Effect of Nicotine Injection on Adrenal Secretion. By W. B. Cannon, J. C. Aub, and C. A. L. Binger.....	379
XVI. Quantitative Studies on the Gastro-Intestinal Absorption of Drugs. II. The Absorption of Sodium Iodide. By Paul J. Hanzlik.....	387
XVII. A Study of the Action of Various Diuretics in Uranium Nephritis. By William de B. MacNider.....	423
XVIII. Isocalycanthine and Its Quaternary Base. By Hugh McGuigan and C. L. von Hess.....	441
XIX. Scientific Proceedings of the American Society for Pharmacology and Experimental Therapeutics. Edited by the Secretary, Dr. John Auer.	455

## NUMBER 5, MAY, 1912

XX. The Pharmacological Action of Vanadium. By D. E. Jackson.....	477
XXI. Studies on the Convulsive Reflex Produced by Strychnine. I. Habit. By H. T. Mostrom and H. McGuigan.....	515
XXII. Studies on the Convulsive Reflex Produced by Strychnine. II. As Modified by Epinephrine. By H. T. Mostrom and H. McGuigan.....	521
XXIII. On the Convulsant Action of Some Sulphonated Dyes. By David I. Macht.....	531
XXIV. The Seat of the Emetic Action of Apomorphine. By Cary Eggleston and Robert A. Hatcher.....	551
XXV. On the Action of Drugs and the Function of the Anterior Lymph Hearts in Cardiectomized frogs. By John J. Abel.....	581

## NUMBER 6, JULY, 1912

XXVI. The Action of Caffein on the Mammalian Heart. By J. D. Pilcher..	609
XXVII. The Action of Glandular Extracts upon the Amount of Epinephrine in the Blood. By Isaac Ott and John C. Scott .....	625
XXVIII. On the Action of Sodium Citrate upon Mammalia, with Especial Reference to Acquired Tolerance and to Its Action upon the Cerebellum. By T. Brailsford Robertson and Theo. C. Burnett.....	635
XXIX. The Action of Salts of Choline on Arterial Blood Pressure. By Lafayette B. Mendel, Frank P. Underhill and R. R. Renshaw.....	649

## ILLUSTRATIONS

Effects of caffeine on respiration and blood pressure (Experiment C, 110-1) (Fig. 1).....	21
Effects of caffeine on spleen-volume (upper tracing), and mean blood pressure (Experiment C, 134) (Fig. 2).....	22
Composite curve of blood pressure in the caffeine experiments (Fig. 3).....	23
Average curves of blood pressure under caffeine (Fig. 4).....	24
Effects of caffeine on low blood pressure (Fig. 5).....	26
Curves of heart-rate under caffeine, vagi divided: type I (Fig. 6).....	29
Curves of heart-rate under caffeine, vagi divided: type II (Fig. 7).....	29
Average curves of heart-rate, vagi divided (Fig. 8).....	30
Effects of caffeine on heart-rate (vagi intact) (Fig. 9).....	30
Caffeine on the Huerthle excursions (Fig. 10).....	35
Caffeine on vasomotor center (rate of flow of prepared organs) (Fig. 11).....	36
Effect of caffeine on respiration, Huerthle and mean blood pressure, and vaso- motor center (Fig. 12).....	37
Curves of blood pressure and oncometer (Fig. 13).....	38
Effects of caffeine on the respiration (Fig. 14).....	39
Acute death under small doses of caffeine (Fig. 15).....	43
Death after large doses of caffeine (Fig. 16).....	44
Death after very large dose of caffeine (Fig. 17).....	45
Effect of caffeine on sciatic stimulation (Fig. 1).....	53
Effect of caffeine on splanchnic stimulation (Fig. 2).....	54
Effect of caffeine on epinephrin $\frac{1}{10}$ mg. (Fig. 3).....	56
Effect of caffeine on epinephrin, $\frac{1}{10}$ mg. (Fig. 4).....	57
Effects of caffeine on spleen-volume (upper tracing), and mean blood pressure (Experiment C, 134) (Fig. 1).....	67
Caffein 40 mg. per kg., intravenous (Experiment C, 109-4, vagi intact) (Fig. 2).....	68
Caffein (10 mg.) on oncometer (middle tracing) and blood pressure (lower tracing) (Fig. 3).....	69
Caffein 20 mg. on kidney oncometer (upper tracing) and blood pressure (sec- ond tracing) (Fig. 4).....	70
Effects of caffeine on respiration and blood pressure (Experiment C, 110-1) (Fig. 5).....	71
Intravenous injection of caffeine after large doses have been administered (Experiment C, 13-43) (Fig. 6).....	77
Caffein on spleen oncometer (upper line) and blood pressure (Fig. 7).....	78
Diagram of the acute oncometer and blood pressure phenomena, with caffein injection (Fig. 8).....	87
Segment of rabbit's intestine beating in defibrinated blood of epinephrectom- ized rabbit (Fig. 1).....	99
Rabbit's intestine in Ringer's solution (Fig. 2).....	99

Tracing from cardioplethysmograph, piston recorder (Fig. 1) . . . . .	118
Tracing from cardioplethysmograph (Fig. 2) . . . . .	119
Cat, volume of loop of intestine, piston recorder, etc. (Fig. 3) . . . . .	120
Cat, the splanchnics had been cut (Fig. 4) . . . . .	120
At 3.11, 5 cc. $\frac{N}{20}$ NaOH injected into saphenous vein (Fig. 5) . . . . .	125
Cat, male, 2100 g. ether, vagi intact (Fig. 6) . . . . .	126
At 3.33 p.m. 5 cc. $\frac{N}{20}$ sodium iodosobenzoate injected into saphenous vein (Fig. 7) . . . . .	126
At 3.41 p.m. 5 cc. $\frac{N}{20}$ sodium iodbenzoate injected into saphenous vein (Fig. 8) .	127
Female cat, 3.52 k. (See experiment 2) (Fig. 1) . . . . .	142
At 10, 2 cc. $\frac{N}{20}$ hydrocyanic injected into right femoral vein (Fig. 2) . . . . .	143
At 12, 1 cc. $\frac{N}{20}$ sodium iodosobenzoate injected into left femoral vein (Fig. 3) .	144
Effect of phenolphthalein oxime upon pyrexia in the rabbit (Fig. 1) . . . . .	172
Effect of phenolphthalein oxime upon pyrexia in the rabbit (Fig. 2) . . . . .	173
Cat, brain and cord pithed (Fig. 1) . . . . .	211
Continuation of experiment shown in Fig. 1 (Fig. 2) . . . . .	211
Cat, paraldehyde. Carotid blood-pressure (Fig. 3) . . . . .	213
Cat, brain pithed (Fig. 4) . . . . .	214
Isolated loop of rabbit's small intestine, etc. (Fig. 5) . . . . .	216
Continuation of record shown in Fig. 5 (Fig. 6) . . . . .	216
Alcohol on temperature (Fig. 1) . . . . .	274
Showing the effect of horse serum upon the heart and blood pressure of cat (Fig. 1) . . . . .	303
Showing the effect of horse serum upon the intrapleural pressure and upon the blood pressure of the carotid artery (Fig. 2) . . . . .	305
The effect of horse serum upon the heart and blood pressure of a cat treated with atropin sulphate (Fig. 3) . . . . .	308
Perfusion of blood-vessels of <i>B. aqua</i> with <i>Bufo</i> -epinephrin at a pressure of 30 cm (Fig. 1) . . . . .	332
Action of bufagin on excised frog's heart (Fig. 2) . . . . .	349
Action of bufagin on excised heart of <i>Bufo aqua</i> (Fig. 3) . . . . .	352
Perfusion of <i>B. aqua</i> with bufagin (Fig. 4) . . . . .	354
Excised stomach of <i>B. aqua</i> (Fig. 5) . . . . .	355
Parts of a graphic record illustrating action on circulation (Fig. 6) . . . . .	360
Dog (7 kilos). Ether. Showing effect of 2.1 mg. of bufagin in divided doses intravenously (Fig. 7) . . . . .	365
Dog (7 kilos). Ether (Fig. 8) . . . . .	368
Effect of bufagin on plain muscle (Fig. 9) . . . . .	370
Dog, (9.15 kilos). Trichlor-tertiary-butyl alcohol (Fig. 10) . . . . .	372
Dog (9.5 kilos). Ether and trichlor-tertiary-butyl alcohol (Fig. 11) . . . . .	372
Dog (6 kilos). Anaesthetized with trichlor-tertiary-butyl alcohol (Fig. 12) .	373
Cat (1.6 kilos). Anesthesia with trichlor-tertiary-butyl alcohol. Fig. 13) . .	374
Cat (2.7 kilos). Trichlor-tertiary-butyl alcohol (Fig. 14) . . . . .	376
Intestinal strip beating first in Ringer's solution (Fig. 1) . . . . .	381
Intestinal strip beating in about 3.5 cc. normal defibrinated blood (Fig. 2) .	383
Intestinal strip beating first in Ringer's solution (Fig. 3) . . . . .	384
Absorption of sodium iodide according to time of sojourn (Fig. 1) . . . . .	392
The permeability of sodium iodide through the excised intestine, etc. (Fig. 2)	408

The effect of various substances on the permeability of sodium iodide through the excised intestine (Fig. 3) . . . . .	409
Absorption of sodium iodide according to time of sojourn in hyperchloric animals (Fig. 4) . . . . .	417
Average curves of absorption of iodide in normal, chlorine-poor and hyperchloric animals (Fig. 5) . . . . .	417
Absorption of sodium iodide by animals whose tissues were poor in chlorides (Fig. 6) . . . . .	419
Kidneys of a nephritic, glycosuric and polyuric animal before the use of an anesthetic (Figs. 1 and 2) . . . . .	439
Kidneys of two animals which were excessively polyuric before the administration of an anesthetic (Figs. 3 and 4) . . . . .	439
Kidneys of two animals which were responsive to the diuretics (Figs. 5 and 6) .	439
Myocardiogram of turtle's heart with 1 per cent isocalycanthine hydrochloride irrigation (Tracing 1) . . . . .	446
Blood pressure and myocardiogram from cat with isocalycanthine hydrochloride injection (Tracing 2) . . . . .	448
Blood pressure and myocardiogram from cat with isocalycanthine hydrochloride and epinephrine injection (Tracing 3) . . . . .	450
Kidney volume, respiratory and blood pressure tracings from a dog (Fig. 1) .	494
Kidney volume, leg volume, carotid pressure and respiratory tracings from a dog (Fig. 2) . . . . .	497
Kidney volume, uterus, spleen volume, right carotid pressure and respiratory tracings from a dog (Fig. 3) . . . . .	498
Kidney volume, blood pressure and respiratory tracings from a normal etherized dog (Fig. 4) . . . . .	500
Kidney volume, uterus, time in seconds (Fig. 5) . . . . .	502
Volume of an excised perfused spleen from a dog (Fig. 6) . . . . .	505
Heart tracing showing action of epinephrine on strychnine depressed heart .	522
Cardiectomized frogs that have each received the same quantity of acid fuchsin (Figs. 1, 2, 3) . . . . .	587
Acute change in cardiac volume. Decreased volume with small doses of caffeine—cardioplethysmogram (Fig. 1) . . . . .	611
Acute changes in cardiac volume—cardiac plethysmograph (Fig. 2) . . . . .	613
Myocardiogram—left ventricle (Fig. 3) . . . . .	618
Effect of iodothyroin per jugular upon amount of epinephrin in the blood (Fig. 1)	628
Effect of infundibulin (20 per cent extract of the posterior part of the pituitary) upon the amount of epinephrin in the blood (Fig. 2) . . . . .	629
Effect of 0.118 cc. of egg albumen upon the amount of epinephrin in the blood thirty minutes after the injection per jugular (Fig. 3) . . . . .	631
Effect of 0.0648 gram of peptone (Merck) upon the contents of epinephrin in the blood (Fig. 4) . . . . .	632
Cat, 2 kgm. Injection of 0.6 mgm. (0.3 cc.) . . . . .	652
Cat, 2.8 kgm. Injection of 2.4 mgm. (0.8 cc.) . . . . .	654
Cat, 2.8 kgm. Injection of 0.5 mgm. (0.5 cc.) . . . . .	656
Cat, 2.7 kgm. The animal had received 1 cc. $\frac{1}{2}$ per cent solution of atropine sulfate seven minutes earlier . . . . .	657