# Downloaded from jpet aspetjournals.org at ASPET Journals on April 9, 2024

## CONTENTS

### Number 1, May, 1928

<ul> <li>I. A Comparative Study of the Convulsant Action of the Acid and Neutral Salts of Acid Fuchsin. By J. E. Thomas.</li> <li>II. A Comparion of the Actions of Cocaine and Epinephrine upon Excised Smooth Muscles of Different Species. By C. H. Thienes.</li> <li>III. Studies on Hypnotics of the Barbituric Acid Series. By Nathan B. Eddy.</li> <li>IV. Pharmacological Action and Chemical Characteristics of Products Produced from Witte's Peptone by Electrolysis. By Frank P. Underhill and Erwin G. Gross.</li> <li>V. The Pharmacology of Cardiazol. By W. J. R. Camp.</li> <li>VI. The Influence of Atropine and Epinephrine on the Reaction of the Perfused Frog Heart to Acetyl Choline. By O. W. Barlow.</li> </ul>	1 21 43 69 81
Number 2, June, 1928	
VII. The Rate of Action of Drugs and Ions on Frog's Heart. By Premankur De	115
VIII. Comparative Antiedemic Efficiency of Epinephrine and Related Amines and Pituitary in Experimental Edemas. By M. L. Tainter  IX. The Sequence of Events in the Excitation of the Respiratory Center by	129
Caffeine and Some Other Stimulants. By Ralph G. Smith	147
Eddy and Ardrey W. Downs	167
Acetone. By D. C. Walton, E. F. Kehr, and A. S. Loevenhart	
XIII. II. The Effect of Morphine and Papaverine upon the Peristaltic and Antiperistaltic Contractions of the Ureter. By Charles M. Gruber XIV. III. A Note on the Influence of Sodium Phenobarbital upon the Peristaltic and Antiperistaltic Activity of the Ureter. By Charles M.	191
Gruber	
of Digitalis. By Chas. C. Haskell	
XVII. A Comparative Study of Synthetic and Natural Ephedrines. By K. K. Chen	237
Number 3, July, 1928 .	
XVIII. The Scientific Proceedings of the American Society for Pharmacology and Experimental Therapeutics	259

XIX. Upon the Action of Ergotoxin in the Mammalian Heart. By Harold L. Otto	28!
XX. The Seat of the Emetic Action of the Digitalis Bodies. By Nathan B. Eddy and Robert A. Hatcher.	
XXI. The Anuran in Bio-Titration of Pituitrin. By A. J. McLean  XXII. The Effect of External and Internal Application of Heat and Cold on the Muscular Activity of the Stomach of Unanesthetized Dogs.  By H. V. Atkinson	30
XXIII. Studies of Chronic Morphine Poisoning in Dogs. I. General Symptoms and Behavior during Addiction and Withdrawal. By O. H. Plant and I. H. Pierce	
XXIV. Studies in Chronic Morphine Poisoning in Dogs. II. Changes in Blood Cells and Hemoglobin during Addiction and Withdrawal. By I. H. Pierce and O. H. Plant	
XXV. Studies in Chronic Morphine Poisoning in Dogs. III. Blood Sugar during Tolerance and Withdrawal. By I. H. Pierce and O. H. Plant.	371
Number 4, August, 1928	
XXVI. Pharmacology of the Crop (Esophageal) Muscles. By P. J. Hanzlik and E. M. Butt	387
XXVII. The Biologic Study of Two New Pentavalent Trypanocidal Arsenical Compounds: the Monosodium Salt of 2-p-Arsono-Anilino-Ethanol (Etharsanol) and 3-p-Arsono-Anilino-Propanol (Proparsanol). By W. K. Stratman-Thomas and A. S. Loevenhart	
XXVIII. The Therapeutic Value of Etharsanol and Proparsanol in Experimental Trypanosomiasis in Rats and Rabbits. By W. K. Stratman-Thomas and A. S. Loevenhart	459
XXIX. The Therapeutic Action of the Monosodium Salts of 2-p-Arsono-Anilino-Ethanol and 3-p-Arsono-Anilino-Propanol in Experimental Rabbit Syphilis. By G. E. Wakerlin and A. S. Loevenhart	
XXX. Antagonisms and Reversals of Contracted Crop (Esophageal) Muscle Caused by a Variety of Muscular Stimulants. By P. J. Hanzlik and	
E. M. ButtXXXI. Studies on Crystalline Insulin. VI. Further Contributions to the	483
Question whether or not Crystalline Insulin is an Adsorption Product. By Vincent du Vigneaud, E. M. K. Geiling and C. A. EddyXXXII. Studies on Crystalline Insulin. VIII. The Acetylation of Crys-	497
talline Insulin, and the Behavior of Insulin towards Alkali. By H. Jensen and E. M. K. Geiling	

# ILLUSTRATIONS

Longitudinal strip of fundus of rat stomach (Fig. 1)	26
Cat duodenum (Fig. 2)	27
Rabbit duodenum (Fig. 3)	27
—— duodenum (Fig. 4)	28
—— duodenum (Fig. 5)	29
duodenum (Fig. 6)	30
—— duodenum (Fig. 7)	31
— duodenum (Fig. 8)	32
Guinea pig duodenum (Fig. 9)	33
Rat duodenum (Fig. 10)	33
Rabbit colon (Fig. 11)	34
Fundus of urinary bladder of cat (Fig. 12)	35
Cat uterus, non-pregnant (Fig. 13)	36
Frog pyloric antrum ring (Fig. 14)	37
Ring of frog esophagus (Fig. 15)	37
Stimulation of respiration produced by 20 mgm. of cardiazol injected into	
fourth ventricle after respiration had been stopped (Fig. 1)	84
Changes in respiration, blood pressure and gut produced by 100 mgm. cardi-	
azol. Time, six seconds (Fig. 2)	86
in blood pressure, kidney volume and urinary secretion induced by	
cardiazol (Fig. 3)	88
Change in blood pressure and contraction of urinary bladder effected by	
cardiazol (Fig. 4)	89
Percentile median change in the amplitude of contraction and the rate	
per minute of a series of perfused hearts following the administration of	
various concentrations of acetyl choline (Fig. 1)	96
Corresponding phenomena with the Straub heart (Fig. 2)	96
Response of a series of perfused hearts to acetyl choline 1 in 107 at perfusion	
pressure from 2 to 5 cm. (Fig. 3)	98
Effect of various perfusion pressures on the cardiac response to a constant	
concentration of acetyl choline (Fig. 4)	99
Correlation of changes in cardiac amplitude, rate and sensitivity of the vagus	
nerve to electrical stimulation with various pressures during the per-	
fusion of Ringer's solution (Fig. 5)	100
Effects of prolonged perfusion of acetyl choline 1 in 107 under 2 cm. pressure	
on the cardiac amplitude, rate and vagus sensitivity (Fig. 6)	100
Gradual development of the changes in the sensitivity of the vagus to elec-	
trical stimulation, and is represented by the distance in centimeters of	
the secondary from the primary coil (Fig. 7)	101
Acetyl choline in concentrations of 1 in 102 produces immediate cardiac di-	
astole irrespective of atropine (Fig. 8)	103

Muscular depressant effects of acetyl choline in a concentration of 1 in	,
develops irrespective of atropine whether applied previously or sit taneously with the acetyl choline (Fig. 9)	
Effects of atropine and acetyl choline on the amplitude and rate of the	ner-
fused heart, when applied singly or simultaneously (Fig. 10)	
Degree of antagonism of various concentrations of epinephrine toward ac	
choline (Fig. 11)	108
Very dilute epinephrine solutions ineffectively antagonize acetyl cho	oline
(Fig. 11A)	
Antagonism of an acetyl choline action by epinephrine (Fig. 11B)	
Two type cardiac responses to the same procedure (Fig. 11C and D)	
Fictitious acetyl choline epinephrine synergism (Straub heart) (Fig. 12)	
Same heart as 13A—cardiac arrest from epinephrine alone (Fig. 12B)	
Irregularity on the responses of a heart to the same acetyl choline solu	
perfused in sequence (Fig. 13A and B)	
Abrupt development of diastolic standstill subsequent to perfusion of ac choline (Fig. 14)	
Action of calcium-free Ringer's fluid on frog's ventricle (Fig. 1)	
of calcium-free Ringer's fluid. Effect of variations in frequency	
stimulus (Fig. 2)	
calcium-free Ringer's fluid. Effect of interrupting stimulus (Fig. 3)	
— of Ringer's fluid containing excess of potassium (KCl 0.09 per ce	
Effect of variation in frequency of stimulus (Fig. 4)	
- of Ringer's fluid containing excess of potassium (KCl 0.09 per ce	
Effect of interrupting stimulus (Fig. 5)	
- of acidified Ringer's fluid (pH 6.0). Effect of variation in frequency	ency
of stimulus (Fig. 6)	
of acidified Ringer's fluid (pH 6.0). Effect of interrupting stim	
(Fig. 7)	
Excitation of the respiratory center by caffeine and some other stimula	ants
(Fig. 1)	
Experiment 7. Dog, weight 11.2 kgm. (Fig. 1)	
Excised pig ureter (three hours) (Fig. 1)	
— pig ureter (six nours) (Fig. 2)	
pig ureter (fifty-two hours) (Fig. 4)	197
— pig ureter, 36 cm. in length, kept in ice-cold Locke's solution twen	ntv-
four hours before this record was made (Fig. 1)	
- pig ureter, 28 cm. in length, from another animal, otherwise same	
figure 1. Spontaneous antiperistaltic contractions present (Fig. 2).	
Influence of a previous injection of natural ephedrine on the pressor act	tion
of synthetic ephedrine (Fig. 1)	
- of a previous injection of synthetic ephedrine on the pressor action	n of
natural ephedrine (Fig. 2)	
An exception in which the pressor action of natural ephedrine was not o	
powered by a previous injection of synthetic ephedrine (Fig. 3)	
Effect of repeated injections of synthetic and natural ephedrines on the bl	
pressure and kidney volume (consult table 1) (Fig. 4)	<i>ZZZ</i> , <i>Z</i> 23

Effect of repeated administration of natural ephedrine on systolic blood pres-	
sure in men (Fig. 5)	227
of repeated administration of synthetic ephedrine on systolic blood	
pressure in men (Fig. 6)	228
An experiment to determine the influence of cocaine on the pressor action	
of ephedrine (Fig. 7)	230
Effect of synthetic ephedrine on blood pressure, and nasal mucous membrane	
and accessory nasal sinuses (Fig. 1)	241
Reversal of the pressor action of epinephrine, but not of synthetic ephedrine,	
by the same dose of ergotamine (Fig. 2)	242
Comparison of the pressor action of synthetic and natural ephedrines in	
men (Fig. 3)	244
Effect of synthetic ephedrine on the isolated virgin guinea pig's uterus	
(Fig. 4)	
	246
Comparison of the intensity of pressor action of synthetic ephedrine and	
that of epinephrine (Fig. 6)	249
of the intensity of pressor action on natural ephedrine and that of	
epinephrine (Fig. 7)	
Action of ergotoxin in mammalian heart (Fig. 1)	
— of ergotoxin in mammalian heart (Fig. 2)	<b>288</b>
of ergotoxin in mammalian heart (Fig. 3)	289
Successive stages of the changes in the form of the T wave following stimu-	
lation of the right accelerator nerve (Fig. 4)	291
Electrocardiogram before and after stimulation of the left accelerator nerve	
(Fig. 5)	291
Photograph of operative field of completed perfusion preparation, using	
rapid dorsal approach (Fig. 1)	<b>302</b>
Completed preparation, showing method of totally immobilizing the cannulae	
by two point fixation (Fig. 2)	304
Showing effect of intraperitoneal injection of dialysates of sera (Fig. 3)	310
Graph showing magnitude of darkening and blanching of R. pipiens skin	
under influence of varying pH, in terms of standard pituitary powder	
and ergamine acid phosphate (histamine) (Fig. 4)	312
Illustration of discrepancy between absolute findings of perfusion and oxy-	
tocic methods, using same ampoule of standard and same unknown	
(Fig. 5)	313
Ablation of hypophysial anlage in Rana pipiens larvae (Fig. 6)	315
Tracings showing the effect of the external application of cold on the move-	
ments of the stomach (Fig. 1)	323
showing the effect of the external application of heat on the movements	
of the stomach (Fig. 2)	324
showing the effect of the internal administration of water at various	
temperatures on the movements of the stomach (Fig. 3)	325
Chronic morphine poisoning in dogs (Fig. 1)	
morphine poisoning in dogs (Fig. 2)	364
Dog 7. Curves showing general level of blood sugar during control period,	
addiction and withdrawal, dosage, and weight. Addiction 330 days,	
withdrawal at 210 mgm, morphine sulphate per kilogram (Fig. 1)	374

Curves showing general level of blood sugar, in 1 control dog and in 3 dogs	
during addiction, one a short experiment, two long experiments (Fig. 2)	375
Dog 10. Curves showing disappearance of the hyperglycemia that occurs	
immediately after the injection of morphine, as tolerance develops, along	
with curves showing simultaneous fall in temperature (Fig. 3)	379
Curves showing the effect of temporary withdrawal on the hyperglycemia	0.0
and on the fall in temperature when the administration of morphine is	000
resumed (Fig. 4)	
showing blood sugar during withdrawal (Fig. 5)	381
Effects of apocodeine (10 mgm. per kilogram) on the crop muscles (experi-	
ment 99) (Fig. 1)	392
Simultaneous contraction of the circular and longitudinal muscles of the	
crop by arecoline (0.05 and 0.1 mgm. per kilogram) with complete antag-	
onism and prevention by atropine (3 mgm. per kilogram) (experiment	
133) (Fig. 2)	303
Effects of choline on crop muscles (Fig. 3)	
Different effects of epinephrine on crop muscles (Fig. 4)	
	<b>399</b>
Stimulation of a strip of circular muscle of the excised pigeon crop by epi-	
nephrine (1:2,500,000) (Fig. 5)	<b>40</b> 0
Reciprocal response of circular and longitudinal muscles of the crop (experi-	
ment 59) to a small dose of physostigmine (0.9 mgm. per kilogram) and	
complete antagonism by atropine (0.54 mgm. per kilogram) (Fig. 6)	405
Effects of pilocarpine, nicotine, atropine and a large dose of physostigmine	
	408
Smallest action of pilocarpine (13.3 mgm. per kilogram) and a definite though	-
moderate muscular stimulation from physostigmine (3 mgm. per kilo-	
gram) in pigeon 76 (anaphylaxis series) with nerves cut and degenerated	
during twenty-eight days (Fig. 8)	400
	409
Inhibition of peristalsis and increase in tonus of the longitudinal muscle of	
the pigeon crop (experiment 176) after intravenous injection of mor-	
phine (20 mgm. per kilogram) (Fig. 9)	414
Effects of morphine on the longitudinal muscle of the crop in pigeons	
(Fig. 10)	415
Moderate but definite stimulation by morphine of an excised strip of circular	
muscle of the crop and marked relaxation and depression by papaverine;	
recovered with barium (Fig. 11)	419
Effects of guanidine on crop muscles (Fig. 12)	423
Reciprocal response of the circular and longitudinal muscles of an untreated	
crop (experiment 69) to histamine (0.64 mgm. per kilogram) (Fig. 13)	425
	426
of epinephrine and tyramine on the same crop before and after cocaine	420
<del>-</del> _ <del>-</del>	400
(experiment 88) (Fig. 15)	<b>4</b> ∠8
Reciprocal response of crop muscle to barium (3.5 mgm. per kilogram) in an	
atropinized crop (experiment 66) (Fig. 16)	
Agarized serum on crop muscle (Fig. 17)	434
Control response of the crop of another pigeon injected with untreated pigeon	
serum (experiment 36) (Fig. 18)	435
Healing power of ethersand in experimental rabbit symbilis (Fig. 1)	480

### **ILLUSTRATIONS** ix Healing power of proparsanol in experimental rabbit syphilis (Fig. 2)...... 481 Antagonisms of choline contraction by electrical vagus stimulation and by Antagonism of contractions from continuous electrical vagus stimulation Antagonisms of peptone contraction by epinephrine and by electrical vagus Antagonism of pilocarpine contraction by tyramine (Fig. 6)................. 487 --- of guanidine contraction by tyramine (Fig. 8)...... 487 - of pilocarpine contraction by electrical vagus stimulation and by epi-of pilocarpine contraction by guanidine and of barium contraction by epinephrine (continuation of tracing from figure 9A) (Fig. 9B)...... 488 Reversals by epinephrine of contractions during continuous electrical stimu-Reversals of pilocarpine contraction by guanidine and partial antagonism by epinephrine (Fig. 11)...... 491 of barium contraction by guanidine and partial antagonism by epi-- of serum (agarized) contraction by epinephrine (Fig. 14)...... 491