CONTENTS

NUMBER 1, JANUARY, 1933

,	
I. The Anesthetic Action of Divinyl Oxide on Humans. By Samuel Gelfan and Irving R. Bell	1
II. The Anesthetic Action of Divinyl Oxide in Animals. By C. D.	
Leake, P. K. Knoefel and A. E. Guedel	5
III. The Administration of Drugs into the Cerebral Ventricles of	J
Monkeys: Pituitrin, Certain Pituitary Fractions, Pitressin,	
Pitocin, Histamine, Acetyl Choline, and Pilocarpine. By Richard	
	17
U. Light and Stanley M. Bysshe	11
Cerebrospinal Fluid. Richard U. Light, Courtney C. Bishop	
	37
and Lee G. Kendall	31
Edema Induced by Chemical Irritation. By Amos R. Koontz	
	47
and Carl H. Moulton	47
•	69
By P. K. Knoefel	09
	79
Weinberg	19
VIII. The Influence of Anesthesia on the Cerebrospinal Fluid Pressure	95
Response to Histamine and Epinephrine. By S. J. Weinberg	90
IX. The Effect of Sodium Isoamylethylbarbiturate (Sodium Amytal)	
upon the Depressor Action of Brain Extract. By Ralph H.	107
Major, C. J. Weber and J. B. Nanninga	107
X. A Comparison of the Bronchodilating Action of Several Anti-	
asthmatic Agents after Anaphylactic and Histamine Shock in	111
the Guinea Pig. By O. W. Barlow and Argyl J. Beams XI. The Chemistry of the Blood and the Cerebrospinal Fluid, with	111
Special Reference to Calcium, in the Cataleptoid State Induced by Bulbocapnine. The Combined Effect of Bulbocapnine and	
Some Other Drugs. By S. Katzenelbogen and M. C. Meehan	191
Some Other Drugs. By S. Katzeneroogen and M. C. Meenan	101
Number 2, February, 1933	
XII. Effect on Kidney Function of Ether, Ethylene, Ethylene and	
Sodium Isoamyl-ethyl Barbiturate (Amytal), and Ethylene and	
	141
XIII. Observations on Experimental Spinal Anesthesia. By E. Falkner	
Hill and A. D. Macdonald	151
XIV. Further Observations on the Gonad-stimulating Principle of the	
Anterior Lobe of the Pituitary Body. By H. B. van Dyke and	
Zonja Wallen-Lawrence	163

iv

XV. 8	Studies on Calcium. VI. Some Inter-relationships of the Cardiac	
	Activities of Calcium Gluconate and Scillaren-B. By Arnold	
	L. Lieberman	183
XVI. (On the Mechanism of Salivary Secretion. By V. E. Henderson	
	and M. H. Roepke	193
XVII. (Optically Active Hydantoins as Hypnotics. By Harry Sobotka,	
	S. M. Peck and Jos. Kahn	209
XVIII.	A Contribution to the Pharmacology of Adonis Vernalis. By	
	Robert A. Hatcher and Harvey B. Haag	217
XIX.	Effect of Therapeutic Doses of Sodium Bicarbonate on the Kid-	
	neys. By Lynne A. Hoag, Carl E. Weigele, Haskell Talamo,	
	Eleanor Marples and Katharine Woodward	233
vv i	Distribution of Thoracic Sympathetic Motor Fibers in the Divi-	200
AA.	sions of the Heart Determined by the Action of Adrenalin on	
	Isolated Strips from the Turtle's Heart. By Charles W. Greene	
	and Karl E. Maneval	237
XX1.	The Site of the Pressor Action of Dimethylguanidin Sulphate.	
	By Harry Goldblatt and Howard T. Karsner	247
XXII.	Piperidinopropanediol Di-phenylurethane Hydrochloride, a New	
	Local Anesthetic. By T. H. Rider	255
	N 0 N 4000	
	Number 3, March, 1933	
XXIII. '	The Inhibition of Oestrus by Extracts of the Anterior Lobe of the	
	Pituitary Body. By Marie C. d'Amour and H. B. van Dyke	269
XXIV.	Notes on the Poisonous Secretions of Twelve Species of Toads.	
	By K. K. Chen and A. Ling Chen	281
XXV.	Relative Susceptibility of the Nebulous Toad (Bufo valliceps)	
	and the Leopard Frog (Rana pipiens) to Different Substances.	
	By K. K. Chen and A. Ling Chen.	205
XXVI '	The Physiological Action of the Principles Isolated from the	200
21.21 V 1.	Secretion of the Common European Toad (Bufo bufo bufo).	
	By K. K. Chen, H. Jensen and A. Ling Chen	207
vvvii ·	Effect of Quinine on the Parasympathetic and Sympathetic Inner-	307
AAVII.		201
3/3/3/111	vation of the Salivary Glands. By George W. Stavraky	321
XXVIII.	The Comparative Physiological Actions of dl-\$-Phenylisopropyl-	
	amines. I. Pressor Effect and Toxicity. By Gordon A. Alles.	339
XXIX.	The Action of Pituitary Extract upon the Blood Pressure of the	
	Normal Unanesthetized Animal and the Effects of Ephedrine	
	or Adrenaline Thereupon. By K. I. Melville	355
XXX.	The Action on Cardiac Musculature and the Vagomimetic Be-	
	havior of Adenosine. By Alfred M. Wedd and Wallace O. Fenn.	365
	Navarana A. Annes 1000	
	Number 4, April, 1933	
XXXI.	Comparative Pharmacology of some Condensation Products of	
	Phenols with Aliphatic Aldehydes. An Inquiry into Chemo-	
	pharmacodynamic Relationships. By David I. Macht and	
	Wilton C. Harden	377

CONTENTS V

XXXII. The Excretion of Morphine by Normal and Tolerant Dogs. By	
William A. Wolff, Cecilia Riegel and Edith G. Fry	391
XXXIII. The Action of Morphine on the Mammalian Circulation. By	
Carl F. Schmidt and A. E. Livingston	411
XXXIV. The Relation of Dosage to the Development of Tolerance to Mor-	
phine in Dogs. By Carl F. Schmidt and A. E. Livingston	443
XXXV. A Note Concerning the Actions of Pseudomorphine. By Carl F.	
Schmidt and A. E. Livingston	473

ILLUSTRATIONS

Minimal anesthetic range of divinyl oxide and ether by inhalation in mice	
(Fig. 1)	ξ
Time required to anesthetize mice by inhalation of the minimal certain	
anesthetic concentrations of divinyl oxide and ether respectively (Fig. 2).	10
Induction of, and recovery from divinyl oxide anesthesia in a dog. Admin-	
istration by Waters carbon dioxide absorption technique with Guedel-	
Waters endotracheal cannula and oxygen flow of 200 cc. per minute	
through divinyl oxide (Fig. 3)	11
— of ether anesthesia in same dog as in figure 3. Administration by	
Waters carbon dioxide absorption technique with closed endotracheal	
cannula and oxygen flow of 200 cc. per minute through ether (Fig. 4)	12
— of divinyl oxide anesthesia in same dog as figures 3 and 4. Administra-	
tion by carbon dioxide absorption technique with closed endotracheal	
cannula and oxygen flow of 50 cc. per minute through divinyl oxide	
(Fig. 5)	13
Microphotographs of lungs of rabbits killed four and one-half hours after	
gassing (Fig. 1)	54
— of lungs of dogs killed five hours after gassing (Fig. 2)	59
— of lungs of dogs following gassing (Fig. 3)	59
of sections from each lobe of the lungs of 2 dogs killed forty-eight hours	
after gassing (Fig. 4)	61
Relation of time of onset of anesthesia of sensory fibers of frog sciatic to	
concentration of anesthetic (Fig. 1)	72
of time of onset of anesthesia of sensory fibers of frog sciatic to concen-	
tration of anesthetic (Fig. 2)	73
Dog. Ether anesthesia. Injection in femoral vein (Fig. 3)	76
Pressor action of yohimbine and quebrachine (Fig. 1)	82
- action of yohimbine and quebrachine (Fig. 2)	83
action of yohimbine and quebrachine (Fig. 3)	86
action of yohimbine and quebrachine (Fig. 4)	87
action of yohimbine and quebrachine (Fig. 5)	90
Cerebrospinal fluid pressure (Fig. 1)	99
Transient depression in blood pressure produced by a single intravenous	100
	108
	128
	146
	147
	148
• • • •	149
Experimental spinal anesthesia (Fig. 1)	
— spinal anesthesia (Fig. 2) 1	155

Experimental spinal anesthesia (Fig. 3)	
spinal anesthesia (Fig. 4)	
Gonad-stimulating principle of pituitary body (Fig. 1)	
Modification of Trendelenburg's apparatus (as used in Professor Van Dyke's	
laboratory) (Fig. 1)	
Foster's apparatus for maintaining an even rate of injection (as used in	
Professor Van Dyke's laboratory) (Fig. 2)	
Record of a rapid injection in an 8-kgm. dog of calcium gluconate (Fig. 3)	188
— of rapid injection of Scillaren-B in a 7-kgm. dog (Fig. 4)	
On the mechanism of salivary secretion (Fig. 1)	
— the mechanism of salivary secretion (Fig. 2)	201
the mechanism of salivary secretion (Fig. 3)	
— the mechanism of salivary secretion (Fig. 4)	
— the mechanism of salivary secretion (Fig. 5)	
— the mechanism of salivary secretion (Fig. 6)	
Sino-auricular strip and left auricular apex strip in Ringer's solution (Fig. 1).	
Recording from above down the sinus, the left auricular tip, and the right	
auricular tip (Fig. 2)	
Illustrating the decrease of limb volume which accompanied the rise of blood	
pressure that followed a rapid intravenous injection of a large dose of	
dimethylguanidin sulphate. Limb nerves intact (Fig. 1)	
Great increase of blood pressure and decrease of limb volume following the	
rapid injection of 0.4 gram dimethylguanidin sulphate (Fig. 2)	
Same dog as in figure 2. Smaller rise of blood pressure, and practically no	
decrease of limb volume following the injection of 0.4 gram dimethyl-	
guanidin which was preceded by an intravenous injection of 12 mgm. of	~
ergotoxin (Fig. 3)	
Great increase of blood pressure and decrease of limb volume following the	
rapid injection of 0.3 gram of dimethylguanidin sulphate in a dog with	
limb nerves and vagi sectioned (Fig. 4)	
Map of world showing cities from which our toads and Ch'an Su were shipped	
(Fig. 1)	
Action of fowlero-bufotenine on frog's and toad's hearts (Fig. 1)	
Absorption bands of ergosterol (Fig. 1)	
Electrocardiographic changes caused by vulgaro-bufotoxin (Fig. 2)	
Pressor action of vulgaro-bufotenine and its comparison with other bufo-	
tenines (Fig. 3).	318
Effect of intravenous injection of 0.2 gram of quinine hydrochloride on	
systemic blood pressure, on blood flow through submaxillary gland and	
on secretion of saliva in that gland (Fig. 1)	
Separation into two parts of secretion activated by chorda tympani stimu-	
lation under influence of repeated doses of quinine (Fig. 2)	324
Second stage of quinine poisoning (Fig. 3)	
Effect of stimulation of chorda tympani in fresh place after first stimulation	
ceased to activate a secretion (Fig. 4)	
Very small first phase of chorda tympani secretion and accordingly slight	
vasodilatation during stimulation (Fig. 5)	
Submaxillary gland poisoned with quinine (Fig. 6)	331

of epinephrine, dihydroxyphenylethylamine and dihydroxyphenyliso-propylamine (Fig. 3). Blood pressure tracings (Fig. 1)		
of epinephrine, hydroxyphenylethylamine and hydroxyphenyliso-propylamine (Fig. 2)	Action of eninephrine, phenylethylamine and phenylisopropylamine (Fig. 1).	344
propylamine (Fig. 2)		
of epinephrine, dihydroxyphenylethylamine and dihydroxyphenyliso-propylamine (Fig. 3)		346
propylamine (Fig. 3). Blood pressure tracings (Fig. 1). pressure tracings (Fig. 2 and 3). pressure tracings (Fig. 2 and 3). pressure tracings (Fig. 5). Blustrating action of adenosine on turtle auricle (Fig. 1). Effect of adenosine on strips of dog auricle (Fig. 2). Comparison of oxygen consumption by cardiac and skeletal muscle of frog in presence of adenosine (Fig. 3). Salliustrating depressant effect of adenylic acid on rabbit auricle (Fig. 4). Action of adenosine on rabbit auricle before and after atropine (Fig. 5). Solilustrating depressant effect of adenylic acid on rabbit auricle (Fig. 4). Action of adenosine on rabbit auricle before and after atropine (Fig. 5). Solilustrating depressant effect of adenylic acid on rabbit auricle (Fig. 4). Action of adenosine on vessels constricted by acetyl choline in perfused heart of rabbit (Fig. 6). Salate of excretion: Morphine in blood and urine following a subcutaneous injection of hydrochloride (Fig. 1). 4 Depressor effect of morphine in unanesthetized dog (Fig. 1). 4 Absence of depressor effect from intravenous injection of morphine in rodents (Fig. 2). 4 Ovasomotor perfusion' of kidney: effect of morphine upon vasomotor center (Fig. 4). Effect of morphine upon heart in situ (Fig. 5). of intra-arterial injection of morphine upon splanchnic and limb vessels (Fig. 7). Absence of depressor and vasodilator effect from morphine in tolerant dog (Fig. 8). Effect of repeated intravenous injections of morphine in normal dog (Fig. 9). "Acute tolerance" to depressor, vasomotor and respiratory effects of morphine (Fig. 12). Absence of circulatory tolerance forty-eight hours after last injection (Fig. 1). Tolerance" to depressor, vasomotor and respiratory effects of morphine (Fig. 12). Sos of circulatory tolerance within twenty-four hours after daily injection (Fig. 3). Vasodilator effect of pseudomorphine (Fig. 1). Effect of pseudomorphine on isolated mammalian heart (Fig. 2).		010
Blood pressure tracings (Fig. 1)		347
pressure tracings (Figs. 2 and 3) pressure tracings (Fig. 4) pressure tracings (Fig. 5) pressure tracings (Fig. 5) Effect of adenosine on strips of dog auricle (Fig. 1) Comparison of oxygen consumption by cardiac and skeletal muscle of frog in presence of adenosine (Fig. 3) Action of adenosine on rabbit auricle before and after atropine (Fig. 4) Action of adenosine on rabbit auricle before and after atropine (Fig. 5) Billator action of adenosine on vessels constricted by acetyl choline in perfused heart of rabbit (Fig. 6) Rate of excretion: Morphine in blood and urine following a subcutaneous injection of hydrochloride (Fig. 1) Absence of depressor effect from intravenous injection of morphine in rodents (Fig. 2) Depressor effect of morphine in pithed animals (Fig. 3) "Vasomotor perfusion" of kidney: effect of morphine upon vasomotor center (Fig. 4) Ceffect of morphine upon heart in situ (Fig. 5) of morphine on splanchnic and limb vessels (Fig. 6) Absence of depressor and vasodilator effect from morphine in tolerant dog (Fig. 8) Effect of repeated intravenous injections of morphine in normal dog (Fig. 9) "Acute tolerance" to dilator effects of morphine (Fig. 10) tolerance" to depressor, vasomotor and respiratory effects of morphine (Fig. 12) Absence of circulatory tolerance forty-eight hours after last injection (Fig. 1) of circulatory tolerance in chronically morphinized dog twelve days after last injection (Fig. 2) Vasodilator effect of pseudomorphine (Fig. 1) Effect of pseudomorphine on isolated mammalian heart (Fig. 2) 4 Vasodilator effect of pseudomorphine on isolated mammalian heart (Fig. 2)	r - F.	
pressure tracings (Fig. 4)		
Illustrating action of adenosine on turtle auricle (Fig. 1)	— pressure tracings (Figs. 2 and 3)	350
Effect of adenosine on strips of dog auricle (Fig. 1)	pressure tracings (Fig. 4)	261
Effect of adenosine on strips of dog auricle (Fig. 2)		
Comparison of oxygen consumption by cardiac and skeletal muscle of frog in presence of adenosine (Fig. 3)		
in presence of adenosine (Fig. 3)		367
Action of adenosine on rabbit auricle before and after atropine (Fig. 5)		050
Action of adenosine on rabbit auricle before and after atropine (Fig. 5)		370
Dilator action of adenosine on vessels constricted by acetyl choline in perfused heart of rabbit (Fig. 6)		
fused heart of rabbit (Fig. 6)		373
Rate of excretion: Morphine in blood and urine following a subcutaneous injection of hydrochloride (Fig. 1)		
injection of hydrochloride (Fig. 1)		374
Depressor effect of morphine in unanesthetized dog (Fig. 1)		
Absence of depressor effect from intravenous injection of morphine in rodents (Fig. 2)		404
(Fig. 2)		416
Depressor effect of morphine in pithed animals (Fig. 3)	Absence of depressor effect from intravenous injection of morphine in rodents	
Effect of morphine upon heart in situ (Fig. 5)		417
center (Fig. 4)		419
Effect of morphine upon heart in situ (Fig. 5)	'Vasomotor perfusion' of kidney: effect of morphine upon vasomotor	
of morphine on splanchnic and limb vessels (Fig. 6)	center (Fig. 4)	423
of intra-arterial injection of morphine upon splanchnic and limb vessels (Fig. 7)	Effect of morphine upon heart in situ (Fig. 5)	425
(Fig. 7)	— of morphine on splanchnic and limb vessels (Fig. 6)	426
Absence of depressor and vasodilator effect from morphine in tolerant dog (Fig. 8)	— of intra-arterial injection of morphine upon splanchnic and limb vessels	
(Fig. 8)		427
(Fig. 8)	Absence of depressor and vasodilator effect from morphine in tolerant dog	
"Acute tolerance" to dilator effects of morphine (Fig. 10)		430
"Acute tolerance" to dilator effects of morphine (Fig. 10)	Effect of repeated intravenous injections of morphine in normal dog (Fig. 9).	433
— tolerance" to depressor effect of morphine in spinal dog (Fig. 11) 4 — tolerance" to depressor, vasomotor and respiratory effects of morphine (Fig. 12)		434
— tolerance" to depressor, vasomotor and respiratory effects of morphine (Fig. 12)		435
(Fig. 12)		
Absence of circulatory tolerance forty-eight hours after last injection (Fig. 1). 4 — of circulatory tolerance in chronically morphinized dog twelve days after last injection (Fig. 2)		438
— of circulatory tolerance in chronically morphinized dog twelve days after last injection (Fig. 2)		
after last injection (Fig. 2)		-00
Loss of circulatory tolerance within twenty-four hours after daily injection (Fig. 3)		459
(Fig. 3) 4 Vasodilator effect of pseudomorphine (Fig. 1) 4 Effect of pseudomorphine on isolated mammalian heart (Fig. 2) 4		100
Vasodilator effect of pseudomorphine (Fig. 1)		460
Effect of pseudomorphine on isolated mammalian heart (Fig. 2) 4	, , ,	
		477
"Apilte tolerance" to nselidomormnine in nithed animal (Rights) - 4	"Acute tolerance" to pseudomorphine in pithed animal (Fig. 3)	478