CONTENTS

Number 1, September, 1934

I.	The Pharmacological and Toxic Action of Digoxin. By A. C. White	1
II.	A Note on the Effect of Epinephrine on the Excised Terrapin Sino-Auricular and Auricular Apex Strips. By Charles M. Gruber	23
III.	Ethyl Alcohol and Strychnine Antagonism. By Harry Gold and Janet Travell.	30
IV.	Quantitative Studies on the Absorption and Excretion of Certain Resorcinols and Cresols in Dogs and Man. By Benjamin H. Robbins	54
37		
	Note on Acetyl-\$\textit{\beta}\$-Methyl Choline. By Reid Hunt Studies on Barbiturates. IV. Effect of Barbiturates in Experimental Nephrosis. By William S. Murphy and Theodore	61
	Koppanyi	70
VII.	Studies on Barbiturates. V. The Action of Barbiturates in Sauropsida. By Theodore Koppanyi, William S. Murphy	
	and Philip L. Gray	78
VIII.	Studies on Barbiturates. VI. The Elimination of Isoamyl Ethyl	
	Barbituric Acid ("Amytal") and N-butyl Ethyl Barbituric	
	Acid ("Neonal"). By Theodore Koppanyi and Stephen Krop.	87
IX.	Studies on Barbiturates. VII. Experimental Analysis of Bar-	
	bital Action. By Theodore Koppanyi and James M. Dille	91
Х.	Some Physiological Properties of Certain N-methylated-\(\theta\)-	
	phenylethylamines. By Axel M. Hjort	101
XI.	The Comparative Effects of the Intravenous Administration to Man of Acetylcholine and Acetyl-\beta-methylcholine. By Soma Weiss and Laurence B. Ellis	
	Number 2, October, 1934	
VII	Studies on Barbiturates. VIII. Distribution of Barbiturates	
AII.	in the Brain. By Theodore Koppanyi, James M. Dille and	
	Stephen Krop	191
YIII	Studies on Barbiturates. IX. The Effect of Barbiturates on the	121
4 1111.	Embryo and on Pregnancy. By James M. Dille	120
XIV	Studies in the Absorption, Distribution, and Elimination of	140
ZXI V .	Ethyl Alcohol. I. The Quantitative Determination of Ethyl	
	Alcohol in Air, Blood, and Urine by Means of Iodine Pentoxide.	105
	By Howard W. Haggard and Leon A. Greenberg	131

YV.	Studies in the Absorption, Distribution, and Elimination of	
AV.	Table Alert I Transfer Call III The	
	Ethyl Alcohol. II. The Excretion of Alcohol in Urine and	
	Expired Air; and the Distribution of Alcohol Between Air and	
	Water, Blood and Urine. By Howard W. Haggard and Leon	
	A. Greenberg	150
XVI.	Studies in Absorption, Distribution, and Elimination of Ethyl	
	Alcohol. III. Rate of Oxidation of Alcohol in the Body.	
	By Howard W. Haggard and Leon A. Greenberg	167
XVII.	Studies on the Phytotoxic Index. II. Menstrual Toxin ("Meno-	
	toxin"). By William Freeman and Joseph M. Looney with	
	the Technical Assistance of Rose R. Small	170
wwiii	The Diuretic Effect of Posterior Pituitary Extract in the Anaes-	116
AVIII.		10
	thetized Animal. By Erwin E. Nelson	184
XIX.	Atropine Tolerance in Infants and Children: The Negative Ac-	
	tion of the Serum of Tolerant Subjects. By J. D. Pilcher	196
XX.	The Comparative Actions of Atropine and Its Constituents, l	
	and d Hyoscyamine, in Infants and Very Young Children.	
	By J. D. Pilcher	206
XXI.	The Relative Anesthetic Effects of Some Urea Derivatives. By	
	Edwin J. deBeer and Axel M. Hjort	211
XXII	The Relative Anesthetic Effects of Some Aliphatic Ureas. By	
	Edwin J. deBeer, Johannes S. Buck, and Axel M. Hjort	216
vviii	Studies on Barbiturates. X. Acute Barbital Poisoning in De-	210
AAIII.		
	hydration and Diuresis. By Theodore Koppanyi, William S.	000
	Murphy and Stephen Krop	22
XXIV.	Reabsorption of Water During Pituitary Antidiuresis. By	
	I. Gersh	231
	Number 3, November, 1934	
373737	771 T-A1 (A1 1: : :1 T- 1 :: CT/ : 1 T-1	
XXV.	The Rôle of Adrenaline in the Production of Ventricular Rhy-	
	thms and their Suppression by Acetyl-\$\beta\$-Methylcholine Chlo-	
	ride. By H. E. Hoff and L. H. Nahum	235
XXVI.	The Effect of Diuretics on Rabbits During the Recovery Stage	
	from Acute Uranium Nephritis. By John H. Mentzer	246
XXVII.	Ether and Strychnine Antagonism. By Janet Travell and	
	Harry Gold	259
XXVIII.	Studies on Phenanthrene Derivatives. III. Di-Substitution	
	Products. By Nathan B. Eddy	275
XXIX	Inhibitory Innervation of the Iris Sphincter. By Fredrick F.	
	Yonkman	200
vvv	Barbiturates in Local Anesthetic Toxicity. By A. H. Maloney.	
	The Effect of Caffeine, Coffee and Decaffeinated Coffee upon	49
AAAI.		
	Blood Pressure, Pulse Rate and Certain Motor Reactions of	
	Normal Young Men. By Kathryn Horst, William Dodd	
	Robinson, William L. Jenkins and Dji-lih Bao	307
XXXII.	The Effect of the Habitual Use of Coffee or Decaffeinated Coffee	
	upon Blood Pressure and Certain Motor Reactions of Normal	
	Young Men. By Kathryn Horst, Rex E. Burton and William	
	Dodd Robinson	329

CONTENTS V

338	The Effect of Different Concentrations of Acetylcholine and Histamin on the Rate of Contraction of the Longitudinal Muscles of the Guinea Pig Ileum. By Frederick Bernheim and Abner Gorfain. Strychnine in Poisoning by Alcohol. By Harry Gold and Janet Travell.	
	Number 4, December, 1934	
	. The Pharmacology of Acetylene Dibromide (s-Dibromoethylene). By Ardrey W. Downs and David R. Climenko	XXXV.
	Action of Drugs on the Chronic Decorticated Preparation. By Fred. A. Mettler and Elmer Culler	XXXVI.
	Hormones in Cancer. IX. A Resistance Factor in Normal Urine Affecting Carcinoma 256. By Fritz Bischoff and L. C. Maxwell	XXXVII.
	Studies on the Denervated Kidney. II. The Action of Sodium Salicylate on the Uric Acid, Allantoin, Sodium Chloride and Total Nitrogen Excretion in Dogs. By M. G. Gray and	XXXVIII.
	G. P. Grabfield Studies on the Effects of Intravenous Injections of Colloids. I. Deposition of Acacia in the Liver and Other Organs and Its Excretion in Urine and Bile. By Marie Andersch and R. B. Gibson	XXXIX.
	The Effect of Digitalis on Acute Cardiac Dilatation Produced by Anoxemia. By Edward J. Van Liere, George Crisler and J. E. Hall.	XL.
	The Effects of Potassium Antimonyl Tartrate on the Blood and Hematopoietic Organs. By S. P. Lucia and J. W. Brown	XLI.
	The Elimination of Theobromine and Caffeine from the Circulation. By Robt. A. Hatcher and Nathaniel T. Kwit	XLII.
	Morphine Acidosis. By Nathan Rakieten, H. E. Himwich and Delafield Du Bois	XLIII.
	Control of Cyanide Action: Cyanohydrin Equilibria In Vivo	XLIV.
	Sodium Formaldehyde Sulphoxylate in Experimental Acute Mercurial Poisoning. By Herman Brown and John A. Kolmer.	XLV.
	Studies of Morphine, Codeine and Their Derivatives. VII. Dihydromorphine (Paramorphan), Dihydromorphinone (Dilaudid), and Dihydrocodeinone (Dicodide). By Nathan B.	XLVI.
	Eddy and John G. Reid	XLVII
100	. AMWON	4211 t 11.

ILLUSTRATIONS

Effect of digoxin on frog ventricle (Fig. 1)	4
— of digoxin and atropine on the movements of the rabbit intestine (Trendelenburg method) (Fig. 2)	5
Ordinate normal equivalent deviation (Fig. 3)	16
Ferrapin of the species Chrysems marginata (Fig. 1)	26
Same as figure 1 except that the temperature of the bath was reduced to	20
• •	07
22.5°C. and the tracing taken one hour later (Fig. 2)	27
as figure 1 except that the temperature of the bath was 22.5°C. and the	07
record made three hours later (Fig. 3)	27
Shows the excretion of barbital in the urine of two dogs and one rabbit with	
uranium nephrosis (Fig. 1)	75
Showing the percentage of excretion of barbital by fowl's receiving 150,	
225 and 350 mgm. (so marked) of sodium barbital per kilogram, intra-	
venously (Fig. 1)	82
Shows the theoretical amount of sodium barbital (i.e., the amount not	
excreted in the urine) remaining in the body at various intervals (Fig. 1)	96
the amount of barbital in the blood of the animals shown in figure 1	
(Fig. 2)	97
	109
Comparative effect of increasing intravenous doses of acetylcholine and	
acetyl-\$\beta\$-methylcholine on the arterial blood pressure and on the heart	
	115
Effect of increasing intravenous doses of acetylcholine (1:50) and acetyl-	
β-methylcholine (1:10,000) on the velocity of blood flow in five subjects	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	117
Showing the concentration of barbital in the embryo, placenta, and amniotic	
fluid at various intervals after the intravenous administration of 300	
mgm. of sodium barbital per kilogram to the mother (Fig. 1)	133
- the concentration of amytal in the embryo and placenta, after the	
intravenous administration of 100 mgm. of amytal per kilogram to the	
	133
Iodine pentoxide train used in determination of alcohol in air and fluids	
	138
Showing relative distribution of alcohol between air and water, blood, and	
` ` ,	
Apparatus used for collecting expired and alveolar airs (Fig. 2)	163
Concentrations of alcohol in arterial blood following intravenous administra-	
tion (Fig. 1)	
Studies of ethyl alcohol (Fig. 2)	
— on the phytotoxic index (Fig. 1)	181

Effect of posterior pituitary extract on urine rate, urine chloride, urine	
sucrose, and glomerular filtration in an anesthetized rabbit in a state	
of active diuresis induced by the rapid infusion of 10 per cent sucrose	
intravenously (Fig. 1)	188
Anesthetic effects of aliphatic ureas (Fig. 1)	
Percentage of excretion of barbital in the urine, during a twenty-hour period,	210
of a dehydrated, normal, and 3 diuretic dogs (100 cc. 10 per cent glucose	
per kilogram, 22 cc. 1 per cent ammonium chloride per kilogram, and	
87 cc. physiological saline per kilogram) (Fig. 1)	997
Concentration of barbital in milligrams per cubic centimeter of urine over	221
a period of twenty hours (Fig. 2)	007
Adrenaline in production of ventricular rhythms (Fig. 1)	026
in production of ventricular rhythms (Fig. 2)	
— in production of ventricular rhythms (Fig. 4)	
in production of ventricular rhythms (Fig. 5)	
in production of ventricular rhythms (Fig. 6)	
— in production of ventricular rhythms (Fig. 7)	
— in production of ventricular rhythms (Fig. 8)	
Diuretic effect of diuretin on rabbits (Fig. 1)	
effect of theophyllin-ethylenediamin on rabbits (Fig. 2)	
effect of novasurol on rabbits (Fig. 3)	
— effect of salyrgan on rabbits (Fig. 4)	254
Effect of coffee or caffeine upon the systolic and the diastolic blood pressure	
(mm. Hg) and the pulse rate (per minute) as indicated by the distribu-	
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses	
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349 362
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349 362 362
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349 362 362 385
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349 362 362 385 386
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349 362 362 385 386 386
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349 362 362 385 386 386 396
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349 362 362 385 386 386 396
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349 362 362 385 386 386 396
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349 362 362 385 386 386 396
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349 362 362 385 386 386 396
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349 362 385 386 386 396 396
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349 362 385 386 386 396 396
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349 362 362 385 386 396 396 396
(mm. Hg) and the pulse rate (per minute) as indicated by the distribution of the observed values in 4 subjects who showed typical responses (Fig. 1)	325 332 341 349 362 385 386 396 396 411 426