CONTENTS

Number 1, September, 1936

	1,000000	
I.	A Modified Pigeon Method for the Bioassay of Anti-Pernicious	
	Anemia Liver Extracts. G. E. Wakerlin, H. D. Bruner, and J. M. Kinsman	1
II.	The Absorption of Ferrous and Ferric Compounds from the	•
	Intestines of Rabbits. Otto Fürth, and Rudolf Scholl	14
III.	The Effect of Sympathectomy on the Sensitivity to Adrenalin of the Bronchioles. CoTui, Charles L. Burstein, and Arthur M.	
	Wright	33
IV.	Studies upon the Persistence of Action of Digitalis and Digitalis	
**	Bodies. H. B. Haag.	42
٧.	Comparison of the Pressor Effects of Some New Alkyl Derivatives of β Phenylethylamine. W. E. Hambourger and Robert B.	
	Jamieson, Jr	53
VI.	The Local Anaesthetic Activity of Quinoline Compounds. H. K.	
WII	Sinha	62
V 11.	Intoxication. Thomas C. Butler	68
VIII.	The Relative Anaesthetic Activity of the Butanes and Pentanes.	
137	Roger W. Stoughton and Paul D. Lamson	74
IX.	Studies on Insulin with Protamine. D. A. Scott and A. M. Fisher	78
X.	The Effect of Various Substances on the Action of Insulin. A. M.	
	Fisher and D. A. Scott.	93
X1.	Studies on the Synergism and Antagonism of Drugs. II. The Action of Physostigmine on Autonomic Ganglia. Theodore	
	Koppanyi, James M. Dille and Charles R. Linegar	105
XII.	The Influence of the Anesthetic on the Results of Digitalis Assay	
	by the Cat Method of Hatcher and Brody. Chas. C. Haskell	111
	Number 2, October, 1936	
XIII.	Studies of Barbiturates. XVII. The Effect of Prolonged Chloro-	
	form Anesthesia on the Duration of Action of Barbiturates.	110
XIV.	Theodore Koppanyi, James M. Dille and Charles R. Linegar Studies on Barbiturates. XVIII. Analysis of a Peripheral	119
	Action of Barbiturates. Charles R. Linegar, James M. Dille	
3/1/	and Theodore Koppanyi	128
AV.	The Influence of Diallylmalonylurea Upon the Metabolic Response of the Cat to Dinitrophenol. George Brewer	135
XVI.	Ethers of Choline and Allied Compounds. Reid Hunt and R. R.	
	Renshaw	140

XVII.	Bacteriostatic Action of Certain Furan Derivatives. N. M. Phatak and C. D. Leake	155
XVIII.	Studies of Phenanthrene Derivatives. VII. A Comparison of	100
	Analogous Phenanthrene and Dibenzofuran Derivatives. Nathan B. Eddy	159
XIX.	The Anesthetic Properties of Tetrahydrofurane. Roger W. Stoughton and Benjamin H. Robbins	
XX.	Toxicity and Local Anesthetic Activity of Alkyl Esters of 2- Furoic Acid. N. M. Phatak and G. A. Emerson	
XXI.	Barbiturate-Strychnine Antagonism in the Spinal Cat. A	
XXII.	Quantitative Study. E. L. Porter and E. L. Allamon Effects of Sodium Bicarbonate on the Antipyretic Action and	
	Toxicity of Acetanilid. Paul K. Smith	192
	Number 3, November, 1936	
XXIII.	Studies on Barbiturates. XIX. Analysis of the Barbiturate- Picrotoxin Antagonism. Theodore Koppanyi, Charles R.	
	Linegar and James M. Dille	199
XXIV.	Pharmacological Contributions to the Problem of the Autonomic Control of Skeletal Muscle Tonus. S. Loewe	229
XXV.	Toxicity of Strychnine for Male and Female Rats of Different Ages. Charles F. Poe, John F. Suchy and Norman F. Witt	
XXVI.	Studies of Cyclopropane. I. The Quantitative Determination	
	of Cyclopropane in Air, Water, and Blood by Means of Iodine	
VVVII	Pentoxide. Benjamin H. Robbins	243
AAVII.	Studies of Cyclopropane. II. Concentrations of Cyclopropane Required in the Air and Blood for Anesthesia, Loss of Reflexes,	
		251
XXVIII.	The Effect of Zinc and Aluminum on the Hypoglycemic Action of	
	Insulin. J. F. Fazekas and H. E. Himwich	260
XXIX.	Temporary Paralysis of the Vagus Mechanism in the Turtle	
	Heart by Sodium Citrate and Sodium Oxalate. George D.	
vvv	Shafer Paralyzing Effects of Sodium Citrate on the Cardiac Vagus and	264
AAA.	on Heart Muscle of the Cat. George D. Shafer and Jefferson	
	M. Crismon	274
XXXI.	Quantitative Studies with the Thyrotropic Hormone. W. Ken-	
	neth Cuyler, Benjamin F. Stimmel and Roy D. McCullagh	286
XXXII.	The Effect of Coffee and Decaffeinated Coffee on Oxygen Con-	
	sumption, Pulse Rate and Blood Pressure. Kathryn Horst, Robert J. Willson and Ralph G. Smith	204
XXXIII.	The Bile Acids in Icterus Produced by Toluylenediamine. John	40 Z
	M. McGowan, Jesse L. Bollman and Frank C. Mann	305
XXXIV.	The Effect of Adrenalin upon the Duration of Ventricular Fibril-	
	lation in the Cat after the Administration of Ergotamine.	
	Dietrich C. Smith	312
XXXV.	Propylene Impurities. Hexenes and Hexanes. V. E. Henderson and A. H. R. Smith	319
	BOU AND A. D. R. OMILN	OI 19

the Library of and Hospi

	v
	•

XXXVI. Note on the Methyl Cholines. Reid Hunt	328
Plants. III. Dicentrine Methine Hydrochloride. R. A. Waud	332
XXXVIII. A Comparative Study of the Effects of Five Choline Compounds Used in Therapeutics: Acetylcholine Chloride, Acetyl- Methylcholine Chloride, Carbaminoyl Choline, Ethyl Ether- Beta-Methylcholine Chloride, Carbaminoyl-Beta-Methylcho- line Chloride. H. Molitor	
Number 4, December, 1936	
XXXIX. Actions of Kurchicine, an Alkaloid of Holarrhena Antidysen-	
terica. Ilahi Bakhsh	361
XL. The Pharmacological Actions of Conessine and Iso-conessine. Ilahi Bakhsh	373
XLI. An Explanation of Duodenal Activity. W. J. R. Camp	
XLII. A Liver Preparation Protecting Against Necrosis from Chloro- form or Carbon Tetrachloride Administration. J. C. Forbes,	
R. C. Neale and J. H. Scherer	402
XLIII. A Pharmacodynamic Study of the Autonomic Nervous System in	
Normal Men. The Effects of Intravenous Injections of Epinephrine, Atropin, Ergotamine and Physostigmine upon	
the Blood Pressure and Pulse Rate. H. Freeman and H. T.	
Carmichael	409
XLIV. Studies of Chronic Morphine Poisoning in Dogs. VI. Effect of Increasing Tissue Oxidations by Dinitrophenol on the Excre-	
tion of Morphine in Tolerant and Non-tolerant Dogs. O. H.	
Plant and D. Slaughter	417
XLV. The Toxicity of Rhodium. O. H. Plant	428
XLVI. On the Detoxification of Gaseous Hydrocyanic Acid. James N. Etteldorf	491
XLVII. The Properties of the Physiologically Active Substance in the	401
Body Resulting from the Administration of Acetyl-Beta-	
Methylcholine Chloride by Iontophoresis. W. F. Alexander	400
and A. J. Kotkis	439
lurium, Arsenic and Vanadium. Kurt W. Franke and Alvin	
L. Moxon	454
XLIX. The Pharmacological Action of Deuterium Oxide. I. Toxicity	
and Symptoms; Metabolic Rate; Water Exchanges. Henry G. Barbour and Jane Trace	460

ILLUSTRATIONS

Maximum, minimum, and average daily reticulocyte counts of group of	
30 grain-fed pigeons over period of eight weeks (fig. 1)	6
Effect of parenteral liver extract on daily reticulocyte count of pigeon (fig. 2)	8
Persistence of action of four tinctures of digitalis in pigeon (fig. 1)	47
— of action of three specimens of verodigen in pigeons (fig. 2)	48
— of action of ouabain, strophanthin, and digitoxin in pigeons (fig. 3)	49
Résumé of persistence of action of various digitalis substances in pigeons	
(fig. 4)	50
Blood pressure in cats (figs. 1-9)	55
Effect of protamine prepared from testes of cohoe salmon and of rainbow	
trout on prolongation of insulin actions in rabbit (chart 1)	82
Level of blood sugar in group of 30 rabbits following injection of insulin and	
protamine from steelhead salmon compared with hypoglycaemia in	
similar group of rabbits injected with insulin without protamine (chart 2).	83
— of blood sugar in group of 30 rabbits following injection of insulin and	-
protamine from spring salmon compared with hypoglycaemia in similar	
group of rabbits injected with insulin alone (chart 3)	84
— of blood sugar in rabbits following injection of low ash insulin (chart 4)	85
— of blood sugar in rabbits following injection of low ash insulin (chart 5)	86
of blood sugar following injection of low ash preparations of insulin	00
and of protamine with and without addition of zinc (chart 6)	87
Effect of standing on protamine-insulin complex and of addition of zinc	01
(chart 7)	88
Level of blood sugar in dogs following injection of insulin to which either	00
zinc, or spermine, or both had been added (chart 1)	97
— of blood sugar following injection of insulin and zinc with and without	91
• •	97
addition of thymus preparation (chart 2)	91
of blood sugar following injection of insulin and zinc with and without	00
addition of thymus preparation (chart 3)	98
Effect on blood sugar following injection of crystalline insulin in solution and	• • •
	100
— of physostigmine after peripheral vagus has been nicotinized and ren-	- a -
	107
— of pilocarpine after peripheral vagus has been nicotinized and rendered	
```	108
	130
0 ( 0/ ( 0 /	131
	181
Normal variations in flexion reflex threshold in spinal cat over period of 5	
	184
Effect of luminal on flexion reflex threshold in spinal cat over period of 6	
hours (fig. 3)	185

Effect of luminal on flexion reflex threshold in spinal cat over period of 61	
hours (fig. 4)	185
— of evipal on flexion reflex threshold in spinal cat over period of 8 hours	
	186
of evipal on flexion reflex threshold in spinal cat over period of 4½ hours	
	186
of amytal on flexion reflex threshold in spinal cat over period of 5 hours	
	187
Effects of varying amounts of sodium bicarbonate on 50 per cent fatal dose of	
acetanilid (fig. 1)	193
	104
in molecular ratio of 2 to 1 (fig. 2)	194
pyretic dose of acetanilid in fevered rats; also effect of sodium bicarbonate	105
on one-half the acute toxic dose of acetanilid in normal animals (fig. 3) Growth of rats receiving daily doses of acetanilid and of rats receiving daily	190
	100
Temperature curves of dogs receiving massive intravenous doses of sodium	196
	204
```	204
Effect of intravenous administration of pentobarbital on blood pressure	200
	214
— of intravenous administration of sodium amytal on blood pressure of	214
· · · · · · · · · · · · · · · · · · ·	216
	240
Record of turtle heart the cardiac vagus of which was easily paralyzed with	<i>2</i> 41
sodium citrate without weakening auricular and ventricular beats much	
	268
	200
trunk would not stop the heart, following paralysis of cardiac vagus	
	271
· · · · · · · · · · · · · · · · · · ·	300
	307
	309
Blood pressure record showing duration of ventricular fibrillation in ergotized	000
	316
Effect of choline compounds on carotid blood pressure of rabbits anesthetized	010
	343
of choline compounds on carotid blood pressure of rabbit anesthetized	0.20
	344
of choline compounds on carotid blood pressure of rabbits anesthetized	
	345
of choline compounds on carotid blood pressure of rabbit anesthetized	
	346
— of choline compounds on carotid blood pressure of rabbit anesthetized	
	347

Light transmission through ear and skin temperature of rabbit subjected to	
choline iontophoresis (fig. 7)	348
Effect of choline compounds on leg volume, intestinal volume and blood	040
pressure of rabbit anesthetized with urethane (fig. 8)	349
of choline compounds on carotid blood pressure, leg volume and intesti-	050
nal movements of rabbit anesthetized with urethane (fig. 9)	350
of choline compounds on isolated heart of Rana pipiens (with Straub	051
cannula) (fig. 10)	
- of choline compounds dropped into eye of cat (fig. 11)	
— of choline compounds on isolated intestines of rabbit (fig. 12)	355
- of kurchicine on blood pressure, intestinal movements, respirations,	90=
and uterine movements in cat anesthetized by chloralose (fig. 1)	365
— of kurchicine on blood pressure and respirations of cat anesthetized by	
chloralose (fig. 2)	
of kurchicine on perfused isolated frog's heart (fig. 3)	368
— of kurchicine on blood pressure and intestinal volume of rabbit anes-	
thetized by urethane (fig. 4)	369
— of kurchicine on isolated rabbit's uterus (fig. 5)	370
of conessine on blood pressure and respiration of cat anesthetized by	
chloralose (fig. 1)	378
— of conessine on blood pressure and respiration of rabbit anesthetized by	
urethane (fig. 2)	379
— of iso-conessine on blood pressure and respiration of cat anesthetized	
by chloralose (fig. 3)	
—— of iso-conessine on isolated perfused frog's heart (fig. 4)	
of iso-conessine on isolated perfused rabbit's heart (fig. 5)	
—— of iso-conessine on isolated non-pregnant uterus of rabbit (fig. 6)	389
of iso-conessine on blood pressure, intestinal movements, uterine move-	
ments, and respiration of rabbit anesthetized by urethane (fig. 7)	390
Contraction of duodenum following primary relaxation induced by potassium	
permanganate (fig. 1)	394
Action of epinephrine inhibited by potassium permanganate (fig. 2)	394
Contrasting actions of potassium ferri- and ferrocyanide on duodenum and	
blood pressure (fig. 3),	
Relaxation of duodenum by potassium chlorate (fig. 4)	
Contraction effected by superoxol (fig. 5)	396
Primary potassium effect produced by potassium permanganate, followed by	
• • • • • • • • • • • • • • • • • • • •	
Relaxation induced by hydroquinone, quinhydrone and quinone (fig. 7)	397
Section of liver from rat treated with liver preparation and killed after acute	
poisoning with carbon tetrachloride (fig. 1)	405
of liver from control rat killed after acute poisoning with carbon tetra-	
	405
of liver from rat treated with liver preparation and killed after acute	
	405
— of liver from control rat killed after acute poisoning with chloroform	
(fig. 4)	
Convulsive concentrations of HCN in inspired air (fig. 1)	433

Effect of different exposures to gaseous HCN on convulsive concentration in dogs (fig. 2)	435
Prophylactic effect of methylene blue on convulsive concentration of HCN	
gas in dogs (fig. 3)	
Action of acetyl-beta-methylcholine chloride (fig. 1)	
of acetyl-beta-methylcholine chloride (fig. 2)	
of acetyl-beta-methylcholine chloride (fig. 3)	
— of acetyl-beta-methylcholine chloride (fig. 4)	
Mouse showing uniform pilomotor effect after one day's D ₂ O administration	
(fig. 1)	400
Successive stages in jumping reflexes of mouse on seventh day of drinking	
heavy water (fig. 2)	
Effects of 99.5 per cent heavy water on metabolism of standard ovariectom-	
ized mice (fig. 3)	
of 50 and 40 per cent heavy water on metabolism (fig. 4)	
of heavy water given by stomach tube to mouse compared with normal	
mouse given identical amounts of food per body weight (fig. 5)	
Metabolic and other changes in mouse during administration of heavy water	
compared with changes in another standard mouse given H ₂ O only, with	
identical daily amounts of food (fig. 6)	
Effects of D ₂ O in standard mouse compared with another standard mouse	
given identical amounts of food and H ₂ O (fig. 7)	473
Water balance averages in normal mice and some of the same mice treated	
with D ₂ O (fig. 8)	
Effects of 99.5 per cent D2O on water balance and urine output of standard	
mice (fig. 9)	477
— of 50 per cent D ₂ O on water balance, body weight and urine flow (fig. 10).	478
of 40 and 25 per cent D ₂ O on water balance, body weight and urine flow	
(fig. 11)	