CONTENTS

•

NUMBERS 1 AND 2, JULY, 1915

I. The Effect of Certain Drugs on the Respiration and Gaseous Metabolism in Normal Human Subjects. By Harold L. Higgins and James H. Means	1
II. Intrapericardial Medication and Massage in the Treatment of Arrest	1
of the Heart. By James A. Gunn and Philip A. Martin III. Observations on the Effect of Intravenous Injections of Sodium Phos-	31
phate. By Isidor Greenwald	57
IV. On the Action of Veratrum Viride, with some Remarks on the Inter-	
relationship of the Medullary Centres. By William Cramer	63
V. Action of Drugs on the Isolated Gall-Bladder. By Charles C. Lieb	00
and John E. McWhorter.	83
VI. The Effects of Chelidonin on Smooth Muscle. By Paul J. Hanzlik VII. The Comparative Action of the Stereo-isomers of Hydroxyhydrind-	99
amine. By Yasuo Ikeda	121
VIII. The Antitoxic Action of Rattlesnake Serum on Rattlesnake Venom with a Note on the Percentage of Total Solids of the Serum and Bile.	
By William H. Welker and John Marshall	125
IX. Observations on Plasmaphaeresis. Second Paper. By B. B. Turner,	
E. K. Marshall, Jr., and Paul D. Lamson	129
X. The Toxicity of Certain Hirudin Preparations. By E. K. Marshall, Jr. 1	157
XI. The Rôle of the Liver in Acute Polycythaemia: A Mechanism for the	
Regulation of the Red Corpuscle Content of the Blood. By Paul D.	
Lamson	169

NUMBER 3, OCTOBER, 1915

XII. The Seat of the Emetic Action of Various Drugs. By Cary Eggleston	
and Robert A. Hatcher	225
XIII. The Influence of Salicylates on the Elimination of Uric Acid and	
Other Waste Products from the Blood. By W. Denis	255
XIV. Studies on the Circulation in Man. XIV. The Change Produced in	
the Bloodflow (in the Hands) under the Influence of Digitalis in Cases	
of Auricular Fibrillation. By G. N. Stewart and R. W. Scott	263
XV. Studies on the Circulation in Man. XV. Further Observations,	
Chiefly Pharmacological, on the Criteria by which Deficiencies in the	
Bloodflow (in the Hands or Feet) due to Mechanical Causes may be	
Discriminated from Changes due to Functional (Vasomotor) Causes.	
By G. N. Stewart	281
XVI. Studies on the Vasoraotor Centre. XVIII. The Effects of Veratrum	
Viride and Cevadin (Veratrin). By J. D. Pilcher and Torald Sollmann	295

CONTENTS

XVII. A Physiological Test for Cholin and Some of its Applications. By	
Reid Hunt	301
XVIII. Action of the Opium Alkaloids, Individually and in Combination	000
with Each Other, on the Respiration. By D. I. Macht	339
XIX. The Vasomotor Reaction to Nicotin: Locus of Stimulation. By R. G. Hoskins and S. Walter Ranson	375
G. HOSKIIS and 5. Watter transon	919
NUMBER 4, NOVEMBER, 1915	
XX. The Similarity and Synergy of Morphine and Strychnine Action. By	
Hugh McGuigan and E. L. Ross	
XXI. The Synergism of Morphin and the Scopolamins. By Maurice I.	
Smith	407
XXII. On the Action of Cocaine. By M. Kuroda	423
XXIII. The Bloodflow in a Patient with Double Aortic and Double Mitral	
Disease. By L. H. Newburgh and J. H. Means	441
XXIV. The Effect of Caffeine upon the Bloodflow in Normal Human Sub-	• • •
jects. By J. H. Means and L. H. Newburgh.	449
XXV. An Apparatus for the Perfusion of Isolated Organs. By A.N.	10-
Richards and Cecil K. Drinker XXVI. Urine Formation by the Perfused Kidney: Preliminary Experi-	407
ments on the Action of Caffeine. By A. N. Richards and O. H. Plant.	185
XXVII. The Action of Phenylethylamin on the Heart. By Henry G.	400
Barbour and Edward M. Frankel	311
XXVIII. The Response of the Surviving Uterus to Morphin and Scopol-	
amin. By Henry G. Barbour and Nat H. Copenhaver	529
XXIX. The Action of Caffein and of Epinephrin upon the Vagus Nerve.	
By Henry G. Barbour and Simon B. Kleiner	541
XXX. Morphin and Scopolamin Action upon the Intact Uterus. By Henry	
Gray Barbour	547
NUMBER 5, DECEMBER, 1915	

XXXI. Absorption of Potassium Iodid by Perfused Thyroid Glands and	
Some of the Factors Modifying It. By David Marine and H. O. Feiss.	557
XXXII. Contributions to the Physiology of the Stomach. XXVIII.	
Further Studies on the Action of Bitter Tonics on the Secretion of Gas-	
tric Juice. By Louis D. Moorhead	577
XXXIII. The Central Action of Digitalis as Tested by the Cardio-Inhibi-	
tory Center. By C. W. Greene and J. O. Peeler.	591
XXXIV. The Influence of Some Drugs Used in the Treatment of Gout (and	
Arthritis) on the Elimination of Uric Acid and Other Wasto Products	

•

•

ILLUSTRATIONS

.

.

.

Rabbit. Urethane (Fig. 1)	35
Urethane (Fig. 2).	37
Urethane (Fig. 3)	38
Cat. Urethane and Chloroform (Fig. 4)	40
Rabbit, heart arrested by chloroform (Fig. 5)	47
heart arrested by chloroform (Fig. 6 I)	48
(Fig. 6 II)	49
Cat, 2 kilo, Experiment 5. (Fig. 1)	69
Same experiment as figure 1 (Fig. 2)	70
Cat. Experiment 23 (Fig. 3)	71
	71
	72
Experiment 17 (Fig. 5).	
Both vagi cut. Experiment 18 (Fig. 6)	73
Gall-bladder. Dog. Circular coat (Fig. 1)	88
Dog. Longitudinal fibers recording (Fig. 2)	89
Dog. Longitudinal coat (Fig. 3)	90 90
Dog. Longitudinal coat (Fig. 4)	92
Dog. Longitudinal fibers recording (Fig. 5)	93
Dog. Circular coat (Fig. 6)	95
Dog. Circular coat (Fig. 7)	95
— Dog. Circular coat (Fig. 8)	
Ring of frog's oesophagus in Ringer's solution at 28° C. (Fig. 1)	
Frog's stomach-region of fundus; longitudinal muscle (Fig. 2) 1	
Ring of rabbit's intestine (Fig. 3) 1	102
Strip of rabbit's uterus (not graved) (Fig. 4) 1	103
Ring of cat's intestine (Fig. 5) 1	103
Strip of pregnant uterus of guinea pig (Fig. 6) 1	104
of pregnant uterus of guinea pig (Fig. 7) 1	105
Ring of frog's oesophagus (Fig. 8) 1	106
Perfusion of frog's vessels with Ringer's solution and chelidonin (Fig. 9) 1	110
Effect of chelidonin on frog's vessels constricted by epinephrin (Fig. 10) 1	111
' of histamin on respiration of chelidoninized rabbit (Fig. 11)	
Isolated rabbit's heart perfused with Locke's solution (Fig. 1) 1	123
Case 1. Lead 2. Note the absence of the P summits and the marked irreg-	
ularity of the ventricular deflection R (Fig. 1) 2	270
Tracing taken with Mackenzie polygraph from C. R. (Fig. II) 2	
Veratrum viride on vasomotor centre and blood pressure (Fig. 1)	
Cevadin on the vasomotor center, blood pressure and respiration (Fig. 2)2	
Frog heart; May 28; Straub method (Fig. 1)	
Frog's heart. Experiment January 27, 1915; Straub method (Fig. 2) 3	

ILLUSTRATIONS

.

Frog's Heart. Experiment December 4, 1914. Straub method (Fig. 4) 313	
Experiment February 5, 1915. Straub method (Fig. 5) 315	
Experiment February 25, 1915 (Fig. 6) 319	
Experiment March 26, 1915 (Fig. 7)	
Experiment February 25, 1915 (Fig. 8) 323	
Experiment March 26, 1915 (Fig. 9) 325	
Experiment March 19, 1915 (Fig. 10) 328	
Experiment March 3, 1915 (Fig. 11) 329	
Experiment February 20, 1915 (Fig. 12) 332	
Respiratory apparatus described in the text (Fig. 1)	
Experiment April 26, 1915. Perfusion of respiratory center of a dog by	
Hooker's method (Fig. 2)	
April 27, 1915. Perfusion of respiratory center by Hooker's method	
(Fig. 3)	
Initial reactions to adrenin and nicotin (Fig. 1)	
Effect of cutting spinal cord, eighth cervical level (reduced to $\frac{1}{2}$) (Fig. 2) 378	
Repetition of 1 after cord transection (reduced to ½) (Fig. 3) 378	
Effect of destroying spinal cord (Fig. 4)	
Repetition of 3 after cord destruction (reduced to $\frac{1}{2}$) (Fig. 5)	
Reaction to "adrenalin" 1 cc. 1 : 100,000 (Fig. 6) 381	
Perfusion of frog's heart (Fig. 1; Fig. 2) 415	
of frog's heart (Fig. 3) 416	
of frog's heart (Fig. 4) 417	
of frog's heart (Fig. 5)	
Heart of Rana temporaria, Action of cocaine 1 in 10,000 (Fig. 1) 428	
Dog's heart (Fig. 2)	
Rabbit's small intestine (Fig. 3) 431	
small intestine (Fig. 4)	
Isolated cat's stomach muscle (Fig. 5) 433	
non-pregnant rabbit's uterus (Fig. 6)	
Non-pregnant dog's uterus (Fig. 7) 433	
cat's uterus (Fig. 8)	
Cat's uterus during pregnancy (Fig. 9)	
Glass perfusion pump with connections for modifying character of pulse	
(Fig. 1)	
(Fig. 2)	
Front elevation of stand and driving apparatus (Fig. 3)	
Side elevation of stand and driving apparatus (Fig. 4)	
Sectional diagram of stand (Fig. 5) 472	
Driving cam (40); outlet valve cam (47); inlet valve cam (48) (Fig. 6) 475	
Diagram showing relation of pump to valves during one complete cycle	
(Fig. 7)	
A tracing made with a Hürthle manometer attached to the side arm of the	
tube (Fig. 8)	
Oxygenating device (Fig. 9)	

.

.

ILLUSTRATIONS

•

Circular glass tube through which blood is driven to the oxygenating device $(D) = 10$	470
(Fig. 10)	4/8
Photograph of the perfusion and recording apparatus made immediately	400
after the completion of experiment 3 (Fig. 1)	489
Portions of record made during experiment 3 (Fig. 2)	
Action of frog's heart perfused with phenylethylamin hydrochlorid (Fig. 1).	513
Isolated rabbit's heart perfused with autogenous hirudinized blood diluted	
with Locke's solution (Fig. 2)	516
rabbit's heart, etc., Phenylethylamin 0.00005 gram (Fig. 3)	517
rabbit's heart, etc., Phenylethylamin 0.00025, later 0.0005 gram (Fig. 4)	519
Continuous with figure 4. Phenylethylamin 0.001 gram (Fig. 5)	519
Phenylethylamin 0.002 gram (Fig. 6)	520
Decerebrate cat. Experiment 8 (Fig. 7)	524
cat. Experiment 7 (Fig. 8)	524
Urethanized cat. Experiment 9 (Fig. 9)	
Effect of morphin upon isolated pregnant cat uterus (Experiment XI) (Fig. 1)	53 2
of scopolamin upon isolated non-pregnant guinea pig uterus (Fig. 2)	
of morphin plus scopolamin upon isolated pregnant guinea pig uterus	
	535
Perfusion of frog heart with Ringer's solution (Fig. 1)	
(Same experiment) Begins during caffein—Ringer perfusion (Fig. 2)	
Non-pregnant cat. Pithed through orbits. Experiment 23 (Fig. 1)	552
Pregnant cat. Pithed through orbits. Experiment 25 (Fig. 2)	
Perfusion apparatus (Fig. 1)	560
of digitalis through the cephalic end of the carotid of the isolated head	000
(Fig. 1)	59 2
Brain perfusion of 0.1 per cent digitalis in Ringer's solution (Fig. 2)	593
Second perfusion of the brain with 0.1 per cent digitalis in Ringer's solution	
(Fig. 3)	593
Perfusion of the brain with 0.01 per cent digitalis in Ringer's solution, first	
test (Fig. 4)	595

.

-