

## INDEX

- Acetylcholine, reversed carboxyl analogue of, 465
- Adrenergic blockade, produced by C-7337, 119  
 blocking agents, pharmacology of N, N-dimethyl 2-chloro-2-phenylethylamine, 100
- Algesimetry, and assay of analgesic drugs, 141
- Alkylamines, cyclohexyl- and phenyl-, observations on, 267
- Alpha, alpha-diphenyl-gamma-dimethylaminovaleramide HCl, 325
- Amine oxidase, inhibitory effect of aralkylamines on, 94
- Amphetamine, *dl* and *d* forms, compared with *dl*-2-amino-1-(*p*-methylphenyl)-propane, 72
- Analgesic drugs, addiction to morphine, 6-methylhydromorphone and dihydrocodeinone, 128  
 aspirin on pain threshold, 67  
 morphine and pentobarbital on post-operative pain, 1  
 estimation of activity of, in animals, 141
- Ananenko, E., Lands, A. M., Hoppe, J. O., and Lewis, J. R. Antispasmodic *p*-xenylic and -glycolic acid esters, 19
- , Tainter, M. L., Lands, A. M., Luduena, F. P., and Grant, J. I. Reversal of the depressor action of N-isopropyl-arterenol (Isuprel) by ergotamine and ergotoxine, 284
- Andem, M. R., and Haley, T. J. Effect of several new antihistaminic drugs upon the mammalian capillary bed, 393
- Anderson, R. C., Henderson, F. G., and Chen, K. K. Digitalis-like action of cryptograndoside A and B, 346
- Anesthetics, general, effect of on serum inorganic phosphorus, 14  
 local, fate of intrathecal procaine and spinal fluid levels necessary for sensory anesthesia, 78  
 local, procaine, effect of high spinal anesthesia produced by, on vasodepressor action of veratrum in human subjects, 251  
 spinal, effect of on serum inorganic phosphorus, 14
- Anorexigenic amines, comparison of *dl* amphetamine, *d*-amphetamine and 2-amino-1-(*p*-methylphenyl)-propane, 72
- Anticonvulsants, action of 2, 2-diethyl 1, 3-propanediol (DEP) and some of its homologues and esters, 27  
 comparison of some phenylhydantoins and corresponding phenylacetylureas, 151
- Antiepileptic drugs, comparison of anti-convulsant action of, 151
- Antihistaminics, effect of on mammalian capillary bed, 393  
 local action of, 136
- Antispasmodic action of *p*-xenylic and -glycolic acid esters, 19
- Appetite, effect of ring methyl substituted phenisopropylamines on, 298
- Artusio, J. F., Jr., Riker, W. F., Jr., and Wescoe, W. C. Studies on the inter-relationship of certain cholinergic compounds. IV. Anti-curare action in anesthetized man, 227
- Aspirin, effect on human pain threshold, 67
- Assali, N. S., and Prystowsky, H. Studies on autonomic blockade. III. Effect of high spinal anesthesia on the vasodepressor action of veratrum in human subjects, 251
- Atropine, resemblance to, of valeramide derivative, 325
- Aureomycin, renal clearance and plasma protein binding of in man, 210
- BAL, reactivation of mercuric chloride inhibition of invertase by, 244  
 reversal of meralluride inhibition of succinic dehydrogenase by, 115
- Barbital, rate of penetration into brain, 219
- Barbiturates, enzymatic mechanism of action, 273  
 in cocaine intoxication, 351  
 pain relief with hypnotic doses of pentobarbital, 1  
 rate of penetration of into brain, 219  
 thiopental, effect of on serum inorganic phosphorus, 14
- Barrett, M. J. Chronic and acute effects of

- Mercuryhydrin and Thiomerin on renal tubular function in the dog, 502
- Bass, W. B., Schueler, F. W., Featherstone, R. M., and Gross, E. G. Preliminary studies on the "reversed carboxyl" analogue of acetylcholine, 465
- Beecher, H. K., and Keats, A. S. Pain relief with hypnotic doses of barbiturates and a hypothesis, 1
- Benzene hexachloride, chronic toxicities of technical and isomers, 59
- Benzoquinones, pharmacology of 2, 5-bis-(3-diethylaminopropylamino) benzoquinone-bis-benzylchloride, 333
- Berger, F. M., and Ludwig, B. J. Anticonvulsant action of 2, 2-diethyl 1, 3-propanediol (DEP) and some of its homologues and esters, 27
- Bernheim, F., and Fellows, E. C. Effect of a number of aralkylamines on the oxidation of tyramine by amine oxidase, 94
- Bianchi, R. G., Hambourger, W. E., Green, D. M., and Cook, D. L. Studies on five long-acting cholereitics, 421
- Bieter, R. N., and Shaffer, J. M. Conversion of acetylsulfonamides to the unconjugated form by the chicken kidney, 192
- Bile flow, studies on five long-acting cholereitics, 421
- Birren, J. E., Schapiro, H. B., and Miller, J. H. Effect of salicylate upon pain sensitivity, 67
- Bonnycastle, D. D., and Leonard, C. S. Estimation of the activity of analgetic materials, 141
- Bowman, E. M., and Gemmill, C. L. Effects of mercurial compounds on invertase, 244
- Brodie, B. B., Fink, M., Rovenstine, E. A., Helrich, M., and Papper, E. M. Fate of intrathecal procaine and the spinal fluid level required for surgical anesthesia, 78
- Buchanan, A. R., Roberts, J. E., and Massopust, L. C., Jr. Effects in albino rats of dihydrogenated derivatives of the dimethylpyruvic acid group of ergot alkaloids as manifested by thermal reactions and oxygen utilization, 51
- Butler, T. C. Rate of penetration of barbituric acid derivatives into the brain, 219
- Capillaries, effect of antihistaminic drugs on, 393
- Carbamates, effect of on certain phases of anabolism, 45
- Cardiac pharmacology, antiaccelerator action of quinine and quinidine, 146
- Cazort, R. J. Atropine-like action of alpha, alpha-diphenyl-gamma-dimethylaminovalleralamide HCl, 325
- Chen, K. K., Anderson, R. C., and Henderson, F. G. Digitalis-like action of cryptograndoside A and B, 346
- Cholereitics, studies on five long-acting, 421
- Choline derivatives, use in histochemical technique for localizing cholinesterases, 158
- Cholinergic agents, pharmacology of N, N-dimethyl 2-chloro-2-phenylethylamine, 100
- Cholinergic blocking action, produced by alpha, alpha-diphenyl-gamma-dimethylaminovalleralamide HCl, 325
- Cholinesterase, histochemical differentiation of types, 158  
localizations of types in cat tissues, 158  
specific and non-specific, distribution in ileum as shown by histochemical techniques, 180  
specific and non-specific, effect of inhibition of on motility of isolated ileum, 180
- Cinchona alkaloids, antiaccelerator cardiac action of quinine and quinidine, 146
- Cocaine, study of intoxication and treatment, 351
- Cochlea, signs in of streptomycin intoxication, 38
- Codeine derivatives, addiction liabilities to dihydrocodeinone, 128
- Colchicine, effect of on certain phases of anabolism, 45
- Convulsions, antagonism of, by 2,2-diethyl 1,3-propanediol, 316
- Cook, D. L., Bianchi, R. G., Hambourger, W. E., and Green, D. M. Studies on five long-acting cholereitics, 421
- Coronary vessels, vasodilatation in perfused rabbit heart by ethaverine and papaverine, 482
- Cryptograndoside, digitalis-like action of, 346
- Curare alkaloids, antagonism to by phenolic quaternary ammonium salts, 83  
antagonism to d-tubocurarine by neostigmine and congeners, 382  
elimination of d-tubocurarine in rat, 362  
Curariform action of benzoquinones, 333

- Curarizing drugs, in man, evaluation of Flaxedil, 201
- Cyclohexane, hexachloro, chronic toxicities of technical and isomers, 59
- Cyclopropane, effect of on serum inorganic phosphorus, 14
- Dehydrocholic acid, comparison with five long-acting cholagogues, 421
- Depressants, central nervous system, action of 2,2-diethyl 1,3-propanediol (DEP) and some of its homologues and esters, 27
- Digitalis, analysis of digitoxin and gitoxin from tincture, 258  
resemblance of cryptograndosides to, 346
- Digitoxin, polarographic analysis of, separation of from tincture, uptake by and disappearance from blood, 258  
rate of disappearance from the blood, 258
- Digoxin, effect of magnesium ion on response of heart to, 445
- Dihydrocodeinone, addiction liabilities, 128
- Dihydroergot alkaloids, thermal reactions to in albino rats, and influence on oxygen utilization, 51
- Diuretics, mercurial, inhibition of invertase by, 244  
mercurial, inhibition of kidney succinic dehydrogenase by, 115
- Doxylamine succinate, local action of against intracutaneous histamine, 136
- d-tubocurarine, antagonism to by neostigmine and congeners, 382  
antagonism to by phenolic quaternary ammonium salts, 83  
antagonists to, in anesthetized man, 227  
assay of, comparison of quantal response and standard procedure, 333  
comparison with 2,5-bis-(3-diethylamino-propylamino) benzoquinone-bis-benzylchloride, 333  
comparison with Flaxedil in man, 201  
elimination of in rat, 362  
studies on, comparison with synthetic paralyzing agents, 489
- Ear, signs of streptomycin intoxication on cochlea, 38
- Epinephrine, cardioaccelerator action of, antagonism by cinchona alkaloids, 146
- Ergot alkaloids, dihydrogenated derivatives, thermal reactions to in albino rats and influence on oxygen utilization, 51  
ergotamine and ergotoxine, reversal of the depressor action of N-isopropylarterenol by, 284
- Ethaverine, coronary vasodilatation by, relative to papaverine in perfused rabbit heart, 482
- Ether, diethyl, effect of on serum inorganic phosphorus, 14
- Ethylenimines, observations on bis forms, 398  
2,4,6-tris (ethylenimino)-s-triazine, 398
- Ethylenimmonium compounds, pharmacology of N,N-dimethyl 2-chloro-2-phenylethylamine, 100
- Farah, A., and Stanbury, J. B. Effects of the magnesium ion on the heart and on its response to digoxin, 445
- Featherstone, R. M., Gross, E. G., Bass, W. B., and Schueler, F. W. Preliminary studies on the "reversed carboxyl" analogue of acetylcholine, 465
- Fellows, E. J., and Bernheim, F. Effect of a number of aralkylamines on the oxidation of tyramine by amine oxidase, 94
- , Macko, E., and Fendrick, A. J. Pharmacologic data on *dl*-2-amino-1-(*p*-methylphenyl)-propane, 72
- , Macko, E., and McLean, R. A. Observations on several cyclohexyl- and phenylalkylamines, 267
- Fendrick, A. J., Fellows, E. J., and Macko, E. Pharmacologic data on *dl*-2-amino-1-(*p*-methylphenyl)-propane, 72
- Ferguson, F. C., Jr., and Wescoe, W. C. Pharmacology of N,N-dimethyl 2-chloro-2-phenylethylamine, 100
- Fink, M., Rovenstine, E. A., Helrich, M., Papper, E. M., and Brodie, B. B. Fate of intrathecal procaine and the spinal fluid level required for surgical anesthesia, 78
- Fitzhugh, O. G., Nelson, A. A., and Frawley, J. P. Chronic toxicities of technical benzene hexachloride and its alpha, beta and gamma isomers, 59
- Flaxedil, evaluation of in man, 201  
studies on, 489
- Foldes, F. F., Murphy, A. J., and Wilson, B. C. Effect of various anesthetic agents on inorganic serum phosphorus levels, 14
- Fraser, H. F., and Isbell, H. Addiction

- liabilities of morphinan, 6-methyldihydro-morphine and dihydrocodeinone, 128
- Frawley, J. P., Fitzhugh, O. G., and Nelson, A. A. Chronic toxicities of technical benzene hexachloride and its alpha, beta and gamma isomers, 59
- Friedenwald, J. S., Koelle, G. B., and Koelle, E. S. Effect of inhibition of specific and non-specific cholinesterase on the motility of the isolated ileum, 180
- Fuyat, H. N., Nelson, A. A., Smith, P. K., and Radomski, J. L. Toxic effects, excretion and distribution of lithium chloride, 429
- Gemmill, C. L., and Bowman, E. M. Effects of mercurial compounds on invertase, 244
- Gitoxin, polarographic analysis of, separation from tincture, 258
- Glycosides, digitalis-like action of cryptograndoside A and B, 346
- Goldstein, M. S., Levine, R., and Persky, H. Enzymatic mechanism of barbiturate action, 273
- Grant, J. I., Ananenko, E., Tainter, M. L., Lands, A. M., and Luduena, F. P. Reversal of the depressor action of N-isopropylarterenol (Isuprel) by ergotamine and ergotoxine, 284
- Green, D. M., Cook, D. L., Bianchi, R. G., and Hambourger, W. E. Studies on five long-acting cholereitics, 421
- Gross, E. G., Bass, W. B., Schueler, F. W., and Featherstone, R. M. Preliminary studies on the "reversed carboxyl" analogue of acetylcholine, 465
- Haley, T. J., and Andem, M. R. Effect of several new antihistaminic drugs upon the mammalian capillary bed, 393
- Hambourger, W. E., Green, D. M., Cook, D. L., and Bianchi, R. G. Studies on five long-acting cholereitics, 421
- Handley, C. A., and Lavik, P. S. Inhibition of the kidney succinic dehydrogenase system by mercurial diuretics, 115
- Hawkins, J. E., Jr. Cochlear signs of streptomycin intoxication, 38
- Heart, rabbit, perfused, coronary vasodilatation in, by ethaverine and papaverine, 482
- Helrich, M., Papper, E. M., Brodie, B. B., Fink, M., and Rovenstine, E. A. Fate of intrathecal procaine and the spinal fluid level required for surgical anesthesia, 78
- Henderson, F. G., Chen, K. K., and Anderson, R. C. Digitalis-like action of cryptograndoside A and B, 346
- Hensen, J. P. Local antihistaminic action, 136
- Herring, D. A., and Marsh, D. F. Pharmacological activity of the ring methyl substituted phenisopropylamines, 298
- Hexethal, rate of penetration into brain, 219
- Hilton, J. G. Polarographic method for the determination of digitoxin and gitoxin and its application to pharmacological studies, 258
- Histamine, antagonists. See antihistaminics
- HN2 or *bis* (2-chloroethyl)-methylamine, 398
- Hoppe, J. O., Lewis, J. R., Ananenko, E., and Lands, A. M. Antispasmodic p-xenylacetic and -glycolic acid esters, 19
- , Pharmacological investigation of 2,5-bis-(3-diethylaminopropylamino) benzoquinone-bis-benzylchloride (WIN 2747): a new curarimimetic drug, 333
- Hypothermia, produced by dihydrogenated ergot alkaloids, 51
- Invertase, inhibition by mercurials, 244
- Isbell, H., and Fraser, H. F. Addiction liabilities of morphinan, 6-methyldihydro-morphine and dihydrocodeinone, 128
- Kamm, O., Winder, C. V., and Thomas, R. W. Relative experimental coronary vasodilator potencies of papaverine and its ethyl analogue, ethaverine (Diquinol, Perparin), 482
- Keats, A. S., and Beecher, H. K. Pain relief with hypnotic doses of barbiturates and hypothesis, 1
- Kidney, See Renal function
- toxic effects of lithium on, 429
- Koelle, E. S., Friedenwald, J. S., and Koelle, G. B. Effect of inhibition of specific and non-specific cholinesterase on the motility of the isolated ileum, 180
- Koelle, G. B. Histochemical differentiation of types of cholinesterases and their localizations in tissues of the cat, 158
- , Koelle, E. S., and Friedenwald, J. S.

- Effect of inhibition of specific and non-specific cholinesterase on the motility of the isolated ileum, 180
- Krantz, J. C., Jr., Truitt, E. B., Jr., and McKusick, V. A. Theophylline blood levels after oral, rectal and intravenous administration and correlation with diuretic action, 309
- Krayer, O. Antiaccelerator cardiac action of quinine and quinidine, 146
- Lands, A. M. Hoppe, J. O., Lewis, J. R., and Ananenko, E. Antispasmodic p-xenylacetic and -glycolic acid esters, 19
- , Luduena, F. P., Grant, J. I., Ananenko, E., and Tainter, M. L. Reversal of the depressor action of N-isopropylarterenol (Isuprel) by ergotamine and ergotoxine, 284
- Lavik, P. S., and Handley, C. A. Inhibition of the kidney succinic dehydrogenase system by mercurial diuretics, 115
- Leary, D. E., Slater, I. H., and O'Leary, J. F. Effect of 2,2-diethyl 1,3-propanediol on spinal cord reflexes, 316
- Lehman, J. T., and Winter, C. A. Studies on synthetic curarizing agents, 489
- Leonard, C. S., and Bonnycastle, D. D. Estimation of the activity of analgetic materials, 141
- Levine, R., Persky, H., and Goldstein, M. S. Enzymatic mechanism of barbiturate action, 273
- Lewis, J. R., Ananenko, E., Lands, A. M., and Hoppe, J. O. Antispasmodic p-xenylacetic and -glycolic acid esters, 19
- Lithium chloride, toxicity, excretion and distribution, 429
- Liver, damage to by benzene hexachloride, 59
- Luduena, F. P., Grant, J. I., Ananenko, E., Tainter, M. L., and Lands, A. M. Reversal of the depressor action of N-isopropylarterenol (Isuprel) by ergotamine and ergotoxine, 284
- Ludwig, B. J., and Berger, F. M. Anticonvulsant action of 2,2-diethyl 1,3-propanediol (DEP) and some of its homologues and esters, 27
- Marfarlane, D. W., Pelikan, E. W., and Unna, K. R. Evaluation of curarizing drugs in man. V. Antagonism to curarizing effects of d-tubocurarine by neostigmine, m-hydroxy phenyltrimethylammonium and m-hydroxy phenylethyldimethylammonium, 382
- , Sadove, M. S., Unna, K. R., and Pelikan, E. W. Evaluation of curarizing drugs in man. IV. Tri-(diethylaminoethoxy)-1,2,3 benzene (Flaxedil), 201
- Macko, E., Fendrick, A. J., and Fellows, E. J. Pharmacologic data on dl-2-amino-1-(p-methylphenyl)-propane, 72
- , McLean, R. A., and Fellows, E. J. Observations on several cyclohexyl- and phenyl-alkylamines, 267
- Magnesium ion, effects of on heart and its response to digoxin, 445
- Maison, G. L., and Stearns, N. S. Action of Veriloid upon the isolated mammalian heart, 238
- Marsh, D. F., and Herring, D. A. Pharmacological activity of the ring methyl substituted phenisopropylamines, 298
- Massopust, L. C., Jr., Buchanan, A. R., and Roberts, J. E. Effects in albino rats of dihydrogenated derivatives of the dimethylpyruvic acid group of ergot alkaloids as manifested by thermal reactions and oxygen utilization, 51
- McKinney, G. R. Action of various drugs on certain phases of *in vitro* anabolism, 45
- McKusick, V. A., Krantz, J. C., Jr., and Truitt, E. B., Jr. Theophylline blood levels after oral, rectal and intravenous administration and correlation with diuretic action, 309
- McLean, R. A., Fellows, E. J., and Macko, E. Observations on several cyclohexyl- and phenyl-alkylamines, 267
- Meralluride sodium (Mercurydrin), effects on renal tubular function, 502
- inhibition of kidney succinic dehydrogenase by, 115
- Mercaptomerin sodium (Thiomerin), effects on renal tubular function, 502
- Mercurydrin, inhibition of kidney succinic dehydrogenase by, 115
- Mercurials, effects on invertase, 244
- Metabolism, *in vitro*, action of various drugs on, 45
- oxygen-consumption, effect of ergot alkaloids on, 51
- 6-Methylhydromorphone, addiction liabilities, 128

- 4-Methylphenisopropylamine, pharmacology of, anti-appetite agent, 298
- Miller, J. H., Birren, J. E., and Schapiro, H. B. Effect of salicylate upon pain sensitivity, 67
- Morphinan, addiction liabilities, 128
- Morphine, derivatives, addiction liabilities to morphinan and 6-methyldihydromorphine, 128  
pain relief from, comparison with pentobarbital, 1
- Murphy, A. J., Wilson, B. C., and Földes, F. F. Effect of various anesthetic agents on inorganic serum phosphorus levels, 14
- Mustards, nitrogen, observations on, 398
- Nelson, A. A., Frawley, J. P., and Fitzhugh, O. G. Chronic toxicities of technical benzene hexachloride and its alpha, beta and gamma isomers, 59
- , Smith, P. K., Radomski, J. L., and Fuyat, H. N. Toxic effects, excretion and distribution of lithium chloride, 429
- Neostigmine and congeners, antagonism of d-tubocurarine by, 382
- Neuromuscular function, action of 3-hydroxy phenyltrimethylammonium bromide (Nu 2561) on, 454
- N-isopropylarterenol, effect of ergotamine and ergotoxine on responses to, 284
- Nitrogen mustard, methyl-*bis* (*beta*-chloroethyl)-amine HCl, effect of on certain phases of anabolism, 45
- O'Leary, J. F., Leary, D. E., and Slater, I. H. Effect of 2,2-diethyl 1,3 propanediol on spinal cord reflexes, 316
- Ortal, rate of penetration into brain, 219
- Pain, determination of threshold in humans and effect of drugs on, 67
- Papaverine, coronary vasodilatation by, relative to ethaverine in perfused rabbit heart, 482
- Papper, E. M., Brodie, B. B., Fink, M., Rovenstine, E. A., and Helrich, M. Fate of intrathecal procaine and the spinal fluid level required for surgical anesthesia, 78
- Pelikan, E. W., Macfarlane, D. W., Sadove, M. S., and Unna, K. R. Evaluation of curarizing drugs in man. IV. Tri-(diethylaminoethoxy)-1,2,3 benzene (Flaxedil), 201
- , Unna, K. R., and Macfarlane, D. W. Evaluation of curarizing drugs in man. V. Antagonism to curarizing effects of d-tubocurarine by neostigmine, m-hydroxy phenyltrimethylammonium and m-hydroxy phenylethyldimethylammonium, 382
- Pentobarbital, enzymatic mechanism of action of, 273  
pain relief with hypnotic doses of, 1
- Persky, H., Goldstein, M. S., and Levine, R. Enzymatic mechanism of barbiturate action, 273
- Phenindamine hydrogen tartrate, local action of against intracutaneous histamine, 136
- Phenisopropylamines, ring methyl substituted, pharmacological activity of, 298
- Phenylacetylureas, comparison of anticonvulsant action of, 151
- Phenylethylamines, comparison of *dl* amphetamine, *d* amphetamine and *dl* 2-amino-1-(*p*-methylphenyl)-propane, 72  
pharmacology of N, N-dimethyl 2-chloro-2-phenylethylamine, adrenergic blockade produced by, 100
- Phenylhydantoins, comparison of anticonvulsant action of, 151
- Phenyltrimethylammonium ion, 3-OH and 3-acetoxy derivatives of, as antagonists to d-tubocurarine in anesthetized man, 227  
3-OH derivative of, significance of as affecting neuromuscular function, 454
- Phosphorus, serum, inorganic, effect of anesthetic agents on level of, 14
- Philips, F. S., and Thiersch, J. B. Nitrogen mustard-like actions of 2,4,6-*tris* (ethylenimino)-*s*-triazine and other *bis* (ethylenimines), 398
- Plasma proteins, binding of aureomycin to, 210
- Polarography, use of, to determine digitalis glycosides, 258
- Procaine, fate of intrathecal, 78  
spinal fluid levels for sensory anesthesia, 78
- Propanediol (1,3)2,2-diethyl, effect on spinal cord reflexes, 316

- Propanediols, action of 2,2-diethyl 1,3-propanediol (DEP) and some of its homologues and esters, 27
- Prystowsky, H., and Assali, N. S. Studies on autonomic blockade. III. Effect of high spinal anesthesia on the vasodepressor action of veratrum in human subjects, 251
- Pyranisamine maleate, local action of against intracutaneous histamine, 136
- Quaternary ammonium compounds, antagonism of neostigmine and congeners to d-tubocurarine, 382  
 anticurare action of, 83  
 as antagonists to d-tubocurarine chloride in anesthetized man, 227  
 comparison of d-tubocurarine and Flaxedil in man, 201  
 elimination of d-tubocurarine in the rat, 362  
 investigation of 2,5-bis-(3-diethylamino-propylamino) benzoquinone-bis-benzylchloride, 333  
 reversed carboxyl analogue of acetylcholine, 465  
 significance of actions of 3-hydroxy phenyltrimethylammonium ion on neuromuscular function, 454  
 studies on paralyzing action of, 489
- Quinidine, antiaccelerator cardiac action of and quinine, 146
- Quinine, antiaccelerator cardiac action of and quinidine, 146
- Radomski, J. L., Fuyat, H. N., Nelson, A. A., and Smith, P. K. Toxic effects, excretion and distribution of lithium chloride, 429
- Randall, L. O. Anticurare action of phenolic quaternary ammonium salts, 83
- Reflexes, spinal, effect of diethyl propane-diol on, 316
- Renal function, renal clearance and plasma protein binding of aureomycin in man, 210
- Ricin, some observations on the mechanism of toxic action of, 370
- Riker, W. F., Jr., and Wescoe, W. C. Studies on the inter-relationship of certain cholinergic compounds. V. The significance of the actions of the 3-hydroxy phenyltrimethylammonium ion on neuromuscular function, 454
- , Wescoe, W. C., and Artusio, J. F., Jr. Studies on the inter-relationship of certain cholinergic compounds. IV. Anti-curare action in anesthetized man, 227
- Roberts, J. E., Massopust, L. C., Jr., and Buchanan, A. R. Effects in albino rats of dihydrogenated derivatives of the dimethylpyruvic acid group of ergot alkaloids as manifested by thermal reactions and oxygen utilization, 51
- Rovenstine, E. A., Helrich, M., Papper, E. M., Brodie, B. B., and Fink, M. Fate of intrathecal procaine and the spinal fluid level required for surgical anesthesia, 78
- Sadove, M. S., Unna, K. R., Pelikan, E. W., and Macfarlane, D. W. Evaluation of curarizing drugs in man. IV. Tri-(diethylaminoethoxy)-1,2,3 benzene (Flaxedil), 201
- Salicylates, aspirin and sodium salicylate on pain threshold, 67
- Saltzman, A., and Sirota, J. H. Renal clearance and plasma protein binding of aureomycin in man, 210
- Schapiro, H. B., Miller, J. H., and Birren, J. E. Effect of salicylate upon pain sensitivity, 67
- Schueler, F. W., Featherstone, R. M., Gross, E. G., and Bass, W. B. Preliminary studies on the "reversed carboxyl" analogue of acetylcholine, 465
- Shaffer, J. M., and Bieter, R. N. Conversion of acetylsulfonamides to the unconjugated form by the chicken kidney, 192
- Sirota, J. H., and Saltzman, A. Renal clearance and plasma protein binding of aureomycin in man, 210
- Slater, I. H., O'Leary, J. F., and Leary, D. E. Effect of 2,2-diethyl 1,3 propane-diol on spinal cord reflexes, 316
- Smith, C. C., Short term chronic toxicity test, 408
- Smith, P. K., Radomski, J. L., Fuyat, H. N., and Nelson, A. A. Toxic effects, excretion and distribution of lithium chloride, 429
- Smooth muscle, ileum, effect of inhibition of specific and non-specific cholinesterase on motility of, 180
- Sodium, influence on lithium toxicity, 429
- Spasmodic action of p-xenylacetic and -glycolic acid esters, 19
- Stanbury, J. B., and Farah, A. Effects of

- the magnesium ion on the heart and on its response to digoxin, 445
- Stearns, N. S., and Maison, G. L. Action of Veriloid upon the isolated mammalian heart, 238
- Steinhaus, J. E., and Tatum, A. L. Experimental study of cocaine intoxication and its treatment, 351
- Streptomycin, cochlear signs of intoxication by, 38
- Succinic dehydrogenase, inhibition of by mercurial diuretics, 115
- Sulfonamides, acetyl forms, deacetylation of by chicken kidney, 192
- Swinyard, E. A., and Toman, J. E. P. Comparison of the anticonvulsant actions of some phenylhydantoins and their corresponding phenylacetylureas, 151
- Sympathomimetic amines, comparison of *dl* amphetamine, *d* amphetamine and *dl* 2-amino-1-(*p*-methylphenyl)-propane, 72
- effect of ergotamine and ergotoxine on responses to, 284
- effect of on oxidation of tyramine by amine oxidase, 94
- in cocaine intoxication, 351
- observations on several cyclohexyl- and phenyl-alkylamines, 267
- pharmacology of ring methyl substituted phenisopropylamines, 298
- Tainter, M. L., Lands, A. M., Luduena, F. P., Grant, J. I., and Ananenko, E. Reversal of the depressor action of *N*-isopropylarterenol (Isuprel) by ergotamine and ergotoxine, 284
- Tatum, A. L., and Steinhaus, J. E. Experimental study of cocaine intoxication and its treatment, 351
- Theophylline, blood levels of and correlation with diuresis, 309
- Thiersch, J. B., and Philips, F. S. Nitrogen mustard-like actions of 2,4,6-*tris* (ethylenimino)-*s*-triazine and other *bis* (ethylenimines), 398
- Thiobarbiturates, thiopental, effect of on serum inorganic phosphorus, 14
- Thiopental, effect of on serum inorganic phosphorus, 14
- Thomas, R. W., Kamm, O., and Winder, C. V. Relative experimental coronary vasodilator potencies of papaverine and its ethyl analogue, ethaverine (Diquinol, Perparin), 482
- Thomson, J. F. Some observations on the mechanism of toxic action of ricin, 370
- Toman, J. E. P., and Swinyard, E. A. Comparison of the anticonvulsant actions of some phenylhydantoins and their corresponding phenylacetylureas, 151
- Toxicity, short term chronic test, 408
- Trapold, J. H., Warren, M. R., and Woodbury, R. A. Pharmacological and toxicological studies on C-7337, a new adrenergic blocking agent, 119
- Tripelennamine hydrochloride, local action of against intracutaneous histamine, 136
- Truitt, E. B., Jr., McKusick, V. A., and Krantz, J. C., Jr. Theophylline blood levels after oral, rectal and intravenous administration and correlation with diuretic action, 309
- Tyramine, oxidation of by amine oxidase, effect of aralkylamines on, 94
- Unna, K. R., Macfarlane, D. W., and Pelikan, E. W. Evaluation of curarizing drugs in man. V. Antagonism to curarizing effects of *d*-tubocurarine by neostigmine, *m*-hydroxy phenyltrimethylammonium and *m*-hydroxy phenylethyltrimethylammonium, 382
- , Pelikan, E. W., Macfarlane, D. W., and Sadove, M. S. Evaluation of curarizing drugs in man. IV. Tri-(diethylaminoethoxy)-1,2,3 benzene (Flaxedil), 201
- van Maanen, E. F. Elimination of *d*-tubocurarine in the rat, 362
- Veratrum alkaloids, effect of Veriloid on isolated rabbit heart, 238
- effect of high spinal anesthesia on vaso-depressor action of in human subjects, 251
- Veriloid, effect on isolated rabbit heart, 238
- Warren, M. R., Woodbury, R. A., and Trapold, J. H. Pharmacological and toxicological studies on C-7337, a new adrenergic blocking agent, 119
- Wescoe, W. C., Artusio, J. F., Jr., and Riker, W. F., Jr. Studies on the inter-relationship of certain cholinergic compounds. IV. Anti-curare action in anesthetized man, 227
- , and Ferguson, F. C., Jr. Pharmacology of *N*, *N*-dimethyl 2-chloro-2-phenylethylamine, 100



- Wescoe, W. C., and Riker, W. F., Jr. Studies on the inter-relationship of certain cholinergic compounds. V. The significance of the actions of the 3-hydroxy phenyltrimethylammonium ion on neuromuscular function, 454
- Wilson, B. C., Foldes, F. F., and Murphy, A. J. Effect of various anesthetic agents on inorganic serum phosphorus levels, 14
- Winder, C. V., Thomas, R. W., and Kamm, O. Relative experimental coronary vasodilator potencies of papaverine and its ethyl analogue, ethaverine (Diquinol, Perparin), 482
- Winter, C. A., and Lehman, J. T. Studies on synthetic curarizing agents, 489
- Woodbury, R. A., Trapold, J. H., and Warren, M. R. Pharmacological and toxicological studies on C-7337, a new adrenergic blocking agent, 119
- Xanthines, correlation of blood levels of theophylline with diuresis, 309