- 1-14C-Acetohydroxamic acid, absorption, distribution, metabolism and excretion in mouse, 173
- DL-1-(2-Acetyl-4-n-butyramidophenoxy)-2-hydroxy-3-isopropylaminopropane HCl, see M & B 17803-A

Acetylcholine

- -induced contraction of toad skeletal muscle, effect of verapamil, 52
- sensitivity in ileal muscle, loss, 552
- Acetylsalicylic acid and combinations with codeine and caffeine, self-administration in rhesus monkeys, 266
- 3H-N-Acetylserotonin, synthesis in rat pineal gland, relationship to serotonin N-acetyltransferase activity, 516
- Active transport system, uptake of <sup>14</sup>C-salicylic acid by rat kidney cortex slices as example of,
- Adenosine 3',5'-monophosphate
  - accumulation in rat brain stimulated by electrical pulses and elevated levels of potassium ions, 241
  - -adrenergic regulation of serotonin N-acetyltransferase activity in rat pineal gland, 516
- inhibition of release of enzymes from rat liver lysosome fraction, 86
- Adrenergic blocking agents, beta, optical isomers, dromotropic effects on cross-circulated canine atrioventricular node preparation, 145

Adrenergic receptor

- alpha, protection, dissociation from inhibition of <sup>3</sup>H-phenoxybenzamine binding in vascular tissue, 100
- beta, blocking properties of M & B 17803-A, 134
   beta, blocking properties of two analogs of dichloroisoproterenol, 123
- beta, regulation of pineal serotonin, 109

Aghajanian, G. K.

see Iwasawa, Y., 498

see Walters, J. R., 630

- Alcohol, withdrawal reactions in mice, effects of drugs that modify neurotransmission, 1
- Alkalosis, effect on ouabain toxicity in dog, 199
- Alprenolol, optical isomers, dromotropic effects on cross-circulated canine atrioventricular node preparation, 145
- 2-Aminobenzimidazole, guanidinium compound, interference with excitation by, 569
- γ-Aminobutyric acid
  - brain, barbital narcosis and, reduction during ethanol withdrawal, 625

- pathways in mice, relationship with alcohol withdrawal reactions, 1
- Aminooxyacetic acid, effects on alcohol withdrawal reactions in mice, 1
- 2-Amino-4,4,6-trimethyl-3,4-dihydropyrimidine, see HM-207
- Amphetamine, xenobiotic accumulation and metabolism by isolated perfused rabbit lungs, 482
- d-Amphetamine injection, food presentation, cocaine injection or, in squirrel monkey, comparable behavior maintained under fixed-ratio and second-order schedules of, 18
- Analgesic properties of  $\Delta^9$ -tetrahydrocannabinol, 646
- Analgesic receptor-antagonist interaction, morphine-induced alteration, 261

Analog(s)

- chlorinated, of hycanthone, effects on hepatic microsomes, 416
- chloroindazole, of hycanthone, antischistosomal activity in mice infected with *Schistosoma mansoni*, 402
- indazole, of lucanthone and hycanthone, interaction with closed circular duplex deoxyribonucleic acid, 385
- (15S)-15-methyl, of prostaglandins  $E_2$  and  $F_{2\alpha}$ , biological activity, 67
- of dichloroisoproterenol, beta receptor blocking properties, 123
- of hycanthone, as frameshift mutagens, 390
- of hycanthone, effect on levels and uptake of 5-hydroxytryptamine in Schistosoma mansoni,
- of hycanthone (IA-4), cytogenetic evaluation in rat bone marrow, 399
- Anderson, M. W., see Orton, T. C., 482
- Anesthetics, local, effect on pharmacologic receptor systems of smooth muscle, 44

Aniline

- metabolism in malnourished monkeys, 441 xenobiotic accumulation and metabolism by isolated perfused rabbit lungs, 482
- Anoxia, effect on removal of 5-hydroxytryptamine and norepinephrine by rabbit lung, 498
- Antagonist-analgesic receptor interaction, morphine-induced alteration, 261

Anticonvulsant effects

- of diphenylbarbituric acid, phenobarbital and diphenylhydantoin in mouse, 315 metabolism and, of primidone in rat, 305
- Antidiarrheal agent (CI-750), 183

Anti-edema properties of  $\Delta^9$ -tetrahydrocannabinol, 646

Antischistosomal activity, of chloroindazole analog of hycanthone in mice infected with Schistosoma mansoni, 402

## Antischistosomal drugs

comparison of hycanthone, some hycanthone analogs, myxin and 4-nitroquinoline-1-oxide as frameshift mutagens, 390

cytogenetic evaluation of IA-4 and niridazole in rat bone marrow, 399

effect of hycanthone and analogs on levels and uptake of 5-hydroxytryptamine in *Schistosoma mansoni*, 408

effect of hycanthone and chlorinated analogs on hepatic microsomes, 416

hycanthone-induced hepatic changes in mice infected with Schistosoma mansoni, 430

interaction of indazole analogs of lucanthone and hycanthone with closed circular duplex deoxyribonucleic acid, 385

transformation of Rauscher virus-infected cell cultures after treatment with hycanthone and lucanthone, 425

#### Aorta

rabbit, <sup>3</sup>H-phenoxybenzamine alpha adrenergic receptor protection and tissue binding in, 100 rat, contractile responses, effects of tetracaine and lidocaine, 44

Aspirin, anti-edema and analgesic properties, comparison with Δ<sup>9</sup>-tetrahydrocannabinol, 646

Atkinson, A. J., Jr., see Blumer, J., 31

Atria, rabbit, isolated, transmembrane potential and contractility, influence of cadmium ions, 60

Atrioventricular node preparation, cross-circulated, canine, dromotropic effects of optical isomers of beta blockers on, 145

Axelrod, J.

see Brownstein, M., 109 see Saavedra, J. M., 508

Bacteriophage PM2, deoxyribonucleic acid, effects of indazole analogs of lucanthone and hycanthone on, 385

Barbital narcosis, brain  $\gamma$ -aminobutyric acid and, reduction during ethanol withdrawal, 625

Barfknecht, C. F., see Cheng, H. C., 345

Barrio Rendo, M. E., see Perec, C. J., 220

Bass, P., Kennedy, J. A., Wiley, J. N., Villarreal, J. and Butler, D. E.: CI-750, a novel antidiarrheal agent, 183

Baumel, I. P., Gallagher, B. B., DiMicco, J. and Goico, H.: Metabolism and anticonvulsant properties of primidone in the rat, 305

Behavior, of squirrel monkeys, comparison of fixed-ratio and second-order schedules of food presentation, cocaine injection or d-amphetamine injection, 18

Behavioral effects, of methamphetamine, p-chloromethamphetamine and scopolamine, diurnal rhythm in, 10

Bend, J. R., see Lucier, G. W., 416

Bennett, J. L., see Chou, T.-C. T., 408

Bentley, P. J., see Chiarandini, D. J., 52

Benzimidazole, guanidinium compound, interference with excitation by, 569

Benztropine, effect on uptake of norepinephrine in mouse brain tissue, 253

Berger, H., see Hartman, P. E., 390

Besa, E. C., see Hait, W. N., 656

Bile, excretion of cardiac glycosides, 455

Biological activity, of (15S)-15-methyl analogs of prostaglandins  $E_2$  and  $F_{2\alpha}$ , 67

# Blood

diazepam, determination by radioimmunoassay,

platelets, uptake, storage and metabolism of 5-hydroxytryptamine, effect of 5,6-dihydroxytryptamine, 213

Blood perfusion, of canine Purkinje fibers, ouabain effects during, 366

Blumer, J., Strong, J. M. and Atkinson, A. J., Jr.: The convulsant potency of lidocaine and its N-dealkylated metabolites, 31

Bone marrow, rat, cytogenetic evaluation of IA-4 and niridazole in, 399

Borzelleca, J. F., see Putney, J. W., Jr., 600 Brain

γ-aminobutyric acid, barbital narcosis and, reduction during ethanol withdrawal, 625

guinea pig, electrical pulses and elevated levels of potassium ions as stimulants of adenosine 3',5'-monophosphate accumulation in, 241

membranes, rat, action of phenothiazine and para-fluorobutyrophenone derivatives on, studied with spin label technique, 609

rat, in vivo dopamine-β-hydroxylase activity in, 230

tissue, mouse, uptake of norepinephrine, inhibitory effects of narcotic analgesics and other psychotropic drugs, 253

Bronchodilator effects, of Th1165a, salbutamol and isoproterenol, 472

Brownstein, M., Holz, R. and Axelrod, J.: The regulation of pineal serotonin by a beta adrenergic receptor, 109

Brownstein, M., see Saavedra, J. M., 508

Bruce, J., see Bueding, E., 402

Bueding, E., Fisher, J. and Bruce, J.: The antischistosomal activity of a chloroindazole analog of hycanthone in mice infected with Schistosoma mansoni, 402

Bueding, E.

see Chou, T.-C. T., 408

see Haese, W. H., 430

Bullfrog, sympathetic ganglion function, effects of divalent cations, 152

Butler, D. E., see Bass, P., 183

γ-Butyrolactone, effects on dopaminergic neurons, comparison with effects of acute lesions of nigro-neostriatal pathway, 630

Cadmium ions, influence on transmembrane potential and contractility of isolated rabbit left atria, 60

# Caffeine

combinations with acetylsalicylic acid and codeine, self-administration in rhesus monkeys, 266

-induced contractures in muscles, effects of Lilly 18947, 373

Cafruny, E. J.

see Cohen, M. R., 204

see Nigrovic, V., 331

Calcium ion, interaction with Cd<sup>++</sup> in isolated left rabbit atria, 60

Calcium-45, efflux from frog sartorius muscle, induced by quinine blockade by procaine and tetracaine, 562

Campodonico, J. F., see Galmarini, D., 199

Carbamylcholine, antagonism by local anesthetics, 44

Cardiac glycosides, biliary excretion, 455

Cardiac stimulant effects, of Th1165a, salbutamol and isoproterenol, 472

Cardiovascular effects, of 2,5-dimethoxy-4-methylamphetamine in dogs, 345

Carmichael, F. J. and Israel, Y.: In vitro inhibitory effects of narcotic analgesics and other psychotropic drugs on the active uptake of norepinephrine in mouse brain tissue, 253

Castration, effect on growth of guinea-pig vas deferens and seminal vesicle, 528

Cat, beta receptor blocking of analogs of dichloroisoproterenol in, 123

# Catecholamine(s)

effect on tissue binding of <sup>3</sup>H-phenoxybenzamine in rabbit aorta, 100

in central nervous system, supersensitivity to, as cause of enhanced effect of dopa in 6-hydroxydopamine-treated rats, 616

inhibition of release of enzymes from rat liver lysosome fraction by, 86

pathways in mice, relationship with alcohol withdrawal reactions, 1

Cell cultures, rat embryo, Rauscher virus-infected, transformation after treatment with hycanthone and lucanthone, 425

Chando, T. J., see Lan, S. J., 323

Chase, H. P., see Rumack, B. H., 441

Chau, T. T., Dewey, W. L. and Harris, L. S.:

Mechanism of the synergistic lethality between pentazocine and vasopressin in the rat, 288

Cheng, H. C., Long, J. P., Barfknecht, C. F. and Nichols, D. E.: Cardiovascular effects of 2,5dimethoxy-4-methylamphetamine (DOM, STP), 345

Chiarandini, D. J. and Bentley, P. J.: The effects of verapamil on metabolism and contractility of the toad skeletal muscle, 52

Chlorcyclizine, xenobiotic accumulation and metabolism by isolated perfused rabbit lungs, 482

p-Chloromethamphetamine, methamphetamine, scopolamine and, behavioral effects, diurnal rhythm in, 10

p-Chlorophenylalanine, effect on tranylcypromine-meperidine interaction, 276

Chlorpromazine

effect on disposition of mescaline-14C in mice, 297 effect on uptake of norepinephrine in mouse brain tissue, 253

Cholinergic agents, stimulation of release of enzymes from rat liver lysosome fraction by, 86

Cholinergic receptor, voluntary muscle, role of inorganic ions in ion exchange processes at, 537

Chou, T.-C. T., Bennett, J. L., Pert, C. and Bueding, E.: Effect of hycanthone and of two of its structural analogs on levels and uptake of 5-hydroxytryptamine in Schistosoma mansoni, 408

CI-750, novel antidiarrheal agent, 183

Cloutier, G. and Weiner, N.: Further studies on the increased synthesis of norepinephrine during nerve stimulation of guinea-pig vas deferens preparation: Effect of tyrosine and 6,7-dimethyltetrahydropterin, 75

Cobalt ion, effects on bullfrog sympathetic ganglion function, 152

Cocaine injection, food presentation, d-amphetamine injection or, in squirrel monkey, comparable behavior maintained under fixed-ratio and second-order schedules of, 18

# Codeine

and combinations with acetylsalicylic acid and caffeine, self-administration in rhesus monkeys, 266

effect on uptake of norepinephrine in mouse brain tissue, 253

Cohen, M. R. and Cafruny, E. J.: Renal site of action of Su-15049, a diuretic agent, 204

# Contractility

metabolism and, of toad skeletal muscle, effects of verapamil, 52

transmembrane potential and, of isolated rabbit left atria, influence of cadmium ions, 60

Convulsant potency, of lidocaine and its N-dealkylated metabolites, 31

Cysteine

effect on diuretic response to ethacrynic acid in dogs treated with mercuric citrate, 331

interaction with Cd++ in isolated left rabbit atria, 60

Daly, J., see Fishbein, W. N., 173

De Prada, M., O'Brien, R. A., Tranzer, J. P. and Pletscher, A.: The effect of 5,6-dihydroxytryptamine on uptake, storage and metabolism of 5-hydroxytryptamine by blood platelets, 213

N-Dealkylation, as metabolic pathway for lidocaine in rat, 31

N-Demethylase activity, radioassay for, 640

Deoxyribonucleic acid, closed circular duplex, interaction with indazole analogs of lucanthone and hycanthone, 385

Desipramine, effect on uptake of norepinephrine in mouse brain tissue, 253

Dewey, W. L., see Chau, T. T., 288

Diazepam, determination in blood by radioimmunoassay, 167

Dibenamine, effect on pharmacologic receptors, comparison with local anesthetics, 44

Dichloroisoproterenol analogs, beta receptor blocking properties, 123

2,4-Dichloro-6-phenylphenoxyethyl diethylamine hydrobromide, see Lilly 18947

Digitoxin, biliary excretion in rat, rabbit and dog,

Digoxin, biliary excretion in rat, rabbit and dog,

3,4-Dihydroxyphenylalanine, see Dopa

5,6-Dihydroxytryptamine, effect on uptake, storage and metabolism of 5-hydroxytryptamine by blood platelets, 213

2,5-Dimethoxy-4-methylamphetamine, cardiovascular effects in dogs, 345

6,7-Dimethyltetrahydropterin, effect on synthesis of norepinephrine during nerve stimulation of guinea-pig vas deferens preparation, 75

DiMicco, J., see Baumel, I. P., 305

Diphenoxylate, as antidiarrheal agent, comparison with CI-750 in rat and monkey, 183

Diphenylbarbituric acid, anticonvulsant, neurotoxic and lethal effects in mouse, comparison with phenobarbital and diphenylhydantoin, 315

Diphenylhydantoin

anticonvulsant effects, comparison with diphenylbarbituric acid, 315

effects on growing human lymphocytes, 37

Disposition, of mescaline-14C in mice, effects of chlorpromazine and haloperidol, 297

Diuretic(s)

mercurial, renal interaction with ethacrynic acid, 331

Su-15049, renal site of action, 204

Diurnal rhythm, in behavioral effects of methamphetamine, p-chloromethamphetamine and scopolamine, 10

Dog(s)

anesthetized, beta blocking properties of M & B 17803-A in, 134

atrioventricular node preparation, cross-circulated, dromotropic effects of optical isomers of beta blockers on, 145

biliary excretion of cardiac glycosides in, 455 biological activity of (15S)-15-methyl analogs of

biological activity of (15S)-15-methyl analogs of prostaglandins  $E_2$  and  $F_{2\alpha}$  in, 67

bronchodilator and cardiac stimulant effects of Th1165a, salbutamol and isoproterenol in, 472 cardiovascular effects of 2,5-dimethoxy-4methylamphetamine in, 345

human and, absorption, excretion and biotransformation of niffumic acid-14C in, 323

lack of synergistic lethality between pentazocine and vasopressin in, 288

man, monkey, rat and, decreased half-life and volume of distribution of propranolol as result of plasma binding in, 114

Purkinje fibers, in situ or perfused with blood, effects of ouabain, 366

renal interaction between ethacrynic acid and mercurial diuretics in, 331

renal site of action of Su-15049, diuretic agent,

sinoatrial node and papillary muscle preparations and heart, therapeutic and toxic effects of ouabain, 463

toxicity of ouabain in, effect of alkalosis, 199

DOM, see 2,5-Dimethoxy-4-methylamphetamine Dopa (3,4-dihydroxyphenylalanine), effects on motor activity of rats enhanced by 6-hydroxydopamine, 616

L-Dopa, metabolism by rat, contributions of host and intestinal microflora, 160

Dopamine, increased levels in brain caused by γ-hydroxybutyrate and acute lesions of nigroneostriatal pathway, 630

Dopamine-β-hydroxylase, activity in vivo in rat brain, 230

Dromotropic effects, of optical isomers of beta blockers on cross-circulated canine atrioventricular node preparation, 145

DuCharme, D. W., see Weeks, J. R., 67

Electrical pulses, as stimulant of adenosine 3',5'monophosphate accumulation in guinea-pig brain, 241

Electrophysiology of methyl mercury poisoning, 579

Eling, T. E., see Orton, T. C., 482

Enzymes, release from rat liver lysosome fraction, inhibited by catecholamines and cyclic 3',5'-

- adenosine monophosphate, stimulated by cholinergic agents and cyclic 3',5'-guanosine monophosphate, 86
- Erythropoiesis, in mice, induced by steroid metabolites, 656
- Ethacrynic acid, renal interaction with mercurial diuretics, 331
- Ethanol, withdrawal, reduction in brain  $\gamma$ -aminobutyric acid and barbital narcosis during, 625
- Ethylmorphine, metabolism in malnourished monkeys, 441
- Ethylmorphine N-demethylase, hepatic, in vitro radioassay for, 640
- Evans, G. H., Nies, A. S. and Shand, D. G.: The disposition of propranolol. III. Decreased half-life and volume of distribution as a result of plasma binding in man, monkey, dog and rat, 114
- Evans, G. H., Wilkinson, G. R. and Shand, D. G.: The disposition of propranolol. IV. A dominant role for tissue uptake in the dose-dependent extraction of propranolol by the perfused rat liver, 447
- Evans, H. L., Ghiselli, W. B. and Patton, R. A.: Diurnal rhythm in behavioral effects of methamphetamine, p-chloromethamphetamine and scopolamine, 10
- Excitation, effect of guanidinium compounds, 569

Faeder, E., see Lucier, G. W., 416 Finkel, M. P., see Giles, R. E., 472

Fishbein, W. N., Streeter, C. L. and Daly, J.:
Physiologic disposition of short chain aliphatic hydroxamates in the mouse. II. Absorption, distribution, metabolism and excretion of 1-14C-acetohydroxamic acid, 173

Fisher, J., see Bueding, E., 402

- Fixed-ratio schedules of food presentation, cocaine injection or d-amphetamine injection in squirrel monkey, comparison with second-order schedules, 18
- Fleisch, J. H. and Titus, E.: Effect of local anesthetics on pharmacologic systems of smooth muscle, 44
- para-Fluorobutyrophenone derivatives, action on rat brain membranes, studied with spin label technique, 609
- Food presentation, cocaine injection, d-amphetamine injection or, in squirrel monkey, comparable behavior maintained under fixed-ratio and second-order schedules of, 18

Fouts, J. R., see Orton, T. C., 482

Frog

- interference with excitation by some guanidinium compounds in, 569
- sartorius muscle, blockade of quinine-induced contracture and <sup>45</sup>Ca efflux by procaine and tetracaine in, 562

skeletal muscle, sites of action of Lilly 18947 in, 373

Furosemide, effects in dogs treated with mercuric citrate, 331

Gallagher, B. B., see Baumel, I. P., 305

Galmarini, D., Campodonico, J. F. and Wenk, R. D.: Effect of alkalosis on ouabain toxicity in the dog, 199

Gardner, F. H., see Hait, W. N., 656

Gelband, H., see Rosen, M. R., 366

- Gerbil, colon, biological activity of (15S)-15-methyl analogs of prostaglandins  $E_2$  and  $F_{2\alpha}$  in 67
- Gessner, P. K. and Soble, A. G.: A study of the tranyleypromine-meperidine interaction: Effects of p-chlorophenylalanine and l-5-hydroxytryptophan, 276

Ghiselli, W. B., see Evans, H. L., 10

- Giles, R. E., Williams, J. C. and Finkel, M. P.: The bronchodilator and cardiac stimulant effects of Th1165a, salbutamol and isoproterenol, 472
- Gillis, C. N., see Iwasawa, Y., 498
- Glucose-free perfusion, effect on removal of 5-hydroxytryptamine and norepinephrine by rabbit lung, 498
- Glycinexylidide, metabolite of lidocaine, convulsant potency in rat, 31
- Glycosides, cardiac, see Cardiac glycosides

Goico, H., see Baumel, I. P., 305

- Goldberg, P. B. and Kao, C. Y.: Interference with excitation by some guanidinium compounds, 569
- Goldberg, S. R.: Comparable behavior maintained under fixed-ratio and second-order schedules of food presentation, cocaine injection or d-amphetamine injection in the squirrel monkey, 18
- Goldin, B. R., Peppercorn, M. A. and Goldman, P.: Contributions of host and intestinal microflora in the metabolism of L-dopa by the rat, 160
- Goldman, P., see Goldin, B. R., 160
- Goldstein, D. B.: Alcohol withdrawal reactions in mice: Effects of drugs that modify neurotransmission, 1
- Gorshein, D., see Hait, W. N., 656
- Green, S., see Sauro, F. M., 399
- Guanidinium compounds, interference with excitation by, 569
- Guanosine 3',5'-monophosphate, stimulation of release of enzymes from rat liver lysosome fraction by, 86
- Guerrero, S. and Riker, W. K.: Effects of some divalent cations on sympathetic ganglion function, 152

Guinea pig(s)

atria, effects of 2,5-dimethoxy-4-methylamphetamine in, 345

brain, electrical pulses and elevated levels of potassium ions as stimulants of adenosine 3',5'-monophosphate accumulation in, 241

bronchodilator and cardiac stimulant effects of Th1165a, salbutamol and isoproterenol in, 472

effect of 5,6-dihydroxytryptamine on uptake, storage and metabolism of 5-hydroxytryptamine by blood platelets in, 213

ileal muscle, loss of acetylcholine sensitivity in, 552

sympathetic nerves of vas deferens and seminal vesicle, "trophic" influence on, 528

vas deferens preparation, synthesis of norepinephrine during nerve stimulation of, effect of tyrosine and 6,7-dimethyltetrahydropterin, 75

Haese, W. H., Smith, D. L. and Bueding, E.: Hycanthone-induced hepatic changes in mice infected with Schistosoma mansoni, 430

Hait, W. N., Gorshein, D., Besa, E. C., Jepson, J. H. and Gardner, F. H.: The effect of steroid metabolites on the hematopoietic stem cell pool, 656

Haloperidol, effects on disposition of mescaline-14C in mice, 297

Hamster, biological activity of (15S)-15-methyl analogs of prostaglandins  $E_2$  and  $F_{2\alpha}$  in, 67

Harakal, J. J., sec Sofia, R. D., 646

Harris, L. S., see Chau, T. T., 288

Hartman, P. E., Berger, H. and Hartman, Z.: Comparison of hycanthone ("Etrenol"), some hycanthone analogs, myxin and 4-nitroquinoline-1-oxide as frameshift mutagens, 390

Hartman, Z., see Hartman, P. E., 390

Hashimoto, K., Kimura, T. and Kubota, K.: Study of the therapeutic and toxic effects of ouabain by simultaneous observations on the excised and blood-perfused sinoatrial node and papillary muscle preparation and the in situ heart of dogs, 463

Hashimoto, K., see Iijima, T., 145

Heart, sinoatrial node, papillary muscle and, dog, therapeutic and toxic effects of ouabain, 463

Hemorrhagic shock, in rat, effects of isoproterenol,

Herman, S. P., see Somjen, G. G., 579

Hetrick, F. M. and Kos, W. L.: Transformation of Rauscher virus-infected cell cultures after treatment with hycanthone and lucanthone,

Hexafluorodiethyl ether (fluorothyl)-induced seizures in rat, effect of primidone, 305

Hirsch, G. H.: Differential effects of nephrotoxic

agents on renal organic ion transport and metabolism, 593

HM-207 (2-amino-4,4,6-trimethyl-3,4-dihydropyrimidine), guanidinium compound, interference with excitation by, 569

Hoffmeister, F. and Wuttke, W.: Self-administration of acetylsalicylic acid and combinations with codeine and caffeine in rhesus monkeys, 266

Holtzman, J. L.

see Rumack, B. H., 441

see Thompson, J. A., 640

Holz, R., see Brownstein, M., 109

Hycanthone

analog (IA-4), cytogenetic evaluation in rat bone marrow, 399

as frameshift mutagen, 390

chlorinated analogs and, effects on hepatic microsomes, 416

effect on levels and uptake of 5-hydroxytryptamine in Schistosoma mansoni, 408

-induced hepatic changes in mice infected with Schistosoma mansoni, 430

-induced transformation of Rauscher virusinfected cell cultures, 425

lucanthone and, indazole analogs, interaction with closed circular duplex deoxyribonucleic acid, 385

Hydrochlorothiazide, effects in dogs treated with mercuric citrate, 331

Hydrocortisone, anti-edema properties, comparison with  $\Delta^9$ -tetrahydrocannabinol, 646

Hydromorphone, effect on uptake of norepinephrine in mouse brain tissue, 253

Hydroxamates, short chain aliphatic, physiologic disposition in mouse, 173

γ-Hydroxybutyrate, biochemical and histochemical effects on dopaminergic neurons, comparison with effects of acute lesions of nigroneostriatal pathway, 630

6-Hydroxydopamine

-induced enhancement of effects of dopa on motor activity of rats, 616

-induced supersensitivity in rat submaxillary gland, 220

3β-Hydroxy-5β-pregnane-20-one, metabolite of testosterone, effect on hematopoietic stem cell pool, 656

5-Hydroxytryptamine, see also Serotonin

as possible mediator of toxic response to tranylcypromine-meperidine combination in mice, 276

levels and uptake in Schistosoma mansoni, effect of hycanthone and analogs, 408

norepinephrine and, uptake processes in lung, effect of hyperthermia, 498

uptake, storage and metabolism by blood platelets, effect of 5,6-dihydroxytryptamine, 213

- l-5-Hydroxytryptophan, effects on tranyleypromine-meperidine interaction, 276
- IA-4 (hycanthone analog), niridazole and, cytogenetic evaluation in rat bone marrow, 399
- Ignarro, L. J., Krassikoff, N. and Slywka, J.: Release of enzymes from a rat liver lysosome fraction: Inhibition by catecholamines and cyclic 3',5'-adenosine monophosphate, stimulation by cholinergic agents and cyclic 3',5'guanosine monophosphate, 86
- Iijima, T., Hashimoto, K., Taira, N. and Hashimoto, K.: Dromotropic effects of optical isomers of beta blockers on the cross-circulated canine atrioventricular node preparation, 145 Ileal muscle, see Muscle, ileal
- Imidazole, xenobiotic accumulation and metabolism by isolated perfused rabbit lungs, 482
- Imipramine, xenobiotic accumulation and metabolism by isolated perfused rabbit lungs, 482
- Indazole analogs, of lucanthone and hycanthone, interaction with closed circular duplex deoxyribonucleic acid, 385
- Indoacetate, effect on removal of 5-hydroxytryptamine and norepinephrine by rabbit lung, 498 Intestine, rat, microflora, contributions in L-dopa metabolism by rat, 160

Isoproterenol

- bronchodilator and cardiac stimulant effects, 472 effects during hemorrhagic shock in rat, 355 supersensitivity of 6-hydroxydopamine-treated rat submaxillary gland to, 220
- Israel, Y., see Carmichael, F. J., 253 Ion(s)
  - cadmium, influence on transmembrane potential and contractility of isolated rabbit left atria, 60
  - inorganic, role in ion exchange processes at cholinergic receptor of voluntary muscle, 537 organic, transport, metabolism and, effects of nephrotoxic agents, 593
- potassium, elevated levels, as stimulant of adenosine 3',5'-monophosphate accumulation in guinea-pig brain, 241
- Ion exchange processes, at cholinergic receptor of voluntary muscle, role of inorganic ions, 537
- Ion transport, organic, renal, metabolism and, effects of nephrotoxic agents, 593
- Iwasawa, Y., Gillis, C. N. and Aghajanian, G.: Hypothermic inhibition of 5-hydroxytryptamine and norepinephrine uptake by lung: Cellular location of amines after uptake, 498
- Jepson, J. H., see Hait, W. N., 656
- Joiner, P. D.: Studies on the loss of acetylcholine sensitivity in ileal muscle, 552
- Kao, C. Y., see Goldberg, P. B., 569

Kennedy, J. A., see Bass, P., 183 Kidney

- cortex, rat, active accumulation of <sup>14</sup>C-salicylic acid by, 600
- dog, site of action of Su-15049, 204
- interaction between ethacrynic acid and mercurial diuretics in, 331
- organic ion transport and metabolism, effects of nephrotoxic agents, 593
- Kimura, T., see Hashimoto, K., 463
- Kirpekar, S. M., see Wakade, A. R., 528
- Klaassen, C. D., see Russell, J. Q., 455
- Klein, D. C. and Weller, J. L.: Adrenergic-adenosine 3',5'-monophosphate regulation of serotonin N-acetyltransferase activity and the temporal relationship of serotonin N-acetyltransferase activity to synthesis of <sup>3</sup>H-N-acetylserotonin and <sup>3</sup>H-melatonin in the cultured rat pineal gland, 516

Klein, R., see Somjen, G. G., 579

- Koechel, D. A., see Nigrovic, V., 331
- Kos, W. L., see Hetrick, F. M., 425
- Krassikoff, N., see Ignarro, L. J., 86
- Kubota, K., see Hashimoto, K., 463
- Lal, H., see Patel, G. J., 625
- Lan, S. J., Chando, T. J., Weliky, I. and Schreiber, E. C.: Metabolism of niflumic acid-14C: Absorption, excretion and biotransformation by human and dog, 323
- Lawrence, R. S., see Shah, N. S., 297
- Leterrier, F., Rieger, F. and Mariaud, J. F.: Comparative study of the action of phenothiazine and para-fluorobutyrophenone derivatives on rat brain membranes using the spin label technique, 609
- Lethal effects, of diphenylbarbituric acid, phenobarbital and diphenylhydantoin in mouse, 315 Levorphanol, effect on uptake of norepinephrine in mouse brain tissue, 253
- Levy, B.: Comparison of the *beta* receptor blocking properties of two analogs of dichloroisoproterenol (DCI), 123
- Levy, B.: The selective beta receptor blocking properties of DL-1-(2-acetyl-4-n-butyramidophenoxy) 2 hydroxy 3 isopropylaminopropane HCl (M & B 17803-A) in the anesthetized dog, 134

Lidocaine

- effects on pharmacologic receptor systems of smooth muscle, 44
- N-dealkylated metabolites and, convulsant potency, 31
- Lilly 18947 (2,4-dichloro-6-phenylphenoxyethyl diethylamine hydrobromide), sites of action in skeletal muscle, 373

Liver

changes in mice infected with Schistosoma mansoni, hycanthone-induced, 430

ethylmorphine N-demethylase, in vitro radioassay for, 640

microsomes, monkey, drug metabolism, effect of protein malnutrition, 441

microsomes, rat, effects of hycanthone and chlorinated analogs, 416

rat, lysosome fraction, release of enzymes inhibited by catecholamines and cyclic 3',5'-adenosine monophosphate, stimulated by cholinergic agents and cyclic 3',5'-guanosine monophosphate, 86

rat, perfused, dominant role for tissue uptake in dose-dependent extraction of propranolol by, 447

Local anesthetics, see Anesthetics, local Long, J. P., see Cheng, H. C., 345 Lucanthone

hycanthone and, indazole analogs, interaction with closed circular duplex deoxyribonucleic acid, 385

-induced transformation of Rauscher virusinfected cell cultures, 425

Lucier, G. W., McDaniel, O. S., Bend, J. R. and Faeder, E.: Effects of hycanthone and two of its chlorinated analogs on hepatic microsomes, 416

Lung(s)

isolated perfused, rabbit, xenobiotic accumulation and metabolism by, 482

uptake processes for 5-hydroxytryptamine and norepinephrine, effect of hyperthermia, 498

Lymphocytes, growing, human, diphenylhydantoin effects, 37

Lysosomes, rat liver, release of enzymes inhibited by catecholamines and cyclic 3',5'-adenosine monophosphate, stimulated by cholinergic agents and cyclic 3',5'-guanosine monophosphate, 86

MacKinney, A. A. and Vyas, R.: The assay of diphenylhydantoin effects on growing human lymphocytes, 37

Magee, W. E., see Weeks, J. R., 67

Magnesium ion, effects on bullfrog sympathetic ganglion function, 152

Malnutrition, protein, hepatic drug metabolism and, 441

Man

blood, determination of diazepam by radioimmunoassay in, 167

dog and, absorption, excretion and biotransformation of niflumic acid-14C in, 323

growing lymphocytes, diphenylhydantoin effects, 37

monkey, dog, rat and, decreased half-life and

volume of distribution of propranolol as result of plasma binding in, 114

Mannitol, effects in dogs treated with mercuric citrate, 331

Mariaud, J. F., see Leterrier, F., 609

Maximal electroshock seizures

effect of primidone, 305

used to measure anticonvulsant efficacy of diphenylbarbituric acid, 315

M & B 17803-A [DL-1-(2-acetyl-4-n-butyramidophenoxy) - 2 - hydroxy - 3 - isopropylaminopropane HCl], beta receptor blocking properties in anesthetized dog, 134

McDaniel, O. S., see Lucier, G. W., 416

3H-Melatonin, synthesis in rat pineal gland, relationship to serotonin N-acetyltransferase activity, 516

Meperidine

effect on uptake of norepinephrine in mouse brain tissue, 253

-tranylcypromine interaction, effects of pchlorophenylalanine and l-5-hydroxytryptophan, 276

Mercuric chloride, effects on renal organic ion transport and metabolism, 593

Mercury, renal interaction with ethacrynic acid, 331

Mescaline-14C, disposition in mice, effects of chlorpromazine and haloperidol, 297

Metabolism

anticonvulsant properties and, of primidone in rat, 305

contractility and, of toad skeletal muscle, effects of verapamil, 52

drug, hepatic, protein malnutrition and, 441

of niflumic acid-14C by human and dog, 323 of propranolol, by perfused rat liver, 447

renal organic ion transport and, effects of nephrotoxic agents, 593

uptake, storage and, of 5-hydroxytryptamine by blood platelets, effect of 5,6-dihydroxytryptamine, 213

xenobiotic accumulation and, by isolated perfused rabbit lungs, 482

Metabolites

N-dealkylated, of lidocaine, convulsant potency, 31

steroid, effect on hematopoietic stem cell pool, 656

Methadone

effect on uptake of norepinephrine in mouse brain tissue, 253

xenobiotic accumulation and metabolism by isolated perfused rabbit lungs, 482

Methamphetamine, p-chloromethamphetamine, scopolamine and, behavioral effects, diurnal rhythm in, 10

Methyl mercury poisoning, electrophysiology, 579

α-Methyltyrosine, effects on alcohol withdrawal reactions in mice, 1

#### Mice

absorption, distribution, metabolism and excretion of 1-14C-acetohydroxamic acid in, 173

alcohol withdrawal reactions, effects of drugs that modify neurotransmission, 1

anti-edema and analgesic properties of  $\Delta^9$ -tetrahydrocannabinol, 646

brain tissue, uptake of norepinephrine, inhibitory effects of narcotic analgesics and other psychotropic drugs, 253

comparison of anticonvulsant, neurotoxic and lethal effects of diphenylbarbituric acid, phenobarbital and diphenylhydantoin in, 315

effect of chlorpromazine and haloperidol on disposition of mescaline-14C in, 297

effect of p-chlorophenylalanine and l-5-hydroxytryptophan on tranylcypromine-meperidine interaction in, 276

effect of steroid metabolites on hematopoietic stem cell pool of, 656

infected with Schistosoma mansoni, antischistosomal activity of chloroindazole analog of hycanthone in, 402

infected with Schistosoma mansoni, hycanthoneinduced hepatic changes in, 430

lack of synergistic lethality between pentazocine and vasopressin in, 288

morphine-induced alteration of analgesic receptor-antagonist interaction in, 261

reduction in brain γ-aminobutyric acid and in barbital narcosis during ethanol withdrawal in, 625

Microassay, enzymatic-isotopic, for serotonin in tissues, 508

Microflora, host and intestinal, contributions in L-dopa metabolism by rat, 160

Microsomes, hepatic, rat, effects of hycanthone and chlorinated analogs, 416

Miller, W. L., see Weeks, J. R., 67 Monkey(s)

CI-750 as antidiarrheal agent in, 183

hepatic drug metabolism and protein malnutrition in. 441

man, dog, rat and, decreased half-life and volume of distribution of propranolol as result of plasma binding in, 114

rhesus, self-administration of acetylsalicylic acid and combinations with codeine and caffeine in, 266

squirrel, comparable behavior maintained under fixed-ratio and second-order schedules of food presentation, cocaine injection or d-amphetamine injection in 18

Monoethylglycinexylidide, metabolite of lidocaine, convulsant potency in rat, 31 Morphine

effect on uptake of norepinephrine in mouse brain tissue, 253

-induced alteration of analgesic receptor-antagonist interaction, 261

Morphological transformation, of Rauscher virusinfected cell cultures after treatment with hycanthone and lucanthone, 425

Motor activity, rats, effects of dopa enhanced by 6-hydroxydopamine, 616

# Muscle

ileal, loss of acetylcholine sensitivity in, 552

papillary, sinoatrial node, heart and, dog, therapeutic and toxic effects of ouabain, 463

sartorius, frog, blockade of quinine-induced contracture and <sup>45</sup>Ca efflux by procaine and tetracaine in, 562

sartorius, frog, interference with excitation by guanidinium compounds in, 569

skeletal, function in rats poisoned by methyl mercury, 579

skeletal, sites of action of Lilly 18947 in, 373

skeletal, toad, effects of verapamil on metabolism and contractility of, 52

smooth, pharmacologic receptor systems, effect of local anesthetics, 44

voluntary, role of inorganic ions in ion exchange processes at cholinergic receptor of, 537

Mutagens, frameshift, comparison of hycanthone, some hycanthone analogs, myxin and 4-nitroquinoline-1-oxide as, 390

Myxin, as frameshift mutagen, 390

Nalepa, S. D., see Sofia, R. D., 646 Naloxone

antagonistic effect in morphine-pretreated mice, 261

effect on uptake of norepinephrine in mouse brain tissue, 253

Narcosis, barbital, brain γ-aminobutyric acid and, reduction during ethanol withdrawal, 625

Narcotic analgesics, inhibitory effects on uptake of norepinephrine in mouse brain tissue, 253

Neely, A. E., see Shah, N. S., 297

Nephrotoxic agents, effects on renal organic ion transport and metabolism, 593

# Nerve(s)

sciatic, frog, interference with excitation by guanidinium compounds in, 569

sensory, failure in rats poisoned with methyl mercury, 579

sympathetic, of guinea-pig vas deferens and seminal vesicle, "trophic" influence on, 528

Nerve stimulation, of guinea-pig vas deferens preparation, effect of tyrosine and 6,7-dimethyltetrahydropterin on synthesis of norepinephrine during, 75

#### Neurons

dopaminergic, similar biochemical and histochemical effects of  $\gamma$ -hydroxybutyrate and acute lesions of nigro-neostriatal pathway on, 630

sensory, rats, effects of methyl mercury poisoning, 579

Neuropharmacological agents, effects on alcohol withdrawal reactions in mice, 1

Neurotoxic effects, of diphenylbarbituric acid, phenobarbital and diphenylhydantoin in mouse, 315

Nichols, D. E., see Cheng, H. C., 345

Nickel ion, effects on bullfrog sympathetic ganglion function, 152

Nickerson, M., see Yong, M. S., 100

Nies, A. S., see Evans, G. H., 114

Niflumic acid-14C, absorption, excretion and biotransformation by human and dog, 323

Nigro-neostriatal pathway, acute lesions, biochemical and histochemical effects on dopaminergic neurons, comparison with effects of γ-hydroxybutyrate, 630

Nigrovic, V., Koechel, D. A. and Cafruny, E. J.: Renal interaction between ethacrynic acid and mercurial diuretics, 331

Niner, J. M., see Raines, A., 315

Niridazole, IA-4 and, cytogenetic evaluation in rat bone marrow, 399

Nishiyama, N., see Takemori, A. E., 261

4-Nitroquinoline-1-oxide, as frameshift mutagen, 390

# Norepinephrine

antagonism by local anesthetics, 44

contents in guinea-pig vas deferens and seminal vesicle after various treatments, 528

effect on serotonin N-acetyltransferase activity in rat pineal gland, 516

5-hydroxytryptamine and, uptake processes in lung, effect of hyperthermia, 498

supersensitivity of 6-hydroxydopamine-treated rat submaxillary gland to, 220

synthesis during nerve stimulation of guinea-pig vas deferens preparation, effect of tyrosine and 6.7-dimethyltetrahydropterin, 75

uptake in mouse brain tissue, inhibitory effects of narcotic analgesics and other psychotropic drugs, 253

l-Norepinephrine, dromotropic effects on crosscirculated canine atrioventricular node preparation, 145

O'Brien, R. A., see Da Prada, M., 213 Oka, T., see Takemori, A. E., 261

Orton, T. C., Anderson, M. W., Pickett, R. D., Eling, T. E. and Fouts, J. R.: Xenobiotic accumulation and metabolism by isolated perfused rabbit lung, 482

## Ouabain

biliary excretion in rat, rabbit and dog, 455 effect on canine Purkinje fibers in situ or perfused with blood, 366

effect on removal of 5-hydroxytryptamine and norepinephrine by rabbit lung, 498

therapeutic and toxic effects on sinoatrial node and papillary muscle preparations and heart of dog, 463

toxicity in dog, effect of alkalosis, 199

Oxytocin, interaction with pentazocine in rats, 288

Pace, D. G., see Raines, A., 315

Papillary muscle, see Muscle, papillary

Paraquat, xenobiotic accumulation and metabolism by isolated perfused rabbit lungs, 482

Patel, G. J. and Lal, H.: Reduction in brain γ-aminobutyric acid and in barbital narcosis during ethanol withdrawal, 625

Patton, R. A., see Evans, H. L., 10

Paumgartten, F. J. R., see Suarez-Kurtz, G., 373, 562

Pentazocine, synergistic lethality with vasopressin in rat, 288

Pentylenetetrazol

-induced seizures in rat, effect of primidone, 305 -induced seizures, used to measure anticonvulsant efficacy of diphenylbarbituric acid, 315

Peppercorn, M. A., see Goldin, B. R., 160

Perec, C. J., Stefano, F. J. E. and Barrio Rendo, M. E.: Long-lasting supersensitivity after 6-hydroxydopamine in the submaxillary gland of the rat, 220

Pert, C., see Chou, T.-C. T., 408

Peskar, B. and Spector, S.: Quantitative determination of diazepam in blood by radioimmuno-assav. 167

pH, of blood, effect on ouabain toxicity in dog, 199 Pharmacologic receptor systems, of smooth muscle, effect of local anesthetics, 44

Pharmacology, of CI-750 in rat and monkey, 183 Phenobarbital

anticonvulsant effects, comparison with diphenylbarbituric acid, 315

as metabolite of primidone in rat, 305

pretreatment, effect on metabolism of propranolol by rat, 447

Phenothiazine derivatives, action on rat brain membranes studied by spin label technique, 609

<sup>3</sup>H-Phenoxybenzamine, binding in vascular tissue, inhibition, dissociation from *alpha* adrenergic receptor protection, 100

Phentolamine, effects on alcohol withdrawal reactions in mice, 1

Phenylethylmalonamide, as metabolite of primidone in rat, 305

- Physiologic disposition, of 1-14C-acetohydroxamic acid in mouse, 173
- Pickett, R. D., see Orton, T. C., 482
- Picrotoxin, effects on alcohol withdrawal reactions in mice. 1

#### Pineal gland

- rat, adrenergic-adenosine 3',5'-monophosphate regulation of serotonin N-acetyltransferase activity in, 516
- serotonin, regulation by beta adrenergic receptor, 109
- Plasma binding, of propranolol in man, monkey, dog and rat, decreased half-life and volume of distribution as result of, 114
- Platelets, blood, uptake, storage and metabolism of 5-hydroxytryptamine, effect of 5,6-dihydroxytryptamine, 213
- Pletscher, A., see Da Prada, M., 213
- Poisoning, methyl mercury, electrophysiology, 579
- Potassium chloride, antagonism by local anesthetics. 44
- Potassium chromate, effects on renal organic ion transport and metabolism, 593
- Potassium dichromate, effects on renal organic ion transport and metabolism, 593
- Potassium ions, elevated levels, as stimulant of adenosine 3',5'-monophosphate accumulation in guinea-pig brain, 241
- Primidone, metabolism and anticonvulsant properties in rat, 305

# Procaine

- effects in Lilly 18947-treated muscles, 373 tetracaine and, blockade of quinine-induced contracture and <sup>45</sup>Ca efflux in frog sartorius muscle, 562
- Procedure for assessing in vivo dopamine-β-hydroxylase activity in rat brain, 230
- Propazine, xenobiotic accumulation and metabolism by isolated perfused rabbit lungs, 482 Propranolol
- disposition, decreased half-life and volume of distribution as result of plasma binding in man, monkey, dog and rat, 114
- dose-dependent extraction by perfused rat liver, dominant role for tissue uptake in, 447
- effects on alcohol withdrawal reactions in mice,
- optical isomers, dromotropic effects on crosscirculated canine atrioventricular node preparation, 145
- Prostaglandins,  $E_2$  and  $F_{2\alpha}$ , (15S)-15-methyl analogs, biological activity, 67
- Protein malnutrition, hepatic drug metabolism and 441
- Psychoactive compounds, action on rat brain membranes studied by spin label technique, 609

Psychotropic drugs, inhibitory effects on uptake of norepinephrine in mouse brain tissue, 253 Purkinje fibers

- canine, in situ or perfused with blood, effects of ouabain, 366
- in situ or perfused with blood, canine, effects of ouabain, 366
- Putney, J. W., Jr. and Borzelleca, J. F.: Active accumulation of <sup>14</sup>C-salicylic acid by rat kidney cortex *in vitro*, 600

## Quinine

- -induced contracture and 45Ca efflux in frog sartorius muscle, blockade by procaine and tetracaine, 562
- -induced contractures in muscles, effects of Lilly 18947, 373

## Rabbit

- aorta, <sup>3</sup>H-phenoxybenzamine alpha adrenergic receptor protection and tissue binding in, 100 biliary excretion of cardiac glycosides, 455
- heart, effects of 2,5-dimethoxy-4-methylamphetamine in, 345
- isolated perfused lungs, xenobiotic accumulation and metabolism by, 482
- left atria, isolated, transmembrane potential and contractility, influence of cadmium ions, 60
- lung, uptake processes for 5-hydroxytryptamine and norepinephrine, effect of hyperthermia, 498
- skeletal muscle, sites of action of Lilly 18947 in, 373
- Radioassay, in vitro, of hepatic ethylmorphine Ndemethylase, 640
- Radioimmunoassay for determination of diazepam in blood, 167
- Raines, A., Niner, J. M. and Pace, D. G.: A comparison of the anticonvulsant, neurotoxic and lethal effects of diphenylbarbituric acid, phenobarbital and diphenylhydantoin in the mouse, 315
- Rall, T. W., see Zanella, J., Jr., 241 Rat(s)
  - anti-edema and analgesic properties of  $\Delta^{9}$ -tetrahydrocannabinol, 646
  - biliary excretion of cardiac glycosides, 455
- biological activity of (15S)-15-methyl analogs of prostaglandins  $E_2$  and  $F_{2\alpha}$  in, 67
- bone marrow, cytogenetic evaluation of IA-4 and niridazole in, 399
- brain, in vivo dopamine-β-hydroxylase activity in. 230
- brain membranes, action of phenothiazine and para-fluorobutyrophenone derivatives on, studied with spin label technique, 609 CI-750 as antidiarrheal agent in, 183

convulsant potency of lidocaine and its N-dealkylated metabolites in, 31

- diurnal rhythm in behavioral effects of methamphetamine, p-chloromethamphetamine and scopolamine in, 10
- effect of 5,6-dihydroxytryptamine on uptake, storage and metabolism of 5-hydroxytryptamine by blood platelets in, 213
- effect of isoproterenol during hemorrhagic shock in, 355
- effect of local anesthetics on pharmacologic receptor systems of smooth muscle in, 44
- effect of nephrotoxic agents on renal organic ion transport and metabolism in, 593
- embryo cell cultures, Rauscher virus-infected, transformation after treatment with hycanthone and lucanthone, 425
- enzymatic isotopic microassay for serotonin in tissues of, 508
- hepatic ethylmorphine N-demethylase, in vitro radioassay for, 640
- hepatic microsomes, effects of hycanthone and chlorinated analogs, 416
- kidney cortex, active accumulation of <sup>14</sup>C-salicylic acid by, 600
- liver lysosome fraction, release of enzymes inhibited by catecholamines and cyclic 3',5'adenosine monophosphate, stimulated by cholinergic agents and cyclic 3',5'-guanosine monophosphate, 86
- man, monkey, dog and, decreased half-life and volume of distribution of propranolol as result of plasma binding in, 114
- metabolism and anticonvulsant properties of primidone in, 305
- metabolism of L-dopa, contributions of host and intestinal microflora, 160
- motor activity, effects of dopa enhanced by 6hydroxydopamine, 616
- perfused liver, dominant role for tissue uptake in dose-dependent extraction of propranolol by, 447
- pineal gland, adrenergic-adenosine 3',5'-monophosphate regulation of serotonin N-acetyltransferase activity in, 516
- regulation of pineal serotonin by beta adrenergic receptor in, 109
- similar biochemical and histochemical effects of γ-hydroxybutyrate and acute lesions of nigroneostriatal pathway on dopaminergic neurons in, 630
- submaxillary gland, supersensitivity after 6-hydroxydopamine, 220
- synergistic lethality between pentazocine and vasopressin in, 288
- Renal function, effects of nephrotoxic agents, 593 Reserpine, effects on alcohol withdrawal reactions in mice, 1

- Rieger, R., see Leterrier, F., 609
- Riker, W. K., see Guerrero, S., 152
- Rosen, M. R. and Gelband, H.: Effects of ouabain on canine Purkinje fibers in situ or perfused with blood, 366
- Roth, R. H., see Walters, J. R., 630
- Rumack, B. H., Holtzman, J. and Chase, H. P.: Hepatic drug metabolism and protein malnutrition, 441
- Russell, J. Q. and Klaassen, C. D.: Biliary excretion of cardiac glycosides, 455
- Saavedra, J. M., Brownstein, M. and Axelrod, J.: A specific and sensitive enzymatic-isotopic microassay for serotonin in tissues, 508
- Salbutamol, bronchodilator and cardiac stimulant effects, 472
- <sup>14</sup>C-Salicylic acid, active accumulation by rat kidney cortex, 600
- Salmonella typhimurium, comparison of hycanthone, some hycanthone analogs, myxin and 4-nitroquinoline-1-oxide as frameshift mutagens in, 390
- Sartorius muscle, see Muscle, sartorius
- Sauro, F. M. and Green, S.: In vivo cytogenetic evaluation of chloroindazole thioxanthene 1A-4 (a hycanthone analog) and niridazole in rat bone marrow, 399
- Schistosoma mansoni
  - infection in mice, effect of chloroindazole analog of hycanthone, 402
  - infection in mice, hycanthone-induced hepatic changes, 430
  - effect of hycanthone and analogs on levels and uptake of 5-hydroxytryptamine in, 408
- Schoenfeld, R. I. and Uretsky, N. J.: Enhancement by 6-hydroxydopamine of the effects of dopa upon the motor activity of rats, 616
- Schreiber, E. C., see Lan, S. J., 323
- Sciatic nerve, see Nerve, sciatic
- Scopolamine, methamphetamine, p-chloromethamphetamine and, behavioral effects, diurnal rhythm in, 10
- Second-order schedules of food presentation, cocaine injection or d-amphetamine injection in squirrel monkeys, comparison with fixed-ratio schedules, 18
- Seminal vesicle, guinea pig, "trophic" influence on sympathetic nerves of, 528
- Sensory nerves, see Nerves, sensory
- Serotonin, see also 5-Hydroxytryptamine
- in tissues, enzymatic-isotopic microassay for, 508
- pineal, regulation by beta adrenergic receptor,
- Serotonin N-acetyltransferase activity, in rat pineal gland, adrenergic-adenosine 3',5'monophosphate regulation, 516

- Shah, K. R., see Shah, N. S., 297
- Shah, N. S., Shah, K. R., Lawrence, R. S. and Neely, A. E.: Effects of chlorpromazine and haloperidol on the disposition of mescaline-14C in mice, 297
- Shand, D. G., see Evans, G. H., 114, 447

Shubin, H., see Whigham, H., 355

Sinoatrial node, papillary muscle, heart and, dog, therapeutic and toxic effects of ouabain, 463 Skeletal muscle, see Muscle, skeletal

SKF 525A, pretreatment, effect on metabolism of propranolol by rat, 447

Slywka, J., see Ignarro, L. J., 86

Smith, D. L., see Haese, W. H., 430

Smooth muscle, see Muscle, smooth

Soble, A. G., see Gessner, P. K., 276

Sodium ion, linked to loss of acetylcholine sensitivity in ileal muscle, 552

Sofia, R. D., Nalepa, S. D., Harakal, J. J. and Vassar, H. B.: Anti-edema and analgesic properties of Δ<sup>0</sup>-tetrahydrocannabinol (THC), 646

Solandt effect, in toad skeletal muscle, effects of verapamil, 52

Somjen, G. G., Herman, S. P. and Klein, R.: Electrophysiology of methyl mercury poisoning, 579

Spector, S., see Peskar, B., 167

Spin label technique, used to study action of phenothiazine and para-fluorobutyrophenone derivatives on rat brain membranes, 609

Stefano, F. J. E., see Perec, C. J., 220

Stem cell pool, hematopoietic, effect of steroid metabolites, 656

Steroid metabolites, effect on hematopoietic stem cell pool, 656

Stolk, J. M.: Estimation of in vivo dopamine-βhydroxylase activity in rat brain, 230

STP, see 2,5-Dimethoxy-4-methylamphetamine Streeter, C. L., see Fishbein, W. N., 173

Strong, J. M., see Blumer, J., 31

Strontium ion, effects on bullfrog sympathetic ganglion function, 152

Su-15049, diuretic agent, renal site of action, 204 Suarez-Kurtz, G. and Paumgartten, F. J. R.: Blockade of quinine-induced contracture and <sup>45</sup>Ca efflux by procaine and tetracaine in frog sartorius muscle, 562

Suarez-Kurtz, G. and Paumgartten, F. J. R.: Sites of action of Lilly 18947 in skeletal muscle, 373

Submaxillary gland, rat, supersensitivity after 6hydroxydopamine, 220

Supersensitivity, after 6-hydroxydopamine in rat submaxillary gland, 220

Sympathetic ganglion, function, effects of divalent cations, 162

Sympathetic nerves, see Nerves, sympathetic

Synergistic lethality, between pentazocine and vasopressin in rat, 288

Taira, N., see Iijima, T., 145

Takemori, A. E., Oka, T. and Nishiyama, N.: Alteration of analgesic receptor-antagonist interaction induced by morphine, 261

Taylor, D. B.: The role of inorganic ions in ion exchange processes at the cholinergic receptor of voluntary muscle, 537

Testosterone

effect on growth of guinea-pig vas deferens and seminal vesicle, 528

metabolite (3β-hydroxy-5β-pregnane-20-one), effect on hematopoietic stem cell pool, 656

Tetracaine

effects on pharmacologic receptor systems of smooth muscle, 44

procaine and, blockade of quinine-induced contracture and <sup>45</sup>Ca efflux in frog sartorius muscle, 562

Δ<sup>9</sup>-Tetrahydrocannabinol, anti-edema and analgesic properties, 646

Tetrodotoxin, comparison with guanidinium compounds, 569

Th1165a, bronchodilator and cardiac stimulant effects, 472

THC, see  $\Delta^9$ -Tetrahydrocannabinol

Thompson, J. A. and Holtzman, J. L.: A convenient and sensitive in vitro radioassay of hepatic ethylmorphine N-demethylase, 640

Tissue(s)
mouse brain, uptake of norepinephrine, inhibitory effects of narcotic analgesics and other

psychotropic drugs, 253 serotonin in, enzymatic isotopic microassay for, 508

uptake, dominant role in dose-dependent extraction of propranolol by perfused rat liver,

vascular, dissociation of alpha adrenergic receptor protection from inhibition of <sup>3</sup>Hphenoxybenzamine binding in, 100

Titus, E., see Fleisch, J. H., 44

Toad, skeletal muscle, metabolism and contractility, effects of verapamil, 52

Toda, N.: Influence of cadmium ions on the transmembrane potential and contractility of isolated rabbit left atria, 60

Toxicity, of ouabain in dog, effect of alkalosis, 199
Transmembrane potential, contractility and, of
isolated rabbit left atria, influence of cadmium
ions. 60

Tranyleypromine-meperidine interaction, effects of p-chlorophenylalanine and l-5-hydroxy-tryptophan, 276

Tranzer, J. P., see Da Prada, M., 213

Tyrosine, effect on synthesis of norepinephrine during nerve stimulation of guinea-pig vas deferens preparation, 75

Uretsky, N. J., see Schoenfeld, R. I., 616

Vas deferens

guinea pig, "trophic" influence on sympathetic nerves of, 528

preparation, guinea pig, synthesis of norepinephrine during nerve stimulation of, effect of tyrosine and 6,7-dimethyltetrahydropterin,

Vasopressin, synergistic lethality with pentazocine in rat, 288

Vassar, H. B., see Sofia, R. D., 646

Verapamil, effects on metabolism and contractility of toad skeletal muscle, 52

Villarreal, J., see Bass, P., 183

Voluntary muscle, see Muscle, voluntary

Vyas, R., see MacKinney, A. A., 37

Wakade, A. R. and Kirpekar, S. M.: "Trophic" influence on the sympathetic nerves of the vas deferens and seminal vesicle of the guinea pig, 528

Walters, J. R., Roth, R. H. and Aghajanian, G. K.: Dopaminergic neurons: Similar biochemical and histochemical effects of γ-hydroxybutyrate and acute lesions of the nigro-neostriatal pathway, 630

Waring, M. J.: Interaction of indazole analogs of lucanthone and hycanthone with closed circular duplex deoxyribonucleic acid, 385 Weeks, J. R., DuCharme, D. W., Magee, W. E. and Miller, W. L.: The biological activity of the (15S)-15-methyl analogs of prostaglandins E<sub>2</sub> and F<sub>2a</sub>, 67

Weil, M. H., see Whigham, H., 355

Weiner, N., see Cloutier, G., 75

Weliky, I., see Lan, S. J., 323

Weller, J. L., see Klein, D. C., 516

Wenk, R. D., see Galmarini, D., 199

Whigham, H., Weil, M. H. and Shubin, H.: Effects of isoproterenol during hemorrhagic shock in the rat, 355

Wiley, J. N., see Bass, P., 183

Wilkinson, G. R., see Evans, G. H., 447

Williams, J. C., see Giles, R. E., 472

Withdrawal, from ethanol, reduction in brain  $\gamma$ -aminobutyric acid and barbital narcosis during, 625

Wuttke, W., see Hoffmeister, F., 266

Xenobiotic accumulation, metabolism and, by isolated perfused rabbit lungs, 482

Yong, M. S. and Nickerson, M.: Dissociation of alpha adrenergic receptor protection from inhibition of <sup>3</sup>H-phenoxybenzamine binding in vascular tissue, 100

Zanella, J., Jr. and Rall, T. W.: Evaluation of electrical pulses and elevated levels of potassium ions as stimulants of adenosine 3',5'monophosphate (cyclic AMP) accumulation in guinea-pig brain, 241

Zinc ion, effects on bullfrog sympathetic ganglion function, 152