INDEX

Volume 205, April-June, 1978

- A23187, effects on acetylcholine antinociception, 311
 Acetylcholine
 - antinociceptive effect, effects of divalent cations, lanthanum, cation chelators and an ionophore on. 311
 - release in guinea-pig isolated ileum, modulation by prostaglandins, 635
- Acrylamide, experimental neuropathy, position sensitivity of de-efferented muscle spindles in, 40
- Action potentials, of Purkinje fibers from neonatal and adult dogs, lidocaine effects on, 204
- Adenosine triphosphatase, in mouse brain, effects of patulin on kinetics of substrate and cationic ligand activation of, 606
- Adenylate cyclase adenosine 3':5'-monophosphate system, relationship to epinephrine-induced automaticity of canine cardiac Purkinje fibers, 175
- Adrenal gland, catecholamines, responses to methadone and sympathetic stimulants in developing and adult rats, 164
- Adrenaline, infusion, effects on blood levels of propranolol and antipyrine in horse, 725
- Adrenergic storage vesicles, in rat heart, quantitation of membrane-bound and membrane-enclosed dopamine β -hydroxylase, 357
- Adrenomedullary system, catecholamine secretion, effects of new calcium antagonists (2-substituted 3-dimethylamino-5,6-methylenedioxyindenes) on, 155
- Adrenomedullary system, sympathetic, of unanesthetized rats, centrally mediated release by cocaine of endogenous epinephrine and norepinephrine from, 148
- Adrenoreceptor, alpha, normal and subsensitive, in guinea-pig vas deferens, purine nucleoside and nucleotide interactions on responsiveness, 104
- Adrenergic receptors, beta, blockade, in canine experimental myocardial ischemia, 646
- Agonist-antagonist interaction, design of pharmacological experiments using unbiased models of, 617
- Ahrene, G. W., see Robinson, J. D., 499
- Airway reactivity, assessment in conscious rhesus monkeys, 246
- Albuquerque, E. X.
 - see Hudson, C. S., 340
 - see Tiedt, T. N., 326
- Alderdice, M. T. and Volle, R. L.: The increase in spontaneous transmitter release produced by β -bungarotoxin and its modification by inorganic ions, 58
- Amines, biogenic, relaxation of rat jugular vein by,

- p-Aminohippuric acid, transport in renal cortical slices from adult and immature rabbits, chemical induction, 743
- 6-Aminonicotinamide-induced acute gliopathy, repression of glial RNA transcription during, 503
- α-Aminonitriles, liberation of cyanide relative to amygdaline, 751
- Amitriptyline, radioimmunoassay for determination in microliter samples of plasma, 499

Amphetamine

- adverse interaction with monoamine oxidase inhibitors, mechanism, 392
- inhibition of α -bungarotoxin binding to rat and mouse diaphragms by, 69

d-Amphetamine

- differential attenuation of two kinds of continued suppression by, 282
- induced blood pressure and heart rate responses correlated with blood levels of drug, 366
- tolerance and cross-tolerance to, 525
- Amygdalin, liberation of cyanide from α -aminonitriles relative to, 751
- Anthropleurin-A, polypeptide from sea anemone, positive inotropic effects, 683
- Antiarrhythmic effects, of tricyclic antidepressant drugs in ouabain-induced arrhythmias in dog, 666
- Antidiarrheal effects, central and peripheral, of morphine in rats, 547

Antinociception

- acetylcholine, effects of divalent cations, lanthanum, cation chelators and an ionophore on, 311
- cholinergic, effects of divalent cations, lanthanum, cation chelators and an ionophore on, 311
- relationship to disposition of morphine in chronically infused rats, 556
- Antipyrine, blood level in horse, effects of exercise and adrenaline infusion on, 725
- Antischizophrenic drugs, cataleptogenic and noncataleptogenic, rat striatal methionine-enkephalin content after chronic treatment with, 141

Antitumor drug

- new (2,4-diamino-5-adamantyl-6-methylpyrimidine), tissue disposition and distribution, 19
- 1,10-phenanthrolines, effects on nucleic acid synthesis in mouse liver and spleen, 27

Aprindine HCl

- effects on slow channel action potentials, and transient depolarizations in canine Purkinje fibers, 410
- Arrhythmias, ouabain-induced, in dog, antiar-

rhythmic effects of tricyclic antidepressant drugs in, 666

Arteries, cerebral and mesenteric, canine, isolated, effect of tyramine and norepinephrine, 382

Atria

isolated, guinea-pig and rat, effects of cocaine and cocaine methiodide on, 569

rabbit, reserpine-induced supersensitivity to chronotropic and inotropic effects of, 183

Atrioventricular conduction, interactions between digoxin and brief vagal bursts influencing, 657 Automaticity

depolarization-induced, in guinea-pig ventricular myocardium, effects of droperidol, 193

epinephrine-induced, in canine cardiac Purkinje fibers and its relationship to the adenylate cyclase-adenosine 3':5'-monophosphate system, 175

Azotemia, digoxin disposition kinetics in dogs before and during, 459

Baanante, I. V., see Gross, S. R., 732

Bailey, J. C., see Elharrar, V., 410

Baker, T., see Lowndes, H. E., 40

Bales, G., see Ochs, H. R., 516

Barbiturate, withdrawal, loss of inhibition in spinal cord during, 563

Bareis, D. L. and Slotkin, T. A.: Responses of heart ornithine decarboxylase and adrenal catecholamines to methadone and sympathetic stimulants in developing and adult rats, 164

Barkai, A. I.: Dopamine turnover in the intact rabbit brain: Effect of Pentobarbital or haloperidel, 133

Barron, K., see McLean, A. J., 418

Battelle, B. A. and Kravitz, E. A.: Targets of octopamine action in the lobster: Cyclic nucleotide changes and physiological effects in hemolymph, heart and exoskeletal muscle, 438

Behavior

discriminative effects of cyclazocine in squirrel monkey, 291

meta-substituted N-ethylamphetamine self-injection responding in rhesus monkey, 274

schedule-controlled, in morphine-maintained pigeons, effects of naloxone, 236

two kinds of continued suppression, differential attenuation by d-amphetamine and pentobarbital, 282

(2-Benzoylethyl)trimethylammonium chloride, new, selective and stable inhibitor of human placental choline transferase, 624

Berdeaux, A., da Costa, C. P., Garnier, M., Boissier, J.-R. and Giudicelli, J.-F.: Beta adrenergic blockade, regional left ventricular blood flow and ST-segment elevation in canine experimental myocardial ischemia, 646

Biosynthesis, of thromboxane A₂ in ureter obstructed isolated perfused rabbit kidney, 1

2,2-Bis(p-chlorophenyl) acetic acid, renal handling in rat, kinetic analysis, 9

Blood

levels of d-amphetamine in, correlated with blood pressure and heart rate responses to drug, 366

levels of propranolol and antipyrine in horse, effects of exercise and adrenaline, 725

Blood flow, regional left ventricular, in canine experimental myocardial ischemia, 646

Blood pressure, responses produced by d-amphetamine correlated with blood levels of drug, 366

Bodem, G., see Ochs, H. R., 516

Boissier, J.-R., see Berdeaux, A., 646

Bolme, P., see Forsyth, R. P., 675

Bondi, A. Y.: Effects of verapamil on excitationcontraction coupling in frog sartorius muscle, 49

Boyd, M. R., see Sasame, H. A., 718

Bradshaw, J. B., see Weissberg, R. M., 246

Bradykinin, locally and systematically infused, effects on transvascular fluid and protein transfer in canine forelimb, 221

Brain

fastigial nucleus, dog, effect of clonidine on pressor response. 212

localization of calcium in, effects of acute and chronic morphine, 255

mouse, effects of patulin on kinetics of substrate and cationic ligand activation of adenosine triphosphatase in, 606

rabbit, intact, effect of pentobarbital or haloperidol, dopamine turnover in, 133

rat, effects of morphine on fate of newly transported tryptophan and 5-hydroxytryptophan in,

supracollicular structures, contribution to central depression of cardiovascular function by clonidine, 693

Breese, G. R., Vogel, R. A. and Mueller, R. A.: Biochemical and behavioral alterations in developing rats treated with 5,7-dihydroxytryptamine, 587

Briggs, A., see Mclean, 418

Bromwell, K., see Gross, S. R., 732

Bronchoactive agents, inhaled, assessment in conscious rhesus monkey, 246

α-Bungarotoxin, binding to rat and mouse diaphragms, inhibition by amphetamine and related nonquaternary compounds, 69

β-Bungarotoxin-induced increase in spontaneous transmitter release and its modification by inorganic ions, 58

Burks, T. F., see Stewart, J. J., 547

Calcium

antagonists, new (2-substituted 3-dimethylamino-5,6-methylenedioxyindenes), effects on adrenomedullary catecholamine secretion, 155

effects on acetylcholine antinociception, 311

- ion, fluxes in rabbit aortic smooth muscle, effects of hydralazine and hydrazone derivatives produced by interactions with, 418
- localization in brain, effects of acute and chronic morphine, 255
- -mediated effects of carbachol on cation pumping and Na uptake in rat parotid gland, 449
- reserpine-induced supersensitivity in rabbit atria to chronotropic and inotropic effects of, 183
- Carbachol, effects on cation pumping and Na uptake in rat parotid gland, mediation by calcium, 449
- Cardiovascular function, central depression by clonidine, contribution of supracollicular structures of brain to, 693
- Cardiovascular responses, produced by d-amphetamine correlated with blood levels of drug, 366 Carrier, O., Jr.

see McLean, A. J., 418

see Tenner, T. E., 183

Case, D. E., see Reeves, P. R., 489

Cat(s

- contribution of supracollicular structures of brain to central depression of cardiovascular function by clonidine in. 693
- loss of inhibition in spinal cord during barbiturate withdrawal in, 563
- position sensitivity of de-efferented muscle spindles in experimental acrylamide neuropathy, 40 superior cervical ganglion reinnervated by vagal
- superior cervical ganglion reinnervated by vagal afferent axons, involvement of nicotinic and muscarinic receptors in synaptic transmission in, 77

Catecholamine(s)

- adrenal, responses to methadone and sympathetic stimulants in developing and adult rats, 164
- -bradykinin interaction in canine forelimb, 221
- secretion, adrenomedullary, effects of new calcium antagonists (2-substituted 3-dimethylamino-5,6-methylenedioxyindenes) on, 155
- turnover in rat hypothalamus after long-term Ldopa infusion, mass spectrometric measurement, 702

Cation(s)

- chelators, effects on acetylcholine antinociception, 311
- divalent, effects on acetylcholine antinociception,
- pumping in rat parotid gland, calcium-mediated effects of carbachol on, 449
- Cells, liver, isolated, carrier-mediated transport ouabain in, 480
- Cerami, A., see Grady, R. W., 757
- Cervos-Navarro, J., see Sarkander, H.-I., 503
- Chang, C.-H., Yarbro, J. W., Mann, D. E., Jr. and Gautieri, R. F.: Effects of 1,10-phenanthroline and a zinc complex of 1,10-phenanthroline on nucleic acid synthesis in mouse liver and spleen, 27
- Chaturvedi, A. K., see Rowell, P. P., 624

- Chiarantini, E., see Keiding, S., 465
- Chiueh, C. and Kopin, I. J.: Centrally mediated release by cocaine of endogenous epinephrine and norepinephrine from the sympathoadrenal medullary system of unanesthetized rats, 148
- Chlorisondamine, responses of heart ornithine decarboxylase and adrenal catecholamines in developing and adult rats to, 164
- Cho, E.-S., see Lowndes, H. E., 40
- Choline acetyltransferase, human placental, (2-benzoylethyl)trimethylammonium chloride as new, selective and stable inhibitor of, 624
- Cholinergic antinociception, effects of divalent cations, lanthanum, cation chelators and an ionophore on, 311
- Cholinergic receptors, of frog skeletal muscle, effects of organophosphate insecticides on, 319

Ciccarelli, C. A., see Winstead, M. B., 751

Clifton, G., see Wallin, J. D., 471

Clonidine

- central contribution of supracollicular structures of brain to central depression of cardiovascular function by, 693
- effect on fastigial pressor response in dogs, 212
- Cobaltous chloride, paradoxical effects on tissue levels of reduced glutathione and microsomal mixed-function oxidase components, 718

Cocaine

- centrally mediated release of endogenous epinephrine and norepinephrine from sympathoadrenal medullary system of anesthetized rat by, 148
- effects on isolated guinea-pig and rat atria, 569 tolerance and cross-tolerance to, 525
- Cocaine methiodide, quaternary derivative of cocaine, effects on isolated guinea-pig and rat atria, 569
- Cohen, M. L. and Wiley, K. S.: Rat jugular vein relaxes to norepinephrine, phenylephrine and histamine. 400
- Contractile mechanisms, in rabbit aortic smooth muscle, interaction of hydralazine and hydrazone derivatives with, 418
- Costa, E. see Hong, J. S., 141
- Cow, effects of new calcium antagonists (2-substituted 3-dimethylamino-5,6-methylenedioxyindenes) on adrenomedullary catecholamine secretion in, 155
- Cyanide, liberation from α -aminonitriles relateve to amygdalin, 751
- Cyclazocine, discriminative effects in squirrel monkey, 291
- Cyclic nucleotides, exocytotic release of norepinephrine consequent to nerve stimulation by, enhanced by phenoxybenzamine, 426
- Danilo, P., Jr., Vulliemoz, Y., Verosky, M. and Rosen, M. R.: Epinephrine-induced automaticity of canine cardiac purkinje fibers and its

relationship to the adenylate cyclase adenosine 3',5'-monophosphate system, 175

Dave, C., see Zakrzewski, S. F., 19

Daves, E. D., see Patrick, G. A., 556

Davis, C. M. and Fenimore, D. C.: The placental transfer and materno-fetal disposition of methadone in monkeys, 577

de Costa, C. P., see Berdeaux, A., 646

Dekin, M. S., Guy, H. R. and Edwards, C.: Effects of organophosphate insecticides on the cholinergic receptors of frog skeletal muscle, 319

Deluomo, D. S., see Zarkrzewski, S. F., 19

Dependence, and tolerance to morphine in rats, development and maintenance by scheduled access to morphine drinking solutions, 536

Dewey, W. L.

see Patrick, G. A., 556

see Widman, M., 311

2,4-Diamino-5-adamantyl-6-methylpyrimidine, new antitumor agent, tissue distribution and disposition of, 19

Diaphragms, rat and mouse, α -bungarotoxin binding to, inhibition by amphetamine and related nonquaternary compounds, 69

Diazepam, effects on nociception in rhesus monkeys analyzed by signal detection, 302

N⁶, O²-Dibutyryl adenosine 3':5' monophosphate, effects on sympathetic ganglionic transmission in rats, 91

Diethyl maleate, effect on pharmacokinetics and biliary excretion of ethacrynic acid in rat, 471

disposition kinetics, in dogs before and during azotemia, 459

increased clearance in rabbits during repeated administration, 516

interaction with brief vagal bursts influencing atrioventricular conduction, 657

5,7-Dihydroxytryptamine, biochemical and behavioral alterations in developing rats treated with, 587

DiSalvo, J., see Reynolds, R. D., 374 Dog(s)

antiarrhythmic effects of tricyclic antidepressant drugs in ouabain-induced arrhythmias in, 666 cardiac Purkinje fibers, epinephrine-induced automaticity and its relationship to adenylate cyclase-adenosine 3':5'-monophosphate system, 175

digoxin disposition kinetics before and during azotemia in, 459

experimental myocardial ischemia, beta adrenergic blockade, regional left ventricular blood flow and ST segment elevation in, 646

fastigial pressor response, effect of clonidine, 212 forelimb, effects of locally and systemically infused bradykinin on transvascular fluid and protein transfer in, 221

interactions between digoxin and brief vagal

bursts influencing atrioventricular conduction, 657

isolated cerebral and mesenteric arteries, effects of tyramine and norepinephrine, 382

neonatal and adult, lidocaine effects on action potentials of Purkinje fibers of, 204

Purkinje fibers, effects of aprindine HCl on slow channel action potentials and transient depolarizations in, 410

unanesthetized atrioventricular blocked, effects of dl-propranolol on atrial and ventricular rates in, 374

L-Dopa, long-term infusion in rat, mass spectrometric measurement of catecholamine turnover after, 702

Dopamine, turnover in intact rabbit brain, effect of pentobarbital or haloperidol, 133

Dopamine β-hydroxylase, membrane-bound and membrane-enclosed, quantitation in adrenergic storage vesicles of rat heart, 357

Dormer, K. J. and Stone, H. L.: The effect of clonidine on the fastigial pressor response in dogs. 212

Droperidol, effects on depolarization-induced automaticity, maximum upstroke velocity and kinetics of recovery of V_{max} in guinea-pig ventricular myocardium. 193

Drug interactions

adverse, between monoamine oxidase inhibitors and amphetamine, mechanism, 392

design of pharmacological experiments using unbiased models of agonist-antagonist interaction, 617

du Souich, P., see McLean, A. J., 418

Eaton, D. L. and Klaassen, C. D.: Carrier-mediated transport of ouabain in isolated hepatocytes, 480

EDTA (cation chelator), effects on acetylcholine antinociception, 311

Edwards, C., see Dekin, M. S., 319

EGTA (cation chelator), effects on acetylcholine antinociception, 311

Electrophysiological effects, of aprindine HCl in canine Purkinje fibers, 410

Electrophysiological properties, of guinea-pig ventricular myocardium, effects of droperidol on,

Elharrar, V., Bailey, J. C., Lathrop, D. A. and Zipes, D. P.: Effects of aprindine HCl on slow channel action potentials and transient depolarizations in canine Purkinje fibers, 410

Epinephrine

endogenous, release from sympathomedullary system of unanesthetized rats, effect of cocaine, 148

-induced automaticity of canine cardiac Purkinje fibers and its relationship to adenylate cyclase adenosine 3':5'-monophosphate system, 175

- Ethacrynic acid, pharmacokinetics and biliary excretion in rat, effect of phenobarbital, probenecid and diethyl maleate on, 471
- 7-Ethoxycoumarin O-deethylase activity, improved assay in C57BL/6J and DBA/2J mice, 596
- N-Ethylamphetamine, *meta*-substituted, self-injection responding in rhesus monkeys, 274
- Exercise, effects on blood levels of proproanlol and antipyrine in horse, 725
- Exocystosis, release of norepinephrine consequent to nerve stimulation by low concentrations of cyclic nucleotides, enhanced by phenoxybenzamine, 426
- Felix, R. H., see Reeves, P. R., 489

Fenimore, D. C., see Davis, C. M., 577

Fluke, R. W., see Reeves, P. R., 489

- Forelimb, canine, effects of locally and systemically infused bradykinin on transvascular fluid and protein transfer in, 221
- Forsyth, R. P., Bolme, P., Ishizaki, T. and Melmon, K. L.: Hemodynamic effects of systemic and central administration of α-methyldopa, 675

Fratta, W., see Hong, J. S., 141

- Freed, C. R. and Murphy, R. C.: Mass spectrometric measurement of catecholamine turnover in rat hypothalamus after long-term L-dopa infusion, 702
- Friedler, G.: Pregestational administration of morphine sulfate to female mice: Long-term effects on the development of subsequent progeny, 33 Frog
 - neuromuscular junction, increase in spontaneous transmitter release produced by β-bungarotoxin and its modification by inorganic ions, 58 sartorius muscle, effects of verapamil on excitation-contraction coupling in, 49
 - skeletal muscle, effects of organophosphate insecticides on cholinergic receptors of, 319
- Fujiwara, M., Kurahashi, K., Mizuno, N. and Nakamura, Y.: Involvement of nicotinic and Muscarinic receptors in synaptic transmission in cat superior cervical ganglion reinnervated by vagal primary afferent axons, 77

Fuke, H., see Yamaguchi, I., 710

- Galactose, elimination kinetics, in perfused rat liver, effects of sinusoidal perfusion, 465 Ganglion
 - superior cervical, cat, reinnervated by vagal primary afferent axons, involvement of nicotinic and muscarinic receptors in synaptic transmission in, 77
 - transmission, sympathetic, in rats, effects of theophylline and No,O²-dibutyryl adenosine 3':5'-monophosphate, 91

Garay, G. L., see Weissberg, R. M., 246 Garnier, M., see Berdeaux, A., 646

Gastric secretogogue, effect of reserpine in rats, 710

- Gautieri, R. F., see Chang, C.-H., 27
- Gellert, V. F. and Holtzman, S. G.: Development and maintenance of morphine tolerance and dependence in the rat by scheduled access to morphine drinking solutions, 536

Gerald, M. C., see Skau, K. E., 69

Gersabeck, E. F., see Maciejko, J. J., 221

Gierke, K. D., Perrier, D., Mayersohn, M. and Marcus, F. I.: Digoxin disposition kinetics in dogs before and during azotemia, 459

Giudicelli, J.-F., see Berdeaux, 646

- Gliopathy, acute, induced by 6-aminonicotinamide, repression of glial RNA transcription during, 503
- Glutathione, reduced, paradoxical effects of cobaltous chloride and salts of other divalent metals on tissue levels of, 718
- Glycogenolysis, isoproterenol-stimulated, in skeletal muscle of normal and phosphorylase kinasedeficient mice (I strain), 732
- Grady, R. W., Graziano, J. H., White, G. P., Jacobs, A. and Cerami, A.: The development of new iron-chelating drugs. II., 757
- Grant, A. O., Hondeghem, L. M. and Katzung, B. G. Effects of droperidol on depolarization-induced automaticity, maximum upstroke velocity (\dot{V}_{max}) and the kinetics of recovery of \dot{V}_{max} in guinea-pig ventricular myocardium, 193

Graziano, J. H., see Grady, R. W., 757

Greenblatt, D. J., see Ochs, H. R., 516

- Greenlee, W. F. and Poland, A.: An improved assay of 7-ethoxycoumarin O-deethylase activity: Induction of hepatic enzyme activity in C57BL/6J and DBA/2J mice by phenobarbital, 3-methylcholanthrene and 2,3,7,8-tetrachlorodibenzo-pdioxin, 596
- Grega, G. J., see Maciejko, J. J., 221
- Gross, S. R., Bromwell, K. and Baanante, I. V.: Comparison of the mechanism of isoproterenolstimulated glycogenolysis in skeletal muscle of normal and phosphorylase kinase-deficient mice (I strain), 732

Guinea pig(s)

- atrial effects, positive inotropic effects of anthropleurin-A on, 683
- heart, enhanced exocytotic release of norepinephrine consequent of nerve stimulation by low concentrations of cyclic nucleotides in presence of phenoxybenzamine, 426
- isolated atria, effects of cocaine and cocaine methiodide on, 569
- isolated ileum, modulation by prostaglandins of release of acetylcholine and noradrenaline in, 635
- vas deferens, purine nucleoside and nucleotide interactions on normal and subsensitive alpha adrenoreceptor responsiveness in, 104
- ventricular myocardium, effects of droperidol on depolarization-induced automaticity, maximum

velocity and kinetics of recovery of V_{max} , 193 Guy, H. R., see Dekin, M. S., 319

Haegele, K. D., see McLean, A. J., 418 Haloperidol, effect on dopamine turnover in intact

rabbit brain, 133
Harden, T. K., see Nelson, D. L., 357
Harris, L. S., see Patrick, G. A., 556
Harris, R. A., see Yamamoto, H., 255
Hattori, K., see Toda, N., 382
Hayashi, S., see Toda, N., 382
Hayes, A. W., see Phillips, T. D., 606

atrial strips, guinea pig and rabbit, positive inotropic effect of anthropleurin-A on, 683

dog, Purkinje fibers, lidocaine effects on action potentials of, 204

guinea pig, enhanced exocytotic release of norepinephrine consequent to nerve stimulation by low concentrations of cyclic neucleotides in presence of norepinephrine, 426

lobster, octopamine action on, 438

ornithine decarboxylase, responses to methadone and sympathetic stimulants in developing and adult hearts, 164

Purkinje fibers, canine, epinephrine-induced automaticity and its relationship to adenylate cyclase-adenosine 3':5'-monophosphate system, 175

rat, adrenergic storage vesicles, quantitation of membrane-bound and membrane-enclosed dopamine β-hydroxylase in, 357

Heart rate

Heart

in unanesthetized atrioventricular blocked dogs, effects of dl-propranolol, 374

responses produced by d-amphetamine correlated with blood levels of drug, 366

Hemolymph, lobster, octopamine actions on, 438 Hemodynamic effects, of systemic and central administration of α -methyldopa, 675

Hiroi, J., see Yamaguchi, I., 710

Histamine, airway reactivity in conscious rhesus monkeys, assessment by pulmonary technique, 246

Holck, M. I. and Marks, B. H.: Purine nucleoside and nucleotide interactions on normal and subsensitive alpha adrenoreceptor responsiveness in guinea-pig vas deferens, 104

Holt, P. J. L., see Reeves, P. R., 489

Holtzman, S. G.

see Gellert, V. F., 536

see Schaefer, G. J., 291

Hondeghem, L. M., see Grant, A. O., 193

Hong, J. S., Yang, H.-Y. T., Fratta, W. and Costa, E.: Rat striatal methionine-enkephalin content after chronic treatment with cataleptogenic and noncataleptogenic antischizophrenic drugs, 141

Hook, J. B., see Kluwe, W., 743

Horse, effects of exercise and adrenaline infusion on

blood levels of propranolol and antipyrine in,

Hough, L. B., see Tessel, R. E., 569

Hudson, C. S., Rash, J. E., Tiedt, T. N. and Albuquerque, E. X.: Neostigmine-induced alterations at mammalian neuromuscular junction. II. Ultrastructure, 340

Hudson, C. S., see Tiedt, T. N., 326

Huger, F. P., see Patrick, G. A., 556

Hsu, S. Y. and McIsaac, R. J.: Effects of theophylline and N⁶,O²-Dibutyryl adenosine 3':5'-monophosphate on sympathetic ganglionic transmission in rats. 91

Hydralazine, interaction with contractile mechanisms in rabbit aortic smooth muscle, 418

Hydrazone, derivatives, interaction with contractile mechanisms in rabbit aortic smooth muscle, 418

5-Hydroxytryptamine (see also Serotonin) transport by human platelets and platelet storage granules, comparison with central serotonergic neurons, 118

5-Hydroxytryptophan, newly transported, in rat brain, effects of morphine on fate of, 265

Ileum, isolated guinea pig, modulation by prostaglandins of release of acetylcholine and noradrenaline in, 635

Insecticides, organophosphate, effects on cholinergic receptors of frog skeletal muscle, 319

Intestine, transit, central and peripheral actions of morphine on, 547

Ions, inorganic, increase in spontaneous transmitter release produced by β -bungarotoxin and its modification by, 58

Iron-chelating drugs, new, development, 757

Ischemia, myocardial, experimental, canine, beta adrenergic blockade, regional ventricular blood flow and ST segment elevation in, 646

Ishizaki, T., see Forsyth, R. P., 675

Isumi, T., see Shibata, S., 683

Isoproterenol-stimulated glycogenolysis in skeletal muscle of normal and phosphorylase kinasedeficient mice (I strain), 732

Jacobs, A., see Grady, R. W., 757 Jepson, H. T., see Reeves, P. R., 489 Jortner, B. S., see Lowndes, H. E., 40

Kadlec, O., Mašek, K. and Šeferna, I.: Modulation by prostaglandins of the release of acetylcholine and noradrenaline in guinea-pig isolated ileum, 635

Kandel, D., see Woolverton, W. L., 525

Kaplowitz, N., see Wallin, J. D., 471

Katzung, B. G., see Grant, A. O., 193

Keiding, S. and Chiarantini, E.: Effect of sinusoidal perfusion on galactose elimination kinetics in perfused rat liver, 465

Kidney

cortical slices, from adult and immature rabbits, chemical induction of *p*-aminohippura transport in, 743

handling of 2,2-bis(p-chlorophenyl) acetic acid by rat, kinetic analysis, 9

rabbit, ureter obstructed isolated perfused, thromboxane A₂ biosynthesis in, 1

Kinetic analysis, of renal handling of 2,2-bis(p-chlorophenyl) acetic acid in rat, 9

Kinetics

disposition, digoxin, in dogs before and during azotemia, 465

elimination, galactose, in perfused rat liver, effect of sinusoidal perfusion, 465

of substrate and cationic ligand activation of adenosine triphosphatase in mouse brain, effects of patulin, 606

Klaasen, C. D., see Eaton, D. L., 480

Kluwe, W., McCormack, K. M. and Hook, J. B.: Chemical induction of p-aminohippuric acid transport in renal cortical slices from adult and immature rabbits, 743

Knoll-Köhler, E., see Sarkander, H.-I., 503 Kopin, I. J., see Chiueh, C., 148 Kravitz, E. A., see Battelle, B. A., 438 Kulics, A. T., see Lineberry, C. G., 302 Kumada, S., see Yamaguchi, I., 710 Kurahashi, K., see Fujiwara, M., 77

Lanthanum, effects on acetylcholine antinociception, 311

Larson, A. A. and Takemori, A. E.: Effect of morphine on the fate of newly transported tryptophan and 5-hydroxytryptophan in brain of rats, 265

Lathrop, D. A., see Elharrar, V., 410 Lidocaine

effects on action potentials of Purkinje fibers from neonatal and adult dogs, 204

effects on nociception in rhesus monkeys analyzed by signal detection, 302

Lineberry, C. G. and Kulics, A. T.: The effects of diazepam, morphine and lidocaine on nociception in rhesus monkeys: A signal detection analysis, 302

Liver

cells, isolated, carrier-mediated transport of ouabain in, 480

levels of reduced glutathione and microsomal mixed-function oxidase components in, paradoxical effects of cobaltous chloride and salts of other divalent metals, 718

mouse, effects of 1,10-phenanthrolines on nucleic acid synthesis in, 27

rat, perfused, effect of sinusoidal perfusion on galactose elimination kinetics in, 465

Lobster, octopamine action in, 438

Loh, H. H., see Yamamoto, H., 255

Lowndes, H. E., Baker, T., Cho, E.-S. and Jortner,

B. S.: Position sensitivity of de-efferented muscle spindles in experimental acrylamide neuropathy, 40

Luttinger, D., see Miczek, K. A., 282

Lymph, flow and protein concentration in canine forelimb, effects of locally and systemically infused bradykinin on, 221

Maciejko, J. J., Marciniak, D. L., Gersabeck, E. F.
and Grega, G. J.: Effects of locally and systemically infused bradykinin on transvascular fluid and protein transfer in the canine forelimb, 221
Magnesium, effects on acetylcholine antinociception, 311

Man

metabolism of practolol in, 489

placental choline acetyltransferase, (2-benzoylethyl)trimethylammonium chloride as new, selective and stable inhibitor of, 624

platelets and platelet storage granules, 5-hydroxytryptamine transport by, comparison with central serotoninergic neurons, 118

radioimmunoassay for determination of combined amitriptyline and nortriptyline concentrations in microliter samples of plasma, 499

Mann, D. E., see Chang, C.-H., 27

Manganese, effects on acetylcholine antinociception, 311

Marcus, F. I., see Gierke, K. D., 459

Marciniak, D. L., see Maciejko, J. J., 221

Marks, B. H., see Holck, M. I., 104

Martin, P., see Pace, D. G., 657

Mary-Rabine, L. and Rosen, M. R.: Lidocaine effects on action potentials of purkinje fibers from neonatal and adult dogs, 204

Mašek, K., see Kadlec, O., 635

Mass spectrometry, measurement of catecholamine turnover in rat hypothalamus after long-term L-dopa infusion by, 702

Mayersohn, M., see Gierke, K. D., 459

McCormick, D. J., see Reeves, P. R., 489

McCormack, K. M., see Kluwe, W., 743

McIsaac, R. J., see Hsu, S. Y., 91

McLean, A. J., Barron, K., du Souich, P., Haegele,
K. D., McNay, J. L., Carrier, O. and Briggs,
A.: Interaction of hydralazine and hydrazone
derivatives with contractile mechanisms in rabbit aortic smooth muscle. 418

McNay, J. L., see McLean, A. J., 418

Mead, L. H., see Zakrzewski, S. F., 19

Melmon, K. L., see Forsyth, R. P., 675

Meltzer, H. Y., see Stahl, S. M., 118

Metabolism

of 2,4-diamino-5-adamantyl-6-methylpyrimidine in rat. 19

of ethacrynic acid in rat, effect of phenobarbital, probenecid and diethyl maleate on, 471

of proctolol in human subjects, 489

Methadone

- placental transfer and materno-fetal disposition in monkeys, 577
- responses of heart ornithine decarboxylase and adrenal catecholamines in developing and adult rats to, 164
- Methionine-enkephalin, content in rat striatum after chronic treatment with cataleptogenic and noncataleptogenic antischizophrenic drugs, 141
- 3-Methylcholanthrene, induction of 7-ethoxycoumarin O-deethylase activity in mice by, 596
- α -Methyldopa, systemic and central administration, hemodynamic effects, 675
- Mixed-function oxidase, components, paradoxical effects of cobaltous chloride and salts of other divalent metals on tissue levels of, 718

Mice

- brain, effects of patulin on kinetics of substrate and cationic ligand activation of adenosine triphosphate in, 606
- C57BL/6J and DBA/2J, improved assay of 7ethoxycoumarin O-deethylase activity in, 596
- diaphragms, a-bungarotoxin binding to, inhibition by amphetamine and related nonquaternary compounds, 69
- effects of divalent cations, lanthanum, cation chelators and an ionophore on acetylcholine antinociception, 311
- female, long-term effects on development of subsequent progeny of pregestational morphine sulfate in, 33
- liver and spleen, effects of 1,10-phenanthrolines on nucleic acid synthesis in, 27
- normal and phosphorylase kinase-deficient (I strain), skeletal muscle, isoproterenol-stimulated glycogenolysis in, 732
- Miczek, K. A. and Luttinger, D.: Differential attenuation of two kinds of conditioned suppression by d-amphetamine and pentobarbital, 282

Mills, E., see Tadepalli, A. A., 693

Mizuno, N., see Fujiwara, M., 77

Molinoff, P. B., see Nelson, D. L., 357 Monkey(s)

- rhesus, development of pulmonary technique to assess inhaled bronchoactive agents in, 246
- rhesus, effects of diazepam, morphine and lidocaine on nociception analyzed by signal detection in, 302
- rhesus, hemodynamic effects of systemic and central administration of α -methyldopa, 675
- rhesus, meta-substituted N-ethylamphetamine self-injection responding in, 274
- rhesus, placental transfer and materno-fetal disposition of methadone in, 577
- squirrel, discriminative effects of cyclazocine in,
- Monoamine oxidase inhibitors, adverse interaction with amphetamine, mechanism, 392

Morphine

acute and chronic, effects on calcium localization

- in brain, 255
- central and peripheral actions on intestinal transit, 547
- disposition in chronically infused rats, relationship to antinociception and tolerance, 556
- effects on fate of newly transported tryptophan and 5-hydroxytryptophan in rat brain, 265
- effects on nociception in rhesus monkeys analyzed by signal detection, 302
- -maintained pigeons, effects of naloxone on schedule-controlled behavior in, 236
- tolerance and dependence in rat, maintenance by scheduled access to morphine drinking solutions, 536
- Morphine sulfate, pregestational administration to female mice, long-term effects on development of subsequent progeny, 33
- Morrison, A. R., Nishikawa, K. and Needleman, P.: Thromboxane A₂ biosynthesis in the ureter obstructed isolated perfused kidney of the rabbit,

Murphy, R. C., see Freed, C. R., 702

Muscarinic receptors, involvement in synaptic transmission in rat superior cervical ganglion reinnervated by vagal primary afferent axons, 77

Muscle

- exoskeletal, lobster, octopamine actions on, 438 sartorius, frog, effects of verapamil on excitationcontraction coupling in, 49
- skeletal, frog, effects of organophosphate insecticides on cholinergic receptors of, 319
- skeletal, of normal and phosphorylase kinase-deficient mice (I strain), isoproterenol-stimulated glycogenolysis, 732
- smooth, rabbit aortic, interaction of hydralazine and hydrazone derivatives with contractile mechanisms in, 418
- Muscle spindles, de-efferented, position sensitivity in experimental acrylamide neuropathy, 40
- Myocardium, ventricular, guinea pig, effects of droperidol on depolarization-induced automaticity, maximum velocity and kinetics of recovery of V_{max} , 193

Nakamura, Y., see Fujiwara, M., 77

Naloxone, effects on schedule-controlled behavior in morphine-maintained pigeons, 236

Needleman, P., see Morrison, A. R., 1

Nelson, D. L., Harden, T. K. and Molinoff, P. B.: Adrenergic storage vesicles in rat heart: Quantitation of membrane-bound and membrane-enclosed dopamine β -hydroxylase, 357

Neostigmine

- -induced alterations at mammalian neuromuscular junction, muscle contraction and electrophysiology, 326
- -induced alterations at mammalian neuromuscular junction, ultrastructure, 340

Neuromuscular junction

mammalian, neostigmine-induced alterations, muscle contraction and electrophysiology, 326 mammalian, neostigmine-induced alterations, ultrastructure, 340

Nerve stimulation, by low concentrations of cyclic nucleotides, exocytotic release of norepinephrine after, enhanced by phenoxybenzamine, 426

Neurons, central serotonergic, comparison of 5-hydroxytryptamine transport by human platelets and platelet storage granules with, 118

Neuropathy, acrylamide, experimental, position sensitivity of de-efferented muscle spindles in, 40

Nicholls, J. T., see Reeves, P. R., 489

Nicotinic receptors, involvement in synaptic transmission in cat superior cervical ganglion reinnervated by vagal primary afferent axons, 77

Nishikawa, K., see Morrison, A. R., 1

Noradrenaline, release in guinea-pig isolated ileum, modulation by prostaglandins, 635

Norepinephrine

effect in isolated canine cerebral and mesenteric arteries, 382

endogenous, release from sympathomedullary system of unanesthetized rats, effect of cocaine, 148

exocytotic release consequent to nerve stimulation by low concentrations of cyclic nucleotides, enhanced by phenoxybenzamine, 426

relaxation of rat jugular vein by, 400

turnover in rat hypothalmus after long-term Ldopa infusion, mass spectrometric analysis, 702

Norton, T. R., see Shibata, S., 683

Nortriptyline, radioimmunoassay for determination in microliter samples of plasma, 499

Nucleic acid, synthesis in mouse liver and spleen, effects of 1,10-phenanthrolines on, 27

Ochs, H. R., Bodem, G., Bales, G., Greenblatt, D. J. and Smith, T. W.: Increased clearance of digoxin in rabbits during repeated administration, 516

Octopamine, action in lobster, 438

Okamoto, M., see Rosenberg, H. C., 563

Organophosphate insecticides, effects on cholinergic receptors of frog skeletal muscle, 319

Ornithine decarboxylase, heart, responses to methadone and sympathetic stimulants in developing and adult rats, 164

Ouabain

carrier-mediated transport in isolated hepatocytes, 480

-induced arrhythmias in dog, antiarrhythmic effects of tricyclic antidepressant drugs in, 666

Pace, D. G. and Martin, P.: Interactions between digoxin and brief vagal bursts influencing atrioventricular conduction, 657 Pain, experimental in rhesus monkeys, effects of diazepam morphine and lidocaine analyzed by signal detection, 302

Parod, R. J., see Putney, J. W., Jr., 449

Parotid gland, rat, calcium-mediated effects of carbachol on cation pumping and Na uptake in, 449

Patrick, G. A., Dewey, W. L., Huger, F. P., Daves, E. D. and Harris, L. S.: Disposition of morphine in chronically infused rats: Relationship to antinociception and tolerance, 556

Patulin, effects on kinetics of substrate and cationic ligand activation of adenosine triphosphatase in mouse brain, 606

Pentobarbital

differential attenuation of two kinds of continued suppression by, 282

effect on dopamine turnover in intact rabbit brain, 133

Perrier, D., see Gierke, K. D., 459

Pharmacokinetics

of digoxin in rabbits, 516

of 2,4-diamino-5-adamantyl-6-methylpyrimidine in rat, 19

1,10-Phenanthrolines, effects on nucleic acid synthesis in mouse liver and spleen, 27

Phenobarbital

effect on pharmacokinetics and biliary excretion of ethacrynic acid in rat, 471

induction of 7-ethoxycoumarin O-deethylase activity in mice by, 596

Phenylephrine, relaxation of rat jugular vein by, 400

Phillips, T. D. and Hayes, A. W.: Effects of Patulin on the kinetics of substrate and cationic ligand activation of adenosine triphosphatase in mouse brain, 606

Piascik, M. F., Rahwan, R. G. and Witiak, D. T.: Pharmacological evaluation of new calcium antagonists: 2-Substituted 3-Dimethylamino-5,6-methylenedioxyindenes. Effects on adrenomedullary catecholamine secretion, 155

Pigeons, morphine-maintained, effects of naloxone on schedule-controlled behavior in, 236

dl-Pindolol, effects in canine experimental myocardial ischemia, 646

Placenta

human, choline acetyltransferase, (2-benzoylethyl)trimethylammonium chloride as new, selective and stable inhibitor of, 624

monkeys, transfer and of methadone in, 577

Plasma, microliter samples, radioimmunoassay for determination of combined amitriptyline and nortriptyline concentrations in, 499

Platelets

and platelet storage granules, human, 5-hydroxytryptamine transport by, comparison with central serotonergic neurons, 118

Poland, A., see Greenlee, W. F., 596

- Powis, G. and Snow, D. H.: The effects of exercise and adrenaline infusion upon the blood levels of propranolol and antipyrine in the horse, 725
- Practolol, metabolism in human subjects, 489
- dl-Practolol, effects in canine experimental myocardial ischemia, 646
- Pressor response, fastigial, in dogs, effect of clonidine, 212
- Pritchard, J. B.: Kinetic analysis of the renal handling of 2,2-bis(p-chlorophenyl) acetic acid by the rat. 9
- Probenecid, effect on pharmacokinetics and biliary excretion of ethacrynic acid in rat, 471

Propranolol

- blood level in horse, effects of exercise and adrenaline infusion on, 725
- responses of heart ornithine decarboxylase and adrenal catecholamines in developing and adult rats to, 164
- d-Propranolol, effects in canine experimental myocardial ischemia, 646
- dl-Propranolol, effects on atrial and ventricular rates in unanesthetized atrioventricular blocked dogs, 374
- Prostaglandins, modulation of release of acetylcholine and noradrenaline in guinea-pig isolated ileum by, 635
- Pulmonary technique, to assess inhaled bronchoactive agents in conscious rhesus monkey, 246
- Purine, nucleoside and nucleotide interactions on normal and subsensitive *alpha* adrenoreceptor responsiveness in guinea-pig vas deferens, 104 Purkinje fibers
 - canine, effects of aprindine HCl on slow channel action potentials and transient depolarizations in 410
- from neonatal and adult dogs, lidocaine effects on action potentials of, 204
- Putney, J. W., Jr. and Parod, R. J.: Calcium-mediated effects of carbachol on cation pumping and Na uptake in rat parotid gland, 449

Rabbit(s)

- adult and immature, chemical induction of p-aminohippuric acid transport in renal cortical slices from, 743
- aortic smooth muscle, interaction of hydralazine and hydrazone derivatives with contractile mechanisms in, 418
- atria, reserpine-induced supersensitivity to chronotropic and inotropic effects of, 183
- atrial strips, positive inotropic effects of anthropleurin-A on, 683
- brain, intact, effect of pentobarbital or haloperidol, dopamine turnover in, 133
- repeated administration of digoxin in, increased clearance during, 516
- ureter obstructed isolated perfused kidney, thromboxane A₂ biosynthesis in, 1

Rahwan, R. G., see Piascik, M. F., 155 Rash, J. E.

see Hudson, C. S., 340 see Tiedt, T. N., 326

Rat(s)

- blood pressure and heart rate responses produced by d-amphetamine correlated with blood levels of drug in, 366
- brain, effects of morphine on fate of newly transported tryptophan and 5-hydroxytryptophan in, 265
- carrier-mediated transport of ouabain in isolated hepatocytes, 480
- central and peripheral actions of morphine on intestinal transit in, 547
- chronically infused, relationship of disposition of morphine to antinociception and tolerance, 556 developing, treated with 5,7-dihydroxytryptamine, biochemical and behavioral alterations,
- 587
 developing and adult, responses of heart ornithine
 decarboxylase and adrenal catecholamines to
 methadone and sympathetic stimulants in, 164
- development and maintenance of morphine tolerance and dependence by scheduled access to morphine drinking solutions in, 536
- diaphragms, α -bungarotoxin binding to, inhibition by amphetamine and related nonquaternary compounds, 69
- differential attenuation of two kinds of continued suppression by d-amphetamine and pentobarbital in, 282
- effect of acute and chronic morphine on calcium localization in brain of, 255
- effect of phenobarbital, probenecid and diethyl maleate on pharmacokinetics and biliary excretion in, 471
- effect of theophylline and N°,O²-dibutyryl adenosine 3':5'-monophosphate on sympathetic ganglionic transmission in, 91
- gastric secretogogue effect of reserpine in, 710 heart, adrenergic storage vesicles, quantitation of membrane-bound and membrane-enclosed dopamine β-hydroxylase in, 357
- heart, quantitation of membrane-bound and membrane-enclosed dopamine β -hydroxylase in adrenergic storage vesicles of, 357
- hypothalamus, long-term L-dopa infusion in, mass spectrometric measurement of catecholamine turnover in, 702
- isolated atria, effects of cocaine and cocaine methiodide on. 569
- jugular vein, relaxation to norepinephrine, phenylephrine and histamine, 400
- kinetic analysis of renal handling of 2,2-bis(p-chlorophenyl) acetic acid by, 9
- liver, perfused, effect of sinusoidal perfusion on galactose elimination kinetics in, 465
- mechanism of adverse interaction between mono-

- amine oxidase inhibitors and amphetamine in,
- neuromuscular junction, neostigmine-induced alterations, muscle contraction and electrophysiology, 326
- neuromuscular junction, neostigmine-induced alterations, ultrastructure, 340

new iron-chelating drugs in, 757

- paradoxical effects of cobaltous chloride and salts of other divalent metals on tissue levels of reduced glutathione and microsomal mixedfunction oxidase components, in, 718
- parotid gland, calcium-mediated effects of carbachol on cation pumping and Na uptake in, 449
- repression of glial RNA transcription during development of 6-aminonicotinamide-induced acute gliopathy, 503
- striatal methionine-enkephalin content after chronic treatment of with cataleptogenic and noncataleptogenic antischizophrenic drugs, 141 tissue distribution and disposition of 2,4-diamino-5-adamantyl-6-methylpyrimidine in, 19
- tolerance and cross-tolerance to cocaine and damphetamine in, 525
- unanesthetized, sympathoadrenal medullary system, centrally mediated release by cocaine of endogenous epinephrine and norepinephrine from, 148

Receptors (see specific type of receptor)

Reeves, P. R., Case, D. E., Jepson, H. T., McCormick, D. J., Nicholls, J. T., Felix, R. H.,
Holt, P. J. L., Zacharias, F. J., and Fluke, R.
W.: Practolol metabolism. II. Metabolism in human subjects, 489

Reserpine

effect on gastric secretogogue in rats, 710

 -induced supersensitivity to chronotropic and inotropic effects of calcium in rabbit atria, 183

responses of heart ornithine decarboxylase and adrenal catecholamines in developing and adult rats to, 164

Reynolds, R. D. and DiSalvo, J.: Effects of dl-propranolol on atrial and ventricular rates in unanesthetized atrioventricular blocked dogs, 374

Riley, G., see Robinson, J. D., 499

Risby, D., see Robinson, J. D., 499

RNA, glial transcription, repression during development of 6-aminonicotinamide-induced acute gliopathy, 503

Robinson, J. D., Risby, D., Riley, G. and Aherne, G. W.: A radioimmunoassay for the determination of combined amitriptyline and nortriptyline concentrations in microliter samples of plasma, 499

Rosen, M. R.

see Danilo, P., 175

see Mary-Rabine, L., 204

Rosenberg, H. C. and Okamoto, M.: Loss of inhibi-

tion in the spinal cord during barbiturate withdrawal. 563

Rosin, D., see Widman, M., 311

Rowell, P. P., Chaturvedi, A. K. and Rama Sastry, B. V.: (2-Benzoylethyl)trimethylammonium chloride: A new, selective and stable inhibitor of human placental choline acetyltransferase, 624

Russ, D. N., see Tessel, R. E., 569

- Sarkander, H.-I., Knoll-Köhler, E. and Cervos-Navarro, J.: Repression of glial RNA transcription during the development of 6-aminonicotinamide (6-AN)-induced acute gliopathy, 503
- Sasame, H. A. and Boyd, M. R.: Paradoxical effects of cobaltous chloride and salts of other divalent metals on tissue levels of reduced glutathione and microsomal mixed-function oxidase components, 718

Sastry, B. V. R., see Rowell, P. P., 624

Schaefer, G. J. and Holtzman, S. G.: Discriminative effects of cyclazocine in the squirrel monkey, 291

Schuster, C. R., see Woolverton, W. L., 525

Šeferna, I., see Kadlec, O., 635

Seriguchi, D. G., see Shibata, S., 683

- Serotonin (see also 5-Hydroxytryptamine) precursors in rat brain, effects of morphine on fate of,
- Shibata, S., Izumi, T., Seriguchi, D. G. and Norton, T. R.: Further studies on the positive inotropic effect of the polypeptide anthopleurin-A from a sea anemone, 683
- Simpson, L, L.: Blood pressure and heart rate responses produced by d-amphetamine: Correlation with blood levels of drug, 366
- Simpson, L. L.: Mechanism of the adverse interaction between monoamine oxidase inhibitors and amphetamine, 392
- Sinusoidal perfusion, effect on galactose elimination kinetics in perfused rat liver, 465
- Skau, K. E. and Gerald, M. C.: Inhibition of α-bungarotoxin binding to rat and mouse diaphragms by amphetamine and related nonquaternary compounds, 69

Skeletal muscle (see Muscle, skeletal)

Slotkin, T. A., see Bareis, D. L., 164

Smith, C. B., see Tessel, R. E., 569

Smith, T. W., see Ochs, H. R., 516

Smooth muscle (see Muscle, smooth)

Snow, D. H., see Powis, G., 725

- Stahl, S. M. and Meltzer, H. Y.: A kinetic and pharmacologic analysis of 5-hydroxytryptamine transport by human platelets and platelet storage granules: Comparison with central serotonergic neurons, 118
- Stewart, J. J., Weisbrodt, N. W. and Burks, T. F.: Central and Peripheral actions of morphine on intestinal transit, 547

- Stone, H. L., see Dormer, K. J., 212
- Sodium, uptake in rat parotid gland, calcium-mediated effects of carbachol on, 449
- Spinal cord, loss of inhibition in, during barbiturate withdrawal, 563
- Spleen, mouse, effects of 1,10-phenthrolines on nucleic acid synthesis in, 27
- Striatum, rat, methionine-enkephalin content after chronic treatment with cataleptogenic and noncataleptogenic antischizophrenic drugs, 141
- 2-Substituted 3-dimethylamino-5,6-methylenedioxyindenes, new calcium antagonists, effects on adrenomedullary catecholamine secretion, 155
- Supersensitivity, reserpine-induced, to chronotropic and inotropic effects of calcium in rabbit atria, 183
- Tadepalli, A. S. and Mills, E.: Contribution of supracollicular structures of the brain to the central depression of cardiovascular function by clonidine, 693
- Takemori, A. E., see Larson, A. A., 265
- Tenner, T. E. and Carrier, O., Jr.: Reserpine-induced supersensitivity to the chronotropic and inotropic effects of calcium in rabbit atria, 183
- Tessel, R. E., Smith, C. B., Russ, D. N. and Hough, L. B.: The effects of cocaine HCl and a quaternary derivative of cocaine, cocaine methiodide, on isolated guinea pig and rat atria, 569
- Tessel, R. E. and Woods, J. H.: meta-Substituted Nethylamphetamine self-injection responding in the rhesus monkey: Structure-activity relationships, 274
- 2,3,7,8-Tetrachlorodibenzo-p-dioxin, induction of 7ethoxycoumarin O-deethylase activity in mice by, 596
- Theophylline, effects on sympathetic ganglionic transmission in rats, 91
- Thompson, T., see Young, A. M., 236
- Thromboxane A_2 , biosynthesis in ureter obstructed isolated perfused rabbit kidney, 1
- Tiedt, T. N., Albuquerque, E. X., Hudson, C. S. and Rash, J. E.: Neostigmine-induced alterations at the mammalian neuromuscular junction. I. Muscle contraction and electrophysiology, 326

Tiedt, T. N., see Hudson, C. S., 340

Toda, N., Hayashi, S. and Hattori, K.: Analysis of the effect of tyramine and norepinephrine in isolated canine cerebral and mesenteric arteries, 382

Tolerance

and cross-tolerance, to cocaine and d-amphetamine, 525

Tolerance

- and dependence to morphine in rats, development and maintenance by scheduled access to morphine drinking solutions, 536
- relationship to disposition of morphine in chronically infused rats, 556

Transmission

- sympathetic ganglionic, in rats, effects of theophylline and N⁴,O²-dibutyryl adenosine 3':5'monophosphate on, 91
- synaptic, in cat superior cervical ganglion reinnervated by vagal primary afferent axons, involvement of nicotinic and muscarinic receptors in, 77
- Transmitter release, spontaneous, increase produced by β -bungarotoxin and its modification by inorganic ions, 58
- Tricyclic antidepressants, antiarrhythmic effects in ouabain-induced arrhythmias in dog, 666
- Tryptophan, newly transported, in rat brain, effects of morphine on fate of, 265
- Tyramine, effect in isolated canine cerebral and mesenteric arteries, 382
- Vagal stimulation, interactions with digoxin influencing atrioventricular conduction, 657
- Vas deferens, guinea pig, purine nucleoside and nucleotide interactions on normal and subsensitive alpha adrenoreceptor responsiveness in, 104
- Vein, jugular, rat, relaxation to norepinephrine, phenylephrine and histamine, 400
- Verapamil, effects on excitation-contraction coupling in frog sartorius muscle, 49
- Vere, D. W.: The design of pharmacological experiments using unbiased models of agonist-antagonist interaction, 617

Verosky, M., see Danilo, P., 175

Volle, R. L., see Alderdice, M. T., 58

Vulliemoz, Y., see Danilo, P., 175

Wallin, J. D., Clifton, G. and Kaplowitz, N.: The effect of phenobarbital, probenecid and diethyl maleate on the pharmacokinetics and biliary excretion of ethacrynic acid in the rat, 471

Way, E. L., see Yamamoto, H., 255

Weiner, N., see Langley, A. E., 426

Weisbrodt, N. W., see Stewart, J. J., 547

- Weissberg, R. M., Bradshaw, J. B. and Garay, G. L.: Development of a pulmonary technique to assess inhaled bronchoactive agents in the conscious rhesus monkey, 246
- White, G. P., see Grady, R. W., 757
- Widman, M., Rosin, D. and Dewey, W. L.: Effects of divalent cations, lanthanum, cation chelators and an ionophore on acetylcholine antinociception, 311
- Wiley, K. S., see Cohen, M. L., 400
- Wilkerson, R. D.: Antiarrhythmic effects of tricyclic antidepressant drugs in ouabain-induced arrhythmias in the dog, 666
- Winchell, H. S., see Winstead, M. B., 751
- Winstead, M. B., Ciccarelli, C. A. and Winchell, H. S.: Liberation of cyanide from α -aminonitriles relative to amygdalin, 751

- Withdrawal, barbiturate, loss of inhibition in spinal cord during, 563
- Witiak, D. T., see Piascik, M. F., 155 Woods, J. H., see Tessel, R. E., 274
- Woolverton, W. L., Kandel, D. and Schuster, C. R.: Tolerance and cross-tolerance to cocaine and damphetamine, 525
- Yamaguchi, I., Hiroi, J., Fuke, H. and Kumada, S.: Mechanism of gastric secretogogue effect of reserpine in rats, 710
- Yamamoto, H., Harris, R. A., Loh, H. H. and Way, E. L.: Effects of acute and chronic morphine treatments on calcium localization and binding in brain, 255

- Yang, H.-Y. T., see Hong, J. S., 141 Yarbro, J. W., see Chang, C.-H., 27
- Young, A. M. and Thompson, T.: Effects of Naloxone on schedule-controlled behavior in morphine-maintained pigeons, 236

779

- Zacharias, F. J., see Reeves, P. R., 489
 Zakrzewski, S. F., Dave, C., Mead, L. H. and
 Deluomo, D. S.: Studies with a new antifolate
 2,4-diamino-5-adamantyl-6-methylpyrimidine
 (DAMP): Tissue distribution and disposition of
 2,4-diamino-5-adamantyl-6-methylpyrimidine
 and its metabolite, 19
- Zipes, D. P., see Elharrar, V., 410



NOTICE TO CONTRIBUTORS

Complete instructions for the preparation of manuscripts appear in the first issue of each volume, or copies may be obtained from the editor. All manuscripts and correspondence concerning them should be sent to the editor:

Dr. Eva King Killam
Department of Pharmacology
School of Medicine
University of California
Davis, California 95616
(916) 752-7701

INFORMATION FOR SUBSCRIBERS

THE JOURNAL OF PHARMACOLOGY AND EXPERIMENTAL THERAPEUTICS is issued monthly. Four volumes are published each year. Each volume contains three numbers.

Correspondence concerning business matters should be addressed to The Williams & Wilkins Company, Publishers of Books and Periodicals in Medicine and the Allied Sciences, 428 East Preston St., Baltimore, Maryland 21202 U.S.A.

Annual Subscription Rates – U. S. A. AND POSSESSIONS: personal, \$100.00; institutional, \$120.00; single copy, \$12.00. FOREIGN: personal, \$107.00; institutional, \$127.00; single copy, \$12.50. Institutional (multiple reader) rate applies to libraries, schools, hospitals, clinics, group practices, and federal, commercial, and private institutions and organizations.

Change of address: Publisher must be notified 60 days in advance. Journals undeliverable because of incorrect address will be destroyed. Duplicates can be obtained (if available) from the publisher at the regular price of single issues.

New subscriptions and renewals are entered to begin with the January or July issue.

To avoid a break in your series, subscriptions should be renewed promptly. The publisher cannot guarantee to supply back issues on belated renewals.

Reprints of individual articles are available only from authors.

Microfilm. For availability, inquire of The Williams & Wilkins Company.

THE WILLIAMS & WILKINS COMPANY BALTIMORE, MD. 21202 U. S. A.

Our CD rats: proof that drug research can live by bred alone.

One rat stands solidly at the top of its litter, throughout worldwide drug research efforts: the CD® from Charles River.

The story is a triumph for good breeding. Uniform characteristics have been perpetuated throughout our entire population for more than two decades. With programmed randomization of parents; constant microbiological monitoring; pasteurized feed; sterilized bedding; com-

puterized record-keeping. The result? A COBS® rat (Caesarean-Originated, Barrier-Sustained) that's a building block for research from toxicology to endocrinology to pharmacology.

And our CD's can actually *save* you money. Because, throughout acute, subacute and long-term studies, they make others frail by comparison. Especially critical today, with the increased usages called for by the Toxic Substances Control Act. And the more stringent requirements of the Good Laboratory Practices Act.

Finally, our CD is easy to take. More than 3,500,000 were produced last year from Charles River facilities throughout the U.S., Europe and Canada. For an old breed of rat, call (617) 658-6000.

