

# INDEX

Volume 243, October–December 1987

- Aanonsen, L. M. and Wilcox, G. L.: Nociceptive action of excitatory amino acids in the mouse: Effects of spinally administered opioids, phenacyclidine and sigma agonists, 9
- Abdel-Latif, A. A., *see* Akhtar, R. A., 624
- Abernethy, D. R., *see* Chelly, J. E., 211
- ACC-9358, pharmacology of (dogs), 1225
- Acetaminophen, hepatotoxicity, phenobarbital induction (rats), 565
- Acetazolamide, effect of AlCl<sub>3</sub> and other acids, cerebrospinal fluid production (rats), 35
- Acetorphan  
role of endogenous enkephalins, locomotion (mice, rats), 1062  
thiorphan and, enantiomers, behavioral effects (mice), 666
- Acetylcholine  
antimuscarinic effect of alinidine (dogs), 1113  
contracture, molluscan smooth muscle, heavy metals (mussels), 200  
dopamine-cholinergic mechanisms, metoclopramide effects, olfactory tubercle and striatum, 840  
effect of  $\gamma$ -aminobutyric acid, neurally mediated contraction, trachealis smooth muscle (guinea pigs), 86  
nicotinic receptor, ionic channel blockade, cocaine (frogs), 1202  
ragweed-sensitized trachealis hyperresponsiveness, local parasympathetic mechanisms (dogs), 907  
release  
from lung,  $\gamma$ -aminobutyric acid-induced modulation (guinea pigs), 364  
in retina, characterization, D-1 dopamine receptor (rabbit), 857  
stimulation of release, myenteric neurons of small intestine, forskolin and cyclic AMP (guinea pigs), 507  
thrombin vasoconstriction, intracoronary infusion, air embolism (dogs), 571
- Acetylhydrazine, acetylation of, inhibition, isoniazid (humans), 686
- Acetyltransferase, dopaminergic agents,  $\beta$ -endorphin, intermediate pituitary (rats), 160
- Acoustic startle response, pyrethroid insecticides,  $\gamma$ -aminobutyric acid receptor complex (rats), 946
- Adenosine  
receptors, possible heterogeneity, myenteric nerve endings (guinea pigs), 302  
spinal antinociceptive effects, morphine and noradrenaline (rats), 657
- Adenosine monophosphate, cyclic, *see* Cyclic AMP
- Adenosine 3'-phosphate 5'-phosphosulfate, renal ultrastructure and enzymology, diphenylthiazole-induced changes (rats), 758
- Adenosine triphosphatase, inhibition of calmodulin-sensitive phosphodiester-
- ase, chlorpromazine-linked calmodulin, 171
- Adenosine triphosphate, cardiac contractile force, reoxygenation-induced recovery, coenzyme Q10 (rabbits), 1131
- Adenylate cyclase  
adrenergic receptor desensitization, 527  
chronotropic responses, 6-hydroxydopamine treatment (rats), 415  
effect of protracted antidepressant treatment, signal transduction, GABA<sub>B</sub> receptors (rats), 155
- Adrenal gland, release of enkephalins, GABA<sub>A</sub> receptor, agonists and antagonists (dogs), 195
- Adrenal medulla  
hemodynamic pharmacology, *p*-chloroamphetamine (rats), 446  
imipramine binding, sodium influx inhibition, antidepressants (bovine), 342  
neuropeptide Y release, cholinergic receptor stimulation, 927
- Adrenergic responses, age and cocaine effect, vasculature (rats), 521
- Adrenoceptors  
*alpha*-1  
affinity states, aorta plasma membranes (bovine), 430  
autonomic nerves, left atria (rats, guinea pigs), 723  
calcium movements, aorta (rats), 577  
*alpha*-2, hyperglycemic and hypoinsulinemic effects, 8-hydroxy-2-(di-n-propylamino)tetralin (rats), 1159  
*alpha* and *beta*, effects of agonists and phorbol esters, DDT, MF-2 cells, 527  
*beta*  
chronotropic responses, 6-hydroxydopamine treatment (rats), 415  
control of tissue development (rats), 101  
facilitation of norepinephrine release, kidney (rats), 1107  
vascular smooth muscle, localization and binding sites (dogs, rats), 1074  
*beta*-1, autonomic nerves, left atria (rats, guinea pigs), 723
- Adrenocorticotrophic hormone, plasma elevation, nicotine, central mechanism (rats), 217
- Adriaenssens, P. I., *see* Hamblin, M. W., 989
- Adriamycin, cardiomyopathy, regional blood flow, hemodynamics (rabbits), 1101
- Afferents, primary, neurons, opioid agonists and antagonists (mice), 258
- Aging  
allyl alcohol hepatotoxicity (rats), 20  
cocaine effect, vasculature (rats), 521  
serotonin<sub>2</sub> receptor recovery, effect, chronic reserpine treatment (rats), 69
- Agonists  
*alpha*-1 adrenergic receptors, affinity states, aorta plasma membrane (bovine), 430
- analysis, amplifying and potentiating interactions (rabbits, guinea pigs), 1035  
characterization of histamine receptors, veins (rabbits), 696
- kappa*  
dexoxadrol and, conditional discriminations (monkeys), 737  
*mu* antagonists properties, urinary bladder motility (rats), 234  
partial, dopamine receptors, electrophysiological evaluation (rats), 391  
phorbol esters and, adrenergic receptors of DDT, MF-2 cells, 527  
*sigma*, nociceptive action, excitatory amino acids (mice), 9
- Aharoni, D., Falcone, R. C. and Krell, R. D.: Inhibition of <sup>3</sup>H-leukotriene D<sub>4</sub> binding to guinea pig lung receptors by the novel leukotriene antagonist ICI 198,615, 921
- Air embolus, intracoronary infusion, thrombin vasoconstriction (dogs), 571
- Airway  
epithelium, relaxant factor, arachidonic acid metabolites (guinea pigs), 310  
human and guinea pig  
pharmacologic profile, SK&F 104353, 474  
model analysis, comparison of contractions, 467  
platelet-activating factor-acether-induced relaxation, role of prostaglandin E<sub>2</sub>, epithelium (guinea pigs), 356  
tachykinin-induced contraction, enkephalinase inhibitor (ferrets), 1211  
tracheal contraction, protein kinase C, low temperature (guinea pigs), 270
- Akhtar, R. A., Honkanen, R. E., Howe, P. H. and Abdel-Latif, A. A.: M<sub>2</sub> muscarinic receptor subtype is associated with inositol trisphosphate accumulation, myosin light chain phosphorylation and contraction in sphincter smooth muscle of rabbit iris, 624
- Albuquerque, E. X., *see* Rao, K. S., 775
- Albuquerque, E. X., *see* Swanson, K. L., 1202
- AlCl<sub>3</sub>, effect on cerebrospinal fluid (rats), 35
- Aldehyde dehydrogenase, allyl alcohol hepatotoxicity, effect of age and sex (rats), 20
- Alfentanil, pA<sub>2</sub> analysis, opioid cues (monkeys), 591
- Alinide, blocking effects, negative chronotropic and inotropic responses, vagal stimulation (dogs), 1113
- Allergy, ICI 198,615 (guinea pigs), 548, 557
- Allyl alcohol, hepatotoxicity, effect of age and sex (rats), 20
- Alper, R. H., Lee, C. and Brody, M. J.: Hemodynamic pharmacology of *p*-chloroamphetamine, a serotonin agonist, in conscious rats, 446
- Alper, R. H. and Snider, J. M.: Activation of serotonin<sub>2</sub> (5-HT<sub>2</sub>) receptors by

- quipazine increases arterial pressure and renin secretion in conscious rats, 829
- Altura, B. M., *see* Friedman, H. S., 126
- Alzheimer's disease, tetrahydroaminoacridine blocks potassium channels, inhibited sodium inactivation, *Myxicola*, 609
- Amidase, hydrolysis of  $\alpha$ -bromoisovalerylurea enantiomers, stereoselective glutathione conjugation, hepatocytes (rats), 349
- Amiloride inhibition of contractile elements, smooth muscle, taenia cecum and gizzard (guinea pigs, chickens), 370
- renal nerve stimulation, norepinephrine release, veratridine and potassium chloride (rats), 76
- Amino acids excitatory effects on opioids, phencyclidine and sigma agonists (mice), 9
- U-54494A, anticonvulsant (mice), 542
- Aminoacridines, tetrahydroaminoacridine blocks potassium channels, inhibited sodium inactivation, *Myxicola*, 609
- $\gamma$ -Aminobutyric acid benzodiazepine and  $\beta$ -carboline derivatives, chloride channels, cortical neurons in culture (rats), 1195
- colicicular seizures, amino acids (rats), 603
- effect on neurally mediated contraction, trachealis smooth muscle (guinea pigs), 86
- modulation of acetylcholine release, lung (guinea pigs), 364
- $\gamma$ -Aminobutyric acid, receptor agonists and antagonists, release of enkephalins, adrenal medulla (dogs), 195
- Aminopeptidase M, effects of enantiomers, thiorphan and acetorphan, behavioral effects (mice), 666
- Amiodarone, sodium current block, cardiac cells (dogs, cats), 180
- d-Amphetamine, discriminative stimulus properties, intragastric administration (monkeys), 955
- Anagrelide, effects on platelet cAMP levels, protein kinase, thrombin-induced calcium fluxes (humans), 767
- Analgesia effects of enantiomers, thiorphan and acetorphan, behavioral effects (mice), 666
- morphine interaction, kappa and opioid receptors (mice), 91
- peripheral mu receptors, antitransit effects (mice), 492
- spinal, morphine and noradrenaline (rats), 657
- Anand, I. S., *see* Wanless, R. B., 1101
- Anesthetics, interaction between lidocaine and verapamil, pharmacokinetics, pharmacodynamics (dogs), 211
- Angiotensin-converting enzyme degradation of endogenous substance P, enkephalinase, substantia nigra (rats), 674
- effect of enantiomers, thiorphan and acetorphan, behavioral effects (mice), 666
- effect of fibrin-derived vasoactive peptide, pressure responses, bradykinin (rabbits), 897
- effect of pH on inhibition, enalaprilat, mesenteric vascular bed (rats), 292
- Angiotensin II norepinephrine release, beta-adrenoceptor facilitated release, kidney (rats), 1107
- response in hypoperfused kidney, inhibition, cyclooxygenase and thromboxane synthase (dogs), 799
- Antagonists alpha-1 adrenergic receptors, affinity states, aorta plasma membrane (bovine), 430
- characterization of histamine receptors, veins (rabbits), 696
- ICI 198,615, *in vitro* pharmacology (guinea pigs), 548, 557
- mu, kappa agonists, urinary bladder motility (rats), 234
- peptidoleukotriene receptor, SK&F 104353, pharmacologic profile (guinea pigs, humans), 474
- thromboxane receptor, effect on renal artery thrombosis (monkeys), 460
- Antiarrhythmic drugs, pharmacology of ACC-9358 (dogs), 1225
- Anticholinesterases, tetrahydroaminoacridine blocks potassium channels, inhibited sodium inactivation, *Myxicola*, 609
- Anticonvulsants, U-54494A (mice), 542
- Antidepressants effect of protracted treatment, signal transduction, GABA<sub>B</sub> receptors (rats), 155
- fezolamine fumarate, pharmacological profile (mice), 40
- tricyclic and tetracyclic, inhibition of sodium influx, imipramine binding in adrenal medulla cells (bovine), 342
- Aoki, K., *see* Asano, M., 646
- Aomine, M., *see* Follmer, C. H., 187
- Aorta calcium movements, actions of gallium, norepinephrine-induced tension (rabbits), 614
- plasma membrane, alpha-1 adrenergic receptors, affinity states (bovine), 430
- Arachidonic acid metabolites of, airway epithelium-dependent relaxant factor (guinea pigs), 310
- prostaglandin E<sub>2</sub> and, carbachol, parietal cells (dogs), 511
- Arg-Pro-Lys-Pro(CH<sub>2</sub>)<sub>11</sub>CH<sub>3</sub>, histamine release, peritoneal mast cells (rats), 317
- Ariani, K., *see* Hamblin, M. W., 989
- Arita, M., Wada, A., Takara, H. and Izumi, F.: Inhibition of <sup>22</sup>Na influx by tricyclic and tetracyclic antidepressants and binding of [<sup>3</sup>H]imipramine in bovine adrenal medullary cells, 342
- Arnold, A. J., *see* Seiler, S., 767
- Aronoff, G. R., *see* Brier, M. E., 868
- Arrhythmia, experimental reperfusion, activity, quinidine metabolites (rats), 297
- Artery cerebral, coronary and mesenteric, Bay k 8644 and nifedipine (dogs), 646
- ear, sources of activator calcium (rabbits), 27
- pulmonary, calcium currents, inhibitory actions of CV-4093 (rabbits), 703
- renal, thrombosis, effect of thromboxane receptor antagonists (monkeys), 460
- resistance, endothelium-derived relaxing factor effects, hindlimb (rabbits), 1055
- tail, noncompetitive blockade, vasopressin-1 receptors (rats), 598
- Asano, M., Aoki, K., Suzuki, Y. and Matsuda, T.: Effects of bay k 8644 and nifedipine on isolated dog cerebral, coronary and mesenteric arteries, 646
- Aspirin prednisone or, methotrexate synovial fluid concentration (dogs), 131
- prevention of gastric mucosal injury, histamine H<sub>2</sub> receptor antagonists (dogs), 1179
- Assays, cardiac adenylate cyclase, resultant action of cimetidine (guinea pigs), 1043
- Asthma
- SK&F 104353, pharmacologic profile (guinea pigs, humans), 474
  - tracheal contraction, protein kinase C, low temperature (guinea pigs), 270
- Atherosclerosis, cholesterol-induced, inhibition by dimethyl sulfoxide (rabbits), 745
- Atkinson, A. J., Jr., *see* Belknap, S. M., 963
- Atria, pharmacological resultant analysis, antagonist affinity, purine receptors (rats, guinea pigs), 482
- Atrial natriuretic peptides activation of Na/K/Cl cotransport, vascular smooth muscle cells, 822
- kinetics and pharmacodynamics, lithium clearance, kidney (rats), 868
- Aubert, J. F., Burnier, M., Waeber, B., Nussberger, J. and Brunner, H. R.: Nicotine-induced release of vasopressin in the conscious rat: Role of opioid peptides and hemodynamic effects, 681
- Axons, tetrahydroaminoacridine blocks potassium channels, inhibited sodium inactivation, *Myxicola*, 609
- Azri, S. and Renton, K. W.: Depression of murine hepatic mixed function oxidase during infection with *Listeria monocytogenes*, 1089
- Baars, L. G. M., *see* Thijssen, H. H. W., 1082
- Baclofen, binding at GABA<sub>B</sub> receptors, protracted antidepressant treatment, signal transduction (rats), 155
- Baizman, E. R., Ezrin, A. M., Ferrari, R. A. and Luttinger, D.: Pharmacological profile of fezolamine fumarate: A nontricyclic antidepressant in animal models, 40
- Baker, K. M., *see* Singer, H. A., 814
- Bakker, C., *see* Ochs, H. R., 852
- Balkovetz, D. F., Miyamoto, Y., Tiruppathi, C., Mahesh, V. B., Leibach, F. H. and Ganapathy, V.: Inhibition of brush-border membrane Na<sup>+</sup>-H<sup>+</sup> exchanger by loperamide, 150
- Balster, R. L., *see* Rees, D. C., 931
- Baraban, J. M., *see* Huang, C.-K., 270
- Barbaccia, M. L., *see* Szekely, A. M., 155
- Barbour, R. L., *see* Friedman, H. S., 126
- Barnes, J. S., *see* Gerber, J. G., 887
- Barrett, J. E., *see* Witkin, J. M., 970
- Basbaum, C. B., *see* Sekizawa, K., 1211

- Battaglia, G., Norman, A. B. and Creese, I.: Differential serotonin<sub>2</sub> receptor recovery in mature and senescent rat brain after irreversible receptor modification: Effect of chronic reserpine treatment, 69
- Bay k 8644, nifedipine and, cerebral, coronary and mesenteric arteries (dogs), 646
- Beek, D., see Kenakin, T. P., 482
- Behavior
- acquisition of classically conditioned response, effects of morphine and ethylketocyclazocine, U50,488H and naloxone (rabbits), 1010
  - effects of enantiomers, thiorphan and acetophan (mice), 666
  - kappa* agonists and dexoxadrol, conditional discriminations (monkeys), 737
  - lorazepam and meprobamate dose effects, abuse liability (humans), 978
  - metaphit, proposed phenylcyclidine receptor acylator (mice), 95
  - neurochemical responses, haloperidol and SCH-23390, 6-hydroxydopamine treatment (rats), 1027
  - performance of response sequences, acute effects, ethanol and diazepam (humans), 1
  - phenylcyclidine, intracerebroventricular administration, 5,7-dihydroxytryptamine (rats), 1139
  - pimozide and clozapine, acute and chronic administration (rats), 430
  - punished, serotonergic involvement, effects of buspirone (pigeons), 970
  - repeated acquisition, effects of trimethyltin (pigeons), 241
- Belknap, S. M., Nelson, J. E., Ruo, T. I., Frederiksen, M. C., Worwag, E. M., Shin, S.-G. and Atkinson, A. J., Jr.: Theophylline distribution kinetics analyzed by reference to simultaneously injected urea and inulin, 963
- Bendhack, L. M., see Lindsey, C. J., 292
- Bennett, T., see Foulkes, R., 1048
- Benoliel, J.-J., see Mauborgne, A., 674
- Benuck, M., Lejtha, A. and Reith, M. E. A.: Pharmacokinetics of systemically administered cocaine and locomotor stimulation in mice, 144
- Benuck, M., see Reith, M. E. A., 281
- Benveniste, J., see Brunelleschi, S., 356
- Benzodiazepine,  $\beta$ -carboline derivatives and, chloride channels, cortical neurons (rats), 1195
- Benzoyllegonine, systemically administered cocaine, pharmacokinetics, locomotor stimulation (mice), 144
- Benzylpenicillin, mediated transport, anion exchanger, choroid plexus (rats), 1147
- Berkowitz, B. A., see Shikano, K., 55
- Bertalmio, A. J. and Woods, J. H.: Differentiation between *mu* and *kappa* receptor-mediated effects in opioid drug discrimination: Apparent pA<sub>2</sub> analysis, 591
- Berthier, J.-L., see Mauborgne, A., 674
- Bertrand, C., see Tschirhart, E., 310
- Bethanechol, somatostatin effects, gastric electrolytes, pepsin (dogs), 501
- Bevan, J. A., see Owen, M. P., 27
- Beyer, H. S., see Matta, S. G., 217
- Bianchi, C. P., see Raffa, R. B., 200
- Bickel, W., see Preston, K. L., 1002
- Bickel, W. K., see Higgins, S. T., 1
- Bienert, M., see Repke, H., 317
- Bigelow, G. E., see Preston, K. L., 1002
- Bile, elimination pathway, gold disposition (rats), 247
- Black, S. J., see Trist, D. G., 1043
- Bleomycin, high dose continuous infusion, pulmonary fibrosis model (mice), 1185
- Blood flow
- cardiovascular hemodynamics, effects of magnesium chloride (dogs), 126
  - hemodynamics and, adriamycin cardiomyopathy (rabbits), 1101
- Blood vessels, age and cocaine effect (rats), 521
- Blouin, R. A., Dickson, P., McNamara, P. J., Cibull, M. and McClain, C.: Phenobarbital induction and acetaminophen hepatotoxicity: Resistance in the obese Zucker rodent, 565
- BN52021, effect of platelet-activating factor, mesangial cells (rats), 409
- Bohacek, R., see ffrench-Mullen, J. M. H., 915
- Bolger, G. T., see Witkin, J. M., 970
- Bone, resorption, inhibition by cyclosporine A, neonatal mouse calvaria, 584
- Bonnet, P., see Paris, J., 288
- Borson, D. B., see Sekizawa, K., 1211
- Botella, J., see Paris, J., 288
- Bourgois, S., see Mauborgne, A., 674
- Boyd, R. A., Giacomini, J. C., Wong, F. M., Nelson, W. L. and Giacomini, K. M.: Comparison of binding affinities and negative inotropic potencies of the 1, 4-dihydropyridine calcium channel blockers in rabbit myocardium, 118
- Bradycardia, central sympathoinhibitory action of ketanserin (rats), 1174
- Bradykinin
- effect of fibrin-derived vasoactive peptide, pulmonary angiotensin converting enzyme, pressure responses (rabbits), 897
  - generating and degrading systems, vascular permeability response, kaolin (rats), 1067
- Brain
- cerebral cortex, postnatal ontogeny, phosphoinositide hydrolysis (rats), 333
  - cocaine
    - central and peripheral receptors (rats), 61
    - distribution, locomotor stimulation (mice), 281  - membranes, dihydroergotamine as radioligand, 5-HT<sub>1B</sub> binding sites (rats), 989
- Brainstem, elevated plasma adrenocorticotrophic hormone, nicotine, central mechanism (rats), 217
- Branch, R. A., see Goto, F., 799
- Braquet, P., see Neuwirth, R., 409
- Breen, T. J., see Rees, D. C., 931
- Breese, G. R., see Duncan, G. E., 1027
- Breese, G. R., see McCown, T. J., 603
- Brier, M. E., Brier, R. A., Luft, F. C. and Aronoff, G. R.: Kinetics and pharmacodynamics of atrial natriuretic peptide and lithium clearance in the isolated perfused rat kidney, 868
- Brier, R. A., see Brier, M. E., 868
- Brink, C., see Brunelleschi, S., 356
- Brocklehurst, C., see Moerschbaecher, J. M., 737
- Brody, M. J., see Alper, R. H., 446
- Bromine, antinicotinic activity, neosurugatoxin (guinea pigs), 1153
- $\alpha$ -Bromoisovalerylurea enantiomers, stereoselective glutathione conjugation, hepatocytes (rats), 349
- Bronchus, airway model analysis, comparison on contractions (humans, guinea pigs), 467
- Brown, A. M., see Rampe, D., 402
- Brown, B. S., Calzadilla, S. V., Diemer, M. J., Hartman, J. C. and Reynolds, R. D.: Antiarrhythmic, electrophysiological and hemodynamic effects of ACC-9358, 1225
- Brunelleschi, S., Haye-Legrand, I., Labat, C., Norel, X., Benveniste, J. and Brink, C.: Platelet-activating factor-acether-induced relaxation of guinea pig airway muscle: Role of prostaglandin E<sub>2</sub> and the epithelium, 356
- Brunner, H. R., see Aubert, J. F., 681
- Brush-border membrane
- inhibition of Na<sup>+</sup>-H<sup>+</sup> exchanger, loperamide (humans), 150
  - renal, N,N'-dicyclohexylcarbodiimide, organic cation transport (dogs), 455
- Burks, T. F., see Shook, J. E., 492
- Burnier, M., see Aubert, J. F., 681
- Bush, E. N., see O'Donnell, M. A., 822
- Buspirone, serotonergic involvement, punished behavior (pigeons), 970
- Buyniski, J. P., see Cavanagh, R. L., 1179
- Cadmium, reversible inhibition of acetylcholine contracture, molluscan smooth muscle (mussels), 200
- Caffeine, inhibition and induction of drug biotransformation, 8-methoxypsonal (rats), 227
- Calcitonin gene-related peptide, role as cardiotonic neurotransmitter, left atria (guinea pigs), 731
- Calcium
- acetylcholine release in retina, characterization, D-1 dopamine receptor (rabbit), 857
  - activator, sources in ear arteries (rabbits), 27
  - blocker, interaction, lidocaine and verapamil (dogs), 211
  - current, inhibitory actions of CV-4093, pulmonary artery (rabbits), 703
  - effects of magnesium chloride, cardiovascular hemodynamics (dogs), 126
  - flux, effects of angrelide on platelets (humans), 767
  - independent phosphorylation, myosin light chain, okadaic acid (chickens), 1167
  - inhibition of calmodulin-sensitive phosphodiesterase, chlorpromazine-linked calmodulin, 171
  - movements
    - in aorta, *alpha*-1 adrenoceptor-induced (rats), 577
    - in aortic smooth muscle, actions of gallium, norepinephrine-induced tension (rabbits), 614  - muscarine-stimulated neurotransmitter release, PC12 cells, 534
  - phorbol 12,13-dibutyrate-induced force,

- myosin light chain phosphorylation, arterial smooth muscle, 814
- processes in nerve and skeletal muscle, pharmacology of pumiliotoxin-B (frogs), 775
- reversible inhibition of acetylcholine contracture, molluscan smooth muscle (mussels), 200
- sensitivity, MCI-154, papillary muscles (guinea pigs), 633
- sodium influx inhibition, antidepressants, imipramine binding in adrenal medullary cells (bovine), 342
- U-54494A, anticonvulsant (mice), 542
- Calcium channel**
- binding affinity in vascular smooth muscle, effect of dihydropyridines, prolonged depolarization (rats), 711
  - blockers, leukotriene-induced contractions, pulmonary parenchymal strips (guinea pigs), 424
  - cerebral/coronary/mesenteric arteries, Bay k 8644 and nifedipine (dogs), 646
  - 1,4-dihydropyridine blockers, binding affinities, myocardium (rabbits), 118
  - MDL 12,330A, electrophysiological and biochemical studies (rats), 402
  - renal nerve stimulation, norepinephrine release, veratridine and potassium chloride (rats), 76
- Calcium disodium ethylenediamine tetraacetate, chelation therapy, mobilization and redistribution, lead, 804
- Calligaro, D. O. and Eldefrawi, M. E.: Central and peripheral cocaine receptors, 61
- Calmodulin
- chlorpromazine-linked, inhibition, calmodulin-sensitive phosphodiesterase, 171
  - inhibition of amiloride of contractile elements, taenia cecum, gizzard (guinea pigs, chickens), 370
- Calpain, degradation of endogenous substance P, enkephalinase, substantia nigra (rats), 674
- Calvaria, inhibition of bone resorption, cyclosporine A (mice), 584
- Calzadilla, S. V., see Brown, B. S., 1225
- Capsaicin**
- calcitonin gene-related peptide, cardiotonic neurotransmitter, left atria (guinea pigs), 731
  - induced corneal lesions, effects, chemical sympathectomy (mice), 690
- Captopril, regional blood flow and hemodynamics, adriamycin cardiomyopathy (rabbits), 1101
- Carbachol**
- antimuscarinic effect of alinidine (dogs), 1113
  - co-regulation of tracheal tone, cyclic AMP and cyclic GMP (guinea pigs), 1018
  - prostaglandin E<sub>2</sub> and arachidonic acid release, parietal cells (dogs), 511
  - sodium influx inhibition, antidepressants, imipramine binding in adrenal medullary cells (bovine), 342
- β-Carboline derivatives**, benzodiazepine and, chloride channels, cortical neurons in culture (rats), 1195
- Carbonic anhydrase, effect of AlCl<sub>3</sub> and other acids, cerebrospinal fluid production (rats), 35
- 5-Carboxamidotryptamine, contractile serotoninergic receptor, stomach fundus (rats), 264
- Cardiac output**
- hemodynamics, effects of magnesium chloride (dogs), 126
  - nicotine-induced vasopressin release, opioid peptides, hemodynamic effects (rats), 681
- Cardiomyopathy, adriamycin, regional blood flow, hemodynamics (rabbits), 1101
- Carone, F. A., see Hjelle, J. T., 758
- Catecholamines**
- beta* adrenergic control, macromolecule synthesis, sympathetic neuronal development (rats), 101
  - hemodynamic pharmacology, *p*-chloroamphetamine (rats), 446
  - recovery of chronotropic responses, systemic 6-hydroxydopamine treatment (rats), 415
- Cations, organic, N,N'-dicyclohexyl carbodiimide, renal brush border membranes (dogs), 455
- Cavanagh, R. L., Buyniski, J. P. and Schwartz, S. E.: Prevention of aspirin-induced gastric mucosal injury by histamine H<sub>2</sub> receptor antagonists: A crossover endoscopic and intragastric pH study in the dog, 1179
- Central nervous system**
- hemodynamic pharmacology, *p*-chloroamphetamine (rats), 446
  - N-methyl-D-aspartate receptors, mediation, hypoxic neuronal injury (mice), 784
- Cerebral cortex, depolarization-induced phosphoinositide hydrolysis, postnatal ontogeny (rats), 333
- Cerebrospinal fluid, decrease in production, AlCl<sub>3</sub> and other acids (rats), 35
- Cesselin, F., see Maubogne, A., 674
- Chaoiloff, F. and Jeanrenaud, B.: 5-HT<sub>1A</sub> and *alpha*-2 adrenergic receptors mediate the hyperglycemic and hypoinosulinemic effects of 8-hydroxy-2-(*n*-propylamino)tetralin in the conscious rat, 1159
- Chelation, calcium disodium ethylenediamine tetraacetate, mobilization and distribution, lead, 804
- Chelly, J. E., Hill, D. C., Abernethy, D. R., Dlewati, A., Doursout, M.-F. and Merin, R. G.: Pharmacodynamic and pharmacokinetic interactions between lidocaine and verapamil, 211
- Chiba, S., see Ogiwara, Y., 1113
- Chiu, A. T., Wong, P. C. and Timmermans, P. B. M. W. M.: *Alpha*-1 adrenoceptor-induced Ca<sup>++</sup> movements in rat aorta: Antagonism by phenoxybenzamine and N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline, 577
- Chlordiazepoxide, pyrethroid insecticides, acoustic startle response, motor activity (rats), 946
- Chloride**
- effect of  $\gamma$ -aminobutyric acid, neurally mediated contraction, trachealis smooth muscle (guinea pigs), 86
  - sodium and potassium cotransport, active natriuretic peptides, vascular smooth muscle cells, 822
- Chloride channel, benzodiazepine and  $\beta$ -carboline derivatives, cortical neurons in culture (rats), 1195
- p*-Chloroamphetamine, hemodynamic pharmacology (rats), 446
- Chlorpromazine, inhibition, calmodulin-sensitive phosphodiesterase, 171
- Choi, D. W., see Goldberg, M. P., 784
- Cholesterol, induced atherosclerosis, inhibition, dimethyl sulfoxide (rabbits), 745
- Cholinergic mechanisms, dopamine, effects of metoclopramide, olfactory tubercle and striatum, 840
- Choroid plexus**
- anion exchanger, mediation, benzylpenicillin transport (rats), 1147
  - effect of AlCl<sub>3</sub> and other acids, cerebrospinal fluid production (rats), 35
- Christensen, M. L., see Stewart, C. F., 131
- Christie, M. J., see Williams, J. T., 397
- Christoffi, F. L. and Cook, M. A.: Possible heterogeneity of adenosine receptors present on myenteric nerve endings, 302
- Chronotropic responses, recovery, systemic 6-hydroxydopamine treatment (rats), 415
- Ciaranello, R. D., see Hamblin, M. W., 989
- Cibull, M. see Blouin, R. A., 565
- Cimetidine, resultant action, cardiac adenylylate cyclase assay (guinea pigs), 1043
- Cismethrin, pyrethroid insecticides,  $\gamma$ -aminobutyric acid<sub>A</sub> receptor complex, acoustic startle response (rats), 946
- Clozapine, pimozide and, behavior effects, acute and chronic administration (rats), 430
- Cobalt, reversible inhibition of acetylcholine contracture, molluscan smooth muscle (mussels), 200
- Cocaine**
- aging, effect on vasculature (rats), 521
  - central and peripheral receptors (rats), 61
  - disposition in brain, locomotor stimulation (mice), 281
  - ionic channel blockade, nicotinic acetylcholine receptor (frogs), 1202
  - systemically administered, pharmacokinetics, locomotor stimulation (mice), 144
- Coenzyme Q10, mechanism of reoxygenation-induced recovery, cardiac contractile force, hypoxia (rabbits), 1131
- Cohen, M. L. and Fludzinski, L. A.: Contractile serotonergic receptor in rat stomach fundus, 264
- Colon**
- circular muscle, opioid suppression, inhibitory neural input (rats), 205
  - permeation of nonquaternary amines (guinea pigs), 1121
- Constipation, peripheral *mu* receptors, anittransit effects (mice), 492
- Cook, M. A., see Christoffi, F. L., 302
- Cornea, capsaicin-induced lesions, effects, chemical sympathectomy (mice), 690
- Corticosteroids, effects of prednisolone, lymphocyte subsets, mixed lymphocyte culture (humans), 716
- Corticosterone-acetate, hypotension and, 1048
- Corticotropin-releasing factor, inhibition of thermal injury (rats), 517
- Cory-Slechta, D. A., Weiss, B. and Cox, C.:

- Mobilization and redistribution of lead over the course of calcium disodium ethylenediamine tetraacetate chelation therapy, 804
- Costa, E., *see* Szekely, A. M., 155
- Costa, E., *see* Vicini, S., 1195
- Costentin, J., *see* Giros, B., 666
- Costentin, J., *see* Michael-Titus, A., 1062
- Cotterell, D. J., *see* Hensler, J. G., 857
- Cowlen, M. S. and Toews, M. L.: Effects of agonists and phorbol esters on adrenergic receptors of DDT<sub>1</sub> MF-2 cells, 527
- Cox, C., *see* Cory-Slechta, D. A., 804
- Creese, I., *see* Battaglia, G., 69
- Cremer, M., *see* Stewart, C. F., 131
- Criswell, H. E., *see* Duncan, G. E., 1027
- Crofton, K. M. and Reiter, L. W.: Pyrethroid insecticides and the  $\gamma$ -aminobutyric acid<sub>A</sub> receptor complex; motor activity and the acoustic startle response in the rat, 946
- Cubeddu, L. X., *see* Suarez-Roca, H., 840
- CV-3988, lethal role of platelet activating factor, anaphylactic shock (mice), 378
- CV-4093, inhibitory actions, calcium currents, pulmonary artery (rabbits), 703
- Cyclic AMP  
cyclic GMP and, co-regulation of tracheal tone (guinea pigs), 1018  
effects of anagrelide, thrombin-induced calcium fluxes, platelets (humans), 767  
forskolin and, acetylcholine release, myenteric neurons (guinea pigs), 507  
isoproterenol-induced accumulation, LRM55 glial cells, phosphodiesterase, 618  
positive inotropic action, MCI-154 (dogs), 639
- Cyclic GMP, cyclic AMP and, co-regulation of tracheal tone (guinea pigs), 1018
- Cyclooxygenase  
arachidonic acid metabolites, airway epithelium-dependent relaxant factor (guinea pigs), 310  
substance P contractile activity, lung tissues (guinea pigs), 901  
thromboxane synthase and, inhibition, angiotensin II in kidney (dogs), 799
- Cyclosporine A, inhibition of bone resorption, neonatal mouse calvaria, 584
- Cystine, elevated plasma adrenocorticotrophic hormone, nicotine, central mechanism (rats), 217
- Cytochrome P-450  
depression of hepatic mixed function oxidase, infection with *Listeria monocytogenes* (mice), 1089  
liver microsomal, inhibition and induction, pyridine (rabbits), 384
- Czerwenka, E., *see* Klaushofer, K., 584
- Dahlstrom, B. E., *see* Domino, E. F., 138
- Daly, J. W., *see* Rao, K. S., 775
- Daniel, E. E., *see* Kwan, C.-Y., 1074
- Danvy, D., *see* Giros, B., 666
- Debons, A. F., Fani, K., Jimenez, F. A., Maayan, M. L.: Inhibition of cholesterol-induced atherosclerosis in rabbits by dimethyl sulfoxide, 745
- De La Garza, R. and Johanson, C. E.: Discriminative stimulus properties of in-
- tragastrically administered d-amphetamine and pentobarbital in rhesus monkeys, 955
- de Lannoy, I. A. M., *see* te Koppele, J. M., 349
- DeLorme, E., *see* Rabe, C. S., 534
- Deltamethrin, pyrethroid insecticides,  $\gamma$ -aminobutyric acid<sub>A</sub> receptor complex, acoustic startle response (rats), 946
- Deth, R. C., *see* Jagadeesh, G., 430
- Devia, C., *see* Moerschbaecher, J. M., 737
- Dexoxadrol  
enantiomeric and diastereomeric dioxadrols, phencyclidine-like properties (monkeys), 110  
*kappa* agonists and, conditional discriminations (monkeys), 737
- Diazepam, ethanol and, acute effects, performance of response sequences (humans), 1
- Dickson, P., *see* Blouin, R. A., 565
- N,N'-Dicyclohexylcarbodiimide, inactivation of organic cation transport, renal brush border membranes (dogs), 455
- Diemer, M. J., *see* Brown, B. S., 1225
- Dihydroergotamine, radioligand for 5-HT<sub>1B</sub> binding sites, brain membranes (rats), 989
- 1,4-Dihydropyridine, calcium channel blockers, binding affinity comparisons, myocardium (rabbits), 118
- Dihydropyridines, prolonged depolarization, binding affinity, calcium channels of vascular smooth muscle (rats), 711
- Dihydriopyraine derivative, calcium currents, inhibitory actions of CV-4093, pulmonary artery (rabbits), 703
- 5,7-Dihydroxytryptamine, intracerebroventricular administration, phencyclidine-induced serotonin-mediated behaviors (rats), 1139
- Diltiazem  
leukotriene-induced parenchymal strip contractions, calcium channel blockers (guinea pigs), 424  
renal nerve stimulation, norepinephrine release, veratridine and potassium chloride (rats), 76
- Dimethylphenylpiperadonium, induced release of norepinephrine, enhancement by yohimbine, cardiac sympathetic nerves (dogs), 1095
- Dimethyl sulfoxide, inhibition, cholesterol-induced atherosclerosis (rabbits), 745
- Dioxadrols, enantiomeric and diastereomeric, phencyclidine-like properties (monkeys), 110
- Diphenylthiazole, induced changes, renal ultrastructure and enzymology (rats), 758
- Discrimination  
drug, three choices, opioid-dependent humans, 1002  
ethanol-like stimulus effects, toluene and halothane, 1,1-trichloroethane and oxazepam (mice), 931  
*kappa* agonists and dexoxadrol (monkeys), 737
- Discriminative stimulus  
pA<sub>2</sub> analysis, opioid cues (monkeys), 591  
properties of d-amphetamine and pentobarbital, intragastric administration (monkeys), 955
- properties of U50,488 and morphine (piogens), 938
- Disopyramide, pharmacology of ACC-9358 (dogs), 1225
- Dlewati, A., *see* Chelly, J. E., 211
- DNA, beta adrenergic control, development (rats), 101
- Dobutamine, regional blood flow and hemodynamics, adriamycin cardiomyopathy (rabbits), 1101
- Dodecylamine, histamine release, Arg-Pro-Lys-Pro(CH<sub>2</sub>)<sub>11</sub>CH<sub>3</sub>, peritoneal mast cells (rats), 317
- Domino, E. F., Dahlstrom, B. E., Domino, L. E. and Domino, S. E.: Relation of plasma morphine concentrations to severity of abrupt withdrawal in morphine-dependent monkeys, 138
- Domino, E. F., Gole, D. and Koek, W.: Metaphit, a proposed phencyclidine receptor acylator: Disruption of mouse motor behavior and absence of phencyclidine antagonist activity, 95
- Domino, L. E., *see* Domino, E. F., 138
- Domino, S. E., *see* Domino, E. F., 138
- Dopamine  
cholinergic mechanisms, effects of metoclopramide, olfactory tubercle and striatum, 840  
cocaine, central and peripheral receptors (rats), 61  
receptors, partial agonist of, electrophysiological evaluation (rats), 391
- Dopaminergic agents, post-translational processing,  $\beta$ -endorphin, intermediate pituitary (rats), 160
- Dopaminergic regulation, tachykinin metabolism, striatonigral pathway (rats), 792
- Dorsett, J. A., *see* Yau, W. M., 507
- Doursout, M.-F., *see* Chelly, J. E., 211
- Drazen, J. M., *see* Israel, E., 424
- Dubocovich, M. L., *see* Hensler, J. G., 857
- Duckles, S. P.: Effect of norepinephrine uptake blockade on contractile responses to adrenergic nerve stimulation of isolated rat blood vessels: Influence of age, 521
- Dudel, C., *see* Förstermann, U., 1055
- Duhamel, L., *see* Giros, B., 666
- Duhamel, P., *see* Giros, B., 666
- Duncan, G. E., Criswell, H. E., McCown, T. J., Paul, I. A., Mueller, R. A. and Breese, G. R.: Behavioral and neurochemical responses to haloperidol and SCH-23390 in rats treated neonatally or as adults with 6-hydroxydopamine, 1027
- Dykstra, L. A., *see* Picker, M., 938
- Dynorphin, corticotropin-releasing factor, inhibition of thermal injury (rats), 517
- Edema, corticotropin-releasing factor, inhibition of thermal injury (rats), 517
- Eichelkraut, W., *see* Ochs, H. R., 852
- Eldefrawi, M. E., *see* Calligaro, D. O., 61
- El-Din, M. M. M. and Malik, K. U.: Mechanism of norepinephrine release elicited by renal nerve stimulation, veratridine and potassium chloride in the isolated rat kidney, 76
- Electrolytes  
gastric, somatostatin effects, various secretory stimuli (dogs), 501

- renal response,  $9\alpha,11\beta$ -prostaglandin F<sub>2</sub> (rats), 487
- Elliott, W. C., *see* Holohan, P. D., 893
- Enalaprilat, effect of pH, inhibition of angiotensin converting activity, mesenteric vascular bed (rats), 292
- Encainide, pharmacology of ACC-9358 (dogs), 1225
- Endo, M., *see* Kitada, Y., 633
- Endocrine cells, MDL 12,330A, electrophysiological and biochemical studies (rats), 402
- Endoh, M., *see* Kitada, Y., 639
- $\beta$ -Endorphin  
corticotropin-releasing factor, inhibition of thermal injury (rats), 517  
morphine or, skeletal muscle thermogenesis (rats), 322  
post-translational processing, dopaminergic agents, intermediate pituitary (rats), 160
- Endothelial cells, thrombin vasoconstriction, intracoronary infusion, air embolism (dogs), 571
- Endothelium-derived relaxing factor modulation of resistance arteries, hind-limb (rabbits), 1055
- selective relaxant, vascular smooth muscle (guinea pig), 55
- Enkephalinase degradation of endogenous substance P, substantia nigra (rats), 674
- effects of enantiomers, thiorphan and acetorphan, behavioral effects (mice), 666
- inhibitor, tachykinin-induced contraction, trachea (ferrets), 1211
- Enkephalins  
endogenous, role in locomotion, acetorphan (mice, rats), 1062  
potentiation of action, peptidase inhibitors, locus ceruleus (rats), 397  
release from adrenal medulla, GABA<sub>A</sub> receptor, agonists and antagonists (dogs), 195  
suppression of inhibitory neural input, colonic circular muscle, opioid peptides (rats), 205
- Enteric nervous system, colonic circular muscle, opioid suppression, inhibitory neural input (rats), 205
- Epilepsy, collicular seizures, amino acids (rats), 603
- Epithelium, platelet-activating factor-induced relaxation, airway muscle (guinea pigs), 356
- Epithelium-dependent relaxant factor, airway, arachidonic acid metabolites (guinea pigs), 310
- Ethanol  
diazepam and, acute effects, performance of response sequences (humans), 1  
 $\gamma$ -like discriminative stimulus effects, toluene and halothane, 1,1-trichloroethane and oxazepam (mice), 931
- N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline  
calcium movements in aorta,  $\alpha$ -adrenoceptor-induced (rats), 577  
chronic reserpine treatment, serotonin<sub>2</sub> receptor recovery, aging (rats), 69
- Ethylketazocine  
 $\mu$  antagonist properties, urinary bladder motility (rats), 234
- pA<sub>2</sub> analysis, opioid cues (monkeys), 591
- Ethylketocyclazocine, effects on acquisition, classically conditioned response (rabbits), 1010
- Evans, W. E., *see* Stewart, C. F., 131
- Evens, R. P., *see* Stewart, C. F., 131
- Exercise, tracheal contraction, protein kinase C, low temperature (guinea pigs), 270
- Ezrin, A. M., *see* Baizman, E. R., 40
- Falcone, R. C., *see* Aharoni, D., 921
- Fani, K., *see* Debons, A. F., 745
- Faust, W. B., *see* Moerschbaecher, J. M., 737
- Ferrari, R. A., *see* Baizman, E. R., 40
- Fezolamine fumarate, pharmacological profile (mice), 40
- Fibrin, vasoactive peptide effect, angiotensin converting enzyme activity, bradykinin (rabbits), 897
- Fifer, C. A., *see* Seiler, S., 767
- Fisher, R. S., *see* ffrench-Mullen, J. M. H., 915
- Flecainide, pharmacology of ACC-9358 (dogs), 1225
- Fludzinski, L. A., *see* Cohen, M. L., 264
- Fluharty, S. J., Vollmer, R. R., Myers, S. A., McCann, M. J., Zigmund, M. J. and Stricker, E. M.: Recovery of chronotropic responsiveness after systemic 6-hydroxydopamine treatment: Studies in the pithed rat, 415
- Flurazepam, midazolam and, oral intake, hepatic *vs.* gastrointestinal presystemic extraction, 852
- Follath, F., *see* Vozeh, S., 297
- Follmer, C. H., Aomine, M., Yeh, J. Z. and Singer, D. H.: Aminodarone-induced block of sodium current in isolated cardiac cells, 187
- Foreman, J. C., *see* Repke, H., 317
- Forskolin, cyclic AMP and, acetylcholine release, myenteric neurons (guinea pigs), 507
- Förstermann, U., Dudel, C. and Frölich, J. C.: Endothelium-derived relaxing factor is likely to modulate the tone of resistance arteries in rabbit hind-limb *in vivo*, 1055
- Foulkes, R., Gardiner, S. M. and Bennett, T.: Exogenous corticosterone acetate attenuates the hypotension induced by ganglion blockade in conscious Long Evans and Brattleboro rats, 1048
- Fournau, P., *see* Paris, J., 288
- Fox, A. W., Karapanos, G. and Mitch, W. E.: Noncompetitive blockade of vasopressin-1 receptors in rat tail artery, 598
- Frederiksen, M. C., *see* Belknap, S. M., 963
- ffrench-Mullen, J. M. H., Lehmann, J., Bohacek, R. and Fisher, R. S.: Tiletamine is a potent inhibitor of N-methyl-aspartate-induced depolarizations in rat hippocampus and striatum, 915
- Friedman, H. S., Nguyen, T. N., Mokraoui, A. M., Barbour, R. L., Murakawa, T. and Altura, B. M.: Effects of magnesium chloride on cardiovascular hemodynamics in the neurally intact dog, 126
- Frölich, J. C., *see* Förstermann, U., 1055
- Frossard, N., *see* Tschirhart, E., 310
- Fujimoto, M., Kataoka, Y., Guidotti, A. and Hanbauer, I.: Effect of  $\gamma$ -aminobutyric acid<sub>A</sub> receptor agonists and antagonists on the release of enkephalin-containing peptides from dog adrenal gland, 195
- Fujita, S., *see* Shimizu, T., 690
- Fukuda, T., *see* Shimizu, T., 690
- $\beta$ -Funaltrexamine, evidence for interaction of morphine, *kappa* and *delta* opioid receptors, analgesia (mice), 91
- Furosemide, tubular, indomethacin, loop segment microperfusion (rats), 881
- Furukawa, H., *see* Nabeshima, T., 1139
- Furukawa, Y., *see* Ogiwara, Y., 1113
- Gallium, norepinephrine-induced tension, calcium movements, aortic smooth muscle (rabbits), 614
- Ganapathy, V., *see* Balkovetz, D. F., 150
- Ganglion blockade, hypotension induced by, corticosterone acetate attenuation of (rats), 1048
- Gardiner, S. M., *see* Foulkes, R., 1048
- Gastrointestinal tract, hepatic presystemic extraction, oral midazolam and flurazepam, 852
- Genovese, A., *see* Robertson, D. A., 834
- Gentamicin, plasma membrane binding and tissue accumulation, effect of parathyroid hormone, 893
- Gerard, N. P.: Characterization of substance P contractile activity on isolated guinea pig lung tissues, 901
- Gerber, J. G., *see* Payne, N. A., 511
- Gerber, J. G. and Barnes, J. S.: Histamine release *in vivo* by pentagastrin from the canine stomach, 887
- Gerber, N., *see* Mays, D. C., 227
- Gerskowitch, V. P., *see* Trist, D. G., 1043
- Giacomini, J. C., *see* Boyd, R. A., 118
- Giacomini, K. M., *see* Boyd, R. A., 118
- Giesa, F. R., *see* Heaslip, R. J., 1018
- Giles, R. E., *see* Krell, R. D., 557
- Giles, R. E., *see* Snyder, D. W., 548
- Giros, B., Gros, C., Schwartz, J.-C., Danvy, D., Plaquevent, J.-C., Duhamel, L., Duhamel, P., Vlaiculescu, A., Costentin, J. and Lecomte, J.-M.: Enantiomers of thiorphan and acetorphan: Correlation between enkephalinase inhibition, protection of endogenous enkephalins and behavioral effects, 666
- Giros, B., *see* Michael-Titus, A., 1062
- Givens, B. S., *see* McCown, T. J., 603
- Gizzard, taenia cecum and, inhibition of amiloride, contractile elements (guinea pigs, chickens), 370
- Gleason, J. G., *see* Hay, D. W. P., 474
- Glial cells, isoproterenol-induced cyclic AMP accumulation, phosphodiesterase, 618
- Glomerular filtration rate, renal response,  $9\alpha,11\beta$ -prostaglandin F<sub>2</sub> (rats), 487
- Glucose, 8-hydroxy-2-(di-n-propylamino)tetralin, 5-HT<sub>1A</sub> and  $\alpha$ -2 adrenergic receptors (rats), 1159
- Glutamate, N-methyl-D-aspartate receptors, mediation, hypoxic neuronal injury (mice), 784
- Glutathione, stereoselective conjugation,  $\alpha$ -bromoisovalerylurea enantiomers, hepatocytes (rats), 349

- Glycine, collicular seizures, amino acids (rats), 603
- Glycosaminoglycans, renal ultrastructure and enzymology, diphenylthiazole-induced changes (rats), 758
- Göbel, R., see Ochs, H. R., 852
- Godfraind, T., see Morel, N., 711
- Godman, D. R., see Vogh, B. P., 35
- Gold, disposition and elimination (rats), 247
- Goldberg, M. P., Weiss, J. H., Pham, P.-C. and Choi, D. W.: N-Methyl-D-aspartate receptors mediate hypoxic neuronal injury in cortical culture, 784
- Goldenberg, H. J., see Schumacher, W. A., 460
- Gole, D., see Domino, E. F., 95
- Gomezano, I., see Schindler, C. W., 1010
- Goto, F., Jackson, E. K., Ohnishi, A., Herz, W. and Branch, R. A.: Effect of cyclooxygenase and thromboxane synthase inhibition on the response to angiotensin II in the hypoperfused canine kidney, 799
- Goto, K., Ishikawa, T., Kimura, S. and Saito, A.: Intramural nerve-mediated inotropic responses of left atria of rats and guinea pigs: Demonstration of *alpha* adrenergic and nonadrenergic noncholinergic responses in guinea pigs, 723
- Goto, K., see Saito, A., 731
- Grace, E., see Holohan, P. D., 893
- Graf, P. D., see Sekizawa, K., 1211
- Graf, P. D., see Tamaoki, J., 86
- Greenblatt, D. J., see Ochs, H. R., 852
- Grega, D. S., see Werz, M. A., 258
- Grider, J. R. and Makhoul, G. M.: Suppression of inhibitory neural input to colonic muscle by opioid peptides, 205
- Griffiths, R. R., see Roache, J. D., 978
- Grimes, D., see Heaslip, R. J., 1018
- Gros, C., see Giros, B., 666
- Grove, R. I., see Seiler, S., 767
- Guanine nucleotide, dihydroergotamine as radioligand, 5-HT<sub>1B</sub> binding sites, brain membranes (rats), 989
- Guanosine monophosphate, cyclic, see Cyclic GMP
- Guidotti, A., see Fujimoto, M., 195
- Gurden, J., see Wanless, R. B., 1101
- Hahn, N., see Ochs, H. R., 852
- Haim, K., see Slotkin, T. A., 101
- Halichondria okadai*, calcium-independent phosphorylation, smooth muscle myosin light chain, okadaic acid (chicks), 1167
- Hall, E. D., see Von Voigtlander, 542
- Hall, R. F., see Hay, D. W. P., 474
- Haloperidol
- dopaminergic agents,  $\beta$ -endorphin, intermediate pituitary (rats), 160
  - SCH-23390 and, behavioral and neurochemical responses, 6-hydroxydopamine treatment (rats), 1027
- Halothane, ethanol-like discriminative stimulus effects (mice), 931
- Hamblin, M. W., Ariani, K., Adriænsens, P. I. and Ciaranello, R. D.: [<sup>3</sup>H]Dihydroergotamine as a high-affinity, slowly dissociating radioligand for 5-HT<sub>1B</sub> binding sites in rat brain membranes: Evidence for guanine nucleotide regulation of agonist affinity states, 989
- Hamon, M., see Mauborgne, A., 674
- Hanano, M., see Suzuki, H., 1147
- Hanbauer, I., see Fujimoto, M., 195
- Harris, D. N., see Schumacher, W. A., 460
- Harris, P., see Wanless, R. B., 1101
- Harrison, E. A., Jr., see Jacobson, A. E., 110
- Harrison, J. H., Jr. and Lazo, J. S.: High dose continuous infusion of bleomycin in mice: A new model for drug-induced pulmonary fibrosis, 1185
- Hartman, J. C., see Brown, B. S., 1225
- Harvey, J. A., see Schindler, C. W., 1010
- Hay, D. W. P., Muccitelli, R. M., Tucker, S. S., Vickery-Clark, L. M., Wilson, K. A., Gleason, J. G., Hall, R. F., Wasserman, M. A. and Torphy, T. J.: Pharmacologic profile of SK&F 104353: A novel, potent and selective peptidoleukotriene receptor antagonist in guinea pig and human airways, 474
- Hay, D. W. P., see Muccitelli, R. M., 467
- Hayashi, E., see Yamada, S., 1153
- Haye-Legrande, I., see Brunelleschi, S., 356
- Heart
- adenylate cyclase assay, resultant action of cimetidine (guinea pigs), 1043
  - beta* adrenergic control, macromolecule synthesis, sympathetic neuronal development (rats), 101
  - calcium sensitivity, MCI-154, papillary muscles (guinea pigs), 633
  - intracoronary infusion of air embolus, thrombin vasoconstriction (dogs), 571
  - left atria
  - autonomic nerves, *alpha*-1 adrenoceptors (rats, guinea pigs), 723
  - calcitonin gene-related peptide, cardiotonic neurotransmitter (guinea pigs), 731
  - reoxygenation-induced recovery of contractile force, coenzyme Q10, hypoxia (rabbits), 1131
  - sympathetic nerves, release of norepinephrine, enhancement by yohimbine (dogs), 1095
  - thrombin vasoconstriction, intracoronary infusion, air embolism (dogs), 571
- Heart rate, hemodynamic pharmacology, *p*-chloroamphetamine (rats), 446
- Heaslip, R. J., Giesa, F. R., Rimele, T. J. and Grimes, D.: Co-regulation of tracheal tone by cyclic AMP- and cyclic GMP-dependent mechanisms, 1018
- Hemodynamics
- cardiovascular, effects of magnesium chloride (dogs), 126
  - interaction between lidocaine and verapamil, pharmacodynamics, pharmacokinetics (dogs), 211
- pharmacology of ACC-9358 (dogs), 1225
- pharmacology of *p*-chloroamphetamine (rats), 446
- regional blood flow and, adriamycin cardiomyopathy (rabbits), 1101
- Hensler, J. G., Cotterell, D. J. and Dubcovitch, M. L.: Pharmacological and biochemical characterization of the D-1 dopamine receptor mediating acetylcholine release in rabbit retina, 857
- Hepatocytes,  $\alpha$ -bromoisovalerylurea enantiomers, stereoselective glutathione conjugation (rats), 349
- Hepatotoxicity
- acetaminophen, phenobarbital induction (rats), 565
- acetylation of acetylhydrazine, inhibition, isoniazid (humans), 686
- allyl alcohol, effect of age and sex (rats), 20
- Herzer, W., see Goto, F., 799
- Hexamethonium, elevated plasma adrenocorticotropic hormone, nicotine, central mechanism (rats), 217
- Hexobarbital, inhibition and induction of drug biotransformation, 8-methoxysoralen (rats), 227
- Hexum, T. D., Majane, E. A., Russett, L. R. and Yang, H.-Y. T.: Neuropeptide Y release from the adrenal medulla after cholinergic receptor stimulation, 927
- Higgins, S. T., Bickel, W. K., O'Leary, D. K. and Yingling, J.: Acute effects of ethanol and diazepam on the acquisition and performance of response sequences in humans, 1
- Hill, D. C., see Chelly, J. E., 211
- Hilliard, J. B., see Mays, D. C., 227
- Hippocampus, inhibitor of N-methyl-D-aspartate-induced depolarizations, tiptetamine (rats), 915
- Hirsch, M., see Mauborgne, A., 674
- Hirschowitz, B. I.: Somatostatin effects on gastric electrolytes and pepsin in dogs with various secretory stimuli, 501
- Histamine
- analysis of agonists, amplifying and potentiating interactions (rabbits, guinea pigs), 1035
  - cardiac adenylate cyclase assay, resultant action of cimetidine (guinea pigs), 1043
  - characterization of receptors, veins (rabbits), 696
  - comparison of contractions, airway model analysis (humans, guinea pigs), 467
  - H<sub>2</sub> receptor antagonists, prevention, aspirin-induced gastric mucosal injury (dogs), 1179
  - H<sub>3</sub> subtype, inhibition, ileum contractions (guinea pigs), 874
  - release, pentagastrin, stomach (dogs), 887
  - release by Arg-Pro-Lys-Pro(CH<sub>2</sub>)<sub>1</sub>CH<sub>3</sub>, peritoneal mast cells (rats), 317
  - somatostatin effects, gastric electrolytes, pepsin (dogs), 501
- Hjelle, J. J., see Hjelle, J. T., 758
- Hjelle, J. T., Hjelle, J. J., Maziasz, T. J. and Carone, F. A.: Diphenylthiazole-induced changes in renal ultrastructure and enzymology: Toxicologic mechanisms in polycystic kidney disease, 758
- Hoffmann, O., see Klaushofer, K., 584
- Hoffmann, W. E., see Piercy, M. F., 391
- Holleman, W., see O'Donnell, M. A., 822
- Holahan, P. D., Elliott, W. C., Grace, E. and Ross, C. R.: Effect of parathyroid hormone on gentamicin plasma membrane binding and tissue accumulation, 893
- Holahan, P. D., see Sokol, P. P., 455
- Hong, J. S., see Li, S. J., 792
- Honkanen, R. E., see Akhtar, R. A., 624
- Howe, P. H. see Akhtar, R. A., 624
- Hruby, V. J., see Shook, J. E., 492
- Huang, C.-K., Munakata, M., Baraban, J.

- M. and Menkes, H.: Protein kinase C and tracheal contraction at low temperature, 270
- Huang, Y. S., *see* Li, S. J., 792
- Hydrocortisone, effects of prednisolone, lymphocyte subsets, mixed lymphocyte culture (humans), 716
- Hydromorphone, three-choice drug discrimination, opioid-dependent humans, 1002
- 8-Hydroxy-2-(di-n-propylamino)tetralin contractile serotonergic receptor, stomach fundus (rats), 264
- 5-HT<sub>1A</sub> and *alpha*-2 adrenergic receptors, hyperglycemic and hypoinsulinemic effects (rats), 1159
- 6-Hydroxypyridine behavioral and neurochemical responses, haloperidol and SCH-23390 (rats), 1027
- capsaicin-induced corneal lesions, effects, chemical sympathectomy (mice), 690
- systemic treatment, recovery of chronotropic responsiveness (rats), 415
- 3-Hydroxyquinidine, antiarrhythmic activity, experimental reperfusion arrhythmia (rats), 297
- Hyperalgesia, nociceptive action, excitatory amino acids (mice), 9
- Hyperglycemia, 8-hydroxy-2-(di-n-propylamino)tetralin, 5-HT<sub>1A</sub> and *alpha*-2 adrenergic receptors (rats), 1159
- Hyperthermia, skeletal muscle thermogenesis, Hypoinsulinemia, 8-hydroxy-2-(di-n-propylamino)tetralin, 5-HT<sub>1A</sub> and *alpha*-2 adrenergic receptors (rats), 1159
- Hypotension, ganglion blockade-induced, corticosterone acetate attenuation of (rats), 1048
- Hypothalamus, elevated plasma adrenocorticotrophic hormone, nicotine, central mechanism (rats), 217
- Hypoxia, cardiac contractile force, reoxygenation-induced recovery, coenzyme Q10 (rabbits), 1131
- Iansmith, D. H. S., *see* Roden, D. M., 1218
- ICI 198,615 inhibition of leukotriene D<sub>4</sub> binding, lung receptors (guinea pigs), 921
- in vitro* pharmacology (guinea pigs), 548, 557
- Idemudia, S. O. and McMillan, D. E.: Effects of trimethyltin on repeated acquisition, 241
- Iga, T., *see* Suzuki, H., 1147
- Ileum inhibition of contractions, histamine receptor, resemblance to H<sub>3</sub> subtype (guinea pigs), 874
- myenteric nerve endings, adenosine receptors, possible heterogeneity (guinea pigs), 302
- Imipramine, binding in adrenal medulla cells, sodium influx inhibition, antidepressants (bovine), 342
- Immunohistochemistry, calcitonin gene-related peptide, cardiotonic neurotransmitter, left atria (guinea pigs), 731
- Impromidine, cardiac adenylate cyclase assay, resultant action of cimetidine (guinea pigs), 1043
- Imura, Y., *see* Terashita, Z.-I., 378

- Indomethacin, tubular furosemide, loop segment microperfusion (rats), 881
- Inferior colliculus, seizures, amino acids (rats), 603
- Inflammation, corticotropin-releasing factor, inhibition of thermal injury (rats), 517
- Inositol trisphosphate contraction in sphincter smooth muscle of iris, myosin light chain, muscarinic receptor (rabbits), 624
- muscarinic-stimulated neurotransmitter release, PC12 cells, 534
- Inotropic responses autonomic nerves, left atria, *alpha*-1 adrenoceptors (rats, guinea pigs), 723
- calcitonin gene-related peptide, cardiotonic neurotransmitter, left atria (guinea pigs), 731
- Inoue, S., *see* Yamada, S., 1153
- Insecticides, pyrethroid,  $\gamma$ -aminobutyric acid<sub>A</sub> receptor complex, acoustic startle response (rats), 946
- Insulin, 8-hydroxy-2-(di-n-propylamino)tetralin, 5-HT<sub>1A</sub> and *alpha*-2 adrenergic receptors (rats), 1159
- Intestine brush-border membrane Na<sup>+</sup>-H<sup>+</sup> exchanger, inhibition of, loperamide (humans), 150
- colonic circular muscle, opioid suppression, inhibitory neural input (rats), 205
- peripheral mu receptors, antitranst effect (mice), 492
- permeation of nonquaternary amines (guinea pigs), 1121
- small, acetylcholine release, forskolin and cyclic AMP (guinea pigs), 507
- Inulin, simultaneously injected with urea, distribution kinetics, theophylline (dogs), 963
- Iris, sphincter smooth muscle contraction, phosphatidylinositol 4,5-bisphosphate, muscarinic receptor (rabbits), 624
- Ishihara, H., *see* Ozaki, H., 1167
- Ishikawa, K., *see* Nabeshima, T., 1139
- Ishikawa, T., *see* Goto, K., 723
- Ishikawa, T., *see* Saito, A., 731
- Isobutylmethylxanthine, pharmacologic resultant analysis, 482
- Isoniazid, inhibition of acetylation of acetylhydrazine (humans), 686
- Isoproterenol beta adrenergic control, macromolecule synthesis, sympathetic neuronal development (rats), 101
- induced cyclic AMP accumulation, LRM55 glial cells, phosphodiesterase, 618
- Isosorbide dinitrate, regional blood flow and hemodynamics, adriamycin cardiomyopathy (rabbits), 1101
- Israel, E., Robin, J. L. and Drazen, J. M.: Differential effects of calcium channel blockers on leukotriene C<sub>4</sub>- and D<sub>4</sub>-induced contractions in guinea pig pulmonary parenchymal strips, 424
- Iwata, M., *see* Tsuru, H., 696
- Izumi, F., *see* Arita, M., 342
- Izumi, K., *see* Shimizu, T., 690
- Jackson, E. K., *see* Goto, F., 799
- Jacobson, A. E., Harrison, E. A., Jr., Matt- son, M. V., Rafferty, M. F., Rice, K. C., Woods, J. H., Winger, G., Solomon, R. E., Lessor, R. A. and Silverton, J. V.: Enantiomeric and diastereomeric dioxaadrols: Behavioral, biochemical and chemical determination of the configuration necessary for phencyclidine-like properties, 110
- Jagadeesh, G. and Deth, R. C.: Different affinity states of *alpha*-1 adrenergic receptors defined by agonists and antagonists in bovine aorta plasma membranes, 430
- Jeanrenaud, B., *see* Chaoulloff, F., 1159
- Jejunum, permeation of nonquaternary amines (guinea pigs), 1121
- Jimenez, F. A., *see* Debons, A. F., 745
- Johanson, C. E., *see* De La Garza, R., 955
- Joyce, E. H., *see* Owen, M. P., 27
- Kadsurenone, effect of platelet-activating factor, mesangial cells (rats), 409
- Kaempf, G. L. and Porter, J. H.: Differential effects of pimozide and clozapine on schedule-controlled and schedule-induced behaviors after acute and chronic administration, 437
- Kagawa, Y., *see* Yamada, S., 1153
- Kainic acid, nociceptive action, excitatory amino acids (mice), 9
- Kameyama, T., *see* Nabeshima, T., 1139
- Kanda, A., Koyanagawa, H., Yorikane, R., Kimura, T. and Satoh, S.: Enhancement by yohimbine of nicotine- and dimethylphenylpiperadinium-induced release of norepinephrine from cardiac sympathetic nerves of the dog: Interaction of presynaptic *alpha* and nicotinic receptors, 1095
- Kaolin, role of bradykinin generating and degrading systems, vascular permeability response (rats), 1067
- Karaki, H., *see* Ozaki, H., 370, 1167
- Karapanos, G., *see* Fox, A. W., 598
- Karlaganis, G., *see* Peretti, E., 686
- Kataoka, Y., *see* Fujimoto, M., 195
- Kaul, K. L. and Novak, R. F.: Inhibition and induction of rabbit liver microsomal cytochrome P-450 by pyridine, 384
- Keely, S. L., Jr., *see* Seiler, S., 767
- Keith, R. A., *see* Snyder, D. W., 548
- Kelatorphan degradation of endogenous substance P, enkephalinase, substantia nigra (rats), 674
- potentiation of enkephalin action, peptidase inhibitors, locus ceruleus (rats), 397
- Kenakin, T. P. and Beek, D.: Measurement of antagonist affinity for purine receptors of drugs producing concomitant phosphodiesterase blockade: The use of pharmacologic resultant analysis, 482
- Kepron, W., *see* Mitchell, R. W., 907
- Ketanserin, central sympathoinhibitory action (rats), 1174
- Kiang, J. G. and Wei, E. T.: Corticotropin-releasing factor inhibits thermal injury, 517
- Kidney angiotensin II response, inhibition, cyclooxygenase and thromboxane synthase (dogs), 799

- beta** adrenergic control, macromolecule synthesis, sympathetic neuronal development (rats), 101
- brush border membranes, N,N'-dicyclohexylcarbodiimide, organic cation transport (dogs), 455
- lithium clearance, atrial natriuretic peptide, kinetics and pharmacodynamics (rats), 868
- norepinephrine release, *beta*-adrenoceptor, angiotensin II formation (rats), 1107
- renal nerve stimulation, norepinephrine release, veratridine and potassium chloride (rats), 76
- response to  $9\alpha,11\beta$ -prostaglandin F<sub>2</sub> (rats), 487
- ultrastructure and enzymology, diphenylthiazole-induced changes (rats), 758
- Kimura, S., *see* Goto, K., 723
- Kimura, S., *see* Saito, A., 731
- Kimura, T., *see* Kanda, A., 1095
- Kininase, effect of pH on inhibition, angiotensin converting activity, enalaprilat (rats), 292
- Kirchner, K. A.: Indomethacin antagonizes furosemide's intratubular effects during loop segment microperfusion, 881
- Kitada, Y., Narimatsu, A., Matsumura, N. and Endo, M.: Increase in Ca<sup>++</sup> sensitivity of the contractile system by MCI-154, a novel cardiotonic agent, in chemically skinned fibers from the guinea pig papillary muscles, 633
- Kitada, Y., Narimatsu, A., Suzuki, R., Endoh, M. and Taira, N.: Does the positive inotropic action of a novel cardiotonic agent, MCI-154, involve mechanisms other than cyclic AMP, 639
- Kitamura, K., *see* Okabe, K., 703
- Klaushofer, K., Hoffmann, O., Stewart, P. J., Czerwanka, E., Koller, K., Peterlik, M. and Stern, P. H.: Cyclosporine A inhibits bone resorption in cultured neonatal mouse calvaria, 584
- Knisely, J. S., *see* Rees, D. C., 931
- Koek, W., *see* Domino, E. F., 95
- Kohama, K., *see* Ozaki, H., 370, 1167
- Kohno, S., *see* Tsuru, H., 696
- Koja, T., *see* Shimizu, T., 690
- Kojima, T., *see* Ozaki, H., 370
- Koller, K., *see* Klaushofer, K., 584
- Kosuge, T., *see* Yamada, S., 1153
- Koyanagawa, H., *see* Kanda, A., 1095
- Krell, R. D., Giles, R. E., Yee, Y. K. and Snyder, D. W.: *In vivo* pharmacology of ICI 198,615: A novel, potent and selective peptide leukotriene antagonist, 557
- Krell, R. D., *see* Aharoni, D., 921
- Krell, R. D., *see* Snyder, D. W., 548
- Kroeger, E. A., *see* Mitchell, R. W., 907
- Ku, D. D.: Unmasking of thrombin vasoconstriction in isolated perfused dog hearts after intracoronary infusion of air embolus, 571
- Kumakura, S.-I., Tsurufuji, S., Kurooka, S. and Sunahara, N.: Role of bradykinin generating and degrading systems in the vascular permeability response induced with kaolin in rats, 1067
- Kuriyama, H., *see* Okabe, K., 703
- Kurooka, S., *see* Kumakura, S.-I., 1067
- Kwan, C.-Y., Sipos, S. N., Osterroth, A. and Daniel, E. E.: *Beta* adrenoreceptor in vascular smooth muscle with special reference to subcellular localization and number of binding sites, 1074
- Labat, C., *see* Brunelleschi, S., 356
- Lajtha, A., *see* Benuck, M., 144
- Lajtha, A., *see* Reith, M. E. A., 281
- Landry, Y., *see* Tschirhart, E., 310
- Lauterbach, F.: Intestinal permeation of nonquaternary amines: A study with telenzepine and pirenzepine in the isolated mucosa of guinea pig jejunum and colon, 1121
- Lauterburg, B. H., *see* Peretti, E., 686
- Lazo, J. S., *see* Harrison, J. H., Jr., 1185
- Lead, mobilization and redistribution, chelation therapy, calcium disodium ethylenediamine tetraacetate, 804
- Learning, performance of response sequences, acute effects, ethanol and diazepam (humans), 1
- Lecomte, J.-M., *see* Giros, B., 666
- Lee, C., *see* Alper, R. H., 446
- Leff, P., *see* Trist, D. G., 1043
- Leff, P.: An analysis of amplifying and potentiating interactions between agonists, 1035
- Lehmann, J., *see* French-Mullen, J. M. H., 915
- Leibach, F. H., *see* Balkovetz, D. F., 150
- Lessor, R. A., *see* Jacobson, A. E., 110
- Leukotriene C<sub>4</sub>, leukotriene D<sub>4</sub> and, contractions, calcium channel blockers (guinea pigs), 424
- Leukotrienes
- comparison of contractions, airway model analysis (humans, guinea pigs), 467
  - peptide antagonist, *in vitro* pharmacology, ICI 198,615 (guinea pigs), 548, 557
  - SK&F 104353, pharmacologic profile (guinea pigs, humans), 474
  - tracheal contraction, protein kinase C, low temperature (guinea pigs), 270
- Levi, R., *see* Robertson, D. A., 834
- Lewis, R. A., *see* Von Voigtlander, 542
- Li, S. J., Sivam, S. P., McGinty, J. F., Huang, Y. S. and Hong, J. S.: Dopaminergic regulation of tachykinin metabolism in the striatonigral pathway, 792
- Lidocaine, verapamil and, pharmacodynamics, pharmacokinetics (dogs), 211
- Liebson, I. A., *see* Preston, K. L., 1002
- Lindsey, C. J., Bendhack, L. M. and Paiva, A. C. M.: Effect of pH on the inhibition of angiotensin converting activity by enalaprilat in the rat perfused mesenteric vascular bed, 292
- Lipoxygenase
- arachidonic acid metabolites, airway epithelial-dependent relaxant factor (guinea pigs), 310
  - tracheal contraction, protein kinase C, low temperature (guinea pigs), 270
- Listeria monocytogenes*, depression of hepatic mixed function oxidase (mice), 1089
- Lithium, clearance in kidney, atrial natriuretic peptide, kinetics and pharmacodynamics (rats), 868
- Liver
- allyl alcohol hepatotoxicity, effect of age and sex (rats), 20
  - cocaine, central and peripheral receptors (rats), 61
  - depression of mixed function oxidase, infection with *Listeria monocytogenes* (mice), 1089
  - presystemic extraction, gastrointestinal tract, oral midazolam and flurazepam, 852
  - uptake and storage of warfarin (rats), 1082
- Liver microsomes, cytochrome P-450, inhibition and induction, pyridine (rabbits), 384
- Locomotion
- cocaine disposition in brain (mice), 281
  - role of endogenous enkephalins, acetylphane (mice, rats), 1062
- Locus ceruleus, potentiation of enkephalin action, peptidase inhibitors (rats), 397
- Loperamide, inhibition, brush-border membrane Na<sup>+</sup>-H<sup>+</sup> exchanger (humans), 150
- Lorazepam, meprobamate dose effects and, behavior, abuse liability (humans), 978
- Lovenberg, T., *see* Suarez-Roca, H., 840
- Luft, F. C., *see* Brier, M. E., 868
- Lung
- acetylcholine release,  $\gamma$ -aminobutyric acid modulation (guinea pigs), 364
  - beta* adrenergic control, macromolecule synthesis, sympathetic neuronal development (rats), 101
  - drug-induced pulmonary fibrosis, model, bleomycin (mice), 1185
  - parenchymal strip contractions, leukotrienes, calcium channel blockers (guinea pigs), 424
  - receptors, inhibition of leukotriene D<sub>4</sub> binding, ICI 198,615 (guinea pigs), 921
  - tissues, substance P contractile activity (guinea pigs), 901
- Luttinger, D., *see* Baizman, E. R., 40
- Lymphocytes, subsets, effects of prednisolone, mixed lymphocyte culture (humans), 716
- Maayan, M. L., *see* Debons, A. F., 745
- Macdonald, R. L., *see* Werz, M. A., 258
- Macromolecules, synthesis, *beta* adrenergic control, sympathetic neuronal development (rats), 101
- Madelian, V. and Shain, W.: Regulation of isoproterenol-induced AMP accumulation in LRM55 glial cells by phosphodiesterase, 618
- Magnesium, vasopressin-1 receptors, non-competitive blockade, tail artery (rats), 598
- Magnesium chloride, effects on cardiovascular hemodynamics (dogs), 126
- Mahesh, V. B., *see* Balkovetz, D. F., 150
- Majane, E. A., *see* Hexum, T. D., 927
- Majewski, H., *see* Rump, L. C., 1107
- Makhoul, G. M., *see* Grider, J. R., 205
- Malik, K. U., *see* El-Din, M. M. M., 76
- Mansbach, R. S., *see* Witkin, J. M., 970
- Maren, T. H., *see* Vogh, B. P., 35
- Massarella, J. W. and Pearlman, R. S.: Gold disposition in the rat: Studies of its plasma half-life and its urinary, bili-

- ary and fecal elimination pathways, 247
- Mast cells, peritoneal, histamine release, Arg-Pro-Lys-Pro(CH<sub>2</sub>)<sub>1</sub>CH<sub>3</sub> (rats), 317
- Matsuda, T., *see* Asano, M., 646
- Matsumoto, M., *see* Yoshioka, M., 1174
- Matsumura, N., *see* Kitada, Y., 633
- Matta, S. G., Beyer, H. S., McAllen, K. M. and Sharp, B. M.: Nicotine elevates rat plasma ACTH by a central mechanism, 217
- Mattson, M. V., *see* Jacobson, A. E., 110
- Mauborgne, A., Bourgoin, S., Benoliel, J.-J., Hirsch, M., Berthier, J.-L., Hamon, M. and Cesselin, F.: Enkephalinase is involved in the degradation of endogenous substance P released from slices of rat substantia nigra, 674
- Mays, D. C., Nawrot, S., Hilliard, J. B., Pacula, C. M. and Gerber, N.: Inhibition and induction of drug biotransformation *in vivo* by 8-methoxysoralen: Studies of caffeine, phenytoin and hexobarbital metabolism in the rat, 227
- Maziasz, T. J., *see* Hjelle, J. T., 758
- McAllen, K. M., *see* Matta, S. G., 217
- McCann, M. J., *see* Fluharty, S. J., 415
- McClain, C. *see* Blouin, R. A., 565
- McCown, T. J., Givens, B. S. and Breese, G. R.: Amino acid influences on seizures elicited within the inferior colliculus, 603
- McCown, T. J., *see* Duncan, G. E., 1027
- McGinty, J. F., *see* Li, S. J., 792
- MCI-154
- calcium sensitivity, papillary muscles (guinea pigs), 633
  - positive inotropic action (dogs), 639
- McMillan, D. E., *see* Idemudia, S. O., 241
- McNamara, P. J. *see* Blouin, R. A., 565
- MDL 12,3330A, electrophysiological and biochemical studies, endocrine cells (rats), 402
- Mecamylamine, elevated plasma adrenocorticotrophic hormone, nicotine, central mechanism (rats), 217
- Membrane potential, dihydropyridine voltage-dependency, calcium channels, vascular smooth muscle (rats), 711
- Menkes, H., *see* Huang, C.-K., 270
- Meprobamate, lorazepam dose effects and, behavior, abuse liability (humans), 978
- Mepyramine, characterization of histamine receptors, veins (rabbits), 696
- Merin, R. G., *see* Chelly, J. E., 211
- Mesangial cells, effect of platelet-activating factor (rats), 409
- Metals, heavy, acetylcholine contracture, molluscan smooth muscle (mussels), 200
- Metaphit, proposed phencyclidine receptor acylator (mice), 95
- Methacholine, comparison of contractions, airway model analysis (humans, guinea pigs), 467
- Methotrexate, concomitant aspirin or prednisone, synovial fluid concentration (dogs), 131
- 8-Methoxysoralen, inhibition and induction, drug biotransformation (rats), 227
- N-Methyl-D,L-aspartate, induced depolarizations, tiletamine inhibitor, hippocampus and striatum (rats), 915
- N-Methyl-D-aspartate, receptors, mediation of hypoxic neuronal injury, cortical culture (mice), 784
- N-Methyl-D-aspartic acid, collicular seizures, amino acids (rats), 603
- Methylation, thiopurine methyltransferase pharmacogenetics (mice), 180
- Methylxanthines, spinal antinociceptive effects, morphine and noradrenaline (rats), 657
- Metoclopramide, dopamine-cholinergic mechanisms, olfactory tubercle and striatum, 840
- Mexitelene, quinidine and, depolarization and repolarization, Purkinje fibers (dogs), 1218
- Michael-Titus, A., Preterre, P., Giros, B. and Costentin, J.: Role of endogenous enkephalins in locomotion evidenced by acetonaphthone, an "enkephalinase" inhibitor, 1062
- Midazolam, flurazepam and, oral intake, hepatic *vs.* gastrointestinal presystemic extraction, 852
- Mienville, J.-M., *see* Vicini, S., 1195
- Millington, W. R., O'Donohue, T. L. and Mueller, G. P.: Dopaminergic agents selectively alter the post-translational processing of  $\beta$ -endorphin in the intermediate pituitary of the rat, 160
- Minami, M., *see* Yoshioka, M., 1174
- Mineralcorticoids, extinction of effects, 19-norprogesterone derivatives (rats), 288
- Mitch, W. E., *see* Fox, A. W., 598
- Mitchell, R. W., Kroeger, E. A., Kepron, W. and Stephens, N. L.: Local parasympathetic mechanisms for ragweed-sensitized canine trachealis hyperresponsiveness, 907
- Mixed function oxidase, hepatic, depression during infection, *Listeria monocytogenes* (mice), 1089
- Mixed lymphocyte culture, effects of prednisolone, lymphocyte subsets (humans), 716
- Miyake, K., *see* Takeo, S., 1131
- Miyamoto, Y., *see* Balkovetz, D. F., 150
- MJ-13805, serotonergic involvement in buspirone effects, punished behavior (pigeons), 970
- Moalli, R., Saldeen, K. and Saldeen, T.: Effect of a fibrin-derived vasoactive peptide on pulmonary angiotensin converting enzyme activity and on pressure responses to bradykinin, 897
- Moerschbaecher, J. M., Brocklehurst, C., Devia, C. and Faust, W. B.: Effects of *kappa* agonists and dexoxadrol on the acquisition of conditional discriminations in monkeys, 737
- Moiryama, T., *see* Ozaki, H., 370
- Mokraoui, A. M., *see* Friedman, H. S., 126
- Moore, D. R., *see* Rikans, L. E., 20
- Morel, N. and Godfraind, T.: Prolonged depolarization increases the pharmacological effect of dihydropyridines and their binding affinity for calcium channels of vascular smooth muscle, 711
- Morphine
- discriminative stimulus properties, compared to U50,488 (pigeons), 938
- effects on acquisition, classically conditioned response (rabbits), 1010
- $\beta$ -endorphin of, skeletal muscle thermogenesis (rats), 322
- interaction, *kappa* and *delta* opioid receptors, analgesia induction (mice), 91
- noradrenaline and, spinal antinociceptive effects, adenosine (rats), 657
- pA<sub>2</sub> analysis, opioid cues (monkeys), 591
- peripheral mu receptors, antitransit effects (mice), 492
- plasma concentrations, relation, severity of abrupt withdrawal (monkeys), 138
- Motor activity, pyrethroid insecticides,  $\gamma$ -aminobutyric acid<sub>A</sub> receptor complex, acoustic startle response (rats), 946
- Muccitelli, R. M., *see* Hay, D. W. P., 474
- Muccitelli, R. M., Tucker, S. S., Hay, D. W. P., Torphy, T. J. and Wasserman, M. A.: Is the guinea pig trachea a good *in vivo* model of human large and central airways? Comparison of leukotriene-, metacholine-, histamine- and antigen-induced contractions, 467
- Mueller, G. P., *see* Millington, W. R., 160
- Mueller, R. A., *see* Duncan, G. E., 1027
- Mulder, G. J., *see* te Koppele, J. M., 349
- Munakata, M., *see* Huang, C.-K., 270
- Murai, R., *see* Takeo, S., 1131
- Murakawa, T., *see* Friedman, H. S., 126
- Muscimol, pyrethroid insecticides, acoustic startle response, motor activity (rats), 946
- Muscle
- airway, platelet-activating factor-induced relaxation (guinea pigs), 356
  - colon, circular, opioid suppression, inhibitory neural input (rats), 205
  - nerve and skeletal, pharmacology of pumiliotoxin-B (frogs), 775
  - papillary, calcium sensitivity, MCI-154 (guinea pigs), 633
  - tracheal, co-regulation of tone, cyclic AMP and cyclic GMP (guinea pigs), 1018
- Muscle, skeletal
- pharmacology of pumiliotoxin-B (frogs), 775
  - thermogenesis, morphine or  $\beta$ -endorphin (rats), 322
- Muscle, smooth
- arterial, calcium, phorbol 12,13-dibutyrate-induced myosin light chain phosphorylation, 814
  - calcium movements in aorta, actions of gallium, norepinephrine-induced tension (rabbits), 614
  - contraction in sphincter of iris, phosphatidylinositol 4,5-bisphosphate, muscarinic receptor (rabbits), 624
  - molluscan, acetylcholine contracture, heavy metals (mussels), 200
  - myosin light chain, calcium-independent phosphorylation, okadaic acid (chickens), 1167
  - pulmonary artery, calcium currents, inhibitory actions of CV-4093 (rabbits), 703
  - stomach fundus, contractile serotonergic receptor (rats), 264
  - taenia cecum and gizzard, inhibition of

- amiloride, contractile elements (guinea pigs, chickens), 370
- trachealis  
effect of  $\gamma$ -aminobutyric acid, neurally mediated contraction (guinea pigs), 86
- hyperresponsiveness to acetylcholine, ragweed sensitivity (dogs), 907
- vascular  
active natriuretic peptides,  $\text{Na}/\text{K}/\text{Cl}$  cotransport, 822
- $\beta$  adrenoceptors, localization and binding sites (dogs, rats), 1074
- 1,4-dihydropyridine calcium channel blockers (rabbits), 118
- dihydropyridine voltage-dependency (rats), 711
- selective relaxant, endothelium-derived relaxing factor (guinea pig), 55
- Myenteric nerves, adenosine receptors, possible heterogeneity (guinea pigs), 302
- Myers, S. A., *see* Fluharty, S. J., 415
- Myocardium  
1,4-dihydropyridine calcium channel blockers, binding affinities, negative inotropic potencies (rabbits), 118
- human, negative inotropic effect, platelet-activating factor, 834
- Myocytes, sodium current block, amiodarone-induced (dogs, cats), 180
- Myosin  
inhibition of amiloride contractile elements, taenia cecum, gizzard (guinea pigs, chickens), 370
- light chain, calcium-independent phosphorylation, okadaic acid (black sponge), 1167
- light chain phosphorylation, calcium dependence, arterial smooth muscle, 814
- spincter smooth muscle contraction, phosphatidylinositol 4,5-bisphosphate, muscarinic receptor (rabbits), 624
- Nabeshima, T., Yamaguchi, K., Ishikawa, K., Furukawa, H. and Kameyama, T.: Potentiation in phencyclidine-induced serotonin-mediated behaviors after intracerebroventricular administration of 5,7-dihydroxytryptamine in rats, 1139
- Nadel, J. A., *see* Sekizawa, K., 1211
- Nadel, J. A., *see* Tamaoki, J., 86:
- Nahorski, S. R., *see* Rooney, T. A., 333
- Nakayama, K., *see* Yamada, S., 1153
- Naloxone  
effects on acquisition, classically conditioned response (rabbits), 1010
- nicotine-induced vasopressin release, opioid peptides, hemodynamic effects (rats), 681
- skeletal muscle thermogenesis, morphine or  $\beta$ -endorphin (rats), 322
- three-choice drug discrimination, opioid-dependent humans, 1002
- Naltrexone,  $\kappa$  agonists and dexoxadrol, conditional discriminations (monkeys), 737
- 1-(1-Naphthyl)piperazine, contractile serotonergic receptor, stomach fundus (rats), 264
- Narayan, S. R., *see* Raffa, R. B., 200
- Narimatsu, A., *see* Kitada, Y., 633, 639
- Natriuresis, kinetics of atrial natriuretic peptide, lithium clearance, kidney (rats), 868
- Nawoot, S., *see* Mays, D. C., 227
- Nelson, J. E., *see* Belknap, S. M., 963
- Nelson, W. L., *see* Boyd, R. A., 118
- Neonate  
behavioral and neurochemical responses, haloperidol and SCH-23390, 6-hydroxydopamine treatment (rats), 1027
- $\beta$  adrenergic control, macromolecule synthesis, sympathetic neuronal development (rats), 101
- Neosurugatoxin, antinicotinic activity, compared to structurally related compounds (guinea pigs), 1153
- Nerves, autonomic,  $\alpha$ -adrenoceptors, left atria (rats, guinea pigs), 723
- Neuroleptics, pimozide and clozapine, acute and chronic administration, behavior (rats), 430
- Neuromuscular junction, pharmacology of pumiliotoxin-B, nerve and skeletal muscle (frogs), 775
- Neurons  
cortical, chloride channels, benzodiazepine and  $\beta$ -carboline derivatives (rats), 1195
- myenteric, acetylcholine release, forskolin and cyclic AMP (guinea pigs), 507
- partial agonist of dopamine receptors, electrophysiological evaluation (rats), 391
- primary afferent, actions of opioid agonists and antagonists (mice), 258
- Neuropeptide Y, release from adrenal medulla, cholinergic receptor stimulation, 927
- Neuroplasticity, chronotropic responses, 6-hydroxydopamine treatment (rats), 415
- Neurotransmitter  
calcitonin gene-related peptide, left atria (guinea pigs), 731
- muscarine-stimulated release, PC12 cells, 534
- Neuwirth, R., Singhal, P., Satriano, J. A., Braquet, P. and Schlendorff, D.: Effect of platelet activating factor antagonists on cultured rat mesangial cells, 409
- Nguyen, T. N., *see* Friedman, H. S., 126
- Nicardipine, 1,4-dihydropyridine calcium channel blockers, binding affinities, myocardium (rabbits), 118
- Nickel, reversible inhibition of acetylcholine contracture, molluscan smooth muscle (mussels), 200
- Nicotine  
induced release of norepinephrine, enhancement by yohimbine, cardiac sympathetic nerves (dogs), 1095
- induced vasopressin release, opioid peptides, hemodynamic effects (rats), 681
- plasma adrenocorticotropic hormone elevation, central mechanism (rats), 217
- Nifedipine, Bay k 8644 and, cerebral, coronary and mesenteric arteries (dogs), 646
- Nimodipine  
1,4-dihydropyridine calcium channel blockers, binding affinities, myocardium (rabbits), 118
- sources of activator calcium, ear arteries (rabbits), 27
- Nishikawa, K., *see* Terashita, Z.-I., 378
- Nitrendipine, 1,4-dihydropyridine calcium channel blockers, binding affinities, myocardium (rabbits), 118
- Nociception, excitatory amino acids, spinally administered opioids, phencyclidine (mice), 9
- Nonomura, Y., *see* Ozaki, H., 370, 1167
- Nonquaternary amines, intestinal permeation (guinea pigs), 1121
- Noradrenaline, morphine and, spinal antinociceptive effects, adenosine (rats), 657
- Norel, X., *see* Brunelleschi, S., 356
- Norepinephrine  
actions of gallium on tension, calcium movements, aortic smooth muscle (rabbits), 614
- analysis of agonists, amplifying and potentiating interactions (rabbits, guinea pigs), 1035
- $\beta$  adrenergic control, macromolecule synthesis, sympathetic neuronal development (rats), 101
- $\beta$ -adrenoceptor facilitation of release, angiotensin II formation, kidney (rats), 1107
- cocaine, central and peripheral receptors (rats), 61
- nicotine- and dimethylphenylpiperadienium-induced release, enhancement by yohimbine, cardiac sympathetic nerves (dogs), 1095
- release elicited by renal nerve stimulation, veratridine and potassium chloride, kidney (rats), 76
- uptake blockade, age and cocaine effect, vasculature (rats), 521
- Norman, A. B., *see* Battaglia, G., 69
- 19-Norprogesterone, derivatives of, extinction, mineralcorticoid effects (rats), 288
- North, R. A., *see* Williams, J. T., 397
- Novak, R. F., *see* Kaul, K. L., 384
- Nunan, L., *see* Sheldon, R. J., 234
- Nussberger, J., *see* Aubert, J. F., 681
- Obesity, phenobarbital induction, acetaminophen hepatotoxicity (rats), 565
- Ochoa, M. C., *see* Von Voigtlander, 542
- Ochs, H. R., Greenblatt, D. J., Eichelkraut, W., Bakker, C., Göbel, R. and Hahn, N.: Hepatic vs. gastrointestinal pre-systemic extraction of oral midazolam and flurazepam, 852
- O'Donnell, M. A., Bush, E. N., Holleman, W. and Owen, N. E.: Biologically active atrial natriuretic peptides selectively activate  $\text{Na}/\text{K}/\text{Cl}$  cotransport in vascular smooth muscle cells, 822
- O'Donohue, T. L., *see* Millington, W. R., 160
- Ogiwara, Y., Furukawa, Y., Takeda, M. and Chiba, S.: Blocking effects of alindine on negative chronotropic and inotropic responses to vagal stimulation and injected acetylcholine and carbachol in dogs, 1113
- Ogletree, M. L., *see* Schumacher, W. A., 460
- Ohba, N., *see* Shimizu, T., 690
- Ohnishi, A., *see* Goto, F., 799
- Okabe, K., Terada, K., Kitamura, K. and Kuriyama, H.: Selective and long-

- lasting inhibitory actions of the dihydropyridine derivative, CV-4093, on calcium currents in smooth muscle cells of the rabbit pulmonary artery, 703
- Okada, K., *see* Yamada, S., 1153
- Okadaic acid, smooth muscle myosin light chain, calcium-independent phosphorylation (chickens), 1167
- O'Leary, D. K., *see* Higgins, S. T., 1
- Olfactory tubercle, striatum and, dopaminergic mechanisms, metoclopramide, 840
- Oosterhuis, B., ten Berge, I. J. M., Schellekens, P. T. A. and van Boxtel, C. J.: Concentration-dependent effects of prednisolone on lymphocyte subsets and mixed lymphocyte culture in humans, 716
- Opiate agonists, corticotropin-releasing factor, inhibition of thermal injury (rats), 517
- Opiates, skeletal muscle thermogenesis, morphine or  $\beta$ -endorphin (rats), 322
- Opioids  
antitransit effects, peptide opioid antagonist (mice), 487  
dependency, three-choice drug discrimination (humans), 1002  
*kappa* agonists, U-54494A (mice), 542  
*kappa* and *delta* receptors, interaction of morphine, analgesia (mice), 91  
*mu* and *kappa* receptors, differentiation, opioid drug discrimination (monkeys), 591  
*mu* antagonist properties, *kappa* agonists, urinary bladder motility (rats), 234  
*mu/kappa/delta* agonists and antagonists, actions on primary afferent neurons (mice), 258  
nicotine-induced vasopressin release, hemodynamic effects (rats), 681  
nociceptive action, excitatory amino acids (mice), 9  
peptides, suppression, inhibitory neural tone (rats), 205  
potentiation of enkephalin action, peptidase inhibitors, locus ceruleus (rats), 397  
skeletal muscle thermogenesis, morphine or  $\beta$ -endorphin (rats), 322
- Orband-Miller, L., *see* Slotkin, T. A., 101
- Osterroth, A., *see* Kwan, C.-Y., 1074
- Oti-Amoako, K., *see* Vozeh, S., 297
- Ottersness, D. M. and Weinshilboum, R. M.: Mouse thiopurine methyltransferase pharmacogenetics: Biochemical studies and recombinant inbred strains, 180
- Owen, M. P., Joyce, E. H. and Bevan, J. A.: Sources of activator calcium for extrinsic vascular tone and nimodipine inhibition of that tone in proximal vs. distal rabbit ear arteries, 27
- Owen, N. E., *see* O'Donnell, M. A., 822
- Oxazepam, ethanol-like discriminative stimulus effects (mice), 931
- Oxotremorine, fezolamine fumarate, pharmacological profile (mice), 40
- Oxygen  
cardiac contractile force, reoxygenation-induced recovery, coenzyme Q10 (rabbits), 1131  
cardiovascular hemodynamics, effects of magnesium chloride (dogs), 126
- Ozaki, H., Ishihara, H., Kohama, K., Nonomura, Y., Shibata, S. and Karaki, H.: Calcium-independent phosphorylation of smooth muscle myosin light chain by okadaic acid isolated from black sponge (*Halichondria okadai*), 1167
- Ozaki, H., Kojima, T., Moiryama, T., Karaki, H., Urakawa, N., Kohama, K. and Nonomura, Y.: Inhibition by amiloride of contractile elements in smooth muscle of guinea pig taenia cecum and chicken gizzard, 370
- Pacula, C. M., *see* Mays, D. C., 227
- Paiva, A. C. M., *see* Lindsey, C. J., 292
- Pang, K. S., *see* te Koppele, J. M., 349
- Parasympathetic mechanisms, trachealis hyperresponsiveness, ragweed sensitivity (dogs), 907
- Parathyroid hormone, effect on gentamicin plasma membrane binding, tissue accumulation, 893
- Parietal cells, prostaglandin E<sub>2</sub> and arachidonic acid release, carbachol (dogs), 511
- Paris, J., Botella, J., Fournau, P., Bonnet, P. and Thevenot, R.: Extinction of mineralocorticoid effects in 19-norprogesterone derivatives: Structure-activity relationships, 288
- Paul, I. A., *see* Duncan, G. E., 1027
- Payne, N. A. and Gerber, J. G.: Prostaglandin E<sub>2</sub> and [<sup>14</sup>C]arachidonic acid release by carbachol in the isolated canine parietal cell, 511
- PC12 cells, muscarine-stimulated neurotransmitter release, 534
- PCP, *see* Phencyclidine
- Pearlman, R. S., *see* Massarella, J. W., 247
- Pelton, J. T., *see* Shook, J. E., 492
- Pentagastrin  
histamine release *in vivo*, stomach (dogs), 887  
somatostatin effects, gastric electrolytes, pepsin (dogs), 501
- Pentobarbital  
discriminative stimulus properties, intra-gastric administration (monkeys), 955  
metaphit, proposed phencyclidine receptor acylator (mice), 95
- Pepsin, somatostatin effects, gastric electrolytes, various secretory stimuli (dogs), 501
- Peptidase inhibitors, potentiation of enkephalin action, locus ceruleus (rats), 397
- Peretti, E., Karlaganis, G. and Lauterburg, B. H.: Acetylation of acetylhydrazine, the toxic metabolite of isoniazid, in humans. Inhibition by concomitant administration of isoniazid, 686
- Permeability, vascular, bradykinin generating and degrading systems, kaolin (rats), 1067
- Peterlik, M., *see* Klaushofer, K., 584
- pH  
effect of AlCl<sub>3</sub> and other acids, cerebrospinal fluid production (rats), 35  
inhibition of angiotensin converting activity, enalaprilat, mesenteric vascular bed (rats), 292
- Pham, P.-C., *see* Goldberg, M. P., 784
- Pharmacogenetics, thiopurine methyltransferase (mice), 180
- Pharmacologic resultant analysis, antagonist affinity, purine receptors, concomitant phosphodiesterase blockade (rats, guinea pigs), 482
- Phencyclidine  
induced serotonin-mediated behaviors, intracerebroventricular administration, 5,7-dihydroxytryptamine (rats), 1139  
nociceptive action, excitatory amino acids (mice), 9  
receptor acylator, metaphit (mice), 95  
similar properties, enantiomeric and diastereomeric dioxadrols (monkeys), 110
- Phenobarbital, induction, acetaminophen hepatotoxicity (rats), 565
- Phenoxybenzamine, calcium movements in aorta, *alpha*-1 adrenoceptor-induced (rats), 577
- Phenytoin, inhibition and induction of drug biotransformation, 8-methoxypsonalen (rats), 227
- Phorbol 12,13-dibutyrate, myosin light chain phosphorylation, calcium dependence, arterial smooth muscle, 814
- Phorbol esters  
agonists and, adrenergic receptors, DDT<sub>1</sub> MF-2 cells, 527  
tracheal contraction, protein kinase C, low temperature (guinea pigs), 270
- Phosphatidylinositol, adrenergic receptor desensitization, 527
- Phosphodiesterase  
blockade, antagonist affinity for purine receptors, pharmacologic resultant analysis (rats, guinea pigs), 482  
calmodulin-sensitive, inhibition, chlorpromazine-linked calmodulin, 171  
isoproterenol-induced cyclic AMP accumulation, LRM55 glial cells, 618
- Phosphoinositide hydrolysis, depolarization-induced, postnatal ontogeny, cerebral cortex (rats), 333
- Phosphoramidon, substance P contractile activity, lung tissues (guinea pigs), 901
- Phosphorylation, myosin light chain, calcium dependence, arterial smooth muscle, 814
- Picker, M. and Dykstra, L. A.: Comparison of the discriminative stimulus properties of U50,488 and morphine in pigeons, 938
- Picrotoxin, pyrethroid insecticides, acoustic startle response, motor activity (rats), 946
- Piercey, M. F., Hoffmann, W. E., Vogelsang, G. D. and Travis, M.: Electrophysiological evaluation of a partial agonist of dopamine receptors, 391
- Pimozide, clozapine and, behavior effects, acute and chronic administration (rats), 430
- Piotrowski, W., *see* Repke, H., 317
- Pirenzepine, telenzepine and, intestinal permeation (guinea pigs), 1121
- Pituitary, intermediate,  $\beta$ -endorphin, dopaminergic agents (rats), 160
- Pituitary cells, MDL 12,330A, electrophysiological and biochemical studies (rats), 402
- Placenta, brush-border membrane Na<sup>+</sup>-H<sup>+</sup>

- exchanger, inhibition of, loperamide (humans), 150
- Plaquevent, J.-C., *see* Giros, B., 666
- Plasma  
half-life, gold disposition and elimination (rats), 247  
morphine concentrations, relation, severity of abrupt withdrawal (monkeys), 138
- Plasma membranes  
aorta, *alpha*-1 adrenergic receptors, affinity states (bovine), 430  
gentamicin binding and tissue accumulation, effect of parathyroid hormone, 893
- Platelet-activating factor  
antagonists, effect on mesangial cells (rats), 409  
lethal role, anaphylactic shock (mice), 378  
negative inotropic effect, human myocardium, 834
- Platelet-activating factor-acether, induced relaxation, airway muscle (guinea pigs), 356
- Platelets  
effect of thromboxane receptor antagonists, renal artery thrombosis (monkeys), 460  
effects of anagrelide, cAMP levels, thrombin-induced calcium fluxes (humans), 767
- Polyzystic kidney disease, renal ultrastructure and enzymology, diphenylthiazole-induced changes (rats), 758
- Poole-Wilson, P. A., *see* Wanless, R. B., 1101
- Porreca, F., *see* Sheldon, R. J., 234
- Porter, J. H., *see* Kaempf, G. L., 437
- Portoghesi, P. S., *see* Takemori, A. E., 91
- Potassium  
sodium and chloride cotransport, active natriuretic peptides, vascular smooth muscle cells, 822  
sodium influx inhibition, antidepressants, imipramine binding in adrenal medullary cells (bovine), 342
- Potassium channel, blockade by tetrahydrodiaminoacridine, inhibited sodium inactivation, *Myxicola*, 609
- Potassium chloride, veratridine and, norepinephrine release, renal nerve stimulation (rats), 76
- Potassium current, calcium currents, inhibitory actions of CV-4093, pulmonary artery (rabbits), 703
- Powell-Jones, K., Saunders, W. S., St. Onge, R. D. and Thornhill, J. A.: Skeletal muscle thermogenesis: Its role in the hyperthermia of conscious rats given morphine or  $\beta$ -endorphin, 322
- Prednisolone, effects on lymphocyte subsets, mixed lymphocyte culture (humans), 716
- Prednisone, aspirin or, methotrexate synovial fluid concentration (dogs), 131
- Preston, K. L., Bigelow, G. E., Bickel, W. and Liebson, I. A.: Three-choice drug discrimination of opioid-dependent humans: Hydromorphone, naloxone and saline, 1002
- Preterre, P., *see* Michael-Titus, A., 1062
- Progesterins, extinction of mineralocorticoid effects, 19-norprogesterone derivatives (rats), 288
- Pro-opiomelanocortin, dopaminergic agents,  $\beta$ -endorphin, intermediate pituitary (rats), 160
- Prostaglandin D<sub>2</sub>, renal response, 9 $\alpha$ ,11 $\beta$ -prostaglandin F<sub>2</sub> (rats), 487
- Prostaglandin E<sub>2</sub>  
arachidonic acid release and, carbachol, parietal cells (dogs), 511  
platelet-activating factor-acether-induced relaxation, airway muscle (guinea pigs), 356
- Prostaglandins  
angiotensin II response in hypoperfused kidney, inhibition, cyclooxygenase and thromboxane synthase (dogs), 799  
inhibition of bone resorption, cyclosporine A, neonatal mouse calvaria, 584
- Protein kinase, effects of anagrelide on platelets, cAMP levels, calcium fluxes (humans), 767
- Protein kinase C, tracheal contraction, low temperature (guinea pigs), 270
- Prozialeck, W. C., Wallace, T. L. and Weiss, B.: Differential inhibition of calmodulin-sensitive phosphodiesterase and Ca<sup>++</sup>-adenosine triphosphatase by chlorpromazine-linked calmodulin, 171
- Pulmonary fibrosis, model, high dose continuous infusion, bleomycin (mice), 1185
- Pumiliotoxin-B, pharmacology of, nerve and skeletal muscle (frogs), 775
- Purkinje cells, sodium current block, amiodarone-induced (dogs, cats), 180
- Purkinje fibers, interactions of mexiletine and quinidine, depolarization, repolarization (dogs), 1218
- Pyrethrroids, insecticides,  $\gamma$ -aminobutyric acid<sub>A</sub> receptor complex, acoustic startle response (rats), 946
- Pyridine, inhibition and induction, liver microsomal cytochrome P-450 (rabbits), 384
- Quadazocine, pA<sub>2</sub> analysis, opioid cues (monkeys), 591
- Queen, K. L., *see* Slotkin, T. A., 101
- Quinidine, mexiletine and, depolarization and repolarization, Purkinje fibers (dogs), 1218
- Quinidine metabolites, antiarrhythmic activity, experimental reperfusion arrhythmia (rats), 297
- Quipazine, activation of serotonin<sub>2</sub> receptors, increased arterial pressure, renin secretion (rats), 829
- Quisqualate, nociceptive action, excitatory amino acids (mice), 9
- Rabe, C. S., DeLorme, E. and Weight, F. F.: Muscarine-stimulated neurotransmitter release from PC12 cells, 534
- Radioligands, dihydroergotamine, 5-HT<sub>1B</sub> binding sites, brain membranes (rats), 989
- Raffa, R. B., Bianchi, C. P. and Narayan, S. R.: Reversible inhibition of acetylcholine contracture of molluscan smooth muscle by heavy metals: Correlation to Ca<sup>++</sup> and metal content, 200
- Rafferty, M. F., *see* Jacobson, A. E., 110
- Ragweed, sensitivity, trachealis hyperres-
- ponsiveness, local parasympathetic mechanisms (dogs), 907
- Rampe, D., Triggle, D. J. and Brown, A. M.: Electrophysiologic and biochemical studies on the putative Ca<sup>++</sup> channel blocker MDL 12,330A in an endocrine cell, 402
- Rao, K. S., Warnick, J. E., Daly, J. W. and Albuquerque, E. X.: Pharmacology of the alkaloid pumiliotoxin-B. II. Possible involvement of calcium and sodium-dependent processes in nerve and skeletal muscle, 775
- Receptors  
adenosine, possible heterogeneity, myenteric nerve endings (guinea pigs), 302  
cholinergic, neuropeptide Y release, adrenomedulla, 927  
cholinergic muscarinic, antimuscarinic effect of alinidine, vagal stimulation (dogs), 1113  
cocaine, central and peripheral (rats), 61  
contractile serotonergic, stomach fundus (rats), 264  
dihydropyridine, effects of Bay k 8644 and nifedipine, arteries (dogs), 646  
dopamine, partial agonist, electrophysiological evaluation (rats), 391  
dopamine D-1  
mediation of acetylcholine release, retina (rabbit), 857  
tachykinin metabolism (rats), 792
- GABA<sub>A</sub>  
acoustic startle response, pyrethroid insecticides (rats), 946  
agonists and antagonists, enkephalins from adrenal medulla (dogs), 195
- GABA<sub>B</sub>, protracted antidepressant treatment, signal transduction (rats), 155
- histamine, characterization, veins (rabbits), 696
- histamine H<sub>2</sub>, antagonists, aspirin-induced gastric mucosal injury (dogs), 1179
- histamine H<sub>3</sub>, inhibition, ileum contractions (guinea pigs), 874
- lung, inhibition of leukotriene D<sub>4</sub> binding, ICI 198,615 (guinea pigs), 921
- N-methyl-D-aspartate, mediation of hypoxic neuronal injury, cortical culture (mice), 784
- mineralocorticoid, extinction of effects, 19-norprogesterone derivatives (rats), 288
- muscarinic  
neurotransmitter release, PC12 cells, 534  
phosphatidylinositol 4,5-bisphosphate, smooth muscle contraction (rabbits), 624
- nicotinic acetylcholine, ionic channel blockade, cocaine (frogs), 1202
- opioid kappa, U-54494A (mice), 542
- opioid kappa and delta, interaction of morphine, analgesia induction (mice), 91
- opioid mu, peptide opioid antagonist, antitussive effects (mice), 492
- opioid mu and kappa, differentiation, opioid drug discrimination (monkeys), 591
- opioid subtypes  
actions on primary afferent neurons (mice), 258
- urinary bladder motility (rats), 234

- phenocyldine, *kappa* agonists and dexamadol, conditional discriminations (monkeys), 737
- purine, antagonist affinity measurement, concomitant phosphodiesterase blockade (rats, guinea pigs), 482
- serotonin  
buspirone effects, punished behavior (pigeons), 970  
phenocyldine and behavior, 5,7-dihydroxytryptamine (rats), 1139
- serotonin<sub>2</sub>  
activation by quipazine, arterial pressure and renin secretion (rats), 829  
recovery, aging (rats), 69
- thromboxane, antagonists, renal artery thrombosis (monkeys), 460
- vasopressin-1, noncompetitive blockade, tail artery (rats), 598
- Rees, D. C., Knisely, J. S., Breen, T. J. and Balster, R. L.: Toluene, halothane, 1, 1-trichloroethane and oxazepam produce ethanol-like discriminative stimulus effects in mice, 931
- Reiter, L. W., see Crofton, K. M., 946
- Reith, M. E. A., Benuck, M. and Lajtha, A.: Cocaine disposition in the brain after continuous or intermittent treatment and locomotor stimulation in mice, 281
- Reith, M. E. A., see Benuck, M., 144
- Renal cortex, brush-border membrane Na<sup>+</sup>-H<sup>+</sup> exchanger, inhibition of, loperamide (humans), 150
- Renal nerve  
central sympathoinhibitory action of ketanserin (rats), 1174  
norepinephrine release, veratridine and potassium chloride, kidney (rats), 76
- Renin, secretion, activation of serotonin<sub>2</sub> receptors, quipazine (rats), 829
- Renton, K. W., see Azri, S., 1089
- Repke, H., Piotrowski, W., Bienert, M. and Foreman, J. C.: Histamine release induced by Arg-Pro-Lys-Pro(CH<sub>2</sub>)<sub>11</sub>CH<sub>3</sub> from rat peritoneal mast cells, 317
- Reserpine  
chronic treatment, serotonin<sub>2</sub> receptor recovery, aging (rats), 69  
fezolamine fumarate, pharmacological profile (mice), 40
- Respiratory distress syndrome, adult, fibrin peptide, angiotensin converting enzyme (rabbits), 897
- Retina, acetylcholine release, characterization, D-1 dopamine receptor (rabbit), 857
- Reynolds, R. D., see Brown, B. S., 1225
- Rheumatoid arthritis  
concomitant aspirin or prednisone, methotrexate synovial fluid concentration (dogs), 131  
gold disposition and elimination (rats), 247
- Rice, K. C., see Jacobson, A. E., 110
- Rikans, L. E. and Moore, D. R.: Effect of age and sex on allyl alcohol hepatotoxicity in rats: Role of liver alcohol and aldehyde dehydrogenase activities, 20
- Rimele, T. J., see Heaslip, R. J., 1018
- Roache, J. D. and Griffiths, R. R.: Lorazepam and meprobamate dose effects in humans: Behavioral effects and abuse liability, 978
- Roberts, L. J., II, see Stier, C. T., Jr., 487
- Robertson, D. A., Genovese, A. and Levi, R.: Negative inotropic effect of platelet activating factor on human myocardium: a pharmacological study, 834
- Robin, J. L., see Israel, E., 424
- Roden, D. M., Iansmith, D. H. S. and Wooley, R. L.: Frequency-dependent interactions of mexiletine and quinidine on depolarization and repolarization in canine Purkinje fibers, 1218
- Rooney, T. A. and Nahorski, S. R.: Postnatal ontogeny of agonist and depolarization-induced phosphoinositide hydrolysis in rat cerebral cortex, 333
- Roques, B. P., see Williams, J. T., 397
- Ross, C. R., see Holohan, P. D., 893
- Ross, C. R., see Sokol, P. P., 455
- Rump, L. C. and Majewski, H.: Beta-adrenoceptor facilitation of norepinephrine release is not dependent on local angiotensin II formation in the rat isolated kidney, 1107
- Ruo, T. I., see Belknap, S. M., 963
- Russett, L. R., see Hexum, T. D., 927
- Saito, A., Ishikawa, T., Kimura, S. and Goto, K.: Role of calcitonin gene-related peptide as cardiotonic neurotransmitter in guinea pig left atria, 731
- Saito, A., see Goto, K., 723
- Saito, H., see Yoshioka, M., 1174
- Saldeen, K., see Moalli, R., 897
- Saldeen, T., see Moalli, R., 897
- Saline, three-choice drug discrimination, opioid-dependent humans, 1002
- Sarcoplasmic reticulum, calcium sensitivity, MCI-154, papillary muscles (guinea pigs), 633
- Satoh, S., see Kanda, A., 1095
- Satriano, J. A., see Neuwirth, R., 409
- Sattin, A., see Schauf, C. L., 609
- Saunders, W. S., see Powell-Jones, K., 322
- Sawada, Y., see Suzuki, H., 1147
- Sawynok, J., see Sweeney, M. I., 657
- SCH23390  
acetylcholine release in retina, characterization, D-1 dopamine receptor (rabbit), 857
- haloperidol and, behavioral and neurochemical responses, 6-hydroxydopamine treatment (rats), 1027
- Schauf, C. L. and Sattin, A.: Tetrahydroaminoacridine blocks potassium channels and inhibits sodium inactivation in *Myxicola*, 609
- Schellekens, P. T. A., see Oosterhuis, B., 716
- Schindler, C. W., Gormezano, I. and Harvey, J. A.: Effects of morphine, ethylketocyclazocine, U-50,488H and naloxone on the acquisition of a classically conditioned response in the rabbit, 1010
- Schlondorff, D., see Neuwirth, R., 409
- Schumacher, W. A., Goldenberg, H. J., Harris, D. N. and Ogletree, M. L.: Effect of thromboxane receptor antagonists on renal artery thrombosis in the cynomolgus monkey, 460
- Schwartz, J.-C., see Giros, B., 666
- Schwartz, S. E., see Cavanagh, R. L., 1179
- Seiler, S., Arnold, A. J., Grove, R. I., Fifer, C. A., Keely, S. L., Jr. and Stanton, H. C.: Effects of anagrelide on platelet cAMP levels, cAMP-dependent protein kinase and thrombin-induced Ca<sup>++</sup> fluxes, 767
- Sekizawa, K., Tamaoki, J., Graf, P. D., Basbaum, C. B., Borson, D. B. and Nadel, J. A.: Enkephalinase inhibitor potentiates mammalian tachykinin-induced contraction in ferret trachea, 1211
- Senescence, see Aging
- Serotonin  
analysis of agonists, amplifying and potentiating interactions (rabbits, guinea pigs), 1035
- contractile serotonergic receptor, stomach fundus (rats), 264
- hemodynamic pharmacology, p-chloroamphetamine (rats), 446
- involvement in effects of buspirone, punished behavior (pigeons), 970
- phenocyldine and behavior, intracerebroventricular administration, 5,7-dihydroxytryptamine (rats), 1139
- receptor recovery, aging, chronic reserpine treatment (rats), 69
- Sex, allyl alcohol hepatotoxicity (rats), 20
- Shain, W., see Madelian, V., 618
- Shankley, N. P., see Trist, D. G., 1043
- Sharp, B. M., see Matta, S. G., 217
- Sheldon, R. J., Nunan, L. and Porreca, F.: Mu antagonist properties of kappa agonists in a model of rat urinary bladder motility *in vivo*, 234
- Shetty, S. S. and Weiss, G. B.: Specific actions of gallium on norepinephrine-induced tension and associated <sup>65</sup>Ca movements in rabbit aortic smooth muscle, 614
- Shibata, S., see Ozaki, H., 1167
- Shigei, T., see Tsuru, H., 696
- Shikano, K. and Berkowitz, B. A.: Endothelium-derived relaxing factor is a selective relaxant of vascular smooth muscle, 55
- Shimizu, T., Izumi, K., Fujita, S., Koja, T., Sorimachi, M., Ohba, N. and Fukuda, T.: Capsaicin-induced corneal lesions in mice and the effects of chemical sympathectomy, 690
- Shin, S.-G., see Belknap, S. M., 963
- Shino, A., see Terashita, Z.-I., 378
- Shirakawa, J., Taniyama, K. and Tanaka, C.:  $\gamma$ -aminobutyric acid-induced modulation of acetylcholine release from the guinea pig lung, 364
- Shock, anaphylactic, lethal role, platelet activating factor (mice), 378
- Shook, J. E., Pelton, J. T., Hruby, V. J. and Burks, T. F.: Peptide opioid antagonist separates peripheral and central opioid antitranstöt effects, 492
- Silverton, J. V., see Jacobson, A. E., 110
- Singer, D. H., see Follmer, C. H., 187
- Singer, H. A. and Baker, K. M.: Calcium dependence of phorbol 12,13-dibutyrate-induced force and myosin light chain phosphorylation in arterial smooth muscle, 814
- Singhal, P., see Neuwirth, R., 409
- Sipos, S. N., see Kwan, C.-Y., 1074
- Sivam, S. P., see Li, S. J., 792

- SK&F 104353, pharmacologic profile, airways (guinea pigs, humans),** 474
- Skolnick, P., see Witkin, J. M.,** 970
- Slotkin, T. A., Whitmore, W. L., Orband-Miller, L., Queen, K. L. and Haim, K.: Beta adrenergic control of macromolecule synthesis in neonatal rat heart, kidney and lung: Relationship to sympathetic neuronal development,** 101
- Snider, J. M., see Alper, R. H.,** 829
- Snyder, D. W., Giles, R. E., Keith, R. A., Yee, Y. K. and Krell, R. D.: In vitro pharmacology of ICI 198,615: A novel, potent and selective peptide leukotriene antagonist,** 548
- Snyder, D. W., see Krell, R. D.,** 557
- Sodium**
- inhibition of inactivation, potassium channel blockade, tetrahydroaminoacridine, 609
  - inhibition of influx, antidepressants, imipramine binding in adrenal medulla cells (bovine), 342
  - potassium and chloride cotransport, active natriuretic peptides, vascular smooth muscle cells, 822
  - processes in nerve and skeletal muscle, pharmacology of pumiliotoxin-B (frogs), 775
  - renal nerve stimulation, norepinephrine release, veratridine and potassium chloride (rats), 76
- Sodium channel, mexiletine and quinidine, depolarization and repolarization, Purkinje fibers (dogs),** 1218
- Sodium current**
- amiodarone-induced block, cardiac cells (dogs, cats), 180
  - calcium currents, inhibitory actions of CV-4093, pulmonary artery (rabbits), 703
- Sodium-hydrogen exchanger, brush-border membrane, inhibition of, loperamide (humans),** 150
- Sokol, P. P., Holohan, P. D. and Ross, C. R.: N,N'-Dicyclohexylcarbodiimide inactivates organic cation transport in renal brush border membranes,** 455
- Solomon, R. E., see Jacobson, A. E.,** 110
- Somatostatin, effects on gastric electrolytes and pepsin, various secretory stimuli (dogs),** 501
- Sorimachi, M., see Shimizu, T.,** 690
- Sphincter, contraction in smooth muscle of iris, phosphatidylinositol 4,5-bisphosphate, muscarinic receptor (rabbits),** 624
- Spinal cord**
- antinociceptive effects, involvement of adenosine, morphine and noradrenaline (rats), 657
  - nociceptive action, excitatory amino acids (mice), 9
- Splanchic nerve, effect of  $\gamma$ -aminobutyric acid<sub>A</sub>, receptor agonists and antagonists, enkephalin release (dogs),** 195
- SQ 28,668, SQ 30,741 and, effect on renal artery thrombosis (monkeys),** 460
- SRI 63-072, effect of platelet-activating factor, mesangial cells (rats),** 409
- Stanton, H. C., see Seiler, S.,** 767
- Stephens, N. L., see Mitchell, R. W.,** 907
- Stereoselectivity, glutathione conjugation,**  $\alpha$ -bromoisovalerylurea enantiomers, hepatocytes (rats), 349
- Stern, P. H., see Klaushofer, K.,** 584
- Stewart, C. F., Christensen, M. L., Evans, R. P., Cremer, M. and Evans, W. E.: Influence of concomitant aspirin or prednisone on methotrexate synovial fluid concentration,** 131
- Stewart, P. J., see Klaushofer, K.,** 584
- Stier, C. T., Jr., Roberts, L. J., II and Wong, P. Y.-K.: Renal response to 9 $\alpha$ ,11 $\beta$ -prostaglandin F<sub>2</sub> in the rat,** 487
- Stomach**
- fundus, contractile serotonergic receptor (rats), 264
  - histamine release *in vivo*, pentagastrin (dogs), 887
  - prevention of aspirin-induced gastric mucosal injury, histamine H<sub>2</sub> receptor antagonists (dogs), 1179
- St. Onge, R. D., see Powell-Jones, K.,** 322
- Striatonigral pathway, tachykinin metabolism, dopaminergic regulation (rats),** 792
- Striatum**
- inhibitor of N-methyl-aspartate-induced depolarizations, tiletamine (rats), 915
  - olfactory tubercle and, dopamine-cholinergic mechanisms, metoclopramide, 840
- Stricker, E. M., see Fluharty, S. J.,** 415
- Suarez-Roca, H., Lovenberg, T. and Cubeddu, L. X.: Comparative dopamine-cholinergic mechanisms in the olfactory tubercle and the striatum: Effects of metoclopramide,** 840
- Substance P**
- capsaicin-induced corneal lesions, effects, chemical sympathectomy (mice), 690
  - contractile activity, lung tissues (guinea pigs), 901
  - endogenous, degradation by enkephalinase, substantia nigra (rats), 674
  - histamine release, Arg-Pro-Lys-Pro(CH<sub>2</sub>)<sub>2</sub>CH<sub>3</sub>, peritoneal mast cells (rats), 317
- Substantia nigra, degradation of endogenous substance P, enkephalinase (rats),** 674
- Sugar, antinicotinic activity, neosurugatoxin (guinea pigs),** 1153
- Sugiyama, Y., see Suzuki, H.,** 1147
- Sunahara, N., see Kumakura, S.-I.,** 1067
- Suzuki, H., Sawada, Y., Sugiyama, Y., Iga, T. and Hanano, M.: Anion exchanger mediates benzylpenicillin transport in rat choroid plexus,** 1147
- Suzuki, R., see Kitada, Y.,** 639
- Suzuki, Y., see Asano, M.,** 646
- Swanson, K. L. and Albuquerque, E. X.: Nicotinic acetylcholine receptor ionic channel blockade by cocaine: The mechanism of synaptic action,** 1202
- Sweeney, M. I., White, T. D. and Sawynok, J.: Involvement of adenosine in the spinal antinociceptive effects of morphine and noradrenaline,** 657
- Sympathectomy**
- autonomic nerves, left atria,  $\alpha$ -1 adrenoceptors (rats, guinea pigs), 723
  - chemical, effects, capsaicin-induced corneal lesions (mice), 690
- Sympathetic efferent nerves, action of ketanserin (rats),** 1174
- Sympathetic nerves**
- cardiac, release of norepinephrine, enhancement by yohimbine (dogs), 1095
  - kidney, norepinephrine release, beta adrenoceptor (rats), 1107
- Sympathetic nervous system**
- beta adrenergic control, macromolecule synthesis (rats), 101
  - hemodynamic pharmacology, *p*-chloroamphetamine (rats), 446
- Synaptosomes, involvement of adenosine, spinal antinociceptive effects, morphine and noradrenaline (rats),** 657
- Synovial fluid, methotrexate concentration, concomitant aspirin or prednisone (dogs),** 131
- Szekely, A. M., Barbaccia, M. L. and Costa, E.: Effect of a protracted antidepressant treatment on signal transduction and [<sup>3</sup>H](-)-baclofen binding at  $\gamma$ -aminobutyric acid<sub>A</sub> receptors,** 155
- Tachykinin**
- induced tracheal contraction, potentiation, enkephalinase inhibitor (ferrets), 1211
  - metabolism, dopaminergic regulation, striatonigral pathway (rats), 792
- Taenia cecum, gizzard and, inhibition of amiloride, contractile elements (guinea pigs, chickens),** 370
- Taira, N., see Kitada, Y.,** 639
- Takara, H., see Arita, M.,** 342
- Takanayagi, N., see Yamada, S.,** 1153
- Takeda, M., see Ogiwara, Y.,** 1113
- Takemori, A. E. and Portoghesi, P. S.: Evidence for the interaction of morphine with kappa and delta opioid receptors induce analgesia in  $\beta$ -funaltrexamine-treated mice,** 91
- Takeo, S., Tanonaka, K., Tazuma, Y., Miyake, K. and Murai, R.: Possible mechanism by which coenzyme Q10 improves reoxygenation-induced recovery of cardiac contractile force after hypoxia,** 1131
- Tamaoki, J., Graf, P. D. and Nadel, J. A.: Effect of  $\gamma$ -aminobutyric acid on neurally mediated contraction of guinea pig trachealis smooth muscle,** 86
- Tamaoki, J., see Sekizawa, K.,** 1211
- Tanaka, C., see Shirakawa, J.,** 364
- Taniyama, K., see Shirakawa, J.,** 364
- Tanonaka, K., see Takeo, S.,** 1131
- Taurine, collicular seizures, amino acids (rats),** 603
- Tazuma, Y., see Takeo, S.,** 1131
- te Koppele, J. M., de Lannoy, I. A. M., Pang, K. S. and Mulder, G. J.: Stereoselective glutathione conjugation and amide-catalyzed hydrolysis of  $\alpha$ -bromoisovalerylurea enantiomers in isolated rat hepatocytes,** 349
- Telenzepine, pirenzepine and, intestinal permeation (guinea pigs),** 1121
- Temperature**
- inhibition of thermal injury, corticotropin-releasing factor (rats), 517
  - low, tracheal contraction, protein kinase C (guinea pigs), 270
  - skeletal muscle thermogenesis, morphine or  $\beta$ -endorphin (rats), 322
- ten Berge, I. J. M., see Oosterhuis, B.,** 716

- Terada, K., *see* Okabe, K., 703  
 Terashita, Z.-I., Imura, Y., Shino, A. and Nishikawa, K.: A lethal role of platelet activating factor in anaphylactic shock in mice, 378  
**Tetrahydroaminoacridine**, potassium channel blockade, inhibited sodium inactivation, *Myxicola*, 609  
**Tetradotoxin**, pharmacology of pumiliotoxin-B, nerve and skeletal muscle (frogs), 775  
**Theophylline**  
 distribution kinetics, simultaneous injection of urea and inulin (dogs), 963  
 pharmacologic resultant analysis, 482  
**Thermogenesis**, skeletal muscle, morphine or  $\beta$ -endorphin (rats), 322  
**Thermolysis**, effects of enantiomers, thiorphan and acetorphan, behavioral effects (mice), 666  
 Thevenot, R., *see* Paris, J., 288  
 Thijssen, H. H. W. and Baars, L. G. M.: Hepatic uptake and storage of warfarin. The relation with the target enzyme vitamin K 2,3-epoxide reductase, 1082  
**Thiopurine methyltransferase**, pharmacogenetics (mice), 180  
**Thiorphan**  
 acetorphan and, enantiomers, behavioral effects (mice), 666  
 degradation of endogenous substance P, enkephalinase, substantia nigra (rats), 674  
 Thornhill, J. A., *see* Powell-Jones, K., 322  
**Thrombin**  
 induced calcium flux, effects of angrelide on platelets (humans), 767  
 vasoconstriction, intracoronary infusion, air embolus (dogs), 571  
**Thrombosis, renal artery**, effect of thromboxane receptor antagonists (monkeys), 460  
**Thromboxane synthase**, cyclooxygenase and, inhibition, angiotensin II in kidney (dogs), 799  
**Tifluadom**,  $\mu$  antagonist properties, urinary bladder motility (rats), 234  
**Tiletamine**, inhibitor of N-methyl-D-aspartate-induced depolarizations, hippocampus, striatum (rats), 915  
 Timmermans, P. B. M. W. M., *see* Chiu, A. T., 577  
 Tiruppathi, C., *see* Balkovetz, D. F., 150  
 Toews, M. L., *see* Cowlen, M. S., 527  
 Togashi, H., *see* Yoshioka, M., 1174  
**Toluene**, ethanol-like discriminative stimulus effects (mice), 931  
 Torphy, T. J., *see* Hay, D. W. P., 474  
 Torphy, T. J., *see* Muccitelli, R. M., 467  
**Trachea**  
 airway epithelium-dependent relaxant factor, arachidonic acid metabolites (guinea pigs), 310  
 contraction, protein kinase C, low temperature (guinea pigs), 270  
 co-regulation of tone, cyclic AMP and cyclic GMP mechanisms (guinea pigs), 1018  
 tachykinin-induced contraction, enkephalinase inhibitor (ferrets), 1211  
**Trachealis**, hyperresponsiveness, ragweed sensitivity, local parasympathetic mechanisms (dogs), 907  
**Transdihydrolisuride**, dopamine receptors, partial agonist, electrophysiological evaluation (rats), 391  
 Travis, M., *see* Piercy, M. F., 391  
 1,1-Trichloroethane, ethanol-like discriminative stimulus effects (mice), 931  
 Triezenberg, H. J., *see* Von Voigtlander, 542  
**Trifluoperadine**, inhibition of amiloride of contractile elements, taenia cecum, gizzard (guinea pigs, chickens), 370  
 Triggle, D. J., *see* Rampe, D., 402  
**Trimethyltin**, effects on repeated acquisition (pigeons), 241  
 Trist, D. G., Leff, P., Black, S. J., Gerskowitz, V. P. and Shankley, N. P.: Resultant action of cimetidine in a cardiac adenylate cyclase assay: Its elucidation by concentration-ratios analysis, 1043  
 Trzeciakowski, J. P.: Inhibition of guinea pig ileum contractions mediated by a class of histamine receptor resembling the  $H_3$  subtype, 874  
 Tschirhart, E., Frossard, N., Bertrand, C. and Landry Y.: Arachidonic acid metabolites and airway epithelium-dependent relaxant factor, 310  
 Tsuji, K., *see* Yamada, S., 1153  
 Tsuru, H., Kohno, S., Iwata, M. and Shigei, T.: Characterization of histamine receptors in isolated rabbit veins, 696  
 Tsurufuji, S., *see* Kumakura, S.-I., 1067  
 Tucker, S. S., *see* Hay, D. W. P., 474  
 Tucker, S. S., *see* Muccitelli, R. M., 467  
**Tyrosine hydroxylase**, recovery of chronotropic responses, systemic 6-hydroxydopamine treatment (rats), 415  
 U50,488, discriminative stimulus properties, compared to morphine (pigeons), 938  
 U-50,488H  
 effects on acquisition, classically conditioned response (rabbits), 1010  
 $\mu$  antagonist properties, urinary bladder motility (rats), 234  
 U-54494A, anticonvulsant related to *kappa* opioid agonists (mice), 542  
**UDP-glucuronic acid**, renal ultrastructure and enzymology, diphenylthiazole-induced changes (rats), 758  
 Uematsu, T., *see* Vozeh, S., 297  
 Urakawa, N., *see* Ozaki, H., 370  
**Urea**, simultaneously injected with inulin, distribution kinetics, theophylline (dogs), 963  
**Urinary bladder**, motility,  $\mu$  antagonist properties, *kappa* agonists (rats), 234  
**Urine**, elimination pathway, gold disposition (rats), 247  
**Vagal nerve**, blocking effects of alnidine, negative chronotropic and inotropic responses (dogs), 1113  
**Vagus**, hemodynamic pharmacology, *p*-chloroamphetamine (rats), 446  
 van Boxtel, C. J., *see* Oosterhuis, B., 716  
**Vas deferens**, pharmacological resultant analysis, antagonist affinity, purine receptors (rats, guinea pigs), 482  
**Vasoactive peptide**  
 fibrin-derived, pulmonary angiotensin converting enzyme, bradykinin (rabbits), 897  
 intestinal, colonic circular muscle, opioid suppression, inhibitory neural input (rats), 205  
**Vasoconstriction**  
 cerebral/coronary/mesenteric arteries, Bay k 8644 and nifedipine (dogs), 646  
 renal nerve stimulation, norepinephrine release, veratridine and potassium chloride (rats), 76  
 sources of activator calcium, ear arteries (rabbits), 27  
 thrombin, intracoronary infusion, air embolus (dogs), 571  
**Vasopressin**, nicotine-induced release, opioid peptides, hemodynamic effects (rats), 681  
**Veins**, characterization of histamine receptors (rabbits), 696  
**Verapamil**, lidocaine and, pharmacodynamics, pharmacokinetics (dogs), 211  
**Veratridine**  
 potassium chloride and, norepinephrine release, renal nerve stimulation (rats), 76  
 sodium influx inhibition, antidepressants, imipramine binding in adrenal medullary cells (bovine), 342  
 Vicini, S., Mienville, J.-M. and Costa, E.: Actions of benzodiazepine and  $\beta$ -carboline derivatives on  $\gamma$ -aminobutyric acid-activated  $Cl^-$  channels recorded from membrane patches of neonatal rat cortical neurons in culture, 1195  
 Vickery-Clark, L. M., *see* Hay, D. W. P., 474  
 Vitamin K 2,3-epoxide reductase, hepatic uptake and storage of warfarin (rats), 1082  
 Vlaiculescu, A., *see* Giros, B., 666  
 Vogelsang, G. D., *see* Piercy, M. F., 391  
 Vogh, B. P., Godman, D. R. and Maren, T. H.: Effect of  $AlCl_3$  and other acids on cerebrospinal fluid production: A correction, 35  
 Vollmer, R. R., *see* Fluharty, S. J., 415  
 Von Voigtlander, P. F., Hall, E. D., Ochoa, M. C., Lewis, R. A. and Triezenberg, H. J.: U-54494A: A unique anticonvulsant related to *kappa* opioid agonists, 542  
 Vozeh, S., Oti-Amoako, K., Uematsu, T. and Follath, F.: Antiarrhythmic activity of two quinidine metabolites in experimental reperfusion arrhythmia: Relative potency and pharmacodynamic interaction with the parent drug, 297  
 Wada, A., *see* Arita, M., 342  
 Waerber, B., *see* Aubert, J. F., 681  
 Wallace, T. L., *see* Prozialeck, W. C., 171  
 Wanless, R. B., Anand, I. S., Gurden, J., Harris, P. and Poole-Wilson, P. A.: Regional blood flow and hemodynamics in the rabbit with adriamycin cardiomyopathy: Effects of isosorbide dinitrate, dobutamine and captopril, 1101  
**Warfarin**, hepatic uptake and storage (rats), 1082  
 Warnick, J. E., *see* Rao, K. S., 775  
 Wasserman, M. A., *see* Hay, D. W. P., 474  
 Wasserman, M. A., *see* Muccitelli, R. M., 467  
 Wei, E. T., *see* Kiang, J. G., 517  
 Weight, F. F., *see* Rabe, C. S., 534  
 Weinsilboum, R. M., *see* Otterness, D. M., 180  
 Weiss, B., *see* Cory-Slechta, D. A., 804

- Weiss, B., *see* Prozialeck, W. C., 171  
 Weiss, G. B., *see* Shetty, S. S., 614  
 Weiss, J. H., *see* Goldberg, M. P., 784  
 Weissmann, B., *see* Witkin, J. M., 970  
 Werz, M. A., Grega, D. S. and Macdonald, R. L.: Actions of *mu*, *delta* and *kappa* opioid agonists and antagonists on mouse primary afferent neurons in culture, 258  
 White, T. D., *see* Sweeney, M. I., 657  
 Whitmore, W. L., *see* Slotkin, T. A., 101  
 Wilcox, G. L., *see* Aanonsen, L. M., 9  
 Williams, J. T., Christie, M. J., North, R. A. and Roques, B. P.: Potentiation of enkephalin action by peptidase inhibitors in rat locus ceruleus *in vitro*, 397  
 Wilson, K. A., *see* Hay, D. W. P., 474  
 Winger, G., *see* Jacobson, A. E., 110  
 Withdrawal, abrupt, severity of, plasma morphine concentrations (monkeys), 138  
 Witkin, J. M., Mansbach, R. S., Barrett, J. E., Bolger, G. T., Skolnick, P. and Weissmann, B.: Behavioral studies with anxiolytic drugs. IV. Serotonergic involvement in the effects of buspirone on punished behavior of pigeons, 970  
 Wong, F. M., *see* Boyd, R. A., 118  
 Wong, P. C., *see* Chiu, A. T., 577  
 Wong, P. Y.-K., *see* Stier, C. T., Jr., 487  
 Woods, J. H., *see* Bertalmio, A. J., 591  
 Woods, J. H., *see* Jacobson, A. E., 110  
 Woosley, R. L., *see* Roden, D. M., 1218  
 Worwag, E. M., *see* Belknap, S. M., 963  
 Yamada, S., Kagawa, Y., Takayanagi, N., Nakayama, K., Tsuji, K., Kosuge, T., Hayashi, E., Okada, K. and Inoue, S.: Comparison of antinicotinic activity by neosurgatoxin and the structurally related compounds, 1153  
 Yamaguchi, K., *see* Nabeshima, T., 1139  
 Yang, H.-Y. T., *see* Hexum, T. D., 927  
 Yau, W. M., Dorsett, J. A. and Youther, M. L.: Stimulation of acetylcholine release from myenteric neurons of guinea pig small intestine by forskolin and cyclic AMP, 507  
 Yee, Y. K., *see* Krell, R. D., 557  
 Yee, Y. K., *see* Snyder, D. W., 548  
 Yeh, J. Z., *see* Follmer, C. H., 187  
 Yingling, J., *see* Higgins, S. T., 1  
 Yohimbine, nicotine- and dimethylphenylpiperadinium-induced release, norepinephrine, cardiac sympathetic nerves (dogs), 1095  
 Yorikane, R., *see* Kanda, A., 1095  
 Yoshioka, M., Matsumoto, M., Togashi, H., Minami, M. and Saito, H.: Central sympathoinhibitory action of ketanserin in rats, 1174  
 Youther, M. L., *see* Yau, W. M., 507  
 Zigmond, M. J., *see* Fluharty, S. J., 415

U.S. Postal Service  
**STATEMENT OF OWNERSHIP MANAGEMENT AND CIRCULATION**  
Required by 39 U.S.C. 1645

1A. TITLE OF PUBLICATION <b>JOURNAL OF PHARMACOLOGY &amp; EXPERIMENTAL THERAPEUTICS</b>			IB. PUBLICATION NO. 0 0 2 2 3 5 6 5	2 DATE OF FILING 10/1/87
3 FREQUENCY OF ISSUE <b>Monthly</b>		3A. NO. OF ISSUES PUBLISHED ANNUALLY 12	3B. ANNUAL SUBSCRIPTION PRICE \$140.00	
4 COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION (Street, City, County, State and ZIPed Code) (Not printers) <b>428 East Preston Street, Baltimore, Maryland 21202-3993</b>				
5 COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OF GENERAL BUSINESS OFFICES OF THE PUBLISHER (Not printers) <b>428 East Preston Street, Baltimore, Maryland 21202-3993</b>				
6 FULL NAME AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR (This item MUST NOT be blank) <b>PUBLISHER (Name and Complete Mailing Address)</b> <b>Williams &amp; Wilkins, 428 E. Preston St., Baltimore, MD 21202-3993</b>				
7 EDITOR (Name and Complete Mailing Address) <b>Dr. Eva King Killam, School of Medicine, University of California, Davis, CA 95616</b>				
MANAGING EDITOR (Name and Complete Mailing Address)				
7 OWNERSHIP (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)				
FULL NAME <b>American Society for Pharmacology and Experimental Therapeutics</b>		COMPLETE MAILING ADDRESS <b>9650 Rockville Pike Bethesda, MD 20814</b>		
8 KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (If there are none, so state)				
FULL NAME <b>NONE</b>		COMPLETE MAILING ADDRESS		
9 FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (Section 42312 DMF only) The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one)				
(1) <input checked="" type="checkbox"/> HAS NOT CHANGED DURING PRECEDING 12 MONTHS		(2) <input type="checkbox"/> HAS CHANGED DURING PRECEDING 12 MONTHS		(If changed, publisher must submit explanation of change with this statement.)
10 EXTENT AND NATURE OF CIRCULATION (See instructions on reverse side)		AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE	
A TOTAL NO. COPIES (Net Press Run)		3465	3378	
B PAID AND/OR REQUESTED CIRCULATION 1 Sales through dealers and carriers, street vendors and counter sales		74	74	
2 Mail Subscriptions (Paid and/or requested)		2686	2688	
C TOTAL PAID AND/OR REQUESTED CIRCULATION (Sum of 10B1 and 10B2)		2760	2762	
D FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES		200	202	
E TOTAL DISTRIBUTION (Sum of C and D)		2960	2964	
F COPIES NOT DISTRIBUTED 1 Office use, left over, unaccounted, spoiled after printing		505	414	
2 Return from News Agents		NONE	NONE	
G TOTAL (Sum of E, F1 and 2 - should equal net press run shown in A)		3465	3378	
11 I certify that the statements made by me above are correct and complete		SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER  <b>Alma J. Wilkins</b>		

PS Form 3526, Rev. 1985

(See instruction on reverse)