

Per.  
V. 25  
1925

649

## CONTENTS

## NUMBER 1, FEBRUARY, 1925

- I. Insulin and Liver Glycogen. By Carl F. Cori..... 1
- II. The Pharmacological Action of Cryptopine. By Reginald St. A. Heathcote ..... 35
- III. Potassium Chlorate: Its Influence on the Blood Oxygen Binding Capacity (Hemoglobin Concentration), Its Rate of Excretion and Quantities Found in the Blood After Feeding. By Victor Ross..... 47
- IV. The Chemo-Therapeutic Properties of a Substance with a Chain of Four Arsenic Atoms. By H. G. Barbour, G. B. Ridout and D. Claydon. 53
- V. The Nephropathic Action of the Dicarboxylic Acids and their Derivatives. III. Acids of Six to Nine Carbons. By William C. Rose, Clarence J. Weber, Ralph C. Corley and Richard W. Jackson..... 59
- VI. The Nephropathic Action of the Dicarboxylic Acids and Their Derivatives. IV. Mucic Acid. By William C. Rose and Pauline S. Dimmitt. 65
- VII. The Influence of Calcium and Potassium on the Response of the Isolated Frog Heart to Epinephrin. By William Salant, Henry Washeim, Jr., and Robert L. Johnston..... 75

## NUMBER 2, MARCH, 1925

- VIII. Studies of Intoxication. I. The Action of Nitrous Oxide. By Bessie M. Davidson..... 91
- IX. Studies of Intoxication. II. The Action of Acetylene. By Bessie M. Davidson ..... 119
- X. Scientific Proceedings of the American Society for Pharmacology and Experimental Therapeutics. Edited by E. D. Brown..... 137

## NUMBER 3, APRIL, 1925

- XI. The Action of Quinine on Protein Metabolism, Respiratory Exchange and Heat Function. II. Respiratory Exchange and Heat Function. By S. W. Hardikar..... 175
- XII. I. The Effect of Phenobarbital (Luminal) and Sodium Phenobarbital (Luminal-Sodium) upon Blood Pressure and Respiration. By Charles M. Gruber and Roy F. Baskett..... 219
- XIII. A Quantitative Study of the Absorption and Excretion of the Anthelmintic Dose of Carbon Tetrachloride. By Herbert S. Wells..... 235

## NUMBER 4, MAY, 1925

- XIV. The Relation of Dosage to Effect. II. By L. F. Shackell..... 275
- XV. The Action of Alcohol on the Circulation. By R. J. S. McDowall.. 289
- XVI. On the Specificity of the So-Called Arsenic Receptor in the Higher Animals. By Carl Voegtlin, Helen A. Dyer and C. S. Leonard..... 297

- XVII. The Mechanism of the Action of Antipyretic Drugs. By Thomas Stotesbury Githens..... 309
- XVIII. On Some Effects of Arsonium, Stibonium, Phosphonium and Sulfo-  
nium Compounds on the Autonomic Nervous System. By Reid Hunt  
and R. R. Renshaw..... 315

## NUMBER 5, JUNE, 1925

- XIX. The Effect of the Administration of Desiccated Red Bone Marrow  
and Spleen on the Resistance of Erythrocytes to Hypotonic Saline  
Solutions in Dogs. By Chauncey D. Leake and Emmett F. Guy..... 357
- XX. The Binding Power of Serum for Drugs Tested by a New In Vitro  
Method. By R. Beutner..... 365
- XXI. Blood Chemistry in Acute Histamine Intoxication. By Hirotoshi  
Hashimoto..... 381
- XXII. Further Studies on the Effect of Iodides on the Human Nitrogen  
Metabolism. By G. P. Grabfield and A. M. Prentiss..... 411

## NUMBER 6, JULY, 1925

- XXIII. Researches on Insulin. I. Is Insulin an Unstable Sulphur Com-  
pound? By John J. Abel and E. M. K. Geiling..... 423
- XXIV. The Liberation of Adsorbed Substances from Proteins. A Function  
of the Bile Salts. By Sanford M. Rosenthal..... 449
- XXV. Urinary Excretion of Tartrates Following Administration to Animals.  
By George Eric Simpson..... 459
- XXVI. The Pharmacological Behavior of Malic Acid and its Salts. By  
Frank P. Underhill and George T. Pack..... 467

## ILLUSTRATIONS

Toad heart perfused with cryptopine, 1:100,000 (Fig. 1a).....	40
— heart perfused with papaverine, 1:100,000 (Fig. 1b).....	40
Frog heart perfused with Ringer's solution, then with Ringer containing 1:50,000,000 epinephrin (Fig. 1).....	80
— heart perfused with Ringer's solution, then with Ringer containing 1:50,000,000 epinephrin (Fig. 2).....	81
— heart perfused with Ringer's solution, then with Ringer containing 1:50,000,000 epinephrin (Fig. 3).....	83
— heart perfused with Ringer's solution, then with Ringer containing 1:50,000,000 epinephrin (Fig. 4).....	87
Graph showing effect of successive administrations of nitrous oxide on simple reaction times (Fig. 1).....	98
— showing simple reaction times during recovery from mild ( <i>A</i> ), and severe ( <i>B</i> ) intoxication with nitrous oxide (Fig. 2).....	100
— showing reaction times with choice under different concentrations of nitrous oxide (Fig. 3).....	102
— showing the effect of 30 per cent nitrous oxide on muscular work after five-second periods of rest (Fig. 4).....	106
— showing effect of different concentrations of nitrous oxide on accuracy of muscular movement as indicated by pricking experiments (Fig. 5).....	110
— showing improvement in accuracy of muscular movement during recovery from mild ( <i>A</i> ) and moderate ( <i>B</i> ) intoxication with nitrous oxide (Fig. 6).....	111
— showing effect of different concentrations of nitrous oxide on the estimation of ten-second periods (Fig. 7).....	116
— indicating the course of intoxication, with concentrations producing unconsciousness, of nitrous oxide and acetylene respectively (Fig. 1).....	120
— showing the effect of varying concentrations of acetylene on simple reaction time (Fig. 2).....	123
— showing reaction times with choice under different concentrations of acetylene (Fig. 3).....	125
— showing an effect of 30 per cent acetylene on choice reaction time (Fig. 4).....	126
— showing comparative effects of 10 per cent acetylene and 10 per cent nitrous oxide on the accuracy of muscular movement (Fig. 5).....	128
— of times taken to type a sentence involving 72 movements during the inhalation of 25 per cent acetylene (Fig. 6).....	130
— showing reaction times with choice during successive administrations of 33 and 25 per cent acetylene respectively (Fig. 7).....	134
Haldane's respiration apparatus used in the observations on animals (Fig. 6).....	180

Apparatus used for observing surface temperature (Fig. 7).....	181
Ether anesthesia. Dog, 18 kgm. (Fig. 1).....	224
— anesthesia. Dog, 18 kgm. (Fig. 2).....	224
— anesthesia. Dog, 18 kgm. (Fig. 3).....	226
— anesthesia. Dog, 6 kgm. (Fig. 4).....	227
Urethane anesthesia. Rabbit, 2.5 kgm. (Fig. 5).....	229
— anesthesia. Rabbit, 2 kgm. (Fig. 6).....	231
Paraldehyde anesthesia. Dog, 9.5 kgm. (Fig. 7).....	232
— anesthesia. Dog, 9.5 kgm. (Fig. 8).....	232
Composite curve of the absorption of 3 cc. of $\text{CCl}_4$ from isolated intestinal loops of dogs (Fig. 1).....	246
Diagram showing the effect of adding (a) alcohol in various concentrations, and (b) saturated solution of $\text{MgSO}_4$ , on the absorption of 3 cc. of $\text{CCl}_4$ from isolated intestinal loops of dogs (Fig. 2).....	250
— of apparatus used to recover $\text{CCl}_4$ from the expired air (Fig. 3).....	260
Three experiments on dogs, showing the rapidity with which $\text{CCl}_4$ is excreted in the expired air after absorption from the intestinal tract (Fig. 4).....	262
Two experiments on man showing the rapidity of excretion of $\text{CCl}_4$ in the expired air following the administration of the drug into the upper intestinal tract (Fig. 5).....	266
Limnoria in ethyl alcohol (Fig. 1).....	277
— in ethyl alcohol (Fig. 2).....	278
— in ethyl alcohol (Fig. 3).....	279
Toad larvae in phenol (Fig. 4).....	281
— larvae in phenol (Fig. 5).....	283
— larvae in cocaine-HCl (Fig. 6).....	284
Artemia in HCl (Fig. 7).....	285
— in $N/10 \text{ H}_3\text{PO}_4$ (Fig. 8).....	286
Cat, chloralose (Fig. 1).....	291
— chloralose (Fig. 2).....	292
— intravenous injection of 5 mgm. tetramethylphosphonium iodide (Fig. 1).....	322
— intravenous injection of 0.5 mgm. trimethylsulfonium iodide (Fig. 2).....	323
— intravenous injection of 10 mgm. tetramethylphosphonium iodide (Fig. 3).....	327
— injection of 5 mgm. trimethylsulfonium iodide (Fig. 4).....	327
Total urinary nitrogen of cases treated with lithium, sodium, magnesium, strontium, potassium and calcium iodides, "Lugol's" solution and Sajodin (Fig. 1).....	413
Effect of calcium and potassium iodides on the distribution of values for the non-protein nitrogen of the blood (Fig. 2).....	415
— of sodium, lithium and strontium iodides on the blood and urine using the same notation as figure 2 (Fig. 3).....	416
Two tubes containing 5 mgm. of high grade insulin treated for sulphur content (Fig. 1).....	437
— tubes containing 5 mgm. of cystine treated for sulphur content (Fig. 2).....	438
Influence of sodium malate upon the movement of a strip of cat's intestine (Fig. 1).....	475