

INDEX

Volume 258, July–September, 1991

- Abdelhamid, E. E., Sultana, M., Portoghese, P. S. and Takemori, A. E.: Selective blockage of *delta* opioid receptors prevents the development of morphine tolerance and dependence in mice, 299
- Abel, P. W., *see* Feng, F., 263
- Abildgaard, U., *see* Petersen, J. S., 42
- Acetic acid, transport of monocarboxylic acids, blood-brain barrier, bovine brain capillary endothelial cells, 932
- Acetylcholine
inhibition of regional brain synthesis, amnestic effects, nicotinic antagonists (rats), 403
- M₁ and M₂ receptors, heart (dogs), 166
- mesenteric vascular responses, young spontaneously hypertensive rats, 13
- modulation of release, striatal slices, 4-aminopyridine and atropine (rats), 762
- release from neostriatal slices, age-related differences, muscarinic agents (rats), 496
- vascular muscarinic receptors, mediation of relaxation and contraction, aorta (rabbits), 842
- Acetyl CoA, mechanism of action, 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (rats), 317
- Adams, M. L., Little, P. J., Bell, B. and Cicero, T. J.: Alcohol affects rat testicular interstitial fluid volume and testicular secretion of testosterone and β -endorphin, 1008
- Adeagbo, A. S. O. and Malik, K. U.: Contribution of K⁺ channels to arachidonic acid-induced endothelium-dependent vasodilation in rat isolated perfused mesenteric arteries, 452
- Adeagbo, A. S. O. and Triggle, C. R.: Mechanism of vascular smooth muscle contraction by sodium fluoride in the isolated aorta of rat and rabbit, 66
- Adenosine
analogues and morphine, spinal antinociception, neurotoxins (rats), 370
- ATP and, vasoconstriction, pulmonary vascular bed (cats), 753
- baclofen and, inhibition of synaptic potentials, nucleus accumbens (rats), 663
- estrogen-primed nonpregnant myometrium (guinea pigs), 429
- mediated superior mesenteric arterial vasodilation, potentiation by dilazep (cats), 767
- Adenosine triphosphatase, phenylephrine-sensitive intracellular Ca⁺⁺ pool, inhibition of repletion, thapsigargin, 1105
- Adenosine triphosphate, regulation of Ca⁺⁺ sensitivity, energetic aspects, permeabilized mesenteric artery (rabbits), 397
- Adenosine 5'-triphosphate, ecto-phosphoryl transfer, smooth muscle contractions, vas deferens (guinea pigs), 339
- Adenylate cyclase
-coupled vasopressin receptors, up-regulation, vasopressin antagonists (rats), 1046
- novel 5-HT_{1A} receptor antagonist (rats), 58
- purified cholera toxin, migrating action potential complex activity, ileum (rabbits), 647
- Adenylyl cyclase, fenoldopam as partial agonist, dopamine D-1 receptors, LLC-PK₁ cells, 193
- Adipocytes, parametrial, lipolytic activity, progesterone and synthetic progestins (rats), 620
- Adrenoceptors
alpha-1
binding and phosphoinositide breakdown, myometrium (humans), 82
compensatory sodium reabsorption, proximal tubules (rats), 42
imidazoline interaction (rats), 158
regional distribution, kidney (rats), 263
WB 4101 sensitivity, repolarization of Purkinje fibers (dogs), 681
- alpha*-2
agonists, relative efficacy (rats), 438
decrease in γ -aminobutyric acid outflow, cortical slices and synaptosomes (guinea pigs), 472
- ethanol-attenuating properties, *alpha*-2 adrenoceptor antagonists (mice), 576
- modulation of norepinephrine release, protein kinase C (rabbits, rats), 143
- pigment aggregation, antagonistic effect of amiloride (fish), 447
- beta*, clearance and disposition, ritodrine (sheep), 897
- Adrenocorticotropic hormone analog, ebiratide, transport mechanism, blood-brain barrier (cattle), 459
- Aging
differences, iron-nitritotriacetate hepatotoxicity (guinea pigs), 797
- effects of some muscarinic agents, acetylcholine release, neostriatal slices (rats), 496
- electrophysiologic responses to verapamil, heart (rats), 130
- Aharony, D., *see* Falcone, R. C., 199
- Alcohol, testicular interstitial fluid volume, testicular secretion, testosterone and β -endorphin (rats), 1008
- Aldershvile, J., *see* Boesgaard, S., 851
- Alfentanil, mifentanil, pharmacological profile (monkeys), 502
- Ali, H., Müller, C. E., Daly, J. W. and Beaven, M. A.: Methylxanthines block antigen-induced responses in RBL-2H3 cells independently of adenosine receptors or cyclic AMP: Evidence for inhibition of antigen binding to IgE, 954
- Allergy, modulation of IgE-mediated activation, protein kinase C, mast cells (humans), 824
- Allgaier, C., Hertting, G. and Singer, E. A.: A detailed study on the effects of protein kinase C activation on *alpha*-2 adrenoceptor-coupled modulation of norepinephrine release in hippocampus, 143
- Allostery, binding profiles of class I antiarrhythmic agents, cardiac muscarinic receptors, 992
- Alphaxalone, anxiolytic activity (rats), 124
- Alprazolam, corticotropin-releasing factor neurons, brain (rats), 349
- Alzheimer's disease, transport mechanism of ebiratide, blood-brain barrier (cattle), 459
- Amantadine, uptake in renal cortical slice, differential effects, histamine H₂ receptor antagonists (rats), 320
- Amiloride, antagonistic effect, *alpha*-2 adrenoceptor-mediated pigment aggregation (fish), 447
- α -Aminobutyric acid, benzodiazepine response, receptor binding, chronic ethanol ingestion (mice), 812
- γ -Aminobutyric acid
alpha-2 adrenoceptor-mediated decrease, cortical slices and synaptosomes, morphine tolerance (guinea pigs), 472
- B receptors, inhibition of glutamate release, cerebellar granule cells, 903
- chronic benzodiazepine administration, receptor upregulation (mice), 280
- inhibition of synaptic potentials, baclofen and adenosine, nucleus accumbens (rats), 663
- steroid anesthetic alphaxalone, anxiolytic activity (rats), 124
- 2-Amino-3-(methylamino)-propanoic acid, pharmacokinetics, blood-brain barrier permeability (rats), 27
- 4-Aminopyridine, modulation of acetylcholine release, striatal slices (rats), 762
- Ammer, H., Nice, L., Lang, J. and Schulz, R.: Regulation of G proteins by chronic opiate and clonidine treatment in the guinea pig myenteric plexus, 790
- Amnesia, nicotinic antagonists, inhibition, regional brain acetylcholine synthesis (rats), 397
- Amyotrophic lateral sclerosis, 2-amino-3-(methylamino)-propanoic acid pharmacokinetics, blood-brain barrier permeability (rats), 27
- Analgesia
hyperthermic effects and, morphine, serum levels (rats), 511
- mifentanil, pharmacological profile (monkeys), 502

- spinally administered neuropeptide Y, antinociceptive effects (rats), 243
- Andén, N.-E., *see* Björk, L., 58
- Andersson, R. G. G., *see* Svensson, S. P. S., 447
- Anesthesia
chronotropic and dromotropic responses, vagus stimulation, heart (dogs), 166
renal response to furosemide, acute instrumentation, peripheral sympathectomy (rats), 1
- Anesthetics, alphaxalone, anxiolytic activity (rats), 124
- Antiarrhythmic agents
antifibrillatory actions of UK-68,798 (dogs), 416
class I, binding profiles, cardiac muscarinic receptors, 992
KT-362, intracellular calcium mobilization, atrial muscle (rabbits), 332
- Anticholinergic drugs, potentiation of dopamine D1 antagonists, conditioned avoidance task (rats), 118
- Antidiuretic hormone, up-regulation, adenylyl cyclase-coupled vasopressin receptors, vasopressin antagonists (rats), 1046
- Antiemetic, serotonin-3 receptor antagonist activity, prokinetic drugs (dogs), 103
- Antihypertensive agents, nonpeptide angiotensin II receptor antagonists (rabbits), 49
- Antinociception
cannabinoid-induced, spinal and supraspinal components (rats), 517
intrathecal μ agonists, dose-dependent antagonism, β -fumaltrexamine (rats), 544
lack of cross-tolerance, [D-Pen², D-Pen⁵] enkephalin, [D-Ala²] deltorphin II (mice), 583
morphine-induced, cyclo(Leu-Gly) effect, cyclic GMP-phosphodiesterase activity, 871
spinal, adenosine analogs and morphine, neurotoxins (rats), 370
spinally administered neuropeptide Y (rats), 243
- Antoine, M.-H., Hermann, M., Herchuelz, A. and Lebrun, P.: Ionic and secretory response of pancreatic islet cells to minoxidil sulfate, 286
- Aorta
mechanism of vascular smooth muscle contraction, sodium fluoride (rats, rabbits), 66
mediation of relaxation and contraction, pharmacological characterization, vascular muscarinic receptors (rabbits), 842
relaxation of vascular smooth muscle, peritoneal neutrophils (rats), 963
thoracic, impaired endothelium-dependent relaxation, daunomycin-induced nephrosis (rats), 388
thoracic rings, response to U-46,619 (rats), 669
- Apomorphine, heart rate during sulpiride, concentration-effect model (rats), 1055
- Arachidonic acid, induced endothelium-dependent vasodilation, contribution of K⁺ channels, mesenteric arteries (rats), 452
- Armstrong, S. J., *see* Rimele, T. J., 963
- Arrhythmia, *see* Antiarrhythmic agents
- Artery
cerebral, neurally induced cerebroarterial relaxation, role of nitric oxide (dogs), 1027
- coronary, nitroglycerin-induced dilation, L-cysteine (pigs), 365
- mesenteric
contribution of K⁺ channels, vasodilation (rats), 452
KCl-induced contraction, accumulation of NKY-722 (dogs), 676
- mesenteric vascular responses, young spontaneously hypertensive rats, 13
- permeabilized mesenteric, Ca⁺⁺ sensitivity, energetic aspects (rabbits), 397
- responses to dopamine, compared to veins (humans, monkeys), 275
- superior mesenteric, adenosine, potentiation of vasodilation by dilazep (cats), 767
- Arylamine, carcinogens in tumor target organs, extrahepatic expression, N-acetylation polymorphism (rats), 232
- Arylpropionic acids, presystemic and systemic chiral inversion, fenoprofen (rats), 695
- Arzubiaga, C., *see* Biaggioni, I., 588
- Aspirin, endogenous vasoconstrictor prostaglandins, vasopressin-induced coronary vasoconstriction (rats), 292
- Astrocytes, biotransformation, 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (mice), 594
- AT-125, competition of leukotrienes and ICI-198,615, LTD₄, binding sites, lung membranes (guinea pigs), 531
- Atchison, W. D., *see* Schafer, T. J., 149
- Atria, left, leukotriene D₄ receptors (guinea pigs), 199
- Atrial natriuretic factor, kinins and, thiorphan-induced natriuresis, volume-expanded rats, 807
- Atropine
modulation of acetylcholine release, striatal slices (rats), 762
muscarinic M₁ and M₂ receptors, heart (dogs), 166
- Au, J. L.-S., Dalton, J. T. and Wientjes, M. G.: Evidence of significant absorption of sodium salicylate from urinary bladder of rats, 357
- Autoradiography
analysis of cholinergic receptors, brain, chronic nicotine treatment (mice), 1127
endothelins, trachea (guinea pigs), 381
- Axelson, J. E., *see* Wright, M. R., 897
- Baclofen
adenosine and, inhibition of synaptic potentials, nucleus accumbens (rats), 663
inhibition of glutamate release, γ -aminobutyric acid-B receptors, cerebellar granule cells, 903
- Bakry, N., Kamata, Y., Sorensen, R. and Simpson, L. L.: Tetanus toxin and neuronal membranes: The relationship between binding and toxicity, 613
- Bakry, N., Kamata, Y. and Simpson, L. L.: Lectins from *triticum vulgaris* and *limax flavus* are universal antagonists of botulinum neurotoxin and tetanus toxin, 830
- Baldwin, H., *see* Britton, K. T., 124
- Barajas-Lopez, C., Surprenant, A. and North, R. A.: Adenosine A₁ and A₂ receptors mediate presynaptic inhibition and postsynaptic excitation in guinea pig submucosal neurons, 490
- Barnes, P. J., *see* Belvisi, M. G., 36
- Barnett, W., *see* Mao, Y. K., 986
- Barnhill, J. G., Ciraulo, D. A., Greenblatt, D. J., Faggart, M. A. and Harmatz, J. S.: Benzodiazepine response and receptor binding after chronic ethanol ingestion in a mouse model, 812
- Basolateral membrane, transport of cimetidine, kidney proximal tubules (rabbits), 1038
- Beani, L., Bianchi, C., Ferraro, L., Morari, M., Simonato, M., Spalluto, G. and Tanganeli, S.: Alpha-2 adrenoceptor-mediated decrease in gamma-aminobutyric acid outflow in cortical slices and synaptosomes during morphine tolerance, 472
- Beaujouan, J.-C., *see* Torrens, Y., 639
- Beaven, M. A., *see* Ali, H., 954
- Behavior
cocaine and GBR 12909 (monkeys), 178
D1 and D2 dopamine receptor antagonists (monkeys), 910
operant, dose and serum concentrations, phencyclidine dependence (rats), 207
punished responding, drugs that bind PCP, sigma receptors (rats), 1015
- Bejanian, M., Pechnick, R. N., Bova, M. P. and George, R.: Effects of subcutaneous and intracerebroventricular administration of the sigma receptor ligand 1,3-Di-o-tolylguanidine on body temperature in the rat: Interactions with BMY 14802 and rimonabant, 88
- Bell, B., *see* Adams, M. L., 1008
- Belvisi, M. G., Stretton, C. D., Barnes and P. J.: Bombesin-induced bronchoconstriction in the guinea pig: Mode of action, 36
- Benzamides
D1 and D2 dopamine receptor antagonists, behavioral effects (monkeys), 910
inhibitory influence, mesocortical dopaminergic neurons, target cells (rats), 728
serotonin-3 receptor antagonist activity, prokinetic drugs (dogs), 103
- Benzodiazepines
alprazolam effects, corticotropin-releasing factor neurons, brain (rats), 349
chronic administration, receptor upregulation, FG-7142 (mice), 280
discriminative stimulus effects, diazepam (rats), 926
response and receptor binding, chronic ethanol ingestion (mice), 812
- Bergman, J., Madras, B. K. and Speelman, R. D.: Behavioral effects of D₁ and D₂ dopamine receptor antagonists in squirrel monkeys, 910
- Bergman, J., *see* Speelman, R. D., 945
- Berry, B. W. and Jamali, F.: Presystemic and systemic chiral inversion of R-($-$)-fenoprofen in the rat, 695
- Berry, M. D., *see* Paterson, I. A., 1019
- Bertaccini, G., *see* Coruzzi, G., 325
- Bertani, T., *see* Morigi, M., 601

- Bhargava, H. N., Villar, V. M., Gulati, A. and Chari, G.: Analgesic and hyperthermic effects of intravenously administered morphine in the rat are related to its serum levels, 511
- B-HT 920, *alpha*-2 adrenoceptor-mediated pigment aggregation, antagonistic effect of amiloride (fish), 447
- Biaggioni, I., Paul, S., Puckett, A. and Arzubiaga, C.: Caffeine and theophylline as adenosine receptor antagonists in humans, 588
- Bianchi, C., *see* Beani, L., 472
- Björk, L., Cornfield, L. J., Nelson, D. L., Hillver, S.-E., Andén, N.-E., Lewander, T. and Hacksell, U.: Pharmacology of the novel 5-hydroxytryptamine_{1A} receptor antagonist (S)-5-fluoro-8-hydroxy-2-(dipropylamino)tetralin: Inhibition of (R)-8-hydroxy-2-(dipropylamino)tetralin-induced effects, 58
- Black, S. C., Chi, L., Mu, D.-X. and Lucchesi, B. R.: The antifibrillatory actions of UK-68,798, a class III antiarrhythmic agent, 416
- Blaine, E. H., *see* Trapani, A. J., 269
- Blood-brain barrier
enhanced entry of ciprofloxacin, central nervous system, fenbufen (rats), 1033
permeability, 2-amino-3-(methylamino)-propanoic acid pharmacokinetics (rats), 27
transport mechanism of ebitatide (cattle), 459
transport of monocarboxylic acids, bovine brain capillary endothelial cells, 932
- Blood pressure
nonpeptide angiotensin II receptor antagonists (rabbits), 49
potassium channel activators, plasma insulin levels, renin levels (rats), 216
- Blood vessels, cerebral, heterogeneity, muscarinic receptor subtypes (rabbits, cattle), 304
- Bloom, J. W., *see* Lai, J., 938
- BMY 14802, effects of 1,3-di-*o*-tolylguanidine, body temperature (rats), 88
- Boccardo, P., *see* Morigi, M., 601
- Boesgaard, S., Petersen, J. S., Aldershvile, J., Poulsen, H. E. and Flachs, H.: Nitrate tolerance: Effect of thiol supplementation during prolonged nitroglycerin infusion in an *in vivo* rat model, 851
- Bogert, C. L., *see* Knapp, R. J., 1077
- Bombesin, -induced bronchoconstriction (guinea pigs), 36
- Bone, resorption in fetal limb bones, pertussis toxin, inhibition of hormonal stimulation (rats), 877
- Borgeat, P., *see* Maghni, K., 784
- Botulinum, neurotoxin, universal antagonists, *Triticum vulgaris* and *Limax flavus*, 830
- Boublik, J. H., *see* Hua, X.-Y., 243
- Bourreau, J. P., *see* Low, A. M., 1105
- Bova, M. P., *see* Bejanian, M., 88
- Bradykinin, acute and chronic ethanol exposure, phospholipase C activity, neuroblastoma (mice), 410
- Brain
autoradiographic analysis, cholinergic receptors, chronic nicotine treatment (mice), 1127
- capillary endothelial cells, monocarboxylic acid transport, blood-brain barrier, 932
- cerebral blood vessels, heterogeneity, muscarinic receptor subtypes (rabbits, cattle), 304
- cortical slices and synaptosomes, *alpha*-2 adrenoceptor-mediated GABA decrease, morphine tolerance (guinea pigs), 472
- corticotropin-releasing factor neurons, alprazolam effects (rats), 349
- inhibition of acetylcholine synthesis, amnestic effects, nicotinic antagonists (rats), 403
- injury and ischemia, U-78517F, inhibitor of lipid peroxidation (rats), 688
- neostriatal slices, age-related differences, acetylcholine release (rats), 496
- neurally induced cerebroarterial relaxation, role of nitric oxide (dogs), 1027
- neuronal membranes and tetanus toxin, binding and toxicity, 613
- periphery and, antagonistic potencies, calcitonin gene-related peptide receptors, 1084
- presynaptic mu opioid receptors, β -endorphin (rats), 237
- ventral pallidal/substantia innominata neurons, dopamine electrophysiology (rats), 249
- Brainstem, inhibition of glutamate responsiveness, neuropeptide Y, cardiovascular depression (rats), 633
- Bralet, J., Mossiat, C., Gros, C. and Schwartz, J. C.: Thiorphan-induced natriuresis in volume-expanded rats: Roles of endogenous atrial natriuretic factor and kinins, 807
- Brändle, E. and Greven, J.: Transport of cimetidine across the basolateral membrane of rabbit kidney proximal tubules: Characterization of transport mechanisms, 1038
- Brass, E. P., *see* Koop, D. R., 1072
- Braughler, J. M., *see* Hall, E. D., 688
- Bredberg, E. and Paalzow, L. K.: Effects of apomorphine on heart rate during simultaneous administration of sulpiride: A challenge of the composed concentration-effect model, 1055
- Breeding, M., *see* Burris, K. D., 891
- Breuiller-Fouche, M., Maka, F. D.-B. K., Geny, B. and Ferre, F.: Alpha-1 adrenergic receptor: Binding and phosphoinositide breakdown in human myometrium, 82
- Britton, K. T., Page, M., Baldwin, H. and Koob, G. F.: Anxiolytic activity of steroid anesthetic alphaxalone, 124
- Bronchoconstriction, bombesin-induced (guinea pigs), 36
- Brown, M. R., *see* Hua, X.-Y., 243
- Buccafusco, J. J., *see* Elrod, K., 403
- Bucher, K. D., *see* Hein, D. W., 232
- Buciak, J. L., *see* Triguero, D., 186
- Burris, K. D., Breeding, M. and Sanders-Bush, E.: (+)-Lysergic acid diethylamide, but not its nonhallucinogenic congeners, is a potent serotonin 5HT_{1C} receptor agonist, 891
- Burton, C. K., Ho, I. K. and Hoskins, B.: Effect of cyclo(Leu-Gly) on cyclic GMP-Phosphodiesterase activity changes associated with development
- of tolerance to morphine-induced antinociception, catalepsy respiratory depression and mydriasis, 1, 87
- Buxton, I. L. O., *see* Schiemann, W. P., 429
- Byrd, L. D., *see* Howell, L. L., 178
- Caffeine
intracellular calcium mobilization, KT-362, atrial muscle (rabbits), 332
low and high doses, qualitative differences, discriminative stimulus effects (rats), 857
- theophylline and, adenosine receptor antagonists (humans), 588
- Cahill, B. E., *see* Neely, C. F., 753
- Calcitonin gene-related peptide, fragments on calcitonin gene-related peptide receptors, antagonistic potencies, brain and periphery, 1084
- Calcium
antagonist NKY-722, accumulation, KCl-induced contraction in mesenteric arteries (dogs), 676
- influence of perfuse pH, postischemic recovery, cardiac contractile function, 772
- inhibition of glutamate release, γ -aminobutyric acid-B receptors, cerebellar granule cells, 903
- intracellular, mobilization, KT-362 (rabbits), 332
- iron and, Quin 2 toxicity, hepatocytes (rats), 747
- mechanism of vascular smooth muscle contraction, sodium fluoride (rats, rabbits), 66
- phenylephrine-sensitive intracellular pools, inhibition of repletion, thapsigargin, 1105
- posthypoxic recovery of cardiac function, yohimbine, myocardial metabolism (rabbits), 94
- sensitivity of permeabilized mesenteric artery, energetic aspects (rabbits), 397
- signaling, endothelin and, neuroblastoma x glioma cells, 524
- toxicity to hepatocytes, Quin 2 (rats), 739
- Calcium channels
blockade by methylmercury, nerve growth factor, PC12 cells, 149
- blocker binding to RINm5F membranes and cells, 652
- Caltabiano, S. and Kinter, L. B.: Up-regulation of renal adenylate cyclase-coupled vasopressin receptors after chronic administration of vasopressin antagonists to rats, 1046
- Cannabinoid, -induced antinociception, spinal and supraspinal components (rats), 517
- Cantor, E., *see* Greenberg, S. S., 1061
- Capsaicin, adenosine analogs and morphine, spinal antinociception (rats), 370
- Captopril
norepinephrine spillover rate (rats), 223
- reduced thiols and, inhibition of platelet aggregation, endothelium-derived relaxing factor, 820
- Carbachol, substance P and, uptake process of myo-inositol, parotid gland (rats), 639
- Carbamazepine, kindling as a model, drug-resistant partial epilepsy (rats), 483
- Carcinogens, arylamine, extrahepatic

- expression, *N*-acetylation polymorphism (rats), 232
- Carpenter-Deyo, L., Duimstra, J. R., Heström, O. and Reed, D. J.: I. Toxicity to isolated hepatocytes caused by the intracellular calcium indicator, Quin 2, 739
- Carpenter-Deyo, L. and Reed, D. J.: II. Involvement of calcium and iron in Quin 2 toxicity to isolated hepatocytes, 747
- Catalepsy, morphine-induced antinociception, cyclo(Leu-Gly) effect, cyclic GMP-phosphodiesterase activity, 871
- Catecholamines, norepinephrine spillover rate, captopril (rats), 223
- Cationic drugs, mechanisms for uptake in liver, tributylmethylammonium, 537
- Caudle, R. M., Wagner, J. J. and Chavkin, C.: Endogenous opioids released from perforant path modulate norepinephrine actions and inhibitory postsynaptic potentials in guinea pig CA3 pyramidal cells, 18
- Cavero, I., *see* Floch, A., 567
- Cavero, I., *see* Pratz, J., 216
- Central nervous system
enhanced entry of ciprofloxacin, fenbufen (rats), 1033
- spinal and supraspinal components, cannabinoid-induced antinociception (rats), 517
- Cerebellar granule cells, inhibition of glutamate release, γ -aminobutyric acid-B receptors, 903
- Chan, J. and Greenberg, D. A.: Endothelin and calcium signaling in NG108-15 neuroblastoma \times glioma cells, 524
- Chari, G., *see* Bhargava, H. N., 511
- Chavkin, C., *see* Caudle, R. M., 18
- Chemoreceptors, caffeine and theophylline, adenosine receptor antagonists (humans), 588
- Chemotaxis, leukotriene B₄ receptors, alveolar eosinophils (guinea pigs), 784
- Cheng, J. B., *see* Shirley, J. T., 531
- Chernosky, A., *see* Koop, D. R., 1072
- Chi, L., *see* Black, S. C., 416
- Chiba, S., *see* Narita, M., 166
- Chirtel, S. J., *see* Lakshman, M. R., 317
- Chloroethoxyclonidine, regional distribution, α_1 -adrenoceptor subtypes, kidney (rats), 263
- Choleragenoid, migrating action potential complex activity, ileum (rabbits), 647
- Christensen, S., *see* Petersen, J. S., 1, 42
- Christensen, B., *see* Refsum, H., 559
- Cicero, T. J., *see* Adams, M. L., 1008
- Cimetidine
amantadine uptake in renal cortical slice, differential effects, histamine H₂ receptor antagonists (rats), 320
- transport across basolateral membrane, kidney proximal tubules (rabbits), 1038
- Ciprofloxacin, enhanced entry, central nervous system, fenbufen (rats), 1033
- Ciraulo, D. A., *see* Barnhill, J. G., 812
- Cisapride, stimulation of intestinal motility, 5-HT receptors (guinea pigs), 1098
- Clonazepam, benzodiazepine response, receptor binding, chronic ethanol ingestion (mice), 812
- Clonidine
- chronic treatment, regulation of G proteins, myenteric plexus (guinea pigs), 790
- dexmedetomidine and ST-91, relative efficacy, N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (rats), 438
- Cocaine
GBR 12909 and, behavior (monkeys), 178
- pharmacokinetics, pregnancy (guinea pigs), 477
- receptor subtypes, discriminative stimulus effects (monkeys), 945
- repeated administration, enhancement of D1 dopamine receptor sensitivity, nucleus accumbens (rats), 882
- Coffin, V. L., *see* Iorio, L. C., 118
- Cohan, V. L., *see* Massey, W. A., 824
- Cohen, M., *see* Iorio, L. C., 118
- Collier, B. H., *see* Pollock, S. H., 8
- Collins, A. C., *see* Pauly, J. R., 1127
- Colon, extrahepatic expression, *N*-acetylation polymorphism, arylamine carcinogens (rats), 232
- Concanavalin A
lymphocyte tracking and phenotype responses (mice), 716
- prevention of insulin-dependent diabetes (mice), 710
- Contreras, P. C., Jacobson, A. E., Rice, K. C. and Farah, J. M., Jr.: Phenacyclidine increased release of β -endorphin from anterior lobe of the pituitary, 837
- Copper, metallothionein, age-related differences, iron-nitrilotriacetate hepatotoxicity (guinea pigs), 797
- Cornfield, L. J., *see* Björk, L., 58
- Corticotropin-releasing factor, neurons in brain, alprazolam effects (rats), 349
- Coruzzi, G., Poli, E. and Bertaccini, G.: Histamine receptors in isolated guinea pig duodenal muscle: H₃ Receptors inhibit cholinergic neurotransmission, 325
- Cox, D. A., Elinor, P. T., Kirley, T. L. and Matlib, M. A.: Identification of a 17-kDa protein associated with the peripheral-type benzodiazepine receptor in vascular and other smooth muscle types, 702
- Coy, D. H., *see* Mao, Y. K., 986
- Cozzi, N. V., *see* Lee, H.-J., 496
- Cragoe, E. J., Jr., *see* Svensson, S. P. S., 447
- Cromakalim
plasma insulin level and renin activity, blood pressure (rats), 216
- relaxation of vascular smooth muscle, peritoneal neutrophils (rats), 963
- Cyclic AMP
activation of phospholipase D, E-series prostaglandins, erythroleukemia cells (humans), 607
- inhibition of glutamate release, γ -aminobutyric acid-B receptors, 903
- methylxanthines, block, antigen-induced responses in RBL-2H3 cells (rats), 954
- responses to dopamine, veins compared to arteries (humans, monkeys), 275
- Cyclic GMP
accumulation, relaxation of trachealis, nitrovasodilators (dogs), 972
- elevation, nicorandil-induced relaxation, stimulation of guanylate cyclase, 1061
- phosphodiesterase activity, cyclo(Leu-Gly) effect, morphine-induced antinociception, 871
- Cyclic GMP phosphodiesterase, inhibitor, depressor activity of zaprinast, hemodynamics (rats), 269
- Cyclo(Leu-Gly), effect on cyclic GMP-phosphodiesterase activity, tolerance, morphine-induced antinociception, 871
- Cyclosporine A, inhibitory effect, activity of hypoglycemic agents (rats), 8
- L-Cysteine, potentiation, nitroglycerin-induced dilation, small coronary microvessels (pigs), 365
- Cytochrome P450 2E1, identification and induction, Kupffer cells (rats), 1072
- Dalton, J. T., *see* Au, J. L.-S., 357
- Daly, J. W., *see* Ali, H., 954
- Daniel, E. E., *see* Low, A. M., 1105
- Daniel, E. E., *see* Mao, Y. K., 986
- Darby, P. J., *see* Low, A. M., 1105
- Daunomycin, -induced nephrosis, impaired endothelium-dependent relaxation, thoracic aorta (rats), 388
- Davis, T. P., *see* Knapp, R. J., 1077
- de Brum-Fernandes, A. J., *see* Maghni, K., 784
- deCosta, B. R., *see* McMillan, D. E., 1015
- DeLaney, L. E., *see* Di Monte, D. A., 594
- Delansorne, R., *see* Dorai, V., 620
- Deltorphin II, enkephalin and, lack of antinociceptive cross-tolerance (mice), 583
- Deprenyl, inhibition of monoamine oxidase-B, potentiation of neuronal responses, dopamine agonists (rats), 1019
- Dermorphin, renal mu opioid receptor mechanisms (rats), 111
- Dexmedetomidine, clonidine and ST-91, relative efficacy, N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (rats), 438
- Diabetes
activity of oral hypoglycemic agents, inhibitory effect, cyclosporine A (rats), 8
- insulin-dependent, prevention of, Concanavalin A (mice), 710
- lymphocyte tracking and phenotype responses, Concanavalin A (mice), 716
- up-regulation, adenylate cyclase-coupled vasopressin receptors (rats), 1046
- Diazepam, discriminative stimulus effects (rats), 926
- Diazoxide, plasma insulin level and renin activity, blood pressure (rats), 216
- DiBona, G. F., *see* Kapusta, D. R., 111
- Dietl, M., *see* Torrens, Y., 639
- Digitalis, cardiac steroids, intracellular sodium, inotropy and toxicity (sheep), 918
- Dihydropyridine
calcium channel blocker binding, RINm5F membranes and cells, 652
- endothelin and calcium signaling, neuroblastoma \times glioma cells, 524
- L-Dihydroxyphenylalanine methyl ester, facilitation of evoked release, endogenous norepinephrine, hypothalamus (rats), 466
- 5,7-Dihydroxytryptamine, adenosine analogs and morphine, spinal antinociception (rats), 370

- Dilazep, potentiation, adenosine-mediated superior mesenteric arterial vasodilation (cats), 767
- Dimethyl-3-pyridinecarboxylate, binding to RINm5F membranes and cells, 652
- Di Monte, D. A., Wu, E. Y., Irwin, I., DeLaney, L. E. and Langston, J. W.: Biotransformation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in primary cultures of mouse astrocytes, 594
- 1,3-Di-*o*-tolylguanidine, effects on body temperature (rats), 88
- Discrimination, quipazine or *l*-5-hydroxytryptophan, agonist and antagonist properties (pigeons), 999
- Discriminative stimulus effects
cocaine receptor subtypes (monkeys), 945
diazepam (rats), 926
GBR 12909 (monkeys), 626
qualitative differences, low and high doses, caffeine (rats), 857
- Disopyramide, binding profiles of class I antiarrhythmic agents, cardiac muscarinic receptors, 992
- Diuresis, blunting of renal response, volume expansion, bradykinin receptor antagonist, 866
- Djurhuus, R., see Refsum, H., 559
- Doggwiler, K. O., see Schiemann, W. P., 429
- Dolezal, V. and Wecker, L.: Modulation of acetylcholine release from rat striatal slices: Interaction between 4-amino-pyridine and atropine, 762
- Domperidone, binding of kidney inner medullary collecting duct, dopamine-2K receptor (rats), 424
- Dopamine
agonists, inhibition of monoamine oxidase-B, deprenyl (rats), 1019
cocaine and GBR 12909, behavior (monkeys), 178
D1 antagonists, anticholinergic drugs, conditioned avoidance task (rats), 118
electrophysiology, ventral pallidal/substantia innominata neurons (rats), 249
responses of veins compared to arteries (humans, monkeys), 275
- Dorai, V., Hazard, M.-C., Paris, J. and Delansorne, R.: Lipolytic activity of progesterone and synthetic progestins on rat parametrial adipocytes *in vitro*, 620
- Drijfhout, J. W., see Tschirhart, E. J., 381
- Drug delivery, enhanced organ uptake, cationization, immunoglobulin G (rats, primates), 186
- D'Souza, M. J., see Pollock, S. H., 8
- Duckles, S. P., see Garcia-Villalon, A. L., 304
- Duijmstra, J. R., see Carpenter-Deyo, L., 739
- Dumont, Y., see Mimeaule, M., 1084
- Duncan, M. W., Villacreses, N. E., Pearson, P. G., Wyatt, L., Rapoport, S. I., Kopin, I. J., Markey, S. P. and Smith, Q. R.: 2-Amino-3-(methylamino)-propanoic acid (BMAA) pharmacokinetics and blood-brain barrier permeability in the rat, 27
- Duodenum, histamine H₃ receptors, inhibition, cholinergic neurotransmission (guinea pigs), 325
- Duong, M. T., see Knapp, R. J., 1077
- DuP 753, nonpeptide angiotensin II receptor antagonists (rabbits), 49
- Durcan, M. J., Lister, R. G. and Linnoila, M.: Evidence for central *alpha*-2 adrenoceptors, not imidazoline binding sites, mediating the ethanol-atenuating properties of *alpha*-2 adrenoceptor antagonists, 576
- Ebiratide, transport mechanism through the blood-brain barrier (cattle), 459
- Ecto-kinase, smooth muscle contractions, adenosine 5'-triphosphate, vas defens (guinea pigs), 339
- Edeson, R. O., see Le Dain, A. C., 551
- Ehler, F. J., see Garcia-Villalon, A. L., 304
- Electrophysiology
adenosine A₁ and A₂ receptors, presynaptic inhibition and postsynaptic excitation, submucosal neurons (guinea pigs), 490
dopamine, ventral pallidal/substantia innominata neurons (rats), 249
normal and norepinephrine-induced cardiomyopathy, propafenone disposition and pharmacodynamics (rabbits), 722
responses to verapamil, aging, heart (rats), 130
- Elfarra, A. A., see Hwang, I. Y., 171
- Ellinor, P. T., see Cox, D. A., 702
- Elrod, K. and Buccafusco, J. J.: Correlation of the amnestic effects of nicotinic antagonists with inhibition of regional brain acetylcholine synthesis in rats, 403
- Enalaprilat, norepinephrine spillover rate, captopril (rats), 223
- Endocytosis, transport mechanism of ebiratide, blood-brain barrier (cattle), 459
- Endorphin, renal mu opioid receptor mechanisms (rats), 111
- β -Endorphin
phencyclidine increased release, anterior lobe, pituitary, 837
presynaptic mu opioid receptors (rats), 237
testicular interstitial fluid volume, testicular secretion, alcohol effects (rats), 1008
- Endothelial cells, brain capillary, monocarboxylic acid transport, blood-brain barrier, 932
- Endothelins
calcium signaling and, neuroblastoma x glioma cells, 524
functional and autoradiographic studies, trachea (guinea pigs), 381
- Endothelium
-dependent relaxation, daunomycin-induced nephrosis, thoracic aorta (rats), 388
-dependent vasodilation, contribution of K⁺ channels, mesenteric arteries (rats), 452
-derived relaxing factor
inhibition of platelet aggregation, captopril and reduced thiols, 820
peritoneal neutrophils (rats), 963
response of thoracic rings, U-46,619 (rats), 669
- Endou, M., Gando, S., Hattori, Y. and Kanno, M.: Binding profiles of class I antiarrhythmic agents to cardiac muscarinic receptors: Competitive and allosteric interactions with the receptors and their pharmacological significance, 992
- Enkephalin, deltorphin II and, lack of antinociceptive cross-tolerance (mice), 583
- [D-Pen^{2,4'}-¹²⁵I-Phe⁴-^{d2}-Pen⁵]Enkephalin, high affinity radioligand for delta opioid receptors, exceptional specific activity, 1077
- Eosinophils, alveolar, leukotriene B₄ receptors (guinea pigs), 784
- Epilepsy, drug-resistant partial, kindling as a model (rats), 483
- Erythroleukemia cells, activation of phospholipase D, E-series prostaglandins (humans), 607
- Estrogen, -primed nonpregnant myometrium, adenosine action (guinea pigs), 429
- Ethacrynic acid, nitroglycerin-induced dilation, small coronary microvessels, L-cysteine (pigs), 365
- Ethanol
acute and chronic exposure, phospholipase C activity, neuroblastoma (mice), 410
-attenuating properties, *alpha*-2 adrenoceptor antagonists (mice), 576
chronic ingestion, benzodiazepine response, receptor binding (mice), 812
endothelin and calcium signaling, neuroblastoma x glioma cells, 524
- N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline, relative efficacy, dexametomidine, clonidine and ST-91 (rats), 438
- EXP3892, nonpeptide angiotensin II receptor antagonists (rabbits), 49
- Faggart, M. A., see Barnhill, J. G., 812
- Falcone, R. C., Aharony, D. and Orzechowski, R. F.: Evidence for leukotriene D₄ receptor in guinea pig left atria, 199
- Fang, L., see Knapp, R. J., 1077
- Farah, J. M., Jr., see Contreras, P. C., 837
- Farkas, D. E., see Wasserstrom, J. A., 918
- Fedan, J. S., see Lampert-Vrana, S. J., 339
- Feinberg, H., see Lee, S.-L., 292
- Fenbufen, enhanced entry of ciprofloxacin, central nervous system (rats), 1033
- Feng, F., Pettinger, W. A., Abel, P. W. and Jeffries, W. B.: Regional distribution of α -adrenoceptor subtypes in rat kidney, 263
- Fenoldopam, partial agonist at dopamine-1 receptors, LLC-PK₁ cells, 193
- Fenoprofen, presystemic and systemic chiral inversion (rats), 695
- Ferraro, L., see Beani, L., 472
- Ferre, F., see Breuiller-Fouche, M., 82
- Fetus, clearance and disposition, ritodrine (sheep), 897
- FG-7142, chronic benzodiazepine administration, receptor upregulation (mice), 280
- Fibrillation, antifibrillatory actions of UK-68,798 (dogs), 416
- Fitzgerald, D. J., see Furci, L., 74
- FitzGerald, G. A., see Furci, L., 74
- Flachs, H., see Boesgaard, S., 851
- Flavin, -containing monooxygenase, biotransformation, 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (mice), 594

- Fleming, W. W., *see* Kong, J.-Q., 13
- Floch, A., Tahraoui, L., Sedivy, P. and Cavero, I.: The platelet activating factor receptor antagonist, RP 59227, blocks platelet activating factor receptors mediating liberation of reactive oxygen species in guinea pig macrophages and human polymorphonuclear leukocytes, 567
- (S)-5-Fluoro-8-hydroxy-2-(dipropylamino)tetralin, pharmacology (rats), 58
- Folates, "rescue" agents and methotrexate, cell proliferation, homocysteine export, 559
- Földes-Filep, E., *see* Maghni, K., 784
- Folger, W. H., Lawson, D., Wilcox, C. S. and Mehta, J. L.: Response of rat thoracic aortic rings to thromboxane mimetic U-46,619: Roles of endothelium-derived relaxing factor and thromboxane A₂ release, 669
- Formby, B., *see* Mukherjee, B., 716
- Fournier, A., *see* Mimeaute, M., 1084
- France, C. P., Winger, G., Medzihradsky, F., Seggel, M. R., Rice, K. C. and Woods, J. H.: Mirfentanil: Pharmacological profile of a novel fentanyl derivative with opioid and nonopioid effects, 502
- Franklin, S. R., *see* Tang, A. H., 926
- β -Funaltrexamine, dose-dependent antagonism, antinociceptive effects, intrathecal *mu* agonists (rats), 544
- Furci, L., Fitzgerald, D. J. and Fitzgerald, G. A.: Heterogeneity of prostaglandin H₂/thromboxane A₂ receptors: Distinct subtypes mediate vascular smooth muscle contraction and platelet aggregation, 74
- Furman, E. J., *see* Hein, D. W., 232
- Furosemide
- alpha-1* blockade, compensatory sodium reabsorption, proximal tubules (rats), 42
 - renal response, acute instrumentation, peripheral sympathectomy (rats), 1
- Furukawa, Y., *see* Narita, M., 166
- Galpern, W. R., *see* Pritchard, G. A., 280
- Gando, S., *see* Endou, M., 992
- Garcia, J., *see* Schmidlin, O., 130
- Garcia-Villalon, A. L., Krause, D. N., Ehlert, F. J. and Duckles, S. P.: Heterogeneity of muscarinic receptor subtypes in cerebral blood vessels, 304
- Gaspar, V., *see* Low, A. M., 1105
- Gastric emptying, serotonin-3 receptor antagonist activity, prokinetic drugs (dogs), 103
- Gastrointestinal tract, serotonin-3 receptor antagonist activity, prokinetic drugs (dogs), 103
- Gastroparesis, symptomatic, subcutaneous metoclopramide (humans), 136
- Gaudry, M., *see* Maghni, K., 784
- GBR 12909
- cocaine and, behavior (monkeys), 178
 - discriminative-stimulus effects (monkeys), 626
- Geiger, J. D., *see* Zhang, Y., 767
- Geny, B., *see* Breuiller-Fouche, M., 82
- George, R., *see* Bejanian, M., 88
- Ghosh, P., *see* Lakshman, M. R., 317
- Gillis, A. M., Lester, W. M. and Keashly, R.: Propafenone disposition and pharmacodynamics in normal and
- norepinephrine-induced cardiomyopathic rabbit hearts, 722
- Gittlen, S. W., *see* Massey, W. A., 824
- Givens, B. S., *see* Napier, T. C., 249
- Glioma, *x* neuroblastoma cells, endothelin, calcium signaling, 524
- Glomerular filtration rate, blunting of renal response, volume expansion, bradykinin receptor antagonist, 866
- Glowinski, J., *see* Godbout, R., 728
- Glowinski, J., *see* Torrens, Y., 639
- Glucose, activity of oral hypoglycemic agents, inhibitory effect, cyclosporine A (rats), 8
- Glutamate
- inhibition of release, γ -aminobutyric acid-B receptors, cerebellar granule cells, 903
 - inhibition of responsiveness in brainstem, neuropeptide Y, cardiovascular depression (rats), 633
 - release in nucleus accumbens, baclofen and adenosine, nucleus accumbens (rats), 663
- Glyburide, activity of oral hypoglycemic agents, inhibitory effect, cyclosporine A (rats), 8
- Glycerol trinitrate, relationship between cyclic GMP accumulation, relaxation of trachealis, nitrovasodilators (dogs), 972
- Godbout, R., Mantz, J., Pirot, S., Glowinski, J. and Thierry, A.-M.: Inhibitory influence of the mesocortical dopaminergic neurons on their target cells: Electrophysiological and pharmacological characterization, 728
- Goshima, Y., Nakamura, S. and Misu, Y.: L-Dihydroxyphenylalanine methyl ester is a potent competitive antagonist of the L-dihydroxyphenylalanine-induced facilitation of the evoked release of endogenous norepinephrine from rat hypothalamic slices, 466
- G-proteins
- inhibition of hormonal stimulation, pertussis toxin, bone resorption in fetal limb bones (rats), 877
 - pertussis toxin-sensitive, m₂ muscarinic acetylcholine receptors, 938
 - regulation by chronic opiate and clonidine treatment, myenteric plexus (guinea pigs), 790
- Greenberg, D. A., *see* Chan, J., 524
- Greenberg, S. S., Cantor, E., Ho, E. and Walega, M.: Comparison of nicorandil-induced relaxation, elevations of cyclic guanosine monophosphate and stimulation of guanylate cyclase with organic nitrate esters, 1061
- Greenblatt, D. J., *see* Barnhill, J. G., 812
- Grenader, A. and Healy, D. P.: Fenoldopam is a partial agonist at dopamine-1 (DA₁) receptors in LLC-PK₁ cells, 193
- Greven, J., *see* Brändle, E., 1038
- Grimes, D., *see* Rimele, T. J., 963
- Gros, C., *see* Bralet, J., 807
- Gross, S. D., *see* Pauly, J. R., 1127
- Grundemar, L., Wahlestedt, C. and Reis, D. J.: Neuropeptide Y acts at an atypical receptor to evoke cardiovascular depression and to inhibit glutamate responsiveness in the brainstem, 633
- Grundström, N., *see* Svensson, S. P. S., 447
- GTP proteins, WB 4101-sensitive *alpha-1* adrenoceptor subtype, modulation of repolarization, Purkinje fibers (dogs), 681
- Guanine nucleotide, stimulated phospholipase C activity, acute and chronic ethanol exposure, neuroblastoma (mice), 410
- Guanylate cyclase
- nicorandil-induced relaxation, elevated cyclic GMP, 1061
 - nitroglycerin-induced dilation, small coronary microvessels, L-cysteine (pigs), 365
- Guerrant, R. L., *see* Lind, C. D., 647
- Gulati, A., *see* Bhargava, H. N., 511
- Gullikson, G. W., Loeffler, R. F. and Viriña, M. A.: Relationship of serotonin-3 receptor antagonist activity to gastric emptying and motor-stimulating actions of prokinetic drugs in dogs, 103
- Hacksell, U., *see* Björk, L., 58
- Haile, D. M., *see* Neely, C. F., 753
- Halenda, S. P., *see* Wu, H., 607
- Hall, E. D., Braughler, J. M., Yonkers, P. A., Smith, S. L., Linseman, K. L., Means, E. D., Scherch, H. M., VonVoigtlander, P. F., Lahti, R. A. and Jacobsen, E. J.: U-78517F: A potent inhibitor of lipid peroxidation with activity in experimental brain injury and ischemia, 688
- Hallucinogen, lysergic acid diethylamide, serotonin 5HT_{1C} receptor agonist, 891
- Hardwick, W. C., *see* McMillan, D. E., 1015
- Harmatz, J. S., *see* Barnhill, J. G., 812
- Harrison, D. G., *see* Sellke, F. W., 365
- Hattori, Y., *see* Endou, M., 992
- Hayashi, M., *see* Takeo, S., 94
- Hayashibara, M., *see* Naora, K., 1033
- Hazard, M.-C., *see* Dorai, V., 620
- Head injury, brain injury and ischemia, U-78517F, inhibitor of lipid peroxidation (rats), 688
- Healy, D. P., *see* Grenader, A., 193
- Healy, D. P., *see* Huo, T., 424
- Heart
- antifibrillatory actions of UK-68,798 (dogs), 416
 - atrial muscle, intracellular calcium mobilization, KT-362 (rabbits), 362
 - cardiovascular depression, neuropeptide Y, glutamate responsiveness in brainstem (rats), 633
 - chronotropic and dromotropic responses, vagus stimulation, anesthesia (dogs), 166
 - contractile function, postischemic recovery, perfusate pH, 772
 - effects of aging, electrophysiologic responses, verapamil (rats), 130
 - left atria, leukotriene D₄ receptors (guinea pigs), 199
 - nitroglycerin-induced dilation, small coronary microvessels, L-cysteine (pigs), 365
 - normal and norepinephrine-induced cardiomyopathy, propafenone disposition and pharmacodynamics (rabbits), 722
 - posthypoxic recovery of cardiac function, yohimbine, myocardial metabolism (rabbits), 94

- serotonin and vasopressin-induced coronary vasoconstriction, endogenous vasoconstrictor prostanoids (rats), 292
- steroids, intracellular sodium, inotropy and toxicity in Purkinje fibers (sheep), 918
- Heart rate, apomorphine effects, sulpiride administration, concentration-effect model (rats), 1055
- Hedstrom, O., *see* Carpenter-Deyo, L., 739
- Hein, D. W., Rustan, T. D., Bucher, K. D., Furman, E. J. and Martin, W. J.: Extrahepatic expression of the N-acetylation polymorphism toward arylamine carcinogens in tumor target organs of an inbred rat model, 232
- Hemodynamics, depressor activity of zaprinast (rats), 269
- Henry, D. J. and White, F. J.: Repeated cocaine administration causes persistent enhancement of D1 dopamine receptor sensitivity within the rat nucleus accumbens, 882
- Henstenberg, J. D., *see* Yaney, G. C., 652
- Hepatocytes
toxicity caused by Quin 2 (rats), 739, 747
uptake of cationic drugs by liver, tributylmethylammonium, 537
- Hepatotoxicity, iron-nitriloacetate, age-related differences (guinea pigs), 797
- Herchuelz, A., *see* Antoine, M.-H., 286
- Hermann, M., *see* Antoine, M.-H., 286
- Hertting, G., *see* Allgaier, C., 143
- Hillver, S.-E., *see* Björk, L., 58
- Hippocampus, protein kinase C activation, alpha-2 adrenoceptor, norepinephrine release (rabbits, rats), 143
- Histamine
ecto-phosphoryl transfer, smooth muscle contractions, adenosine 5'-triphosphate (guinea pigs), 339
- H₃ receptors, duodenal muscle (guinea pigs), 325
- modulation of IgE-mediated activation, protein kinase C, mast cells (humans), 824
- Ho, E., *see* Greenberg, S. S., 1061
- Ho, I. K., *see* Burton, C. K., 871
- Hogenboom, F., *see* Schoffelmeer, A. N. M., 237
- Holtzman, S. G., *see* Mumford, G. K., 857
- Homocysteine, export from cells in culture, methotrexate, "rescue" agents and cell proliferation, 559
- Hoskins, B., *see* Burton, C. K., 871
- Howell, L. L. and Byrd, L. D.: Characterization of the effects of cocaine and GBR 12909, a dopamine uptake inhibitor, on behavior in the squirrel monkey, 178
- Hruby, V. J., *see* Knapp, R. J., 1077
- Hua, X.-Y., Boublík, J. H., Spicer, M. A., Rivier, J. E., Brown, M. R. and Yaksh, T. L.: The antinociceptive effects of spinally administered neuropeptide Y in the rat: Systematic studies on structure-activity relationship, 243
- Hunt, M., *see* Knapp, R. J., 1077
- Huo, T. and Healy, D. P.: [³H]Domperidone binding to the kidney inner medullary collecting duct dopamine-2K (DA_{2K}) receptor, 424
- Hwang, I. Y. and Elfarra, A. A.: Kidney-selective prodrugs of 6-mercaptopurine: Biochemical basis of the kidney selectivity of S-(6-purinyl)-L-cysteine and metabolism of new analogs in rats, 171
- Hydralazine, norepinephrine spillover rate, captopril (rats), 223
- (R)-8-Hydroxy-2-(dipropylamino)tetralin, inhibition of effects, pharmacology, novel 5-HT_A receptor antagonist (rats), 58
- 6-Hydroxydopamine, adenosine and morphine, spinal antinociception (rats), 370
- 5-Hydroxytryptamine, mesenteric vascular responses, young spontaneously hypertensive rats, 13
- l-5-Hydroxytryptophan, agonist and antagonist properties, serotonergic compounds (pigeons), 999
- Hypertension
mesenteric vascular responses (rats), 13
norepinephrine spillover rate, captopril (rats), 223
- Hyperthermia, analgesic effects and, morphine, serum levels (rats), 511
- Hypoglycemic agents, inhibitory effect of cyclosporine A (rats), 8
- Hypothalamus, facilitation of evoked response, endogenous norepinephrine, L-dihydroxyphenylalanine methyl ester (rats), 466
- Hypothermia, effects on body temperature, 1,3-di-o-tolylguanidine (rats), 88
- Hypoxia, posthypoxic recovery of cardiac function, yohimbine, myocardial metabolism (rabbits), 94
- Ichikawa, N., *see* Naora, K., 1033
- ICI-198,615, leukotrienes and, competition for LTD₄ binding sites, lung membranes (guinea pigs), 531
- Ileum
migrating action potential complex activity, choleragenoid (rabbits), 647
regulation of G proteins, chronic opiate and clonidine treatment, myenteric plexus (guinea pigs), 790
- Iloprost, inhibition of platelet aggregation, potentiation, captopril and reduced thiols, 820
- Imidazolines
alpha-2 adrenoceptor antagonists, ethanol-attenuating properties (mice), 576
interaction, alkylation-sensitive and -resistant alpha-1 subtypes (rats), 158
- Immunoglobulin E
antigen-induced responses in RBL-2H3 cells, methylxanthines (rats), 954
-mediated activation of mast cells, modulation by protein kinase C, lung and skin (humans), 824
- Immunoglobulin G, cationization, enhanced organ uptake of protein (rats, primates), 186
- Inositol phosphates
methylxanthines, block of antigen-induced responses, mast cells (rats), 954
phospholipase C activity, acute and chronic ethanol exposure, neuroblastoma (mice), 410
- Inotropy, cardiac steroids, Purkinje fibers (sheep), 918
- Insulin
- activity of oral hypoglycemic agents, inhibitory effect, cyclosporine A (rats), 8
- calcium channel blocker binding, RINm5F membranes and cells, 652
- dependent diabetes, prevention of, Concanavalin A (mice), 710
- ionic and secretory response, pancreatic islet cells (rats), 286
- plasma level and renin activity, potassium channel activators (rats), 216
- Interferon α A/D, OK432 and, combination therapy, viral myocarditis (mice), 1114
- Intestine
presystemic and systemic chiral inversion, fenoprofen (rats), 695
- small, distribution, VIP binding in circular muscle (dogs), 986
- stimulation of motility, cisapride, 5-HT receptors (guinea pigs), 1098
- Ion channels, nicotinic acetylcholine receptor activity, modulation by naltrexone (chicks), 551
- Iorio, L. C., Cohen, M. and Coffin, V. L.: Anticholinergic drugs potentiate dopamine D1 but not D2 antagonists on a conditioned avoidance task in rats, 118
- Iron
calcium and, Quin 2 toxicity, hepatocytes (rats), 747
- nitrilotriacetate hepatotoxicity, age-related differences (guinea pigs), 797
- Irwin, I., *see* Di Monte, D. A., 594
- Ischemia
antifibrillatory actions of UK-68,798 (dogs), 416
- brain, U-78517F, inhibitor of lipid peroxidation (rats), 688
- postischemic recovery, cardiac contractile function, perfusate pH, 772
- Ito, H., *see* Ito, M., 388
- Ito, M., Oguri, M., Naruse, A., Ito, H., Suzuki, Y., Satake, N. and Shibata, S.: Impaired endothelium-dependent relaxation in isolated thoracic aorta of rats with daunomycin-induced nephrosis, 388
- Iwamoto, K., *see* Naora, K., 1033
- Jacobsen, E. J., *see* Hall, E. D., 688
- Jacobson, A. E., *see* Contreras, P. C., 837
- Jaiswal, N., Lambrecht, G., Mutschler, E., Tacke, R. and Malik, K. U.: Pharmacological characterization of the vascular muscarinic receptors mediating relaxation and contraction in rabbit aorta, 842
- Jakubowski, J. A., *see* Simpson, P. J., 979
- Jamali, F., *see* Berry, B. W., 695
- Jeffries, W. B., *see* Feng, F., 263
- Jones, C. R., *see* Tschirhart, E. J., 381
- Jones, S. Y., *see* Kapusta, D. R., 111
- Juorio, A. V., *see* Paterson, I. A., 1019
- Jurahashi, K., *see* Shimaji, H., 676
- Kadowitz, P. J., *see* Neely, C. F., 753
- Kagey-Sobotka, A., *see* Massey, W. A., 824
- Kallikrein, blunting of renal response, volume expansion, bradykinin receptor antagonist, 866
- Kamata, Y., *see* Bakry, N., 613, 830
- Kanda, M., *see* Shimaji, H., 676
- Kanda, T., *see* Yokoyama, T., 1114
- Kanno, M., *see* Endou, M., 992

- Kapusta, D. R., Jones, S. Y. and DiBona, G. F.: Renal *Mu* opioid receptor mechanisms in regulation of renal function in rats, 111
- Karasawa, Y., *see* Narita, M., 166
- Karlsson, J. O. G., *see* Svensson, S. P. S., 447
- Katagiri, Y., *see* Naora, K., 1033
- Kauker, M. L., Zhang, P. L., Zeigler, D. W. and Patel, K. P.: Blunting of the renal response to volume expansion by a bradykinin receptor antagonist: Influence of denervation, 866
- Keashly, R., *see* Gillis, A. M., 722
- Keeton, T. K., *see* Kuo, Y.-J. J., 223
- Kidney
- adenylate cyclase-coupled vasopressin receptors, up-regulation, vasopressin antagonists (rats), 1046
 - blunting of renal response to volume expansion, bradykinin receptor antagonist, denervation, 866
 - daunomycin-induced nephrosis, impaired endothelium-dependent relaxation, thoracic aorta (rats), 388
 - extrahepatic expression, *N*-acetylation polymorphism, arylamine carcinogens (rats), 232
 - inner medullary collecting duct, dopamine-2K receptor, domperidone binding (rats), 424
 - proximal and distal tubule, amantadine uptake, histamine H₂ receptor antagonists (rats), 320
 - proximal tubules
 - alpha*-1 blockade, compensatory sodium reabsorption (rats), 42
 - transport of cimetidine, basolateral membrane (rabbits), 1038 - regional distribution, α_1 -adrenoceptor subtypes (rats), 263
 - renal *mu* opioid receptor mechanisms (rats), 111
 - responses to furosemide, acute instrumentation, peripheral sympathectomy (rats), 1
 - selective prodrugs of 6-mercaptopurine (rats), 171
- Kindling, model of drug-resistant partial epilepsy (rats), 483
- Kinins, atrial natriuretic factor and, thiorphan-induced natriuresis, volume-expanded rats, 807
- Kinter, L. B., *see* Caltabiano, S., 1046
- Kirley, T. L., *see* Cox, D. A., 702
- Klein, R. F., Nissensohn, R. A. and Strewler, G. J.: Pertussis toxin inhibits hormonal stimulation of bone resorption in fetal rat limb bones, 877
- Knapp, R. J., Sharma, S. D., Toth, G., Duong, M. T., Fang, L., Bogert, C. L., Weber, S. J., Hunt, M., Davis, T. P., Wamsley, J. K., Hruby, V. J. and Yamamura, H. I.: [*D*-Pen², 4'-¹²⁵I-Phe⁴, *D*-Pen⁵]Enkephalin: A selective high affinity radioligand for *delta* opioid receptors with exceptional specific activity, 1077
- Knight, D. L., *see* Owens, M. J., 349
- Kodama, I. and Shibata, S.: Effects of KT-362, a new antiarrhythmic agent with vasodilating action on intracellular calcium mobilization of atrial muscle, 332
- Kong, J.-Q., Taylor, D. A. and Fleming, W.
- W.: Mesenteric vascular responses of young spontaneously hypertensive rats, 13
- Koop, G. F., *see* Britton, K. T., 124
- Koop, D. R., Chernosky, A. and Brass, E. P.: Identification and induction of cytochrome P450 2E1 in rat Kupffer cells, 1072
- Kopin, I. J., *see* Duncan, M. W., 27
- Koshihara, Y., Takamori, R., Nomura, K., Sugiura, S. and Kurozumi, S.: Enhancement of *in vitro* mineralization in human osteoblasts by a novel prostaglandin A₁ derivative TEI-3313, 1120
- Krause, D. N., *see* Garcia-Villalon, A. L., 304
- KT-362, vasodilating action, intracellular calcium mobilization, atrial muscle (rabbits), 332
- Kuo, Y.-J. J. and Keeton, T. K.: Captopril increases norepinephrine spillover rate in conscious spontaneously hypertensive rats, 223
- Kupffer cells, identification and induction, cytochrome P450 2E1 (rats), 1072
- Kurosaki, A., *see* Lind, C. D., 647
- Kurozumi, S., *see* Koshihara, Y., 1120
- Kwan, C. Y., *see* Low, A. M., 1105
- Lahti, R. A., *see* Hall, E. D., 688
- Lai, J., Waite, S. L., Bloom, J. W., Yamamura, H. I. and Roeske, W. R.: The m₂ muscarinic acetylcholine receptors are coupled to multiple signaling pathways via pertussis toxin-sensitive guanine nucleotide regulatory proteins, 938
- Lakshman, M. R., Ghosh, P. and Chirtel, S. J.: Mechanism of action of 2,3,7,8-tetrachlorodibenzo-P-dioxin on intermediary metabolism in the rat, 317
- Lam, H. R., *see* Petersen, J. S., 1
- Lambrecht, G., *see* Jaiswal, N., 842
- Lampert-Vrana, S. J., Vrana, K. E. and Fedan, J. S.: Involvement of ecto-phosphoryl transfer in contractions of the smooth muscle of the guinea pig vas deferens to adenosine 5'-triphosphate, 339
- Lang, J., *see* Ammer, H., 790
- Langston, J. W., *see* Di Monte, D. A., 594
- Lautt, W. W., *see* Zhang, Y., 767
- Lawson, D., *see* Folger, W. H., 669
- Learning, amnestic effects of nicotinic antagonists, inhibition, regional brain acetylcholine synthesis (rats), 403
- Lebrun, P., *see* Antoine, M.-H., 286
- Lectins, *Triticum vulgaris* and *Limax flavus*, universal antagonists, botulinum neurotoxin and tetanus toxin, 830
- Le Dain, A. C., Madsen, B. W., Edeson, R. O.: Naltrexone modulation of nicotinic acetylcholine receptor activity, 551
- Lee, H.-J., Cozzi, N. V. and Weiler, M. H.: Age-related differences in the effects of some muscarinic agents on acetylcholine release from rat neostriatal slices, 496
- Lee, J. H., Steinberg, S. F. and Rosen, M. R.: A WB 4101-sensitive *alpha*-1 adrenergic receptor subtype modulates repolarization in canine purkinje fibers, 681
- Lee, S.-L., Levitsky, S. and Feinberg, H.:
- W.: Mesenteric vascular responses of young spontaneously hypertensive rats, 13
- Endogenous vasoconstrictor prostaglandins: Role in serotonin and vasoressin-induced coronary vasoconstriction, 292
- Legare, D. J., *see* Zhang, Y., 767
- Lester, W. M., *see* Gillis, A. M., 722
- Leukocytes, polymorphonuclear, block of platelet activating factor receptors, RP 59227 (guinea pigs, humans), 567
- Leukotriene D₄ receptors in left atria (guinea pigs), 199
- Leukotrienes, ICI-198,615 and, competition for LTD₄ binding sites, lung membranes (guinea pigs), 531
- Levitsky, S., *see* Lee, S.-L., 292
- Lewander, T., *see* Björk, L., 58
- Lichtenstein, L. M., *see* Massey, W. A., 824
- Lichtman, A. H. and Martin, B. R.: Spinal and supraspinal components of cannabinoid-induced antinociception, 517
- Limax flavus*, lectins, universal antagonist, botulinum neurotoxin and tetanus toxin, 830
- Lind, C. D., Guerrant, R. L., Kurosaki, A. and Mathias, J. R.: Purified choleraeigen does not induce migrating action potential complex activity in rabbit ileum *in vivo*, 647
- Linnoila, M., *see* Durcan, M. J., 576
- Linseman, K. L., *see* Hall, E. D., 688
- Lipid peroxidation
- toxicity to hepatocytes, Quin 2 (rats), 739
 - U-78517F as potent inhibitor, brain injury and ischemia (rats), 688
- Lipolysis, progesterone and synthetic progestins, parametrial adipocytes (rats), 620
- Lister, R. G., *see* Durcan, M. J., 576
- Lithium, renal response to furosemide, acute instrumentation, peripheral sympathectomy (rats), 1
- Little, P. J., *see* Adams, M. L., 1008
- Liver
- iron-nitrilotriacetate hepatotoxicity, age-related differences, copper metallothionein (guinea pigs), 797
 - presystemic and systemic chiral inversion, fenoprofen (rats), 695
 - uptake of cationic drugs, tributylmethylammonium, 537
- Loeffler, R. F., *see* Gullikson, G. W., 103
- Lonsberry, B. B., *see* Meng, H.-P., 772
- Löscher, W. and Rundfeldt, C.: Kindling as a model of drug-resistant partial epilepsy: Selection of phenytoin-resistant and nonresistant rats, 483
- Low, A. M., Gaspar, V., Kwan, C. Y., Darby, P. J., Bourreau, J. P. and Daniel, E. E.: Thapsigargin inhibits repletion of phenylephrine-sensitive intracellular Ca⁺⁺ pool in vascular smooth muscles, 1105
- Lucchesi, B. R., *see* Black, S. C., 416
- Lui, E. M. K., *see* Suntres, Z. E., 797
- Lumpkin, M., *see* Pritchard, G. A., 280
- Lung
- membranes, leukotrienes and ICI-198,615, competition for LTD₄ binding sites (guinea pigs), 531
 - modulation of IgE-mediated activation, protein kinase C, mast cells (humans), 824
 - pulmonary vascular bed, vasoconstriction, adenosine and ATP (cats), 753

- LY53857, role of serotonin 5HT₂ receptor blockade, myocardial reperfusion injury (dogs), 979
- Lymphocytes, tracking, phenotype responses, Concanavalin A (mice), 716
- Lysergic acid diethylamide, serotonin 5HT_{1C} receptor agonist, 891
- Macconi, D., *see* Morigi, M., 601
- MacGlashan, D. W., Jr., *see* Massey, W. A., 824
- Macrophages, block of platelet activating factor receptors, RP 59227, liberation of reactive oxygen species (guinea pigs, humans), 567
- Madras, B. K., *see* Bergman, J., 910
- Madras, B. K., *see* Spealman, R. D., 945
- Madsen, B. W., *see* Le Dain, A. C., 551
- Maghni, K., de Brum-Fernandes, A. J., Földes-Filep, E., Gaudry, M., Borgeat, P. and Sirois, P.: Leukotriene B₄ receptors on guinea pig alveolar eosinophils, 784
- Maka, F. D.-B. K., *see* Breuiller-Fouche, M., 82
- Malik, K. U., *see* Adeagbo, A. S. O., 452
- Malik, K. U., *see* Jaiswal, N., 842
- Mantz, J., *see* Godbout, R., 728
- Mao, Y. K., Barnett, W., Coy, D. H., Tougas, G. and Daniel, E. E.: Distribution of vasoactive intestinal polypeptide (VIP) binding in circular muscle and characterization of VIP binding in canine small intestinal mucosa, 986
- Markey, S. P., *see* Duncan, M. W., 27
- Marks, M. J., *see* Pauly, J. R., 1127
- Mårtensson, L. G. E., *see* Svensson, S. P. S., 447
- Martin, B. R., *see* Lichtman, A. H., 517
- Martin, W. J., *see* Hein, D. W., 232
- Massey, W. A., Cohan, V. L., MacGlashan, D. W., Jr., Gittlen, S. W., Kagey-Sobotka, A., Lichtenstein, L. M. and Warner, J. A.: Protein kinase C modulates immunoglobulin E-mediated activation of human mast cells from lung and skin. I. Pharmacologic inhibition, 824
- Mast cells
block of antigen-induced responses, methylxanthines, antigen binding to IgE (rats), 954
- IgE-mediated activation, modulation by protein kinase C, lung and skin (humans), 824
- Mathias, J. R., *see* Lind, C. D., 647
- Matlib, M. A., *see* Cox, D. A., 702
- Matsuyama, S., *see* Taniyama, K., 1098
- Mattia, A., Vanderah, T., Mosberg, H. I. and Porreca, F.: Lack of antinociceptive cross-tolerance between [D-Pen²D-Pen⁵]enkephalin and [D-Ala²]deltorphin II in mice: Evidence for delta receptor subtypes, 583
- McCallum, R. W., Valenzuela, G., Polepalle, S. and Spyker, D.: Subcutaneous metoclopramide in the treatment of symptomatic gastroparesis: Clinical efficacy and pharmacokinetics, 136
- McGraw, D. E., *see* Trapani, A. J., 269
- McMahon, E. G., *see* Trapani, A. J., 269
- McMillan, D. E., Hardwick, W. C., deCosta, B. R. and Rice, K. C.: Effects of drugs that bind to PCP and sigma receptors on punished responding, 1015
- Means, E. D., *see* Hall, E. D., 688
- Mecamylamine, amnestic effects of nicotinic antagonists, inhibition, regional brain acetylcholine synthesis (rats), 403
- Medzihradsky, F., *see* France, C. P., 502
- Mehta, J. L., *see* Folger, W. H., 669
- Meijer, D. K. F., *see* Steen, H., 537
- Meisheri, K. D., Oleynik, J. J. and Puddington, L.: Role of Protein sulfation in vasodilation induced by monoxidil sulfate, a K⁺ channel opener, 1091
- Melia, K. F., *see* Spealman, R. D., 945
- Melia, K. F. and Spealman, R. D.: Pharmacological characterization of the discriminative-stimulus effects of GBR 12909, 626
- Meng, H.-P., Lonsberry, B. B. and Pierce, G. N.: Influence of perfusate pH on the postischemic recovery of cardiac contractile function: Involvement of sodium-hydrogen exchange, 772
- 6-Mercaptopurine, kidney-selective prodrugs (rats), 171
- Metallothionein, copper, age-related differences, iron-nitrotriacetate hepatotoxicity (guinea pigs), 797
- Metergoline, quipazine or l-5-hydroxytryptophan, agonist and antagonist properties, discrimination (pigeons), 999
- Methotrexate, "rescue" agents and cell proliferation, homocysteine export, cells in culture, 559
- (R)-alpha-Methylhistamine, histamine H₃ receptors, duodenal muscle (guinea pigs), 325
- Methylmercury, blockade of N- and L-type Ca⁺⁺ channels, nerve growth factor, PC12 cells, 149
- 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine, biotransformation in astrocytes (mice), 594
- N-Methylscopolamine, binding profiles of class I antiarrhythmic agents, cardiac muscarinic receptors, 992
- Methylxanthines
block of antigen-induced responses, RBL-2H3 cells, antigen binding to IgE (rats), 954
- caffeine and theophylline, adenosine receptor antagonists (humans), 588
- low and high doses of caffeine, qualitative differences, discriminative stimulus effects (rats), 857
- Metoclopramide, subcutaneous, symptomatic gastroparesis (humans), 136
- Miller, L. G., *see* Pritchard, G. A., 280
- Miller, R. C., *see* Tschirhart, E. J., 381
- Mimeault, M., Fournier, A., Dumont, Y., St.-Pierre, S. and Quirion, R.: Comparative affinities and antagonistic potencies of various human calcitonin gene-related peptide fragments on calcitonin gene-related peptide receptors in brain and periphery, 1084
- Minoxidil, norepinephrine spillover rate, captopril (rats), 223
- Minoxidil sulfate
ionic and secretory response, pancreatic islet cells (rats), 286
- role of protein sulfation, vasodilation, 1091
- Mirfentanil, opioid and nonopioid effects, pharmacological profile (monkeys), 502
- Misu, Y., *see* Goshima, Y., 466
- Mjanger, E. and Yaksh, T. L.: Characteristics of dose-dependent antagonism by beta-funaltrexamine of the antinociceptive effects of intrathecal mu agonists, 544
- Mollace, V., Salvemini, D., Sessa, W. C. and Vane, J. R.: Inhibition of human platelet aggregation by endothelium-derived relaxing factor, sodium nitroprusside or iloprost is potentiated by captopril and reduced thiols, 820
- Mondot, S., *see* Pratz, J., 216
- Monoamine oxidase, biotransformation, 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (mice), 594
- Monoamine oxidase-B, inhibition by deprenil, potentiation of neuronal responses, dopamine agonists (rats), 1019
- Monocarboxylic acids, transport at blood-brain barrier, bovine brain capillary endothelial cells, 932
- Monoclonal antibodies
cationization of immunoglobulin G, enhanced organ uptake (rats, primates), 186
- tetanus toxin and neuronal membranes, binding and toxicity, 613
- Monteiro, J. G.: A kinetic study of the ouabain-induced efflux of norepinephrine from the dog saphenous vein, 311
- Montier, F., *see* Pratz, J., 216
- Morari, M., *see* Beani, L., 472
- Morigi, M., Macconi, D., Riccardi, E., Boccardo, P., Zilio, P., Bertani, T. and Remuzzi, G.: Platelet-activating factor receptor blocking reduces proteinuria and improves survival in lupus autoimmune mice, 601
- Moritani, S., *see* Terasaki, T., 932
- Morphine
adenosine analogs and, spinal antinociception, neurotoxins (rats), 370
- analgesic and hyperthermic effects, serum levels (rats), 511
- induced antinociception, cyclo(Leu-Gly) effect, cyclic GMP-phosphodiesterase activity, 871
- tolerance, alpha-2 adreceptor-mediated GABA decrease, cortical slices and synaptosomes (guinea pigs), 472
- tolerance and dependence, selective blockage, delta opioid receptors (mice), 299
- Mosberg, H. I., *see* Mattia, A., 583
- Mossiat, C., *see* Bralet, J., 807
- Mu, D.-X., *see* Black, S. C., 416
- Mucosa, small intestinal, distribution, VIP binding in circular muscle (dogs), 986
- Mukherjee, B., Pearce, R. B., Formby, B. and Peterson, C. M.: Studies of concanavalin A in nonobese diabetic mice. II. lymphocyte tracking and phenotype responses, 716
- Mulder, A. H., *see* Schoffelmeer, A. N. M., 237
- Müller, C. E., *see* Ali, H., 954
- Mumford, G. K. and Holtzman, S. G.: Qualitative differences in the discriminative stimulus effects of low and high doses of caffeine in the rat, 857
- Murakami, M., *see* Narita, M., 166
- Murata, K., *see* Yokoyama, T., 1114
- Muscarinic agents, age-related differences,

- acetylcholine release, neostriatal slices (rats), 496
- Muscle**
 circular, distribution, VIP binding (dogs), 986
 duodenal, histamine H₃ receptors (guinea pigs), 325
 smooth, regulation of Ca⁺⁺ sensitivity, permeabilized mesenteric artery (rabbits), 397
- Muscle, smooth**
 contractions of vas deferens, ecto-phosphoryl transfer, adenosine 5'-triphosphate (guinea pigs), 339
 functional and autoradiographic studies, endothelins, trachea (guinea pigs), 381
 relaxation of trachealis, cyclic GMP accumulation, nitrovasodilators (dogs), 972
- vascular**
 imidazoline interaction, *alpha*-1 subtypes (rats), 158
 17-kDa protein, peripheral-type benzodiazepine receptor (rats), 702
 mechanism of contractions by sodium fluoride, aorta (rats, rabbits), 66
 phenylephrine-sensitive intracellular Ca⁺⁺ pool, thapsigargin, 1105
 prostaglandin H₂/thromboxane A₂ receptors (rats), 74
 relaxation, peritoneal neutrophils (rats), 963
 vascular muscarinic receptors, mediation of relaxation and contraction, aorta (rabbits), 842
- Mutschler, E., *see* Jaiswal, N., 842
- Mydriasis**, morphine-induced antinociception, cyclo(Leu-Gly) effect, cyclic GMP-phosphodiesterase activity, 871
- Myenteric plexus**, regulation of G proteins, chronic opiate and clonidine treatment (guinea pigs), 790
- Myocarditis**, viral, OK432 and recombinant human interferon α A/D (mice), 1114
- Myocardium**
 normal and norepinephrine-induced cardiomyopathy, propafenone disposition and pharmacodynamics (rabbits), 722
 posthypoxic recovery of cardiac function, yohimbine (rabbits), 94
 reperfusion injury, serotonin 5HT₂ receptor blockade, LY53857 (dogs), 979
- Myo-inositol**, uptake process in parotid gland, substance P and carbachol (rats), 639
- Myometrium**
alpha-1 adrenergic receptor, phosphoinositide breakdown (humans), 82
 estrogen-primed nonpregnant, adenosine action (guinea pigs), 429
- Nakamura, S., *see* Goshima, Y., 466
- Nakayama, S., *see* Taniyama, K., 1098
- Naloxone**
 effect of endogenous opioids, synaptic potentials (guinea pigs), 18
 renal mu opioid receptor mechanisms (rats), 111
- Naltrexone**
 mirfentanil, pharmacological profile (monkeys), 502
 modulation, nicotinic acetylcholine receptor activity (chicks), 551
- Naltrindole, morphine tolerance and dependence, selective blockage, *delta* opioid receptors (mice), 299
- Nance, D., *see* Sawynok, J., 370
- Naora, K., Katagiri, Y., Ichikawa, N., Hayashibara, M. and Iwamoto, K.: Enhanced entry of ciprofloxacin into the rat central nervous system induced by fenbufen, 1033
- Napier, T. C., Simson, P. E. and Givens, B. S.: Dopamine electrophysiology of ventral pallidal/substantia innominata neurons: Comparison with the dorsal globus pallidus, 249
- Narita, M., Furukawa, Y., Takei, M., Murakami, M., Ren, L.-M., Karasawa, Y. and Chiba, S.: Functional participation in M₁ receptor subtype on chronotropic and dromotropic responses to vagus stimulation in anesthetized dogs, 166
- Naruse, A., *see* Ito, M., 388
- Natriuresis, thiorphan-induced, volume-expanded rats, 807
- Neely, C. F., Haile, D. M., Cahill, B. E. and Kadowitz, P. J.: Adenosine and ATP produce vasoconstriction in the feline pulmonary vascular bed by different mechanisms, 753
- Nelson, D. L., *see* Björk, L., 58
- Nemeroff, C. B., *see* Owens, M. J., 349
- Nephrosis, daunomycin-induced, impaired endothelium-dependent relaxation, thoracic aorta (rats), 388
- Nerve growth factor, block of N- and L-type Ca⁺⁺ channels, methylmercury, PC12 cells, 149
- Neuroblastoma, x glioma cells, endothelin, calcium signaling, 524
- Neurons**
 corticotropin-releasing factor, alprazolam effects (rats), 349
 mesocortical dopaminergic, inhibitory influence on target cells (rats), 728
 submucosal, adenosine A₁ and A₂ receptors (guinea pigs), 490
 ventral pallidal/substantia innominata, dopamine electrophysiology (rats), 249
- Neuropeptide, stimulated phospholipase C activity, acute and chronic ethanol exposure, neuroblastoma (mice), 410
- Neuropeptide Y**
 atypical receptor to evoke cardiovascular depression, inhibition of glutamate responsiveness, brainstem (rats), 633
 spinally administered, antinociceptive effects (rats), 243
- Neurotoxins**
 botulinum, universal antagonists, *Triticum vulgaris* and *Limax flavus*, 830
 spinal antinociception, adenosine analogs, morphine (rats), 370
- Neurotransmission, cholinergic, histamine H₃ receptors, duodenal muscle (guinea pigs), 325
- Neutrophils, peritoneal, relaxation, vascular smooth muscle (rats), 963
- Nice, L., *see* Ammer, H., 790
- Nicorandil, -induced relaxation, elevated cyclic GMP, stimulation of guanylate cyclase, 1061
- Nicotine**
 chronic treatment, autoradiographic analysis, cholinergic receptors (mice), 1127
 neurally induced cerebroarterial relaxation, role of nitric oxide (dogs), 1027
- Nicotinic cholinergic system**, amnestic effects of nicotinic antagonists, inhibition, regional brain acetylcholine synthesis (rats), 397
- Nishimura, J. and van Breemen, C.: Energetic aspects of the regulation of Ca⁺⁺ sensitivity of permeabilized rabbit mesenteric artery: Possible involvement of a second Ca⁺⁺ regulatory system in smooth muscle contraction, 397
- Nissensohn, R. A., *see* Klein, R. F., 877
- Nitrate**, tolerance, thiol supplementation, prolonged nitroglycerin infusion (rats), 851
- Nitrate esters**, organic, nicorandil-induced relaxation, elevated cyclic GMP, 1061
- Nitric oxide**, neurally induced cerebroarterial relaxation (dogs), 1027
- Nitroltriacetate, -iron hepatotoxicity, age-related differences (guinea pigs), 797
- Nitroglycerin**, -induced dilation, small coronary microvessels, potentiation by L-cysteine (pigs), 365
- Nitroprusside**, peritoneal neutrophils, relaxation, vascular smooth muscle (rats), 963
- Nitrovasodilators**, relationship between cyclic GMP, relaxation of trachealis (dogs), 972
- NKY-722, effect of accumulation, KCl-induced contraction, mesenteric arteries (dogs), 676
- Nomura, K., *see* Koshihara, Y., 1120
- Noradrenaline**, *alpha*-2 adrenoceptor-mediated pigment aggregation, antagonistic effect of amiloride (fish), 447
- Norell, M. A., *see* Wasserstrom, J. A., 918
- Norepinephrine**
alpha-1 adrenergic receptor, phosphoinositide breakdown, myometrium (humans), 82
 ecto-phosphoryl transfer, smooth muscle contractions, adenosine 5'-triphosphate (guinea pigs), 339
 endogenous, evoked response, L-dihydroxyphenylalanine methyl ester (rats), 466
 -induced cardiomyopathic hearts, propafenone disposition and pharmacodynamics (rabbits), 722
 lipolytic activity, progesterone and synthetic progestins, parametrial adipocytes (rats), 620
 mesenteric vascular responses, young spontaneously hypertensive rats, 13
 modulation of action, endogenous opioids, CA3 pyramidal cells (guinea pigs), 18
 modulation of release in hippocampus, protein kinase C, *alpha*-2 adrenoceptor (rabbits, rats), 143
 ouabaine-induced efflux, kinetic study, saphenous vein (dogs), 311
 spillover rate, captopril (rats), 223
- North, R. A., *see* Barajas-Lopez, C., 490
- North, R. A., *see* Uchimura, N., 663
- Nucleus accumbens**
 inhibition of synaptic potentials, baclofen and adenosine (rats), 663
 repeated cocaine administration, D1 do-

- pamine receptor sensitivity (rats), 882
- Oguri, M., *see* Ito, M., 388
- Ohnishi, T., *see* Shimura, T., 459
- OK432, recombinant human interferon α A/D and, viral myocarditis (mice), 1114
- Okamura, T., *see* Toda, N., 1027
- Okamura, T., Yamazaki, M. and Toda, N.: Responses to dopamine of isolated human and monkey veins, compared with those of the arteries, 275
- Oleynek, J. J., *see* Meisheri, K. D., 1091
- Olsen, G. D., *see* Sandberg, J. A., 477
- Oosting, R., *see* Steen, H., 537
- Opiates, chronic treatment, regulation of G proteins, myenteric plexus (guinea pigs), 790
- Opioids
- endogenous, release from perforant path, norepinephrine actions in pyramidal cells (guinea pigs), 18
 - mirfentanil, pharmacological profile (monkeys), 502
- Orzechowski, R. F., *see* Falcone, R. C., 199
- Osteoblasts, enhancement of *in vitro* mineralization, prostaglandin A₁ derivative, 1120
- Osteoclasts, inhibition of hormonal stimulation, pertussis toxin, bone resorption in fetal limb bones (rats), 877
- Osumi, S., *see* Shimaji, H., 676
- Ouabain, -induced efflux of norepinephrine, kinetic study, saphenous vein (dogs), 311
- Owens, M. J., Vargas, M. A., Knight, D. L. and Nemeroff, C. B.: The effects of alprazolam on corticotropin-releasing factor neurons in the rat brain: Acute time course, chronic treatment and abrupt withdrawal, 349
- Owens, S. M., *see* Wessinger, W. D., 207
- Paalzow, L. K., *see* Bredberg, E., 1055
- Page, M., *see* Britton, K. T., 124
- Pancreas
- islet cells, ionic and secretory response, minoxidil sulfate (rats), 286
 - lymphocyte tracking and phenotype responses, Concanavalin A (mice), 716
- Parasympathetic nervous system, chronotropic and dromotropic responses, vagus stimulation, M₁ receptor subtypes (dogs), 166
- Parathyroid hormone, inhibition of hormonal stimulation, pertussis toxin, bone resorption in fetal limb bones (rats), 877
- Pardridge, W. M., *see* Triguero, D., 186
- Paris, J., *see* Dorai, V., 620
- Parkinson's disease
- 2-amino-3-(methylamino)-propanoic acid pharmacokinetics, blood-brain barrier permeability (rats), 27
 - biotransformation, 1-methyl-4-phenyl-1, 2,3,6-tetrahydropyridine (mice), 594
 - inhibition of monoamine oxidase-B, de-prenyl, potentiation of neuronal responses (rats), 1019
- Patel, K. P., *see* Kauker, M. L., 866
- Paterson, I. A., Juorio, A. V., Berry, M. D. and Zhu, M. Y.: Inhibition of monoamine oxidase-B by (-)-depranol potentiates neuronal responses to dopamine agonists but does not inhibit dopamine catabolism in the rat striatum, 1019
- Paul, S., *see* Biaggioni, I., 588
- Pauly, J. R., Marks, M. J., Gross, S. D. and Collins, A. C.: An Autoradiographic analysis of cholinergic receptors in mouse brain after chronic nicotine treatment, 1127
- PC12 cells, blockade of N- and L-type Ca⁺⁺ channels, methylmercury, nerve growth factor, 149
- Pearce, R. B., *see* Mukherjee, B., 716
- Pearce, R. B. and Peterson, C. M.: Studies of concanavalin A in nonobese diabetic mice. I. Prevention of insulin-dependent diabetes, 710
- Pearson, P. G., *see* Duncan, M. W., 27
- Pechnick, R. N., *see* Bejanian, M., 88
- Pelton, J. T., *see* Tschirhart, E. J., 381
- Pentisomide, binding profiles of class I antiarrhythmic agents, cardiac muscarinic receptors, 992
- Pertussis toxin
- inhibition of hormonal stimulation, bone resorption, fetal limb bones (rats), 877
 - sensitive guanine nucleotide regulatory proteins, m₂ muscarinic acetylcholine receptors, multiple signaling pathways, 938
- Petersen, J. S., *see* Boesgaard, S., 851
- Petersen, J. S., Shalimi, M., Abildgaard, U. and Christensen, S.: Alpha-1 blockade inhibits compensatory sodium reabsorption in the proximal tubules during furosemide-induced volume contraction, 42
- Petersen, J. S., Shalimi, M., Lam, H. R. and Christensen, S.: Renal response to furosemide in conscious rats: Effects of acute instrumentation and peripheral sympathectomy, 1
- Peterson, C. M., *see* Mukherjee, B., 716
- Peterson, C. M., *see* Pearce, R. B., 710
- Pettinger, W. A., *see* Feng, F., 263
- pH, perfuse, postischemic recovery, cardiac contractile function, 772
- Phencyclidine
- dependence, dose and serum concentrations, operant behavioral effects (rats), 207
 - drugs that bind, sigma receptors, punished responding (rats), 1015
 - increased release of β -endorphin, anterior lobe, pituitary, 837
- Phenylephrine, -sensitive intracellular Ca⁺⁺ pool, inhibition of repletion, thapsigargin, 1105
- 8-Phenyltheophylline, adenosine-mediated superior mesenteric arterial vasodilation, potentiation by dilazep (cats), 767
- Phenytoin, kindling as a model, drug-resistant partial epilepsy (rats), 483
- Phorbol ester, modulation of IgE-mediated activation, protein kinase C, mast cells (humans), 824
- Phosphodiesterase, cyclo(Leu-Gly) effect, morphine-induced antinociception, 871
- Phosphoinositide hydrolysis breakdown, alpha-1 adrenergic receptor, myometrium (humans), 82
- heterogeneity of muscarinic receptor sub-
- types, cerebral blood vessels (rabbits, cattle), 304
- lysergic acid diethylamide, serotonin 5HT_{1C} receptor agonist, 891
- metabolism, adenosine action, estrogen-primed nonpregnant myometrium (guinea pigs), 429
- Phospholipase A₂, involvement of calcium and iron, Quin 2 toxicity, hepatocytes (rats), 747
- Phospholipase C, activity in intact N1E-115 neuroblastoma, acute and chronic ethanol exposure (mice), 410
- Phospholipase D, activation by E-series prostaglandins, erythroleukemia cells (humans), 607
- Phrenic nerve, tetanus toxin and neuronal membranes, binding and toxicity, 613
- Piascik, M. T., Sparks, M. S. and Pruitt, T. A.: Interaction of imidazolines with alkylation-sensitive and -resistant alpha-1 adrenoceptor subtypes, 158
- Pierce, G. N., *see* Meng, H.-P., 772
- Pigment, alpha-2 adrenoceptor-mediated aggregation, antagonistic effect of amiloride (fish), 447
- Pirenperone, quipazine or 1,5-hydroxytryptophan, agonist and antagonist properties, discrimination (pigeons), 999
- Pirenzepine, chronotropic and dromotropic responses, vagus stimulation, M₁ receptor subtypes (dogs), 166
- Pirmenol, binding profiles of class I antiarrhythmic agents, cardiac muscarinic receptors, 992
- Pirot, S., *see* Godbout, R., 728
- Pituitary, anterior lobe, phenacyclidine increased release, β -endorphin, 837
- Plasma, insulin level and renin activity, potassium channel activators (rats), 216
- Platelet activating factor
- block of receptors by RP 59227, liberation of reactive oxygen species, macrophages and polymorphonuclear leukocytes (guinea pigs, humans), 567
 - receptor blocking, reduction of proteinuria, survival in lupus (mice), 601
- Platelets
- aggregation, prostaglandin H₂/thromboxane A₂ receptors (rats), 74
 - caffeine and theophylline, adenosine receptor antagonists (humans), 588
 - inhibition of aggregation, endothelium-derived relaxing factor, captopril and reduced thiols, 820
- Polepal, S., *see* McCallum, R. W., 136
- Poli, E., *see* Coruzzi, G., 325
- Pollock, S. H., Reichbaum, M. I., Collier, B. H. and D'Souza, M. J.: Inhibitory effect of cyclosporine A on the activity of oral hypoglycemic agents in rats, 8
- Porreca, F., *see* Mattia, A., 583
- Portoghesi, P. S., *see* Abdelhamid, E. E., 299
- Potassium channels
- activators, plasma insulin level, renin and blood pressure (rats), 216
 - contribution to arachidonic acid-induced vasodilation, mesenteric arteries (rats), 452
 - modulation of acetylcholine release, striatal slices (rats), 762
- Potassium chloride
- induced contraction, accumulation of

- NKY-722, mesenteric arteries (dogs), 676
- mesenteric vascular responses, young spontaneously hypertensive rats, 13
- Poulsen, H. E., see Boesgaard, S., 851
- Pratz, J., Mondot, S., Montier, F. and Caverio, I.: Effects of the K⁺ channel activators, RP 52891, cromakalim and diazoxide, on the plasma insulin level, plasma renin activity and blood pressure in rats, 216
- Prazosin
norepinephrine spillover rate, captopril (rats), 223
regional distribution, α_1 -adrenoceptor subtypes, kidney (rats), 263
- Pregnancy
 α_1 -1 adrenergic receptor, phosphoinositide breakdown, myometrium (humans), 82
cocaine pharmacokinetics (guinea pigs), 477
- Pritchard, G. A., Galpern, W. R., Lumpkin, M. and Miller, L. G.: Chronic benzodiazepine administration. VIII. Receptor upregulation produced by chronic exposure to the inverse agonist FG-7142, 280
- Progesterone
steroid anesthetic alphaxalone, anxiolytic activity (rats), 124
synthetic progestins and, lipolytic activity, parametrial adipocytes (rats), 620
- Prokinetic drugs, serotonin-3 receptor antagonist activity, gastric emptying (dogs), 103
- Propafenone, disposition and pharmacodynamics, normal and norepinephrine-induced cardiomyopathic hearts (rabbits), 722
- Propranolol
effect of endogenous opioids, synaptic potentials (guinea pigs), 18
facilitation of evoked response, endogenous norepinephrine, L-dihydroxyphenylalanine methyl ester (rats), 466
- Prostaglandin A₁, derivative TEI-3313, enhancement of *in vitro* mineralization, osteoblasts (humans), 1120
- Prostaglandin E₂, inhibition of hormonal stimulation, pertussis toxin, bone resorption in fetal limb bones (rats), 877
- Prostaglandin H₂, thromboxane A₂ receptors, distinct subtypes, vascular smooth muscle contraction and platelet aggregation (rats), 74
- Prostaglandins
adenosine action, estrogen-primed non-pregnant myometrium (guinea pigs), 429
E-series, activation of phospholipase D, erythroleukemia cells (humans), 607
- Prostanoids, endogenous vasoconstrictor, coronary vasoconstriction (rats), 292
- Prostate, extrahepatic expression, N-acetylation polymorphism, arylamine carcinogens (rats), 232
- Protein
enhanced organ uptake, cationization, immunoglobulin G (rats, primates), 186 sulfation, vasodilation, minoxidil sulfate, 1091
- Protein kinase C
- activation on alpha-2 adrenoceptor-coupled modulation, norepinephrine release, hippocampus (rabbits, rats), 143
- modulation of IgE-mediated activation, mast cells, lung and skin (humans), 824
- Proteinuria, reduction of, platelet-activating factor receptor blocking, survival in lupus (mice), 601
- Proximal tubules
 α_1 blockade, compensatory sodium reabsorption (rats), 42
renal, transport of cimetidine, basolateral membrane (rabbits), 1038
- Pruitt, T. A., see Piascik, M. T., 158
- Puckett, A., see Biaggioni, I., 588
- Puddington, L., see Meisheri, K. D., 1091
- Purinoceptor, vasoconstriction in pulmonary vascular bed, adenosine and ATP (cats), 753
- S-(6-Purinyl)-L-cysteine, kidney selectivity, metabolism of new analogs (rats), 171
- Purkinje fibers
cardiac steroids, intracellular sodium, inotropy and toxicity (sheep), 918
modulation of repolarization, WB 4101-sensitive α_1 -adrenoceptor subtype (dogs), 681
- Pyramidal cells, endogenous opioids, norepinephrine actions, inhibitory postsynaptic potentials (guinea pigs), 18
- Pyruvate dehydrogenase, mechanism of action, 2,3,7,8-tetrachlorodibenzo-p-dioxin (rats), 317
- Quadazocine, mifentanil, pharmacological profile (monkeys), 502
- Quin 2, toxicity to hepatocytes (rats), 739, 747
- Quinolonecarboxylic acid, enhanced entry of ciprofloxacin, central nervous system, fenbufen (rats), 1033
- Quinuclidinylbenzilate, heterogeneity of muscarinic receptor subtypes, cerebral blood vessels (rabbits, cattle), 304
- Quipazine, agonist and antagonist properties, serotonergic compounds (pi geons), 999
- Quirion, R., see Mimeault, M., 1084
- Radioimmunoassay, analgesic and hyperthermic effects, serum levels (rats), 511
- Radioligands, high affinity, delta opioid receptors, [D -Pen²,^{4'}-¹²⁵I-Phe⁴,^D-Pen⁵] enkephalin, 1077
- Ranitidine, histamine H₂ receptor antagonists, amantadine uptake, renal cortical slice (rats), 320
- Rapoport, S. I., see Duncan, M. W., 27
- Receptors
adenosine
antagonists, caffeine and theophylline (humans), 588
methylxanthines, block of antigen-induced responses in RBL-2H3 cells (rats), 954
- adenosine A₁ and A₂, presynaptic inhibition and postsynaptic excitation, submucosal neurons (guinea pigs), 490
- angiotensin II, allosteric antagonism (rabbits), 49
- benzodiazepine
- binding, chronic ethanol ingestion (mice), 812
- 17-kDa protein, vascular and other smooth muscle types (rats), 702
- bradykinin, antagonist, blunting of renal response to volume expansion, 866
- calcitonin gene-related peptide, antagonistic potencies, brain and periphery, 1084
- cholinergic, autoradiographic analysis, chronic nicotine treatment (mice), 1127
- dopamine, inhibitory influence on target cells, mesocortical dopaminergic neurons (rats), 728
- dopamine D1
antagonists, anticholinergic drugs (rats), 118
fenoldopam as partial agonist, LLC-PK, cells, 193
repeated cocaine administration, nucleus accumbens (rats), 882
- dopamine D1 and D2
antagonists, behavioral effects (monkeys), 910
discriminative-stimulus effects, GBR 12909 (monkeys), 626
- dopamine-2K, domperidone binding, kidney inner medullary collecting duct (rats), 424
- histamine H₂, antagonist, amantadine uptake in renal cortical slice (rats), 320
- histamine H₃, duodenal muscle (guinea pigs), 325
- 5-HT_A, antagonist (rats), 58
- 5-hydroxytryptamine, stimulation of intestinal motility, cisapride (guinea pigs), 1098
- leukotriene B₄, alveolar eosinophils (guinea pigs), 784
- leukotriene D₄, left atria (guinea pigs), 199
- muscarinic
age-related differences, acetylcholine release (rats), 496
class I antiarrhythmic agents, binding profiles, 992
heterogeneity of subtypes, cerebral blood vessels (rabbits, cattle), 304
modulation of acetylcholine release, striatal slices (rats), 762
- muscarinic m2 acetylcholine, multiple signaling pathways, pertussis toxin-sensitive guanine nucleotide regulatory proteins, 938
- muscarinic M₁ and M₂, heart (dogs), 166
- muscarinic vascular, mediation of relaxation and contraction, aorta (rabbits), 842
- nicotinic acetylcholine, modulation by naltrexone (chicks), 551
- opioid delta
antinociceptive cross-tolerance, enkephalin and deltorphin II (mice), 583
- [D -Pen²,^{4'}-¹²⁵I-Phe⁴,^D-Pen⁵]enkephalin, high affinity radioligand, 1077
selective blockage, morphine tolerance and dependence (mice), 299
- opioid mu
dose-dependent antagonism, β -funtrexamine (rats), 544
 β -endorphin (rats), 237
renal mechanisms (rats), 111
- opioid sigma, drugs that bind PCP, punished responding (rats), 1015


- platelet activating factor
block by RP 59227, macrophages and polymorphonuclear leukocytes (guinea pigs, humans), 567
reduction of proteinuria, survival in lupus (mice), 601
- serotonin-3, antagonist, gastric emptying and prokinetic drugs (dogs), 103
- serotonin 5HT₂, blockade, myocardial reperfusion injury, LY53857 (dogs), 979
- sigma*, effects of 1,3-di-o-tolylguanidine, body temperature (rats), 88
- smooth muscle, adenosine action, estrogen-primed nonpregnant myometrium (guinea pigs), 429
- thromboxane A₂, distinct subtypes, vascular smooth muscle contraction and platelet aggregation (rats), 74
- vasopressin, up-regulation, adenylyl cyclase-coupled vasopressin receptors (rats), 1046
- Reed, D. J., *see* Carpenter-Deyo, L., 739, 747
- Refsum, H., Christensen, B., Djurhuus, R. and Ueland, P. M.: Interaction between methotrexate, "rescue" agents and cell proliferation as modulators of homocysteine export from cells in culture, 559
- Reichbaum, M. I., *see* Pollock, S. H., 8
- Reid, A., *see* Sawynok, J., 370
- Reis, D. J., *see* Grundemar, L., 633
- Remuzzi, G., *see* Morighi, M., 601
- Ren, L.-M., *see* Narita, M., 166
- Renin, plasma insulin level, potassium channel activators (rats), 216
- Renin-angiotensin system, nonpeptide angiotensin II receptor antagonists (rabbits), 49
- Reserpine, effect of endogenous opioids, synaptic potentials (guinea pigs), 18
- Riccardi, E., *see* Morighi, M., 601
- Rice, K. C., *see* Contreras, P. C., 837
- Rice, K. C., *see* France, C. P., 502
- Rice, K. C., *see* McMillan, D. E., 1015
- Rimcaazole, effects of 1,3-di-o-tolylguanidine, body temperature (rats), 88
- Rimele, T. J., Armstrong, S. J., Grimes, D. and Sturm, R. J.: Rat peritoneal neutrophils selectively relax vascular smooth muscle, 963
- RINm5F cells, calcium channel blocker binding, 652
- Ritodrine, clearance and disposition, constant rate fetal intravenous infusion, fetus (sheep), 897
- Rivier, J. E., *see* Hua, X.-Y., 243
- Roeske, W. R., *see* Lai, J., 938
- Rosen, M. R., *see* Lee, J. H., 681
- RP 52891, plasma insulin level and renin activity, blood pressure (rats), 216
- RP 59227, block of platelet activating factor receptors, liberation of reactive oxygen species, macrophages and polymorphonuclear leukocytes (guinea pigs, humans), 567
- Rundfeldt, C., *see* Löscher, W., 483
- Rurak, D. W., *see* Wright, M. R., 897
- Rustan, T. D., *see* Hein, D. W., 232
- Ryanodine, intracellular calcium mobilization, KT-362, atrial muscle (rabbits), 332
- Salicylic acid, monocarboxylic acid transport, blood-brain barrier, bovine brain capillary endothelial cells, 932
- Salvemini, D., *see* Mollace, V., 820
- Sandberg, J. A. and Olsen, G. D.: Cocaine pharmacokinetics in the pregnant guinea pig, 477
- Sanders-Bush, E., *see* Burris, K. D., 891
- Sano, I., *see* Taniyama, K., 1098
- Sarafotoxin, endothelins, functional and autoradiographic studies, trachea (guinea pigs), 381
- Sarcoplasmic reticulum, intracellular calcium mobilization, KT-362, atrial muscle (rabbits), 332
- Satake, N., *see* Ito, M., 388
- Sawynok, J., Reid, A. and Nance, D.: Spinal antinociception by adenosine analogs and morphine after intrathecal administration of the neurotoxins capsaicin, 6-hydroxydopamine and 5,7-dihydroxytryptamine, 370
- Schafer, T. J. and Atchison, W. D.: Methylmercury blocks N- and L-type Ca⁺⁺ channels in nerve growth factor-differentiated pheochromocytoma (PC12) cells, 149
- Schelm, J. A., *see* Simpson, P. J., 979
- Scherch, H. M., *see* Hall, E. D., 688
- Schiemann, W. P., Doggwiler, K. O. and Buxton, I. L. O.: Action of adenosine in estrogen-primed nonpregnant guinea pig myometrium: Characterization of the smooth muscle receptor and coupling to phosphoinositide metabolism, 429
- Schmidlin, O., Garcia, J. and Schwartz, J. B.: The effects of aging on the electrophysiologic responses to verapamil in isolated perfused rat hearts, 130
- Schoffelmeer, A. N. M., Wardeh, G., Hogendoorn, F. and Mulder, A. H.: β -Endorphin: A highly selective endogenous opioid agonist for presynaptic Mu opioid receptors, 237
- Schulz, R., *see* Ammer, H., 790
- Schwartz, J. B., *see* Schmidlin, O., 130
- Schwartz, J. C., *see* Bralet, J., 807
- Sedivy, P., *see* Floch, A., 567
- Seggel, M. R., *see* France, C. P., 502
- Sellke, F. W., Tomanek, R. J. and Harrison, D. G.: L-Cysteine selectively potentiates nitroglycerin-induced dilation of small coronary microvessels, 365
- Serotonergic compounds, agonist and antagonist properties, quipazine or l-5-hydroxytryptophan discrimination (pigeons), 999
- Serotonin
endogenous vasoconstrictor prostaglandins, vasopressin-induced coronary vasoconstriction (rats), 292
- 5HT_{1C} receptor agonist, lysergic acid diethylamide, 891
- Sessa, W. C., *see* Mollace, V., 820
- Shalmi, M., *see* Petersen, J. S., 1, 42
- Sharma, S. D., *see* Knapp, R. J., 1077
- Sharp, G. W. G., *see* Yaney, G. C., 652
- Shibata, S., *see* Ito, M., 388
- Shibata, S., *see* Kodama, I., 332
- Shimaji, H., Shirahase, H., Kanda, M., Osumi, S. and Jurahashi, K.: Effect of accumulation of NKY-722, a water-soluble vasoselective Ca⁺⁺ antagonist, on KCl-induced contraction in isolated canine mesenteric arteries, 676
- Shimura, T., Tabata, S., Ohnishi, T., Terasaki, T. and Tsuji, A.: Transport mechanism of a new behaviorally highly potent adrenocorticotrophic hormone (ACTH) analog, ebiratide, through the blood-brain barrier, 459
- Shirahase, H., *see* Shimaji, H., 676
- Shirakawa, J., *see* Taniyama, K., 1098
- Shirley, J. T. and Cheng, J. B.: Competition of leukotrienes and ICI-198,615 for [³H]LTD₄ binding sites in guinea pig lung membranes suggests the involvement of two LTD₄ receptor subtypes, 531
- Simonato, M., *see* Beani, L., 472
- Simpson, L. L., *see* Bakry, N., 613, 830
- Simpson, P. J., Schelm, J. A., Jakubowski, J. A. and Smallwood, J. K.: The role of serotonin (5HT₂) receptor blockade in myocardial reperfusion injury: Effects of LY53857 in a canine model of myocardial infarction, 979
- Simson, P. E., *see* Napier, T. C., 249
- Singer, E. A., *see* Allgaier, C., 143
- Sirois, P., *see* Maghni, K., 784
- Sitar, D. S., *see* Wong, L. T. Y., 320
- Skin, modulation of IgE-mediated activation, protein kinase C, mast cells (humans), 824
- Smallwood, J. K., *see* Simpson, P. J., 979
- Smith, Q. R., *see* Duncan, M. W., 27
- Smith, S. L., *see* Hall, E. D., 688
- Smith, T. L.: Selective effects of acute and chronic ethanol exposure on neuropeptide and guanine nucleotide stimulated phospholipase C activity in intact NIE-115 neuroblastoma, 410
- Smits, G. J., *see* Trapani, A. J., 269
- Smyth, D. D., *see* Wong, L. T. Y., 320
- Sodium compensatory reabsorption, alpha-1 blockade, proximal tubules (rats), 42
- intracellular, cardiac steroids, Purkinje fibers (sheep), 918
- myo-inositol uptake process in parotid gland, substance P and carbachol (rats), 639
- Sodium fluoride, mechanism of vascular smooth muscle contraction, aorta (rats, rabbits), 66
- Sodium-hydrogen exchange, influence of perfuse pH, postischemic recovery, cardiac contractile function, 772
- Sodium nitroprusside
depressor activity of zaprinast, hemodynamic basis (rats), 269
- inhibition of platelet aggregation, potentiation, captopril and reduced thiols, 820
- relationship between cyclic GMP accumulation, relaxation of trachealis, nitrovasodilators (dogs), 972
- Sodium salicylate, significant absorption, urinary bladder (rats), 357
- Sorensen, R., *see* Bakry, N., 613
- Spalluto, G., *see* Beani, L., 472
- Sparks, M. S., *see* Piascik, M. T., 158
- Speelman, R. D., Bergman, J., Madras, B. K. and Melia, K. F.: Discriminative stimulus effects of cocaine in squirrel monkeys: Involvement of dopamine receptor subtypes, 945
- Speelman, R. D., *see* Bergman, J., 910
- Speelman, R. D., *see* Melia, K. F., 626
- Spicer, M. A., *see* Hua, X.-Y., 243

- Spinal cord, neuropeptide Y, antinociceptive effects (rats), 243
- Spine, antinociception, adenosine analogs and morphine, neurotoxins (rats), 370
- Spyker, D., *see* McCallum, R. W., 136
- ST-91, dexmedetomidine and clonidine, relative efficacy, N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (rats), 438
- Stafford, G. A., *see* Yaney, G. C., 652
- Staurosporine, modulation of IgE-mediated activation, protein kinase C, mast cells (humans), 824
- Steen, H., Oosting, R. and Meijer, D. K. F.: Mechanisms for the uptake of cationic drugs by the liver: A study with tributylmethylammonium (TBuMA), 537
- Steinberg, S. F., *see* Lee, J. H., 681
- Steroids
- anesthetic alphaxalone, anxiolytic activity (rats), 124
 - cardiac, intracellular sodium, inotropy and toxicity in Purkinje fibers (sheep), 918
- St.-Pierre, S., *see* Mimeault, M., 1084
- Stretton, C. D., *see* Belvisi, M. G., 36
- Strewler, G. J., *see* Klein, R. F., 877
- Striatum
- inhibition of monoamine oxidase-B, de-prenyl, potentiation of neuronal responses (rats), 1019
 - modulation of acetylcholine release, interaction, 4-aminopyridine and atropine (rats), 762
- Sturm, R. J., *see* Rimele, T. J., 963
- Substance P, carbachol and, uptake process of myo-inositol, parotid gland (rats), 639
- Sugiura, S., *see* Koshihara, Y., 1120
- Sulphydryls, nitrate tolerance, thiol supplementation (rats), 851
- Sulpiride, apomorphine effects, heart rate, concentration-effect model (rats), 1055
- Sultana, M., *see* Abdelhamid, E. E., 299
- Suntres, Z. E. and Lui, E. M. K.: Age-related differences in iron-nitrotriacetate hepatotoxicity in the guinea pig: Role of copper metallothionein, 797
- Superoxide, leukotriene B₄ receptors, alveolar eosinophils (guinea pigs), 784
- Superoxide dismutase, block of PAF receptors by RP 59227, macrophages, polymorphonuclear leukocytes (guinea pigs, humans), 567
- Surprenant, A., *see* Barajas-Lopez, C., 490
- Suzuki, T., *see* Yokoyama, T., 1114
- Suzuki, Y., *see* Ito, M., 388
- Svensson, S. P. S., Mårtensson, L. G. E., Grundström, N., Andersson, R. G. G., Cragoe, E. J., Jr. and Karlsson, J. O. G.: Antagonistic effect of amiloride on alpha-2 adrenoceptor-mediated pigment aggregation: Pharmacological heterogeneity between B-HT 920 and noradrenaline, 447
- Sympathectomy, peripheral, renal response, furosemide (rats), 1
- Synaptic potentials
- effect of endogenous opioids, CA3 pyramidal cells (guinea pigs), 18
 - inhibition by baclofen and adenosine, GABA and glutamate release, nucleus accumbens (rats), 663
- Synaptosomes
- alpha-2 adrenoceptor-mediated GABA decrease, morphine tolerance (guinea pigs), 472
 - distribution of VIP binding, circular muscle (dogs), 986
- Systemic lupus erythematosus, platelet-activating factor receptor blocking, reduction of proteinuria, improved survival (mice), 601
- Tabata, S., *see* Shimura, T., 459
- Tacke, R., *see* Jaiswal, N., 842
- Tahraoui, L., *see* Floch, A., 567
- Takakuwa, S., *see* Terasaki, T., 932
- Takamori, R., *see* Koshihara, Y., 1120
- Takano, Y. and Yaksh, T. L.: Relative efficacy of spinal alpha-2agonists, dexmedetomidine, clonidine and ST-91, determined *in vivo* by using N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline, an irreversible antagonist, 438
- Takeda, K., *see* Taniyama, K., 1098
- Takei, M., *see* Narita, M., 166
- Takemori, A. E., *see* Abdelhamid, E. E., 299
- Takeo, S., Hayashi, M., Tanonaka, K. and Yamamoto, K.: Beneficial effects of yohimbine on posthypoxic recovery of cardiac function and myocardial metabolism in isolated perfused rabbit hearts, 94
- Tanaka, C., *see* Taniyama, K., 1098
- Tang, A. H. and Franklin, S. R.: The discriminative stimulus effects of diazepam in rats at two training doses, 926
- Tanganelli, S., *see* Beani, L., 472
- Taniyama, K., Nakayama, S., Takeda, K., Matsuyama, S., Shirakawa, J., Sano, I. and Tanaka, C.: Cisapride stimulates motility of the intestine via the 5-hydroxytryptamine receptors, 1098
- Tanonaka, K., *see* Takeo, S., 94
- Taylor, D. A., *see* Kong, J.-Q., 13
- Taylor, S. M., *see* Wright, M. R., 897
- TEI-3313, enhancement of *in vitro* mineralization, osteoblasts (humans), 1120
- Temperature, body, effects of 1,3-di-*o*-tolyl-guanidine (rats), 88
- Terasaki, T., *see* Shimura, T., 459
- Terasaki, T., Takakuwa, S., Moritani, S. and Tsuji, A.: Transport of monocarboxylic acids at the blood-brain barrier: Studies with monolayers of primary cultured bovine brain capillary endothelial cells, 932
- Testes, interstitial fluid volume and secretion, alcohol effects, testosterone and beta-endorphin (rats), 1008
- Tetanus toxin
- neuronal membranes and, binding and toxicity, 613
 - universal antagonists, *Triticum vulgaris* and *Limax flavus*, 830
- 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin, mechanism of action, intermediary metabolism (rats), 317
- 12-O-Tetradecanoylphorbol-13-acetate, modulation of IgE-mediated activation, protein kinase C, mast cells (humans), 824
- Tetraethylammonium, transport of cimetidine, basolateral membrane, kidney proximal tubules (rabbits), 1038
- Thapsigargin, inhibition of repletion, phenylephrine-sensitive intracellular Ca⁺⁺ pool, vascular smooth muscle, 1105
- Theophylline, caffeine and, adenosine receptor antagonists (humans), 588
- Thierry, A.-M., *see* Godbout, R., 728
- Thiols
- captopril and, inhibition of platelet aggregation, endothelium-derived relaxing factor, 820
 - supplementation, nitrate tolerance (rats), 851
- Thioperamide, histamine H₃ receptors, duodenal muscle (guinea pigs), 325
- Thiorphan, -induced natriuresis, volume-expanded rats, 807
- Thromboxane, leukotriene B₄ receptors, alveolar eosinophils (guinea pigs), 784
- Thromboxane A₂, response of thoracic aortic rings, U-46,619 (rats), 669
- Thymus, lymphocyte tracking and phenotype responses, Concanavalin A (mice), 716
- Timmermans, P. B. M. W. M., *see* Wong, P. C., 49
- Toda, N., *see* Okamura, T., 275
- Toda, N. and Okamura, T.: Role of nitric oxide in neurally induced cerebroarterial relaxation, 1027
- Tolbutamide, activity of oral hypoglycemic agents, inhibitory effect, cyclosporine A (rats), 8
- Tomanek, R. J., *see* Sellke, F. W., 365
- Torphy, T. J., *see* Zhou, H.-L., 972
- Torrens, Y., Dietl, M., Beaujouan, J.-C. and Glowinski, J.: Inhibitory effects of substance P and carbachol on the saturable sodium-dependent uptake process of myo-inositol in rat parotid gland, 639
- Toth, G., *see* Knapp, R. J., 1077
- Tougas, G., *see* Mao, Y. K., 986
- Trachea
- functional and autoradiographic studies, endothelins (guinea pigs), 381
 - relaxation of vascular smooth muscle, peritoneal neutrophils (rats), 963
- Trachealis, cyclic GMP accumulation, nitrovasodilators (dogs), 972
- Trapani, A. J., Smits, G. J., McGraw, D. E., McMahon, E. G. and Blaine, E. H.: Hemodynamic basis for the depressor activity of zaprinast, a selective cyclic GMP phosphodiesterase inhibitor, 269
- Travagli, R. A., Ulivi, M. and Wojcik, W. J.: gamma-Aminobutyric acid-B receptors inhibit glutamate release from cerebellar granule cells: Consequences of inhibiting cyclic AMP formation and calcium influx, 903
- Tributylmethylammonium, uptake of cationic drugs, liver, 537
- Triggle, C. R., *see* Adeagbo, A. S. O., 66
- Triguero, D., Buciak, J. L. and Pardridge, W. M.: Cationization of immunoglobulin G results in enhanced organ uptake of the protein after intravenous administration in rats and primate, 186
- Triticum vulgaris*, lectins, universal antagonist, botulinum neurotoxin and tetanus toxin, 830
- Tschirhart, E. J., Drijfhout, J. W., Pelton,

- J. T., Miller, R. C. and Jones, C. R.: Endothelins: Functional and autoradiographic studies in guinea pig trachea, 381
- Tsuji, A., *see* Shimura, T., 459
- Tsuji, A., *see* Terasaki, T., 932
- Turner, J. T., *see* Wu, H., 607
- U-46,619, response of thoracic aortic rings (rats), 669
- Uchimura, N. and North, R. A.: Baclofen and adenosine inhibit synaptic potentials mediated by γ -aminobutyric acid and glutamate release in rat nucleus accumbens, 663
- Ueland, P. M., *see* Refsum, H., 559
- U-78517F, inhibitor of lipid peroxidation, brain injury and ischemia (rats), 688
- UK-68,798, antifibrillatory actions (dogs), 416
- Ulivi, M., *see* Travagli, R. A., 903
- Urinary bladder
extrahepatic expression, *N*-acetylation polymorphism, arylamine carcinogens (rats), 232
significant absorption, sodium salicylate (rats), 357
- Valenzuela, G., *see* McCallum, R. W., 136
- Vanadate, regulation of Ca^{++} sensitivity, energetic aspects, permeabilized mesenteric artery (rabbits), 397
- van Breemen, C., *see* Nishimura, J., 397
- Vanderah, T., *see* Mattia, A., 583
- van der Weyde, M. P., *see* Wright, M. R., 897
- Vane, J. R., *see* Mollace, V., 820
- Vargas, M. A., *see* Owens, M. J., 349
- Vas deferens, smooth muscle contractions, ecto-phosphoryl transfer, adenosine 5'-triphosphate (guinea pigs), 339
- Vasoactive intestinal polypeptide, binding in circular muscle, small intestinal mucosa (dogs), 986
- Vasoconstriction, pulmonary vascular bed, adenosine and ATP (cats), 753
- Vasodilation
adenosine-mediated superior mesenteric arterial, potentiation by dilazep (cats), 767
endothelium-dependent, contribution of K^+ channels, mesenteric arteries (rats), 452
role of protein sulfation, minoxidil sulfate, 1091
- Vasopressin
antagonists, up-regulation, adenylate cyclase-coupled vasopressin receptors (rats), 1046
-induced coronary vasoconstriction, endogenous vasoconstrictor prostaglandins (rats), 292
mesenteric vascular responses, young spontaneously hypertensive rats, 13
- Vein, saphenous, kinetic study, ouabain-induced efflux of norepinephrine (dogs), 311
- Veins, responses to dopamine, compared to arteries (humans, monkeys), 275
- Verapamil, effects of aging, electrophysiologic responses, heart (rats), 130
- Vereault, D. V., *see* Wasserstrom, J. A., 918
- Vibrio cholerae*, purified choleraeigenoid, migrating action potential complex activity, ileum (rabbits), 647
- Villacreses, N. E., *see* Duncan, M. W., 27
- Villar, V. M., *see* Bhargava, H. N., 511
- Virina, M. A., *see* Gullikson, G. W., 103
- Vitamin D₃, inhibition of hormonal stimulation, pertussis toxin, bone resorption in fetal limb bones (rats), 877
- Vitamin E, loss, toxicity to hepatocytes, Quin 2 (rats), 739
- Volume, expansion, blunting of renal response, bradykinin receptor antagonist, 866
- Von Voigtlander, P. F., *see* Hall, E. D., 688
- Vrana, K. E., *see* Lampert-Vrana, S. J., 339
- Wagner, J. J., *see* Caudle, R. M., 18
- Wahlestedt, C., *see* Grundemar, L., 633
- Waite, S. L., *see* Lai, J., 938
- Walega, M., *see* Greenberg, S. S., 1061
- Walker, E. A., *see* Yamamoto, T., 999
- Wamsley, J. K., *see* Knapp, R. J., 1077
- Wardeh, G., *see* Schoffelmeer, A. N. M., 237
- Warner, J. A., *see* Massey, W. A., 824
- Wasserstrom, J. A., Farkas, D. E., Norell, M. A. and Vereault, D. V.: Effects of different cardiac steroids on intracellular sodium, inotropy and toxicity in sheep purkinje fibers, 918
- WB 4101, -sensitive α -1 adrenoceptor subtype, modulation of repolarization, Purkinje fibers (dogs), 681
- Weber, S. J., *see* Knapp, R. J., 1077
- Wecker, L., *see* Dolezal, V., 762
- Weiland, G. A., *see* Yaney, G. C., 652
- Weiler, M. H., *see* Lee, H.-J., 496
- Wessinger, W. D. and Owens, S. M.: Phenylcyclidine dependence: The relationship of dose and serum concentrations to operant behavioral effects, 207
- White, F. J., *see* Henry, D. J., 882
- Wientjes, M. G., *see* Au, J. L.-S., 357
- Wilcox, C. S., *see* Folger, W. H., 669
- Winger, G., *see* France, C. P., 502
- Wojcik, W. J., *see* Travagli, R. A., 903
- Wong, L. T. Y., Smyth, D. D. and Sitar, D. S.: Differential effects of histamine H₂ receptor antagonists on amantadine uptake in the rat renal cortical slice, isolated proximal tubule and distal tubule, 320
- Wong, P. C. and Timmermans, P. B. M. W. M.: Nonpeptide angiotensin II receptor antagonists: Insurmountable angiotensin II antagonism of EXP3892 is reversed by the surmountable antagonist DuP 753, 49
- Woods, J. H., *see* France, C. P., 502
- Woods, J. H., *see* Yamamoto, T., 999
- Wright, M. R., Rurak, D. W., van der Weyde, M. P., Taylor, S. M. and Axelsson, J. E.: Clearance and disposition of ritodrine in the fluid compartments of the fetal lamb during and after constant rate fetal intravenous infusion, 897
- Wu, E. Y., *see* Di Monte, D. A., 594
- Wu, H., Turner, J. T. and Halenda, S. P.: Activation of phospholipase D by E-series prostaglandins in human erythroleukemia cells, 607
- Wyatt, L., *see* Duncan, M. W., 27
- Xanthines, methylxanthines, block of antigen-induced responses, mast cells (rats), 954
- Yaksh, T. L., *see* Hua, X.-Y., 243
- Yaksh, T. L., *see* Mjanger, E., 544
- Yaksh, T. L., *see* Takano, Y., 438
- Yamamoto, K., *see* Takeo, S., 94
- Yamamoto, T., Walker, E. A. and Woods, J. H.: Agonist and antagonist properties of serotonergic compounds in pigeons trained to discriminate either quipazine or *I*-5-hydroxytryptophan, 999
- Yamamura, H. I., *see* Knapp, R. J., 1077
- Yamamura, H. I., *see* Lai, J., 938
- Yamazaki, M., *see* Okamura, T., 275
- Yaney, G. C., Stafford, G. A., Henstenberg, J. D., Sharp, G. W. G. and Weiland, G. A.: Binding of the dihydropyridine calcium channel blocker (+)-[³H]isopropyl-4-(2,1,3-benzoxadiazol-4-yl)-1,4-dihydro-5-methoxycarbonyl-2,6-dimethyl-3-pyridinecarboxylate (PN200-110) to RINm5F membranes and cells: Characterization and functional significance, 652
- Yohimbine, posthypoxic recovery of cardiac function, myocardial metabolism, heart (rabbits), 94
- Yokoyama, T., Kanda, T., Suzuki, T. and Murata, K.: Combination therapy of OK432 and recombinant human interferon α A/D on viral myocarditis in mice starting after infection, 1114
- Yonkers, P. A., *see* Hall, E. D., 688
- Zaprinast, depressor activity, hemodynamic basis (rats), 269
- Zeigler, D. W., *see* Kauker, M. L., 866
- Zhang, P. L., *see* Kauker, M. L., 866
- Zhang, Y., Legare, D. J., Geiger, J. D. and Lautt, W. W.: Dilazep potentiation of adenosine-mediated superior mesenteric arterial vasodilation, 767
- Zhou, H.-L. and Torphy, T. J.: Relationship between cyclic guanosine monophosphate accumulation and relaxation of canine trachealis induced by nitrovasodilators, 972
- Zhu, M. Y., *see* Paterson, I. A., 1019
- Zilio, P., *see* Morigi, M., 601

Leading Pharmacology Journals


Publications of the American Society for
Pharmacology and Experimental Therapeutics, Inc.



The Journal of Pharmacology and Experimental Therapeutics

Editor:
Eva King Killam, PhD

JPET is respected the world over as one of the leading research journals in the field of pharmacology. Readers find broad coverage of all aspects of the interactions of chemicals with biological systems, including autonomic, behavioral, cardiovascular, cellular, clinical, developmental, gastrointestinal, immuno-, neuro-, pulmonary, and renal pharmacology, as well as analgesics, drug abuse, metabolism and disposition, chemotherapy, and toxicology. **Monthly**



Drug Metabolism and Disposition: *the biological fate of chemicals*

Editor:
Vincent G. Zannoni, PhD

Drug Metabolism and Disposition publishes *in vitro* and *in vivo* experimental results that bring readers significant and original information on xenobiotic metabolism and disposition, including metabolism of all pharmacologic agents or drugs and environmental chemicals, reactants, and preservatives. The areas covered are: pharmacokinetics, pharmacodynamics and mechanisms, genetic, nutritional, or hormonal factors affecting the biological fate of chemicals, toxicological consequences of xenobiotic metabolism. **Bimonthly**

Williams & Wilkins
P.O. Box 23291 • Baltimore, MD 21203-9990
Broadway House
2-6 Fulham Broadway • London SW6 1AA England

Avoid future rate increases and ensure uninterrupted service — enter your multiyear subscription(s) today!


YES! Enter my subscription(s) to the following:

The Journal of Pharmacology & Experimental Therapeutics (monthly)
 Individual \$170/yr Institutional \$285/yr
(Please add \$65/yr outside the U.S.; in Canada, also add 7% GST.)
 New subscription Renewal
 3 years 2 years 1 year

Drug Metabolism and Disposition (bimonthly)
 Individual \$75/yr Institutional \$120/yr
(Please add \$20/yr outside the U.S.; in Canada, also add 7% GST.)
 New subscription Renewal
 3 years 2 years 1 year

Molecular Pharmacology (monthly)
 Individual \$90/yr Institutional \$195/yr
(Please add \$30/yr outside the U.S.; in Canada, also add 7% GST.)
 New subscription Renewal
 3 years 2 years 1 year

Pharmacological Reviews (quarterly)
 Individual \$50/yr Institutional \$90/yr
 In-training \$35/yr
(Please add \$15/yr outside the U.S.; in Canada, also add 7% GST.)
 New subscription Renewal
 3 years 2 years 1 year



Pharmacological Reviews

Editor:
Robert E. Stitzel, PhD

Pharmacological Reviews is a showcase for important review articles in your field, featuring longer papers on topics of high current interest. The areas covered in review papers have included biochemical and cellular pharmacology, drug metabolism and disposition, renal pharmacology, neuropharmacology, behavioral pharmacology, clinical pharmacology, and toxicology. No library serving the pharmacologic community should be without a subscription. **Quarterly**



Molecular Pharmacology

Editor:
T. Kendall Harden, PhD

The papers published in **Molecular Pharmacology** are on the cutting edge of research on drug action and selective toxicity at the molecular level. Original applications of biochemistry, biophysics, genetics, and molecular biology are juxtaposed with innovative pharmacologic research to elucidate basic problems in pharmacology and toxicology, including such areas as molecular mechanisms involved in drug receptor-effector coupling, xenobiotic metabolism, and antibiotic and anticancer drug action. **Monthly**

To order, complete and return the attached coupon. Or call TOLL FREE **1-800-638-6423** from anywhere in the U.S. or Canada.

Payment options:

Check enclosed (payable to Williams & Wilkins)
 Bill me American Express MasterCard VISA

Card # _____ Exp. date _____

Signature or P.O. # _____

Maryland residents, please add 5% sales tax. Subscriptions from outside the U.S. must be prepaid, in U.S. dollars only. Rates valid until October 31, 1991.

Please allow 10 weeks for delivery of your first issue. Surface mail delivery to countries outside the U.S. may take up to 16 weeks. Airmail rates available upon request.

Name _____

Address _____

City/State/Zip _____

Return coupon to:



Williams & Wilkins
P.O. Box 23291
Baltimore, MD 21203-9990

Broadway House
2-6 Fulham Broadway
London SW6 1AA England

Or call TOLL FREE **1-800-638-6423** from anywhere in the U.S. or Canada.

ASP 52778

J1002S02

NOTICE TO CONTRIBUTORS

Complete instructions for the preparation of manuscripts appear in the first issue of each volume, or copies may be obtained from the editor. Beginning October 1, 1991, all new manuscripts and correspondence concerning them should be sent to the incoming editor:

Dr. John A. Harvey
The Journal of Pharmacology & Experimental Therapeutics
Suite 129
The Medical College of Pennsylvania at EPPI
3200 Henry Avenue
Philadelphia, PA 19129

Correspondence regarding previously submitted manuscripts should continue to be addressed to Dr. Eva King Killam or to the assigned Specific Field Editor.

INFORMATION TO SUBSCRIBERS

THE JOURNAL OF PHARMACOLOGY AND EXPERIMENTAL THERAPEUTICS is issued monthly. Four volumes are published each year. Each volume contains three numbers.

Correspondence concerning business matters should be addressed to Williams & Wilkins, 428 East Preston St., Baltimore, MD 21202-3993 U.S.A.

Annual Subscription Rates—U. S. A. AND POSSESSIONS: personal, \$170.00; institutional, \$285.00; single copy, \$18.00. FOREIGN: personal, \$235.00; institutional, \$350.00; single copy, \$22.00. (Prices subject to change.) Institutional (multiple reader) rate applies to libraries, schools, hospitals, clinics, group practices, and federal, commercial, and private institutions and organizations. Foreign subscribers who wish to have issues sent by airmail may inquire of the publisher for the additional cost. The GST Tax Number for Canadian subscribers is 123394371.

Change of address: Publisher must be notified 60 days in advance. Journals undeliverable because of incorrect address will be destroyed. Duplicates can be obtained (if available) from the publisher at the regular price of single issues.

New subscriptions and renewals are entered to begin with the January or July issue.

To avoid a break in your series, subscriptions should be renewed promptly. The publisher cannot guarantee to supply back issues on belated renewals.


Reprints of individual articles are available *only* from authors.

Microfilm. For availability, inquire of Williams & Wilkins.

WILLIAMS & WILKINS
BALTIMORE, MD 21202-3993 U.S.A.


LAB ANIMAL RESEARCH EQUIPMENT

INEXPENSIVE EXERCISER




- * For rats and mice -- 4-lane exerciser.
- * Electronically controlled speed.
- * Electric stimulation grids.

GRIP STRENGTH METER for rats and mice




- * Objectively measures animal deficiency in strength.

END TIDAL CO₂ METER



- * Can be used for Rats
- * Extremely small air sample flow -- 5ml/min.
- * Analog output to most recorders.
- * Digital display N₂O measurements.

INEXPENSIVE ANIMAL ACTIVITY METERS




- * "Mini" activity meter uses standard plastic cages.
- * Can be used with rats or mice.
- * 15 Infrared sensors.
- * Separates ambulatory from total activity.
- * Multi-cage system available w/ IBM-PC interface.

CARDIAC OUTPUT FOR RATS



- * Thermodilution method using 1/3 mm temp. microprobes.
- * Can be interfaced to an IBM-PC.
- * Measures: CO, S.V., BP, Mean Transit Time, Ejection Fraction and much more.

VENTILATORS



- * Mechanical (piston) positive pressure ventilators for rodents and larger animals.

ECONOMICAL O₂/CO₂ METABOLIC SYSTEM



systems for rats, mice, bacteria, horses, and humans.


- * O₂ Consumption/CO₂ production computer (IBM-PC).
- * Open-circuit indirect calorimeter.
- * Completely computerized.
- * Single channel.
- * Also available-multi-channel

256 POINT THERMOMETER



- * Interface to IBM-PC for 1 to 256 thermocouples.
- * Variety of temp. probes (rectal, skin, implantable).
- * Software provides graphics and real-time plotting.
- * Also special software for Pyrogenic Activity studies.

MAZES -- "FIGURE 8" AND "RADIAL ARM"



- * Computerized system with universal maze software (for IBM-PC) monitors interruption of 128 IR sensors.
- * Data LOTUS 1-2-3 compatible.

VIDEO TRACKERS FOR WATER MAZES



- * Measures activity, distance traveled, pattern of movement, & rotations of multiple animals w/ 1 TV camera.
- * Vertical activity (3-D) measurements w/ 2 cameras.
- * Ideal for water maze, human and animal gait analysis.

For our complete catalog please contact: **Columbus Instruments International Corp.**

P.O. Box 44049 Columbus, Ohio 43204 USA

PH: (614) 488-6176 FAX: (614) 276-0529 TLX: 246514 Toll Free: 1-800-669-5011