

Per.  
V. 26  
1925-26

650

## CONTENTS

### NUMBER 1, AUGUST, 1925

|   |    |
|---|----|
| I. Slowing and Block in the Heart Under Digitalis in Animals. By V. R. Cushy and K. Y. Yu . . . . .   | 1  |
| II. Effects of Quinidine on the Auricular Irritability and Conduction in the Terrapin's Heart. By Arthur D. Hirschfelder and Charles Cervenka . . .   | 19 |
| III. Studies of Intoxication. III. The Action of Ethylene. By Bessie M. Davidson . . . . .  | 27 |
| IV. Studies of Intoxication. IV. The Action of Propylene. By Bessie M. Davidson . . . . .   | 33 |
| V. Studies of Intoxication. V. The Action of Ethyl Chloride. By Bessie M. Davidson . . . . .  | 37 |
| VI. Studies of Intoxication. VI. The Action of Methyl Ether. By Bessie M. Davidson . . . . .  | 43 |
| VII. The Excretion of Morphin into the Stomach. By Robert A. Hatcher and David Davis . . . . .  | 49 |
| VIII. The Salicylates. XV. Liberation of Salicyl from and Excretion of Salicyl Salicylate. By P. J. Hanzlik and N. E. Presho . . . . .  | 61 |
| IX. The Salicylates. XVI. Liberation of Salicyl from and Excretion of Methyl Salicylate, with a Note on the Irregular Toxicity of the Ester in Man. By P. J. Hanzlik and N. E. Presho . . . . . | 71 |

### NUMBER 2, SEPTEMBER, 1925

|  |     |
|--|-----|
| X. The Effect of Ephedrine on Experimental Shock and Hemorrhage. By K. K. Chen . . . . .   | 83  |
| XI. A Preliminary Paper Concerning the Toxic Effect of Certain Alcoholic Beverages for the Kidney of Normal and Naturally Nephropathic Dogs. By Wm. deB. MacNider . . . . .                                | 97  |
| XII. Studies of Intoxication. VII. The Effect of Caffeine. By Bessie M. Davidson . . . . .   | 105 |
| XIII. Studies of Intoxication. VIII. The Influence of Oxygen. By Bessie M. Davidson . . . . .  | 111 |
| XIV. An Experimental Study of Certain Benzyl Compounds with Especial Attention to the Importance of Substitution in the Benzyl Nucleus and the Significance of the Side Chains. Herman H. Jensen . . . . . | 123 |
| XV. I. The Action of Sparteine Sulphate on the Mammalian Heart. By J. Hamilton Crawford . . . . .  | 171 |
| XVI. II. The Action of Sparteine Sulphate on Experimental Fibrillation of the Auricles. By J. Hamilton Crawford . . . . .  | 181 |

## NUMBER 3, OCTOBER, 1925

- XXVII. A Proposed Standardized Method for the Therapeutic Study of Compounds in Experimental Rabbit Syphilis. By G. E. Wakerlin, W. F. Lorenz, and A. S. Loevenhart. . . . . 187
- XXVIII. The Effect of Strophanthin on Pulsation Rate of the Dorsal Blood Vessel of *Lumbricus Terrestris*. By Charles L. Wible. . . . . 199
- XXIX. Deficient and Surplus Consumption of Vitamine B: Their Quantitative Relation to Weight-Changes, and to Vitamine Storage, in Adult Pigeons. By J. D. Pilcher and Torald Sollmann. . . . . 203
- XX. The Pharmacology of the Isolated Vein Ring. By K. J. Franklin. . . . . 215
- XXI. The Action of Urethane on Involuntary Muscle. By K. J. Franklin. . . . . 227
- XXII. Relationship between Chemical Structure and Physiological Action. The Effect of l-Suprarenin (Synthetic Epinephrine) and Various Derivatives upon the Blood Sugar of Normal Rabbits. By Harry E. Dubin, H. B. Corbitt and Louis Freedman. . . . . 233
- XXIII. The Influence of the Adrenals on the Toxicity of Morphine. By J. M. Rogoff and Jos. DeNecker. . . . . 243

## NUMBER 4, NOVEMBER, 1925

- XXIV. On the Inactivation of Atropine Sulphate by Rabbit Serum. By Jean La Barre. . . . . 259
- XXV. Physiological Action of Furane. By Elizabeth M. Koch and Meyer H. Cahan. . . . . 281
- XXVI. The Effect of Sodium Arsenite on the Blood Sugar Concentration of the Rabbit and Dog. By H. B. van Dyke. . . . . 287
- XXVII. A Contribution to the Study of the Metabolism of Salicylic Acid. By E. G. Holmes. . . . . 297
- XXVIII. Skin Absorption of Certain Gases. By D. C. Walton and M. G. Witherspoon. . . . . 315

## NUMBER 5, DECEMBER, 1925

- XXIX. Acute Cocaine Poisoning, its Prophylaxis and Treatment in Laboratory Animals. By A. L. Tatum, A. J. Atkinson and K. H. Collins. . . . . 325
- XXX. On the Active Principles of the Pituitary Extract. By H. H. Knaus. . . . . 337
- XXXI. The Action of Certain Drugs and Ions on the Rat's Uterus. By H. H. Knaus and A. J. Clark. . . . . 347
- XXXII. Oestrous Variations of Uterine Activity in the Rat. By A. J. Clark, H. H. Knaus and A. S. Parkes. . . . . 359
- XXXIII. A Comparative Study of Hypnotics of the Barbituric Acid Series. By Carl Nielsen, John A. Higgins and Henry C. Spruth. . . . . 371
- XXXIV. The Mechanism of Vagus Inhibition as Produced by Adrenaline. By W. J. R. Heinekamp. . . . . 385

## NUMBER 6, JANUARY, 1926

- XXXV. *Chlorocodon Whiteii*: Its Constituents and Their Pharmacological Actions. By Walter J. Dilling. . . . . 397

|  |     |
|--|-----|
| XXXVI. The Influence of Histamine on the Intestinal Secretion of the Dog.<br>By W. Koskowski.....  | 413 |
| XXXVII. Tannin Occurring in the Kino <i>Eucalyptus Calophylla</i> . By<br>Alexander McGookin and I. M. Heilbron.....   | 421 |
| XXXVIII. Bacterial Chemotherapy with Special Reference to Mercury<br>Dyestuffs. By George W. Raiziss, M. Severac and John C. Moetsch....   | 447 |
| XXXIX. Chemotherapy of Bacterial Infections. I. Action of Acriflavine<br>Gentian-Violet and Mercurochrome in Experimental Bacterial In-<br>fections. By Ernest Linwood Walker and Marian A. Sweeney..... | 461 |
| XL. Morphine Miosis. By V. E. Henderson and R. W. Graham.....  | 469 |
| XLI. A Study of the Narcotic Action of Propylene. By J. T. Halsey,<br>Chapman Reynolds and W. A. Prout.....  | 479 |

## ILLUSTRATIONS

|   |     |
|---|-----|
| Myocarditis of dog's heart under strophanthin, showing occasional intermissions of the ventricle from partial A-V block (Fig. 1).....                                   | 6   |
| Half-rhythm at a later stage than figure 1 (Fig. 2).....  | 7   |
| Marked A-V block, the ventricle beating once to the auricle's 4 to 7 beats (Fig. 3).....  | 8   |
| — sinus slowing with no A-V block in the first half of the tracing (Fig. 4)...  | 9   |
| Partial block, with spontaneous ventricular beat interpolated during failure of conduction (Fig. 5).....  | 10  |
| Repeated extrasystoles in the ventricle during pauses in the auricle from inhibition (Fig. 6).....  | 12  |
| The auricle beating slowly from inhibition due to scillaren, while the ventricle has assumed more rapid spontaneous rhythm (Fig. 7).....                                | 13  |
| Absence of fibrillation when maximal faradic stimuli are applied to the right auricle of the terrapin (Fig. 1).....   | 20  |
| Response of both auricles to interrupted stimuli (Fig. 2A).....   | 22  |
| — of both auricles to interrupted stimuli (Fig. 2B).....  | 23  |
| Depression of irritability after quinidine (Fig. 3).....  | 24  |
| Graph showing reaction times with choice under different concentrations of ethylene (Fig. 1).....   | 29  |
| — showing reaction times with choice under different concentrations of ethyl chloride (Fig. 1).....   | 40  |
| — showing reaction times with choice during successive administrations of 2.5 per cent ethyl chloride (Fig. 2).....   | 41  |
| — showing reaction times with choice under different concentrations of methyl ether (Fig. 1).....   | 46  |
| Liberation of salicyl from methyl salicylate in "buffer" mixtures at 38°C. at the end of one hour, six and twenty-four hours with and without pancreatine (Fig. 1)..... | 72  |
| Effect of ephedrine in histamine shock (Fig. 1).....  | 85  |
| — of ephedrine in peptone shock (Fig. 2).....   | 86  |
| — of ephedrine in anaphylactic shock (Fig. 3).....  | 87  |
| — of ephedrine in surgical and traumatic shock (Fig. 4).....  | 88  |
| — of ephedrine in hemorrhage (Fig. 5).....  | 89  |
| — of ephedrine on peripheral circulation in histamine shock (Fig. 6).....   | 90  |
| — of ephedrine on the heart in histamine shock (Fig. 7).....  | 91  |
| Graph showing simple reaction times after cessation of the inhalation of pure nitrous oxide to unconsciousness (Fig. 1).....  | 106 |
| — showing the effect of 0.5 gram of caffeine on reaction times with choice (Fig. 2).....  | 107 |

|   |     |
|---|-----|
| Graph showing reaction times with choice under 2.5 per cent ethyl chloride (Fig. 3).....  | 108 |
| — showing reaction times with choice (Fig. 4).....  | 109 |
| — showing reaction times with choice (Fig. 1).....  | 114 |
| — showing the effect of 40 per cent nitrous oxide + 12 per cent oxygen followed by 40 per cent nitrous oxide + 28 per cent oxygen on reaction times with choice (Fig. 2)..... | 116 |
| — showing the effect of 33 per cent acetylene + 20 per cent oxygen, and 33 per cent acetylene + 33 per cent oxygen on reaction times with choice (Fig. 3).....                | 117 |
| — showing reaction times with choice during the inhalation of 3.36 per cent ethyl chloride in air and 3.36 per cent ethyl chloride in oxygen (Fig. 4)...                      | 120 |
| Blood pressure and respiration. Dialcohol p-cresol. Rabbit—ether anesthesia (Fig. 1).....   | 136 |
| — pressure and respiration. Alcohol salicylaldehyde. Rabbit—ether anesthesia (Fig. 2).....  | 137 |
| Antispasmodic action. Alcohol p-oxy-benzaldehyde. Intestinal segments—rabbit.....   | 146 |
| — action. Thymotinic alcohol. Intestinal segments—rabbit (Fig. 4)....   | 147 |
| Diagram (Fig. 5).....   | 160 |
| Myocardiograms from the auricle and ventricle and blood pressure tracing (Fig. 1).....  | 183 |
| — from the auricle and ventricle and blood pressure tracing (Fig. 2).....   | 184 |
| Healing power of neoarsphenamine in experimental rabbit syphilis (Fig. 1)..   | 189 |
| — power of sodium salt of 3, 3', 4, 4'-tetraamino-arsenobenzene tetramethylene sulphinic acid in experimental rabbit syphilis (Fig. 2).....                                   | 190 |
| Average percentage weight of pigeons by groups according to yeast extract doses; polished rice diet (Fig. 1).....   | 205 |
| Percentage weight loss or gain at end of twenty-one days of yeast extract administration, arranged by groups, according to dosage (Fig. 2).....                               | 206 |
| Average percentage weight of pigeons by groups during the vitamine and avitamine periods; polished rice diet throughout (Fig. 3).....   | 207 |
| — percentage weight of pigeons by groups during vitamine and avitamine periods; polished rice diet throughout (Fig. 4).....   | 208 |
| Mesenteric vein ring (sheep), showing rhythmic movements (Fig. 1).....  | 217 |
| — vein ring (sheep) (Fig. 2).....   | 218 |
| — vein rings (sheep) (Figs. 3 and 4).....   | 219 |
| — vein rings (ox) (Figs. 5 and 6).....  | 221 |
| — vein rings (sheep) (Figs. 7, 8, 9, 10, 11 and 12).....  | 222 |
| — vein ring (ox) (Fig. 1).....  | 228 |
| Small intestine (rabbit) (Fig. 2).....  | 229 |
| Intrapulmonary bronchus ring (sheep) (Fig. 3).....  | 229 |
| Bladder (rabbit) (Fig. 4).....  | 230 |
| Spleen (rabbit) (Fig. 5).....   | 231 |
| Chart showing distribution of deaths, within four weeks, following adrenalectomy (Fig. 1).....  | 247 |
| — showing distribution of deaths of a group of rats (Fig. 2).....   | 248 |

|  |          |
|--|----------|
| Chart showing the effect of 0.4 mgm. pilocarpine nitrate alone on normal intestine; the effect of same dose of pilocarpine nitrate on pieces of intestine treated previously with 0.01 mgm. atropine; and the effect of same dose of pilocarpine after 0.008 mgm. atropine (Fig. 1)..... | 264      |
| — showing average tonic variations after addition of 0.4 mgm. of pilocarpine nitrate to Ringer solution in which were suspended pieces of intestine treated previously by different quantities of extracted atropine (Fig. 2).   | 265      |
| — showing tonic variation after addition of 0.4 mgm. pilocarpine nitrate to Ringer solution in which are suspended intestinal pieces treated previously by different quantities of atropine solution extracted from serum (Fig. 3).....  | 266      |
| — of the relation of inactivation of atropine with the duration of contact with serum (Fig. 4).....  | 272      |
| Abscissa, temperature to which the mixture serum-atropine was exposed for two hours (Fig. 5).....  | 272      |
| Cat, weighed 3.5 kgm., intravenous injection of extract equal to 1 mgm. of moist gland (Fig. 1).....   | 338      |
| —, weight 2.5 kgm. (Fig. 2).....   | 340      |
| Virgin cat, weight 2 kgm. (Figs. 3, 4 and 5).....  | 342      |
| — cat, weight 3 kgm., intramuscular injection of extract equal to 1 mgm. (0.2 cc. fluid) of moist gland (Fig. 6).....  | 344      |
| Cat, weight 3.5 kgm. (Figs. 7 and 8).....  | 345      |
| The action of adrenalin on the rat's uterus (Fig. 1).....  | 348      |
| — action of adrenalin and pituitary extract on conduction in the rat's uterus (Fig. 2).....  | 350      |
| — action of pituitary extract on the rat's uterus (Fig. 3).....  | 352      |
| Movements of same uterus (1) in situ and (2) isolated (Fig. 1).....  | 360      |
| — of the same uterus (1) isolated and (2) in situ (Fig. 2).....  | 362      |
| Diagram showing method of recording contractions of uterus from three leads simultaneously (Fig. 3).....   | 364      |
| Movements of same uterus in situ and isolated (Fig. 4).....  | 365      |
| Records of the movements of three different isolated uteri (Fig. 5).....   | 368      |
| Results of a comparative study on hypnotics of the barbituric acid series (Charts 1 and 2).....  | 380, 381 |
| Effect produced by stimulation of right vagus before and after eserine (Fig. 1)  | 386      |
| Sections from an adrenaline curve before section of vagi and eserine (Fig. 2)  | 386      |
| — from adrenaline curve after section of vagi nerves (Fig. 3).....   | 389      |
| Adrenaline curve after section of vagi and atropine (Fig. 4).....  | 389      |
| Inhibition produced by 1 cc. 1:10,000 adrenaline given intravenously (Fig. 5).   | 390      |
| — produced by 1 cc. 1:10,000 adrenaline plus vagus stimulation (Fig. 6)....  | 390      |
| — produced by adrenaline (Fig. 7).....   | 391      |
| — produced by adrenaline plus vagus stimulation (Fig. 8).....  | 391      |
| Chlorocodon Whiteii. Action of volatile oil (1:3000) on rabbit intestine (Fig. 1).....   | 401      |
| Action of chlorocodon glucoside 0.1 per cent on frog heart (Fig. 2).....   | 404      |
| — of chlorocodon glucoside on frog heart (Fig. 3).....   | 406      |
| — of chlorocodon glucoside 1 per cent on frog's hyoglossus (Fig. 4).....   | 409      |