

INDEX

Volume 260, January–March, 1992

- A23187, -induced contractions, pharmacological evaluation, lung parenchymal strips (guinea pigs), 714
- Ableitner, A., *see* Ayesta, F. J., 168
- Acetaminophen, alteration of hepatobiliary clearance, long-term diabetes (rats), 1337
- Acetic acid, -induced colitis, acceleration of colonic mucosal repair, misoprostol (rats), 313
- N*-Acetyl-L-aspartyl-L-glutamate, inhibition of catabolism, *N*-acylated L-glutamate analogs, 1093
- Acetylcholine
- ω -conotoxin-sensitive calcium channel, autonomic neurotransmission, airways (guinea pigs), 98
 - induced changes, cromakalim, cytosolic calcium and tension in trachealis (swine), 261
 - pharmacological properties, potassium currents, tracheal smooth muscle (swine), 1038
- Acetylcholinesterase, cardiorespiratory effects of HP 736, anesthetized dog, conscious goat, 1268
- 6-Acetylmorphine, heroin and morphine effects, threshold for rewarding, aversive brain stimulation (rats), 562
- Acquired immunodeficiency syndrome, 3'-azido-3'-deoxythymidine effect, organic ion transport, renal brush border membrane vesicles (rats), 128
- Actin, botulinum C₂ toxin and steroid production, adrenal Y-1 cells, 859
- Action potentials, firing frequency, MK-801, central neurons (mice), 376
- ADCI, *see* 5-Aminocarbonyl-10,11-dihydro-5H-dibenzo[*a,d*]cyclohepten-5,10-imine
- Adenosine
- A₁ agonists, vasorelaxant activity, coronary artery (pigs), 437
 - low-level NMDA receptor activation, purinergic inhibitory threshold, neurotransmission in cortex (rats), 1278
 - renal vascular action, role, endothelium-derived relaxing factor (dogs), 1262
- Adenosine triphosphate
- endothelium-dependent neural relaxation, pulmonary artery (guinea pigs), 541
 - postjunctional release, stimulation of muscarinic receptors, ileal longitudinal muscles (guinea pigs), 1309
- purinergic relaxation, hyperpolarization, coronary artery (guinea pigs, rabbits), 592
- sensitive potassium channel blockade by 5-hydroxydecanoate, ventricular myocytes (guinea pigs), 702
- diazoxide and glyburide, hypertrophied ventricular myocytes (rats), 254
- Adenylate cyclase, inhibition, neuromodulatory effects, atrial natriuretic peptides, 689
- Adenylyl cyclase
- differential coupling, somatostatin receptors, brain (rats), 841
 - opioid-inhibited, inhibition of protein phosphorylation, brain membranes (rats), 1416
- Adrenal gland
- botulinum C₂ toxin and steroid production, adrenal Y-1 cells, 859
 - hemoprotein-dependent steroidogenesis, inhibition by tin-protoporphyrin (rats), 909
- Adrenal medulla, coronary blood flow, release, nitric oxide (rats), 627
- Adrenoceptors
- alpha* calcium utilization, resistance arteries (humans), 637
 - endothelin-1* effects on venous tone, sympathetic nervous system (rats), 45
 - alpha-1*, subtype-selective alkylation, pressor response (rats), 709
 - alpha-2*, influence of age, control of norepinephrine release (rats), 722
 - alpha-1A* and *alpha-2C*, prostaglandin synthesis, aorta smooth muscle cells (rabbits), 849
 - alpha-2D*, nonadrenergic idazoxan-binding sites, RINm5F cells, 417
 - beta-3*, noradrenergic innervation, ileum (guinea pigs), 192
 - electrophysiological effects of ethanol, noradrenergic circuitry (rats), 887
 - pre- and postsynaptic, release of endogenous norepinephrine, vascularly perfused stomach (rats), 728
- Aging, control of norepinephrine release, tail artery (rats), 722
- Ahlers, S. T., Weissman, B. A. and Barrett, J. E.: Antagonism studies with BMY-7378 and NAN-190: Effects on 8-hydroxy-2-(di-*n*-propylamino)tetralin-induced increases in punished responding of pigeons, 474
- Ahmad, S., Wang, L. and Ward, P. E.: Dipeptidyl(amino)peptidase IV and aminopeptidase M metabolize circulating substance P *in vivo*, 1257
- Airways
- autonomic neurotransmission, ω -conotoxin-sensitive calcium channel (guinea pigs), 98
 - cholinergic neurotransmission, sensory nerve depletion (guinea pigs), 1073
- Aiyar, N., *see* Edwards, R. M., 175, 933
- Akane, A., *see* Matsubara, K., 974
- Albino-Teixeira, A., *see* Soares-Da-Silva, P., 902
- Albumin, microvascular, thromboxane A₂, lung (guinea pigs), 832
- Alcohol
- increased urinary morphine, L-3,4-dihydroxyphenylalanine therapy, Parkinson's disease (humans), 974
 - sensitivity in selected lines of rats, genetic covariation, 879
- Ali, S. F., *see* Bowyer, J. F., 817
- Ali, S. F., *see* Paule, M. G., 210
- Alkylating agents, irreversible affinity ligand, phencyclidine recognition site, NMDA-type glutamate receptors (cattle), 21
- Allen, G. T., *see* Ogletree, M. L., 789
- Allen, J., *see* Benavides, J., 896
- Allen, R. R., *see* Paule, M. G., 210
- Almeida, A. R. P., Bunnachak, D., Burnier, M., Wetzels, J. F. M., Burke, T. J. and Schrier, R. W.: Time-dependent protective effects of calcium channel blockers on anoxia- and hypoxia-induced proximal tubule injury, 526
- Alpha-2* agonists, suppression of motor and autonomic responses, low- and high-intensity thermal stimuli (rats), 795
- Altieri, R. J., Diamond, L. and Thompson, D. C.: Omega-conotoxin-sensitive calcium channels modulate autonomic neurotransmission in guinea pig airways, 98
- Amastatin, metabolism of circulating substance P, dipeptidyl(amino)peptidase IV, aminopeptidase M (rats), 1257
- Amiloride, quinacrine and, inhibition of nifedipine binding, cardiac membranes (rats), 1366
- 5-Aminocarbonyl-10,11-dihydro-5H-di-benzo[*a,d*]cyclohepten-5,10-i mine, comparison with structural analogs, ethanol withdrawal seizures (mice), 1017
- 2-Aminofluorene, adduct levels and acetylator status, urinary bladder (hamsters), 865
- α -Amino-3-hydroxy-5-methylisoxazole-4-propionate
- antagonist 2,3-dihydroxy-6-nitro-7-sulfamoyl-benzo(*f*)quinoxaline, relief of spasticity, anxiolytic/anticonvulsant actions (rats, mice), 742
 - kainate receptor antagonists, hypermotility response, nucleus accumbens and ventral pallidum (rats), 1145
- Aminopeptidase M, dipeptidyl(amino)peptidase IV and, metabolism of circulating substance P (rats), 1257
- Amniotic fluid, cocaine and metabolite concentrations, maternal administration (guinea pigs), 587
- Amphetamine
- behavioral disinhibition and depression, risperidone, ocpiperidone and haloperidol (rats), 160
 - induced slowing of dopaminergic neurons, 5-HT₂ receptor antagonists (rats), 872
- Amphotericin B, acute and subacute neph-

rototoxicity, fenoldopam effects (dogs), 269

Analgesia
 agonist and antagonist activity
kappa opioids, morphine treatment (monkeys), 334
kappa opioids (monkeys), 327
 effects of ketamine on sensory perception, *N*-methyl-D-aspartic acid channels (humans), 1209
 heroin/6-acetylmorphine/morphine, threshold for rewarding, aversive brain stimulation (rats), 562
 opioid and nonopioid components, mechanism of action, tramadol (rats), 275
 suppression by spinal *alpha*-2 agonists, motor and autonomic responses, low- and high-intensity thermal stimuli (rats), 795

Anaphylaxis
 endotoxin and, beneficial effects, TCV-309 (humans, rats, rabbits), 748
 intestinal, phospholipid-derived inflammatory mediators (rats), 773
 lung parenchymal strips, pharmacological evaluation, A23187-induced contractions (guinea pigs), 714

Andersen, T. T., *see* Magazine, H. I., 632

Anesthetics, catecholamines and, contraluminal transport system, organic cations in proximal tubules (rats), 734

Angiotensin, captopril and ANP, renal hemodynamics, heart failure (rats), 349

Angiotensin converting enzyme, inhibitors, acute renal actions, renin-angiotensin system (marmosets), 29

Angiotensin I, analogs, antagonist activity (rats), 223

Angiotensin II, antagonist SK&F 108566, pharmacological characterization (rats), 175

Anipamil, blood pressure and renal function, survival, uremia (rats), 243

Anoxia, -induced proximal tubule injury, time-dependent protective effects, calcium channel blockers (rats), 526

Anti-allergic, azelastine, mechanism of inhibitory effects, smooth muscle contraction (guinea pigs), 1300

Anticoagulation, vitamin K cycle inhibition, steady-state *S*-warfarin conditions (rats), 1081

Anticonvulsants
 effects of fluoxetine, brain serotonin, microdialysis in genetically epilepsy-prone rats, 553
 relief of spasticity, 2,3-dihydroxy-6-nitro-7-sulfamoyl-benzo(f)quinoxaline (rats, mice), 742
 U-54494A, block, sodium channel current (mice), 110

Antidepressants
mu opioid receptor binding, neuroblastoma cells, brain and cell membranes (guinea pigs), 9
 regulation of 5-HT_{1A} receptor function, agonists, hippocampus (rats), 16

Antiemetic agents, DAT-582 (ferrets, dogs), 1159

Antiepileptic agents, *N*-glucuronidation of lamotrigine, liver microsomes (humans), 1166

Anti-inflammatory, activity of BF389, arthritis model (rats), 300

Antinociception
 intrathecally administered calcium, mechanism of action (mice), 117
 long-lasting antagonistic actions, tail-flick test (mice), 1237
 opioid and nonopioid components, mechanism of action, tramadol (rats), 275
 pharmacological profile, bicyclic cannabinoid analogs, 201
 spinal opioid *delta*, receptor subtype (mice), 518

Antipsychotics
 amphetamine-induced slowing, dopaminergic neurons, 5-HT₂ receptor antagonists (rats), 872
 clozapine, polymorphic human microsomal and cytochrome P450 2D6, 1355
 typical and atypical, binding, transiently expressed 5-HT_{1C} receptors, 1361

Antipyrine, significant absorption, urinary bladder (rats), 608

Anxiety
 preclinical studies of LY237733 (rats), 51
 relief of spasticity, 2,3-dihydroxy-6-nitro-7-sulfamoyl-benzo(f)quinoxaline (rats, mice), 742

Aorta, smooth muscle cells, prostaglandin synthesis, adrenergic stimuli (rabbits), 849

Apnea, 5-hydroxytryptamine-induced, pharmacological characterization (rats), 917

Arachidonate, cytochrome P450-derived metabolites, cyclooxygenase dependency, renovascular actions (rabbits), 104

Arachidonic acid, release and calcium influx, melittin and mastoparan, PC12 cells (rats), 369

Area postrema, mechanisms of vomiting, serotonin-3 receptor agonists (cats), 509

Arginine, renal vascular action of adenosine, role, endothelium-derived relaxing factor (dogs), 1262

L-Arginine, interaction of non-arginine compounds, *N*^G-monomethyl L-arginine (rats), 676

Armstead, W. M., Mirro, R., Zuckerman, S. L. and Leffler, C. W.: Vasopressin modulates cerebrovascular responses to opioids in newborn pigs, 1107

Aronson, M. J., *see* Kanof, P. D., 355

Arreto, C. D., *see* Bureau, M. F., 832

Artery
 coronary
 conversion of nitroglycerin to nitric oxide (cattle), 652
 plasminogen-streptokinase activator complex, thrombolytic activity (dogs), 64
 prostaglandin E₁-induced vasorelaxation (pigs), 1128
 purinergic relaxation, hyperpolarization (guinea pigs, rabbits), 592
 vasorelaxant activity, A₁-selective adenosine agonist (pigs), 437

mesenteric, amplification, *alpha* adrenergic vasoconstriction (dogs), 1119

pig, mechanisms of relaxation, potassium channel blockers (pigs), 248

pulmonary
 endothelium-dependent neural relaxation (guinea pigs), 541

histamine receptors, endothelial cell removal (humans), 762

renal, long-term norepinephrine depletion, brief transient ischemia (rats), 902

resistance, calcium utilization, *alpha* adrenoceptors (humans), 637

tail
 complex prejunctional actions, D₂ dopamine agonists (rats), 568
 influence of age, control of norepinephrine release (rats), 722

Arthritis, model, anti-inflammatory activity, BF389 (rats), 300

Ashmore, R. C., *see* Dauber, I. M., 1250

Asthma, mechanism of inhibitory effects, azelastine, smooth muscle contraction (guinea pigs), 1300

Atkinson, J., *see* Henrion, D., 1

Ator, N. A., *see* Griffiths, R. R., 1199

Atria, catecholamine-mediated positive inotropic effect, simple quinones, superoxide anion generation (guinea pigs, rats), 468

Atrial natriuretic factor, binding to lung membranes, peptidase inhibitors (mice), 1373

Atrial natriuretic peptides
 captopril and, renal hemodynamics, heart failure (rats), 349
 neuromodulatory effects, inhibition of adenylate cyclase, PC12 cells, 689
 pharmacological profile of HS-142-1 (rats), 825

Atriopeptin, sodium nitroprusside and, smooth muscle relaxation, exposure to catecholamines (rats), 756

Atropine, postjunctional ATP release, muscarinic receptors, ileal longitudinal muscles (guinea pigs), 1309

Au, J. L. S., *see* Dalton, J. T., 608

Autoradiography, quantitation of norepinephrine uptake sites, nisoxetine radioligand (rats), 427

Autoreceptors
 5-HT_{1B} receptor characterization, spinal cord (rats), 614
 yohimbine effect, renal sympathetic nerve activity, renal norepinephrine spill-over (rabbits), 780

Awouters, F. H. L., *see* Megens, A. A. H. P., 146, 160

Axon terminals, NMDA and non-NMDA receptors, regulation, hippocampal norepinephrine release (rats), 232, 238

Ayesta, F. J., Ableitner, A., Emmett-Oglesby, M. W., Herz, A. and Shippenberg, T. S.: Paradoxical effect of chronic fentanyl treatment on naltrexone-induced supersensitivity and upregulation, 168

Azelastine, mechanism of inhibitory effects, smooth muscle contraction (guinea pigs), 1300

Azevedo, I., *see* Soares-Da-Silva, P., 902

3'-Azido-3'-deoxythymidine, organic ion transport, renal brush border membrane vesicles (rats), 128

Azo dyes, binding and reduction, role of electronic factors, hepatic microsomes (rats), 554

Baba, H., *see* Toda, N., 697

Bailey, J. R., *see* Paule, M. G., 210

Bandiera, S. M., *see* Chang, T., 1441

- Barbiturates, zolpidem behavioral pharmacology (baboons), 1199
- Barnes, P. J., *see* Liu, S. F., 541
- Baroreceptor reflex, coronary blood flow, release, nitric oxide (rats), 627
- Barr, R., *see* Lopaschuk, G. D., 1220
- Barrett, J. E., *see* Ahlers, S. T., 474
- Basal ganglia, opposite effects of NMDA receptor blockade, 6-hydroxydopamine model of turning (rats), 402
- Basophils, modulation of histamine release, protein kinase C inhibitors, secretagogue (humans), 1028
- Bathon, J. M., Manning, D. C., Goldman, D. W., Towns, M. C. and Proud, D.: Characterization of kinin receptors on human synovial cells and upregulation of receptor number by interleukin-1, 384
- Bay K 8644
amplification of *alpha* adrenergic vasoconstriction, mesenteric artery and vein (dogs), 1119
different solvents, action as transient calcium channel antagonist, 966
- Beauchamp, D., Gourde, P., Thériault, G. and Bergeron, M. G.: Age-dependent gentamicin experimental nephrotoxicity, 444
- Behavior
disinhibition and depression, risperidone, ocarpiridone and haloperidol (rats), 160
progressive ratio and conditioned position responding, chronic marijuana smoke exposure (monkeys), 210
punished responding, antagonism studies, BMY-7378 and NAN-190 (pigeons), 474
- Beinfeld, M. C., *see* Brog, J. S., 343
- Belardinelli, L., *see* Shryock, J. C., 1292
- Bellward, G. D., *see* Chang, T., 1441, 1450
- Benavides, J., Peny, B., Allen, J. and Scatton, B.: Pharmacological characterization of *in vivo* [³H]fenpropidil binding sites in the mouse brain, 896
- Bendele, A. M., Benslay, D. N., Hom, J. T., Spaethe, S. M., Ruterbories, K. J., Lindstrom, T. D., Lee, S. J. and Naismith, R. W.: Anti-inflammatory activity of BF389, a di-T-butylphenol, in animal models of arthritis, 300
- Bendele, A. M., Ruterbories, K. J., Spaethe, S. M., Benslay, D. N., Lindstrom, T. D., Lee, S. J. and Naismith, R. W.: Correlation of anti-inflammatory activity with peak tissue rather than peak plasma levels of BF389, 1194
- Bendele, A. M., *see* Wong, W.-S. F., 714
- Benslay, D. N., *see* Bendele, A. M., 300, 1194
- Benzodiazepine
agonist and antagonist, pharmacodynamic interaction (rats), 36
withdrawal, gastrointestinal motor alterations (rats), 1067
zolpidem behavioral pharmacology (baboons), 1199
- Benzoyllecgonine, cocaine and metabolite concentrations, maternal administration (guinea pigs), 587
- Benzylpenicillin, disposition of cefodizime (rats), 499
- Bergeron, M. G., *see* Beauchamp, D., 444
- Berry, R., *see* Bolger, G. T., 1314
- Bestatin, H⁺-coupled active transport, in-
testinal brush-border membranes (rabbits), 482
- Beutler, J. J., Boer, W. H., Koomans, H. A. and Mees, E. J. D.: Comparative study of the effects of furosemide, ethacrynic acid and bumetanide on the lithium clearance and diluting segment reabsorption in humans, 768
- BF389
anti-inflammatory activity, arthritis model (rats), 300
peak tissue levels, correlation, anti-inflammatory activity (rats), 1194
- B-HT 933, calcium utilization, *alpha* adrenoceptors, resistance arteries (humans), 637
- Bicarbonate, lithium clearance and diluting segment reabsorption, furosemide, ethacrynic acid and bumetanide (humans), 768
- Bidault, R., *see* Magdalou, J., 1166
- Bilirubin, alteration of hepatobiliary clearance, long-term diabetes (rats), 1337
- Binder, N. D. and Faber, J. J.: Effects of captopril on blood pressure, placental blood flow and uterine oxygen consumption in pregnant rabbits, 294
- Black, A., *see* Dong, M. K., 319
- Black, C. K., *see* Kehne, J. H., 78
- Bladder
DNA adduct levels, acetylator status, Syrian inbred hamsters, 865
urinary, significant absorption of antipyrene (rats), 608
urinary incontinence, pharmacological evaluation, JO 1870 (rats), 1152
- Blanchard, J. C., *see* Branchereau, P., 1433
- Blood flow
coronary, release, vascular nitric oxide (rats), 627
reduced, somatostatin, central nervous system (rats), 1425
- Blood pressure
captopril effects, placental blood flow, uterine oxygen consumption (rabbits), 294
coronary blood flow, release, nitric oxide (rats), 627
effect of anipamil, survival, uremia (rats), 243
pharmacological characterization, SK&F 108566 (rats), 175
preclinical studies of LY237733 (rats), 51
systemic, effects of U-68,215, gastric emptying (primates), 1023
- Blood vessels
acute vascular homologous tachyphylaxis, regional variation (cats, dogs, rabbits), 644
cerebral, multiple muscarinic binding site subtypes (cats, humans), 660
- BM 13,505, thromboxane receptors, interspecies differences (rats, guinea pigs), 789
- BMY-7378, NAN-190 and, antagonism studies (pigeons), 474
- Boer, W. H., *see* Beutler, J. J., 768
- Böhme, G. A., *see* Branchereau, P., 1433
- Boja, J. W., *see* Cline, E. J., 1174
- Bolden, C., Cusack, B. and Richelson, E.: Antagonism by antimuscarinic and neuroleptic compounds at the five cloned human muscarinic cholinergic receptors expressed in Chinese hamster ovary cells, 576
- Bolger, G. T., Berry, R., Liard, F., Garneau, M. and Jaramillo, J.: Cardiac responses and binding sites for endothelin in normal and cardiomyopathic hamsters, 1314
- Botulinum C₂ toxin, steroid production and, role of microfilaments, adrenal Y-1 cells, 859
- Bourreau, J.-P., *see* Shimamoto, H., 1119
- Bowen, W. D., *see* Mattia, A., 518
- Bowyer, J. F., Tank, A. W., Newport, G. D., Slikker, W., Jr., Ali, S. F. and Holson, R. R.: The influence of environmental temperature on the transient effects of methamphetamine on dopamine levels and dopamine release in rat striatum, 817
- Boyer, C. S. and Petersen, D. R.: Enzymatic basis for the transesterification of cocaine in the presence of ethanol: Evidence for the participation of microsomal carboxylesterases, 939
- Brady, J. V., *see* Griffiths, R. R., 1199
- Bradykinin, cromakalim and, mechanisms of relaxation, coronary artery (pigs), 248
- Brain
aversive stimulation, threshold for rewarding, heroin/6-acetylmorphine/morphine (rats), 562
binding sites of ifenprodil, pharmacological characterization (brain), 896
caudate-putamen/cortex/hippocampus, cholecystokinin release, D₁ dopamine receptor (rats), 343
cerebral vasculature, multiple muscarinic binding site subtypes (cats, humans), 660
cocaine and metabolite concentrations, maternal administration (guinea pigs), 587
coupling of somatostatin receptors, adenylyl cyclase (rats), 841
high-affinity dextromethorphan, 3-(3-hydroxyphenyl)-N-(1-propyl)piperidine binding sites, ropizine allosteric effects (rats), 990
imidazoline receptors, normotensive and hypertensive rats, 1000
membranes, inhibition of protein phosphorylation, opioid-inhibited adenylyl cyclase (rats), 1416
modulation of cerebrovascular responses to opioids, vasopressin, newborns (pigs), 1107
neuroblastoma cell membranes and, mu opioid receptor binding (guinea pigs), 9
noradrenergic circuitry, electrophysiological effects, ethanol (rats), 887
regional energy metabolism, effects of naftidrofuryl oxalate, cerebral embolism (rats), 1058
role of fourth cerebroventricle, nicotine-stimulated prolactin release, catecholamines (rats), 1285
serotonin, fluoxetine effects on convulsions, genetically epilepsy-prone rats, 533
- Brainstem, cholecystokinin_A and cholecystokinin_B receptors, pharmacological identification (rats), 1433
- Branchereau, P., Böhme, G. A., Champagnat, J., Morin-Surun, M.-P., Durieu, C., Blanchard, J. C., Roques, B.

- P. and Denavit-Saubie, M.: Cholecystokinin_A and cholecystokinins receptors in neurons of the brainstem solitary complex of the rat: Pharmacological identification, 1433
- Brändle, E., Fritsch, G. and Greven, J.: Affinity of different local anesthetic drugs and catecholamines for the contraluminal transport system for organic cations in proximal tubules of rat kidneys, 734
- Bremazocine
agonist and antagonist properties, kappa opioids (monkeys), 327
long-lasting antagonistic actions, tail-flick test (mice), 1237
- Brice, A. G., *see* Hubbard, J. W., 1268
- Brink, C., *see* Ortiz, J. L., 762
- Brody, M. J., *see* Jones, L. F., 627
- Brog, J. S. and Beinfeld, M. C.: Cholecystokinin release from the rat caudate-putamen, cortex and hippocampus is increased by activation of the D₁ dopamine receptor, 343
- 2-Bromohydroquinone, chemically induced kidney damage, protection, methimazole (rats), 393
- 2-Bromo-3-methylvaleric acid, stereoisomers, chiral inversion, glutathione conjugation (rats), 1349
- Bronchoconstriction, thromboxane A₂, platelet sequestration, lung (guinea pigs), 832
- Brooks, D. P., *see* Nichols, A. J., 269
- Brørs, O., *see* Stokke, M., 1366
- Brown, R. M., *see* Paule, M. G., 210
- Bruner, C. A., *see* Magazine, H. I., 632
- Brunn, G. J., Keyler, D. E., Pond, S. M. and Pentel, P. R.: Reversal of desipramine toxicity in rats using drug-specific antibody Fab' fragment: Effects on hypotension and interaction with sodium bicarbonate, 1392
- Brush-border membranes, intestinal, H⁺-coupled active transport, bestatin (rabbits), 482
- Bryant, M. S., *see* Flammang, T. J., 865
- Bryant, S. H., *see* De Luca, A., 364
- Buchholz, J., Tsai, H., Friedman, D. and Duckles, S. P.: Influence of age on control of norepinephrine release from the rat tail artery, 722
- Bueno, L., *see* Martinez, J., 1067
- Bumetanide, lithium clearance, diluting segment reabsorption (humans), 768
- Bunnachak, D., *see* Almeida, A. R. P., 526
- Buprenorphine, chronic treatment, cocaine and food self-administration (monkeys), 1185
- Bureau, M. F., De Clerck, F., Lefort, J., Arreto, C. D. and Vargaftig, B. B.: Thromboxane A₂ accounts for bronchoconstriction but not for platelet sequestration and microvascular albumin exchanges induced by fMLP in the guinea pig lung, 832
- Burger, R. L., *see* Dailey, J. W., 533
- Burke, T. J., *see* Almeida, A. R. P., 526
- Burnier, M., *see* Almeida, A. R. P., 526
- Butler, T. W., *see* Shalaby, I. A., 925
- Cadiovascular system, cardiorespiratory effects of HP 736, anesthetized dog, conscious goat, 1268
- Caffeine, α-amino-3-hydroxy-5-methylisox-
- azole-4-propionate, kainate receptor antagonists, hypermotility response (rats), 1145
- Calcitonin gene-related peptide, functional innervation, tracheal smooth muscle (pigs), 1180
- Calcium
complex prejunctional actions, D₂ dopamine agonists, tail artery (rats), 568
cytosolic, acetylcholine-induced changes in trachealis, cromakalim effects (swine), 261
- entry blocker anipamil, renal function and survival (rats), 243
- extracellular, endothelin-1 effect, gall-bladder smooth muscle (guinea pigs), 549
- influx, melittin and mastoparan, PC12 cells (rats), 369
- intrathecal administration, mechanism of action, antinociceptive effect (mice), 117
- mechanism of inhibitory effects, azelastine, smooth muscle contraction (guinea pigs), 1300
- mobilization, receptor-coupled G-proteins, intestinal muscle cells (guinea pigs), 90
- overload, chronic isradipine treatment, vitamin D₃ and nicotine (rats), 1
- pharmacological properties, potassium currents, tracheal smooth muscle (swine), 1038
- saponin-permeabilized platelets, inositol 1,4,5-trisphosphate-induced aggregation (humans), 947
- utilization, α adrenoceptors, resistance arteries (humans), 637
- Calcium channel
ω-conotoxin-sensitive, autonomic neurotransmission, airways (guinea pigs), 98
- currents, action of Bay K-8644, different solvents, 966
- Calcium channel blockers
effects of diltiazem, glycolysis and oxidative metabolism, ischemia (rats), 1220
- time-dependent protective effects, anoxia- and hypoxia-induced proximal tubule injury (rats), 526
- Calligaro, D. O., *see* Foreman, M. M., 51
- Camerino, D. C., *see* De Luca, A., 364
- Cameron, J. S., *see* Ciampolillo, F., 254
- Cannabinoid analogs, bicyclic, pharmacological profile, 201
- Capdeville-Atkinson, C., *see* Henrion, D., 1
- Captopril
ANP and, renal hemodynamics, heart failure (rats), 349
- blood pressure and placental blood flow, uterine oxygen consumption, pregnancy (rabbits), 294
- Carbamazepine, compared to ADCI, ethanol withdrawal seizures (mice), 1017
- Carboxylesterases, microsomal, transesterification of cocaine, presence of ethanol (mice), 939
- Cardiomyopathy, cardiac responses and binding sites, endothelin, 1314
- Carpenedo, F., *see* Floreani, M., 468
- Carrageenan, peak tissue levels of BF389, correlation, anti-inflammatory activity (rats), 1194
- Carroll, F. I., *see* Cline, E. J., 1174
- Carroll, M. A., Garcia, M. P., Falck, J. R. and McGiff, J. C.: Cyclooxygenase dependency of the renovascular actions of cytochrome P450-derived arachidonate metabolites, 104
- Casalotti, S. O., Kozikowski, A. P., Fauq, A., Tückmantel, W. and Krueger, K. E.: Design of an irreversible affinity ligand for the phenylcyclidine recognition site on N-methyl-D-aspartate type glutamate receptors, 21
- Castet, C., *see* Herbert, J. M., 809
- Catecholamines
acute vascular homologous tachyphylaxis, regional variation (cats, dogs, rabbits), 644
- local anesthetic drugs and, contraluminal transport system, proximal tubules of kidney (rats), 734
- mediated positive inotropic effect, simple quinones, superoxide anion generation (guinea pigs, rats), 468
- nicotine-stimulated prolactin release, catecholamines (rats), 1285
- prolonged exposure, sensitivity to smooth muscle relaxation, sodium nitroprusside and atriopeptin (rats), 756
- releasing and hyperglycemic effects, central 5-HT₂ receptors, D-fenfluramine (rats), 1008
- Cations
organic, contraluminal transport system, local anesthetic drugs and catecholamines (rats), 734
- organic ion transport, 3'-azido-3'-deoxythymidine effect, renal brush border membrane vesicles (rats), 128
- Catto-Smith, A. G., *see* MacNaughton, W. K., 773
- Caudate-putamen, cholecystokinin release, activation, D₁ dopamine receptor (rats), 343
- Cefodizime, disposition, effect of benzylpenicillin (rats), 499
- Central nervous system, vasoconstriction and reduced blood flow, vascular permeability, somatostatin (rats), 1425
- Cephalosporin, H⁺-coupled active transport, bestatin, intestinal brush-border membranes (rabbits), 482
- Cerebellum, electrophysiological effects of ethanol, noradrenergic circuitry (rats), 887
- Cerebrospinal fluid, ³¹P nuclear magnetic resonance spectroscopy, ifosfamide metabolism, 1133
- c-fos, opposite effects of NMDA receptor blockade, 6-hydroxdopamine model of turning (rats), 402
- Chakder, S. and Rattan, S.: Neurally mediated relaxation of opossum internal anal sphincter: Influence of superoxide anion generator and the scavenger, 1113
- Champagnat, J., *see* Branchereau, P., 1433
- Chan, L., *see* Jarusiripat, C., 243
- Chander, P. N., *see* Stier, C. T., Jr., 1410
- Chang, T., Levine, M., Bandiera, S. M. and Bellward, G. D.: Selective inhibition of rat hepatic microsomal cytochrome P-450. I. Effect of the *in vivo* administration of cimetidine, 1441
- Chang, T., Levine, M. and Bellward, G. D.: Selective inhibition of rat hepatic mi-

- crosomal cytochrome P-450. II. Effect of the *in vitro* administration of cimetidine, 1450
- Chang, T., *see* Dong, M. K., 319
- Chao, C. C., *see* Molitor, T. W., 581
- Chaouloff, F., Gunn, S. H. and Young, J. B.: Central 5-hydroxytryptamine₂ receptors are involved in the adrenal catecholamine-releasing and hyperglycemic effects of the 5-hydroxytryptamine indirect agonist *d*-fenfluramine in the conscious rat, 1008
- Chemotherapy, DAT-582 as antiemetic agent (ferrets, dogs), 1159
- Chenard, B. L., *see* Shalaby, I. A., 925
- Cheramy, A., *see* Serval, V., 1095
- Chern, W. H., *see* Shaffer, J. E., 286
- Childers, S. R., *see* Fleming, L. M., 1416
- Chillon, J.-M., *see* Henrion, D., 1
- Chloride channel, conductance in skeletal muscle, enantiomers, clofibrate acid derivative (rats), 364
- 4-Chloroamphetamine, acoustic and tactile startle reflexes (rats), 78
- Chloroethylclonidine, subtype-selective α -1 adrenoceptor alkylation, kidney, vascular pressor response (rats), 709
- Choi, O. H., Padgett, W. L. and Daly, J. W.: Effects of the amphiphilic peptides melittin and mastoparan on calcium influx, phosphoinositide breakdown and arachidonic acid release in rat pheochromocytoma PC12 cells, 369
- Cholecystokinin
A and B receptors, pharmacological identification, brainstem (rats), 1433
antagonism, intracerebroventricular tail flick inhibition (mice), 1086
release from caudate-putamen, cortex and hippocampus, D₁ dopamine receptor (rats), 343
- Choline, neurotransmission, sensory nerve depletion (guinea pigs), 1073
- Cholinesterase, transesterification of cocaine, presence of ethanol (mice), 939
- Chong, S., *see* Chung, S.-J., 652
- Chouini-Lalanne, N., *see* Martino, R., 1133
- Chung, S.-J., Chong, S., Seth, P., Jung, C. Y. and Fung, H.-L.: Conversion of nitroglycerin to nitric oxide in microsomes of the bovine coronary artery smooth muscle is not primarily mediated by glutathione-S-transferases, 652
- Ciampolillo, F., Tung, D. E. and Cameron, J. S.: Effects of diazoxide and glyburide on ATP-sensitive K⁺ channels from hypertrophied ventricular myocytes, 254
- Ciaranello, R. D., *see* Roth, B. L., 1361
- Cimetidine, selective inhibition, hepatic microsomal cytochrome P-450 (rats), 1441, 1450
- Cisplatin
chemically induced kidney damage, protection, methimazole (rats), 393
DAT-582 as antiemetic agent (ferrets, dogs), 1159
mechanisms of vomiting, serotonin-3 receptor agonists (cats), 509
- Clarke, D. E., *see* Taneja, D. T., 192
- Cline, E. J., Scheffel, U., Boja, J. W., Carroll, F. I., Katz, J. L. and Kuhar, M. J.: Behavioral effects of novel cocaine analogs: A comparison with *in vivo* receptor binding potency, 1174
- Clofibric acid, derivative, skeletal muscle chloride conductance (rats), 364
- Clomipramine, pharmacological evaluation of JO 1870, treatment, urinary bladder incontinence (rats), 1152
- Clonidine, suppression by spinal alpha-2 agonists, motor and autonomic responses, thermal stimuli (rats), 795
- Clozapine
binding to transiently expressed 5-HT_{1C} receptors, 1361
metabolism, polymorphic human microsomal and cytochrome P450 2D6, 1355
- Cocaine
analogs, behavioral effects (mice), 1174
food self-administration and, chronic buprenorphine treatment (monkeys), 1185
metabolite concentrations and, fetus, maternal administration (guinea pigs), 587
transesterification, presence of ethanol (mice), 939
- Cochrane, K. J., *see* Kanof, P. D., 355
- Codd, E. E., *see* Raffa, R. B., 275
- Codeine, increased urinary morphine, L-3, 4-dihydroxyphenylalanine therapy, Parkinson's disease (humans), 974
- Cohen, M. L., *see* Watts, S. W., 1101
- Cohen, R. A., *see* Cowan, C. L., 248
- Colchicine, -specific Fab fragments (rabbits), 1214
- Colitis, acetic acid-induced, acceleration of colonic mucosal repair, misoprostol (rats), 313
- Collins, K. A., *see* Tseng, L. F., 1086
- Colon
mucosal repair, misoprostol, acetic acid-induced colitis (rats), 313
nerve-mediated inhibition, nitric oxide, vasoactive intestinal peptide (dogs), 803
- Combs, M. R., *see* Matsumoto, I., 614
- Compton, D. R., Johnson, M. R., Melvin, L. S. and Martin, B. R.: Pharmacological profile of a series of bicyclic cannabinoid analogs: Classification as cannabimimetic agents, 201
- Cone, E. J., *see* Mello, N. K., 1185
- ω -Conotoxin
endothelin-1 effect, gallbladder smooth muscle (guinea pigs), 549
-sensitive calcium channels, autonomic neurotransmission, airways (guinea pigs), 98
- Considine, R. V., Simpson, L. L. and Sherwin, J. R.: Botulinum C₂ toxin and steroid production in adrenal Y-1 cells: The role of microfilaments in the toxin-induced increase in steroid release, 859
- Cooley, A. J., *see* Sausen, P. J., 393
- Cornfeldt, M., *see* Hubbard, J. W., 1268
- Cortex, neurotransmission, purinergic inhibitory threshold, NMDA receptor activation (rats), 1278
- Couch, L. H., *see* Flammang, T. J., 865
- Cowan, C. L. and Cohen, R. A.: Different mechanisms of relaxation of pig coronary artery to bradykinin and cromakalim are distinguished by potassium channel blockers, 248
- Cox, B. F., *see* Merkel, L. A., 437
- Coxsackievirus B3, myocarditis, effects of FK-506 (mice), 1386
- CP-47,497, CP-55,940 and, pharmacological profile, bicyclic cannabinoid analogs, 201
- Craft, R. M. and Dykstra, L. A.: Agonist and antagonist activity of kappa opioids in the squirrel monkey: I. Antinociception and urine output, 327
- Craft, R. M. and Dykstra, L. A.: Agonist and antagonist activity of kappa opioids in the squirrel monkey: II. Effect of chronic morphine treatment, 334
- Craft, T. J., *see* Jackson, C. V., 64
- Craig, C. G. and White, T. D.: Low-level N-methyl-D-aspartate receptor activation provides a purinergic inhibitory threshold against further N-methyl-D-aspartate-mediated neurotransmission in the cortex, 1278
- Crain, S. M. and Shen, K.-F.: After GM1 ganglioside treatment of sensory neurons naloxone paradoxically prolongs the action potential but still antagonizes opioid inhibition, 182
- Crasnier, F., *see* Martino, R., 1133
- Crawley, D. E., *see* Liu, S. F., 541
- Creatine phosphate, brain regional energy metabolism, cerebral embolism, effects of naftidrofuryl oxalate effects (rats), 1058
- Cromakalim
acetylcholine-induced changes, cytosolic calcium, tension in trachealis (swine), 261
bradykinin and, mechanisms of relaxation, coronary artery (pigs), 248
- Cusack, B., *see* Bolden, C., 576
- Cyclic AMP, electrophysiological actions, UD-CG 212 Cl, myocardium (guinea pigs), 58
- Cyclooxygenase
dependency of renovascular actions, cytochrome P450-derived arachidonate metabolites (rabbits), 104
phospholipid-derived inflammatory mediators, intestinal anaphylaxis (rats), 773
- Cyclophosphamide, DAT-582 as antiemetic agent (ferrets, dogs), 1159
- Cyclosporine, FK506 inhibition, mast cell cytokine production (mice), 680
- Cytochrome P450
-derived arachidonate metabolites, cyclooxygenase dependency, renovascular actions (rabbits), 104
hemoprotein-dependent steroidogenesis, inhibition by tin-protoporphyrin (rats), 909
hepatic microsomal, selective inhibition, cimetidine (rats), 1441, 1450
- Cytochrome P450 2D6, metabolism of anti-psychotic clozapine, 1355
- Cytokines, mast cell production, cyclosporine and FK506 inhibition (mice), 680
- Cytoskeleton, botulinum C₂ toxin and steroid production, adrenal Y-1 cells, 859
- Dailey, J. W., Yan, Q. S., Mishra, P. K., Burger, R. L. and Jobe, P. C.: Effects of fluoxetine on convulsions and on

- brain serotonin as detected by microdialysis in genetically epilepsy-prone rats, 533
- Dalton, J. T., Harrington, M. D. and Au, J. L.-S.: Evidence of significant absorption of antipyrine from urinary bladder of rats, 608
- Daly, J. W., *see* Choi, O. H., 369
- DAMGO, intrathecally administered calcium, mechanism of action, antinociceptive effect (mice), 117
- Danhof, M., *see* Mandema, J. W., 36
- Daniel, E. E., *see* Armstead, W. M., 1107
- Daniel, E. E., *see* Shimamoto, H., 1119
- DAT-582, antiemetic agent (ferrets, dogs), 1159
- Dauber, I. M., Lesnfsky, E. J., Ashmore, R. C., Martel, D. M., Sheridan, F. M., Weil, J. V. and Horwitz, L. D.: Coronary vascular injury due to ischemia-reperfusion is reduced by pentoxifylline, 1250
- Dauphin, F. and Hamel, E.: Identification of multiple muscarinic binding site subtypes in cat and human cerebral vasculature, 660
- Decarboxylase, long-term norepinephrine depletion, brief transient ischemia (rats), 902
- De Clerck, F., *see* Bureau, M. F., 832
- de Forni, M., *see* Martino, R., 1133
- De Luca, A., Tricarico, D., Wagner, R., Bryant, S. H., Tortorella, V. and Camerino, D. C.: Opposite effects of enantiomers of clofibrate acid derivative on rat skeletal muscle chloride conductance: Antagonism studies and theoretical modeling of two different receptor site interactions, 364
- Denavit-Saubie, M., *see* Branchereau, P., 1433
- Depression
behavioral disinhibition, risperidone, ocarbidone and haloperidol (rats), 160
preclinical studies of LY237733 (rats), 51
- Desipramine, reversal of toxicity, drug-specific antibody Fab' fragment (rats), 1392
- Dewey, W. L., *see* Welch, S. P., 117
- Dexmedetomidine, suppression by spinal α_2 -agonists, motor and autonomic responses, thermal stimuli (rats), 795
- Dextromethorphan, 3-(β -hydroxyphenyl)-N-(1-propyl)piperidine and, binding sites in brain, ropizine effects (rats), 990
- Diabetes, long-term, alteration of hepatobiliary clearance, acetaminophen/bilirubin/digoxin (rats), 1337
- Diamond, L., *see* Altiero, R. J., 98
- Diazoxide, glyburide and, ATP-sensitive K⁺ channels, hypertrophied ventricular myocytes (rats), 254
- Di Chiara, G., *see* Morelli, M., 402
- Dicyclomine, pharmacological evaluation of JO 1870, treatment, urinary bladder incontinence (rats), 1152
- Diet, high-protein meal, reduced glomerular hypertrophy, SMS 201-995 (rats), 505
- Dieter, J. P., *see* Knezevic, I., 947
- Digoxin, alteration of hepatobiliary clearance, long-term diabetes (rats), 1337
- Dihydropyridine, action of Bay K-8644, dif-
- ferent solvents, calcium channel currents, 966
- 2,3-Dihydroxy-6-nitro-7-sulfamoylbenzo(f)quinoxaline, relief of spasticity, anxiolytic/anticonvulsant actions (rats, mice), 742
- L-3,4-Dihydroxyphenylalanine, therapy in Parkinsonian patient, increased urinary morphine, codeine and tetrahydropapaveroline (humans), 974
- Diltiazem, glycolysis and oxidative metabolism, ischemic and ischemic/reperfused heart (rats), 1220
- Dipeptides, H⁺-coupled active transport of bestatin, intestinal brush-border membranes (rabbits), 482
- Dipeptidyl(amino)peptidase IV, aminopeptidase M and, metabolism of circulating substance P (rats), 1257
- DiPippo, V. A., *see* Stier, C. T., Jr., 1410
- Diprenorphine, naloxone-prolonged action potential, antagonism of opioid inhibition, ganglioside GM1 (mice), 182
- Discriminative stimulus, properties of eltoprazine (rats), 1045
- Di-T-butylphenol, anti-inflammatory activity of BF389, arthritis model (rats), 300
- Diuretics
ICI 207,828, renal and hypertensive effects (rats), 450
pharmacological profile of HS-142-1, inhibition, natriuretic peptides (rats), 825
- Dizocilpine, *see* MK-801
- DNA, adduct levels, acetylator status, Syrian inbred hamsters, 865
- Dong, M. K., Scott, M. E., Schrier, D. J., Suto, M. J., Sircar, J. C., Black, A., Chang, T. and Gilbertsen, R. B.: The biochemistry and pharmacology of PD 116124 (8-amino-2'-nordeoxyguanosine), an inhibitor of purine nucleoside phosphorylase (PNP), 319
- L-Dopa, L-3,4-dihydroxyphenylalanine therapy, urinary morphine, Parkinson's disease (humans), 974
- Dopamine
behavioral disinhibition and depression, risperidone, ocarbidone and haloperidol (rats), 160
- D₂ agonists N-0923 and N-0924, complex prejunctional actions, tail artery (rats), 568
- interference with stimulated synthesis, 5-HT₂ receptor antagonists (rats), 872
- levels and release in striatum, environmental temperature, methamphetamine (rats), 817
- neuromodulatory effects, atrial natriuretic peptides, inhibition of adenylyl cyclase, 689
- neurotoxicity of 1-methyl-4-phenylpyridinium analogs, cultured neurons (mice), 1400
- Dosaka, K., *see* Long, J. B., 1425
- Doxorubicin, DAT-582 as antiemetic agent (ferrets, dogs), 1159
- Drewett, J. G., Ziegler, R. J. and Trachte, G. J.: Neuromodulatory effects of atrial natriuretic peptides correlate with an inhibition of adenylyl cyclase but not an activation of guanylyl cyclase, 689
- Drieze, J., *see* Mello, N. K., 1185
- Dubois, A., *see* Shea-Donohue, T., 1023
- Duckles, S. P., *see* Buchholz, J., 722
- Duckles, S. P., *see* Friedman, D. J., 568
- Durieux, C., *see* Branchereau, P., 1433
- Dwyer, T. M., *see* Shieh, C.-C., 261
- Dykstra, L. A., *see* Craft, R. M., 327, 334
- Echizen, H., *see* Kroemer, H. K., 1052
- Eckman, D. M., *see* Keef, K. D., 592
- Edwards, R. M., Aiyar, N., Ohlstein, E. H., Weidley, E. F., Griffin, E., Ezekiel, M., Keenan, R. M., Ruffolo, R. R. and Weinstock, J.: Pharmacological characterization of the nonpeptide angiotensin II receptor antagonist, SK&F 108566, 175
- Edwards, R. M., Stack, E. J., Weidley, E. F., Aiyar, N., Keenan, R. M., Hill, D. T. and Weinstock, J.: Characterization of renal angiotensin II receptors using subtype selective antagonists, 933
- Eichberg, J., *see* Vyas, S. J., 134
- Eichelbaum, M., *see* Kroemer, H. K., 1052
- Eicosanoids
cytochrome P450-derived arachidonate metabolites, cyclooxygenase dependency, renovascular actions (rabbits), 104
multiple actions of SC-41930 (humans), 187
- Elastase, inhibitor SR 26831, biochemical and pharmacological activities (humans), 809
- Electroencephalography, pharmacodynamic interaction, midazolam, flumazenil (rats), 36
- Electrophysiology
actions of UD-CG 212 Cl, myocardium (guinea pigs), 58
depressant effects of ethanol, genetic covariation, selected lines of rats, 879
effects of ethanol, noradrenergic circuitry (rats), 887
- Elfarra, A. A., *see* Sausen, P. J., 393
- Elhawary, A. M., Pettinger, W. A. and Wolff, D. W.: Subtype-selective α - β -1 adrenoceptor alkylation in the rat kidney and its effect on the vascular pressor response, 709
- Eltoprazine, discriminative stimulus properties (rats), 1045
- Embolism, cerebral, brain regional energy metabolism, naftidrofuryl oxalate effects (rats), 1058
- Emesis, mechanisms of vomiting, serotonin-3 receptor agonists (cats), 509
- Emmett-Oglesby, M. W., *see* Ayesta, F. J., 168
- Emphysema, elastase inhibitor SR 26831, biochemical and pharmacological activities (humans), 809
- Enalapril, antiproteinuric action, urinary prostaglandins, stroke-prone SHR rats, 1410
- β -Endorphin, -induced tail flick inhibition, antagonism by cholecystokinin (mice), 1086
- Endothelial cells, removal, histamine receptors, pulmonary arterial muscle (humans), 762
- Endothelin-1
acetylated, constrictor, lung vasculature (guinea pigs), 632
amplification of α adrenergic vaso-

- constriction, mesenteric artery and vein (dogs), 1119
- cardiac responses and binding sites, normal and cardiomyopathic hamsters, 1314
- facilitation of effects, sympathetic nervous system, venous tone (rats), 45
- gallbladder smooth muscle (guinea pigs), 549
- Endothelium**
- attenuation of dysfunction, organic nitric oxide donors, ischemia-reperfusion (cats), 668
 - dependent nonadrenergic/noncholinergic neural relaxation, pulmonary artery (guinea pigs), 541
 - purinergic relaxation and hyperpolarization, coronary artery (guinea pigs, rabbits), 592
 - reduction of coronary vascular injury, ischemia reperfusion, pentoxifylline (dogs), 1250
 - vasorelaxant activity, A₁-selective adenosine agonist, coronary artery (pigs), 437
- Endothelium-derived relaxing factor inhibitor N^G-monomethyl L-arginine, interaction of non-arginine compounds (rats), 676**
- nitric oxide synthesis antagonists, nerve-mediated relaxations, longitudinal muscle in ileum (guinea pigs), 140
- renal vascular action of adenosine (dogs), 1262
- Endotoxin, anaphylactic shock and, beneficial effects, TCV-309 (humans, rats, rabbits), 748**
- Epilepsy, fluoxetine effects on convulsions, brain serotonin (rats), 533**
- Erhardt, J., see Siegfried, M. R., 668**
- Esophagus, sphincter muscle, chronic ethanol feeding, muscarinic receptor up-regulation (cats), 601**
- Ethacrynic acid, lithium clearance, diluting segment reabsorption (humans), 768**
- Ethanol**
- chronic, gonadotropin gene expression (rats), 463
 - development of acute neuronal tolerance, genetic covariation, selected lines of rats, 879
 - electrophysiological effects, noradrenergic circuitry (rats), 887
 - muscarinic receptor up-regulation, lower esophageal sphincter muscle (cats), 601
 - transesterification of cocaine, enzymatic basis (mice), 939
 - withdrawal seizures, comparisons, ADCI and structural analogs (mice), 1017
- Ethylketazocine, agonist and antagonist properties, kappa opioids (monkeys), 327**
- Evans, T. W., see Liu, S. F., 541**
- Evans, W. E., Rodman, J. H., Relling, M. V., Petros, W. P., Stewart, C. F., Pui, C.-H. and Rivera, G. K.: Differences in teniposide disposition and pharmacodynamics in patients with newly diagnosed and relapsed acute lymphocytic leukemia, 71**
- Exocytosis, 5-HT_{1B} receptor characterization, spinal cord (rats), 614**
- Eye, new class of hypotensive agents, nitro-vasodilators (rabbits), 956**
- Ezekiel, M., see Edwards, R. M., 175**
- Faber, J. J., see Binder, N. D., 294**
- Fab fragments**
- colchicine-specific (rabbits), 1214
 - drug-specific antibody, reversal, desipramine toxicity (rats), 1392
- Fadayel, G. M., see Kehne, J. H., 78**
- Faick, J. R., see Carroll, M. A., 104**
- Fargeas, M. J., see Martinez, J., 1067**
- Farley, J. M., see Saunders, H.-M. H., 1038**
- Farley, J. M., see Shieh, C.-C., 261**
- Farmer, S. C., see Mattia, A., 518**
- Fatty acids, glycolysis and oxidative metabolism, effects of diltiazem, ischemic/reperfused heart (rats), 1220**
- Fauq, A., see Casalotti, S. O., 21**
- Fenfluramine, acoustic and tactile startle reflexes (rats), 78**
- D-Fenfluramine, adrenal catecholamine-releasing and hyperglycemic effects, central 5-HT₂ receptors (rats), 1008**
- Fenoldopam**
- acute and subacute nephrotoxicity, amphotericin B (dogs), 269
 - 5-HT receptor activity, tracheal smooth muscle (dogs), 491
- Fentanyl, chronic treatment, naltrexone-induced supersensitivity, upregulation (rats), 168**
- Fenu, S., see Morelli, M., 402**
- Ferguson, R. J., see Flammang, T. J., 865**
- Fernandes, M. H., see Soares-Da-Silva, P., 902**
- Fetus, cocaine and metabolite concentrations, maternal administration (guinea pigs), 587**
- Fielding, S., see Hubbard, J. W., 1268**
- Fields, J. Z., see Keshavarzian, A., 601**
- Fischer, V., Vogels, B., Maurer, G. and Tynes, R.: The antipsychotic clozapine is metabolized by the polymorphic human microsomal and recombinant cytochrome P450 2D6, 1355**
- Fitzpatrick, F. A., see Malcolm, K. C., 1244**
- FK506**
- cyclosporine and, inhibition, mast cell cytokine production (mice), 680
 - effects upon murine coxsackievirus B3 myocarditis, 1386
- Flammang, T. J., Yerokun, T., Bryant, M. S., Couch, L. H., Kirlin, W. G., Lee, K. J., Ogolla, F., Ferguson, R. J., Talaska, G. and Hein, D. W.: Hemoglobin adduct and hepatic- and urinary bladder-DNA adduct levels in rapid and slow acetylator Syrian inbred hamsters administered 2-aminofluorene, 865**
- Fleisch, J. H., see Wong, W.-S. F., 714**
- Fleming, L. M., Ponjee, G. and Childers, S. R.: Inhibition of protein phosphorylation by opioid-inhibited adenylyl cyclase in rat brain membranes, 1416**
- Floreani, M. and Carpenedo, F.: The catecholamine-mediated positive inotropic effect of simple quinones is related to superoxide anion generation, 468**
- Flumazenil, midazolam and, pharmacodynamic interaction (rats), 16**
- Flunarizine, time-dependent protective effects, anoxia- and hypoxia-induced proximal tubule injury (rats), 526**
- Fluoxetine, effect on convulsions, brain se-**
- rotinin, microdialysis in genetically epilepsy-prone rats, 533
- FMLP, thromboxane A₂ and bronchoconstriction, platelet sequestration, lung (guinea pigs), 832**
- Foreman, M. M., Fuller, R. W., Nelson, D. L., Calligaro, D. O., Kurz, K. D., Misner, J. W., Garbrecht, W. L. and Parli, C. J.: Preclinical studies on LY237733, a potent and selective serotonin antagonist, 51**
- Forster, A.-M. L., see Hubbard, J. W., 1268**
- Forster, H. V., see Hubbard, J. W., 1268**
- Forster, M. A., see Hubbard, J. W., 1268**
- Foster, S., see Lee, R. W., 349**
- Frank, J. D., see Jackson, C. V., 64**
- Frehel, D., see Herbert, J. M., 809**
- Fretland, D. J., see Villani-Price, D., 187**
- Frey, B. M., see Ulrich, B., 487**
- Frey, F. J., see Ulrich, B., 487**
- Friderichs, E., see Raffa, R. B., 275**
- Friedman, D., see Buchholz, J., 722**
- Friedman, D. J., Krause, D. N. and Duckles, S. P.: Complex prejunctional actions of the D₂ dopamine agonists N-0923 and N-0924 in the rat tail artery, 568**
- Fritsch, G., see Brändle, E., 734**
- Fujimoto, K., see Yamada, T., 313**
- Fujimoto, T., see Yamada, T., 313**
- Fujino, K., see Westfall, M. V., 58**
- Fukata, J., see Murakami, N., 1344**
- Fukuda, S., Moroika, M., Tanaka, T. and Shimoji, K.: Prostaglandin E₁-induced vasoconstriction in porcine coronary arteries, 1128**
- Fukushima, S., see Matsubara, K., 974**
- Fuller, R. W., see Foreman, M. M., 51**
- Fung, H.-L., see Chung, S.-J., 652**
- Furosemide, lithium clearance, diluting segment reabsorption (humans), 768**
- Furukawa, T., see Katsuragi, T., 1309**
- Gaginella, T. S., see Moummi, C., 549**
- Gaginella, T. S., see Villani-Price, D., 187**
- Gaginella, T. S., see Yamada, T., 313**
- Gall, D. G., see MacNaughton, W. K., 773**
- Gallbladder, smooth muscle, effect of endothelin-1 (guinea pigs), 549**
- Galli, T., see Serval, V., 1095**
- Galligan, J. J., see Osthaus, L. E., 140**
- Galligan, J. J.: Differential inhibition of cholinergic and noncholinergic neuromuscular contractions by 5-hydroxytryptamine_{1A} receptor agonists in guinea pig ileum, 306**
- Ganglioside, GM1, naloxone-prolonged action potential, antagonism of opioid inhibition (mice), 182**
- Garbrecht, W. L., see Foreman, M. M., 51**
- Garcia, M. P., see Carroll, M. A., 104**
- Garneau, M., see Bolger, G. T., 1314**
- Garrone, B., see Raiteri, M., 238**
- Gastric emptying**
- effects of U-68,215, systemic blood pressure (primates), 1023
 - gastrointestinal motor alterations, precipitated benzodiazepine withdrawal (rats), 1067
- Geller, H. M., see Saporito, M. S., 1400**
- Gene**
- covariation, ethanol, acute neuronal tolerance (rats), 879
 - gonadotropin, chronic ethanol diet (rats), 463
 - therapy, antagonist activity, angiotensin I analogs (rats), 223

- Gentamicin, nephrotoxicity, age dependence (rats), 444
- Gillard, V., *see* Martino, R., 1133
- Gilbertsen, R. B., *see* Dong, M. K., 319
- Giles, R. E., *see* Kau, S. T., 450
- Glamkowski, E. J., *see* Hubbard, J. W., 1268
- Glomeruli, characterization of renal angiotensin II receptors, subtype selective antagonists (rats), 933
- Glowinski, J., *see* Serval, V., 1095
- Glucocorticoid -induced secondary adrenocortical insufficiency, interleukin 1 β , lysine vasopressin (rats), 1344
- Glucose
brain regional energy metabolism, cerebral embolism, effects of naftidrofuryl oxalate effects (rats), 1058
catecholamine-releasing and hyperglycemic effects, central 5-HT₂ receptors, D-fenfluramine (rats), 1008
glycolysis and oxidative metabolism, effects of diltiazem, ischemic/reperfused heart (rats), 1220
- Glutamate
N-acylated analogs, inhibition, *N*-acetyl-L-aspartyl-L-glutamate catabolism, 1093
dopamine levels and release in striatum, environmental temperature, methamphetamine (rats), 817
neuroprotective effects, ifenprodil and SL-82,0715, hippocampal cells (rats), 925
- Glutathione
conjugation of four 2-bromo-3-methylvaleric acid stereoisomers, chiral inversion (rats), 1349
melphalan conjugation, direct measurement, human melanoma cells and mammalian liver, 1331
- Glutathione S-transferases, conversion of nitroglycerin to nitric oxide, coronary artery smooth muscle (cattle), 652
- Glyburide
diazoxide and, ATP-sensitive K⁺ channels, hypertrophied ventricular myocytes (rats), 254
vasorelaxant activity, A₁-selective adenosine agonist, coronary artery (pigs), 437
- Goda, Y., *see* Yoshioka, M., 917
- Godai, K., *see* Uemasu, J., 505
- Goldman, D. W., *see* Bathon, J. M., 384
- Goldman, S., *see* Lee, R. W., 349
- Gonadotropin, gene expression, chronic ethanol diet (rats), 463
- Gordon, J. H., *see* Keshavarzian, A., 601
- Gorenne, I., *see* Ortiz, J. L., 762
- Gourde, P., *see* Beauchamp, D., 444
- G-proteins
insulin-secreting cell line RINm5F, alpha-2D adrenoceptor, idazoxan-binding sites, 417
mechanism of inhibitory effects, azelastine, smooth muscle contraction (guinea pigs), 1300
receptor-coupled, contraction and Ca⁺⁺ mobilization, intestinal muscle cells (guinea pigs), 90
- Granholm, A.-C. E., *see* Palmer, M. R., 887
- Grant, K. A., Snell, L. D., Rogawski, M. A., Thurkauf, A. and Tabakoff, B.: Comparison of the effects of the uncompetitive NMDA antagonist ADCI with its structural analogs dizocilpine (MK-801) and carbamazepine on ethanol withdrawal seizures, 10, 17
- Gretler, D. D., Jones, K. C. and Murphy, M. B.: 5-Hydroxytryptamine receptor activity of the dopamine receptor agonist fenoldopam in canine tracheal smooth muscle, 491
- Greven, J., *see* Brändle, E., 734
- Grider, J. R., *see* Murthy, K. S., 90
- Griffin, E., *see* Edwards, R. M., 175
- Griffiths, D. A., Hall, S. D. and Sokol, P. P.: Effect of 3'-azido-3'-deoxythymidine (AZT) on organic ion transport in rat renal brush border membrane vesicles, 128
- Griffiths, R. R., Sannerud, C. A., Ator, N. A. and Brady, J. V.: Zolpidem behavioral pharmacology in baboons: Self-injection, discrimination, tolerance and withdrawal, 1199
- Grisham, M. B., *see* Yamada, T., 313
- Gros, C., *see* Souque, A., 1373
- Grouhel, A., *see* Soulard C., 1152
- Guanosine, PD 116124, biochemistry and pharmacology (humans), 319
- Guanylate, captopril and ANP, renal hemodynamics, heart failure (rats), 349
- Guanylate cyclase
new class of ocular hypotensive agents, nitrovasodilators (rabbits), 956
smooth muscle relaxation, exposure to catecholamines, sodium nitroprusside and atropine (rats), 756
- Guenther, T. M., Whalen, R. and Jevtic-Todorovic, V.: Direct measurement of melphalan conjugation with glutathione: Studies with human melanoma cells and mammalian liver, 1331
- Gullikson, G. W., *see* Moummi, C., 549
- Gunn, S. H., *see* Chaoulloff, F., 1008
- Hagelin, E. M., *see* Stokke, M., 1366
- Hahn, R. A., MacDonald, B. R., Morgan, E., Potts, B. D., Parli, C. J., Rinkema, L. E., Whitesitt, C. A. and Marshall, W. S.: Evaluation of LY203647 on cardiovascular leukotriene D₄ receptors and myocardial reperfusion injury, 979
- Haile, Y., *see* Stokke, M., 1366
- Hall, S. D., *see* Griffiths, D. A., 128
- Haloperidol
high-affinity dextromethorphan, 3-(3-hydroxyphenyl)-N-(1-propyl)piperidine binding sites, ropizine allosteric effects (rats), 990
pharmacological profile, R 79 598 (rats, dogs), 146
risperidone and ocpaperidone, behavioral disinhibition, depression (rats), 160
- Halterman, T. J., *see* Kau, S. T., 450
- Hamel, E., *see* Dauphin, F., 660
- Hamer, R. R. L., *see* Hubbard, J. W., 1268
- Han, B.-J., *see* Shaffer, J. E., 286
- Hanano, M., *see* Matsushita, H., 499
- Handelsman, L., *see* Kanof, P. D., 355
- Harlan, J. T., *see* Palmer, M. R., 879
- Harrington, M. D., *see* Dalton, J. T., 608
- Hasenkam, J. M., *see* Nielsen, H., 637
- Hatfield, S. M. and Roehm, N. W.: Cyclosporine and FK506 inhibition of murine mast cell cytokine production, 680
- Heart
cardioprotection and attenuation of endothelial dysfunction, organic nitric oxide donors, ischemia-reperfusion (cats), 668
evaluation of N-0861, A₁ subtype-selective adenosine receptor antagonist (guinea pigs), 1292
failure, captopril and ANP, renal hemodynamics (rats), 349
inhibition of nitrendipine binding to cardiac membranes, amiloride and quinacrine (rats), 1366
ischemic/reperfused, effects of diltiazem, glycolysis and oxidative metabolism (rats), 1220
responses and binding sites for endothelin, normal and cardiomyopathic hamsters, 1314
ventricular muscle, stimulant effects, muscarinic agonists (chicks), 1323
- Heidemann, H., *see* Kroemer, H. K., 1052
- Heikkila, R. E., *see* Saporito, M. S., 1400
- Hein, D. W., *see* Flammang, T. J., 865
- Hemoglobin, adduct and hepatic- and urinary bladder-DNA adduct levels, acetylator status, 2-aminofluorene (hamsters), 865
- Henrion, D., Chillon, J.-M., Capdeville-Atkinson, C. and Atkinson, J.: Effect of chronic treatment with the calcium entry blocker, isradipine, on vascular calcium overload produced by vitamin D₃ and nicotine in rats, 1
- Herber, R., *see* Magdalou, J., 1166
- Herbert, J. M., Frehel, D., Rosso, M. P., Seban, E., Castet, C., Pepin, O., Maffrand, J. P. and Le Fur, G.: Biochemical and pharmacological activities of SR 26831, a potent and selective elastase inhibitor, 809
- Heroin, 6-acetylmorphine and morphine effects, threshold for rewarding, aversive brain stimulation (rats), 562
- Herz, A., *see* Ayesta, F. J., 168
- Hexamethonium, facilitation of endothelin-1 effects, venous tone, sympathetic nervous system (rats), 45
- Hill, D. T., *see* Edwards, R. M., 933
- Hippocampus
cholecystokinin release, activation, D₁ dopamine receptor (rats), 343
electrophysiological effects of ethanol, noradrenergic circuitry (rats), 887
norepinephrine release, N-methyl-D-aspartate and non-NMDA receptors (rats), 232, 238
regulation of 5-HT_{1A} receptor function, agonists, antidepressants (rats), 16
- Hiraoka, Y., Kishimoto, C., Kurokawa, M., Ochiai, H. and Sasayama, S.: The effects of FK-506, a novel and potent immunosuppressant, upon murine coxsackievirus B3 myocarditis, 1386
- Histamine, basophil release modulation, protein kinase C inhibitors, secretagogue (humans), 1028
- HL-60 cells, multiple actions of SC-41930 (humans), 187
- Hofbauer, K., *see* Humke, U., 29
- Hoffman, B. B., *see* Hu, Z.-W., 756
- Holson, R. R., *see* Bowyer, J. F., 817
- Hom, J. T., *see* Bendele, A. M., 300
- Honda, K., *see* Hu, Z.-W., 756
- Honore, T., *see* Turski, L., 742
- Horan, P., Taylor, J., Yamamura, H. I. and Porreca, F.: Extremely long-lasting

- antagonistic actions of nor-binaltropamine (nor-BN) in the mouse tail-flick test, 1237
- Hori, R., *see* Inui, K.-I., 482
- Horiguchi, T., *see* Miyake, K., 1058
- Horwitz, L. D., *see* Dauber, I. M., 1250
- Howe, B. B., *see* Kau, S. T., 450
- HP 736, cardiorespiratory effects, anesthetized dog, conscious goat, 1268
- HS-142-1, pharmacological profile, natriuretic peptides (rats), 825
- Hu, Z.-W., Honda, K., Murad, F. and Hoffman, B. B.: Prolonged exposure to catecholamines enhances sensitivity of smooth muscle relaxation induced by sodium nitroprusside and atriopeptin, 756
- Huang, K.-X. and Walters, J. R.: D_1 receptor stimulation inhibits dopamine cell activity after reserpine treatment but not after chronic SCH 23390: An effect by N-methyl-D-aspartate antagonists, 409
- Hubbard, J. W., Locke, K. W., Forster, H. V., Brice, A. G., Pan, L. G., Lowry, T. F., Forster, A.-M. L., Forster, M. A., Cornfeldt, M., Vanselous, C. L., Hamer, R. R. L., Glamkowski, E. J. and Fielding, S.: Cardiorespiratory effects of the novel opioid analgesic HP 736 in the anesthetized dog and conscious goat, 1268
- Hubner, C. B. and Kornetsky, C.: Heroin, 6-acetylmorphine and morphine effects on threshold for rewarding and aversive brain stimulation, 562
- Huhtaniemi, I., *see* Salonen, I., 463
- Huizinga, J. D., Tomlinson, J. and Pintn Quezada, J.: Involvement of nitric oxide in nerve-mediated inhibition and action of vasoactive intestinal peptide in colonic smooth muscle, 803
- Humke, U., Levens, N., Wood, J. and Hofbauer, K.: The acute renal actions of angiotensin converting enzyme inhibitors in the sodium-depleted conscious primate are mediated by inhibition of the renin-angiotensin system, 29
- Humphreys, T. M., *see* Sorensen, S. M., 872
- Hydralazine, new class of ocular hypotensive agents, nitrovasodilators (rabbits), 956
- 5-Hydroxydecanoate, blockade of ATP-sensitive K^+ channel, ventricular myocytes (guinea pig), 702
- 8-Hydroxy-2-(di-n-propylamino)tetralin, -induced increases in punished responding, antagonism studies, BMY-7378 and NAN-190 (pigeons), 474
- 6-Hydroxydopamine, model of turning, opposite effects, NMDA receptor blockade (rats), 402
- 5-Hydroxyindoleacetic acid, fluoxetine effects on convulsions, brain serotonin, genetically epilepsy-prone rats, 533
- 3-(3-Hydroxyphenyl)-N-(1-propyl)piperidine, binding sites in brain, ropizpine allosteric effects (rats), 990
- 5-Hydroxytryptamine, -induced apnea, pharmacological characterization (rats), 917
- Hyperglycemia, catecholamine release, central 5-HT₂ receptors, D-fenfluramine (rats), 1008
- Hypersensitivity, delayed chronic morphine administration, cell-mediated immune responses (swine), 581
- ketocconazole-prednisolone interaction, pharmacokinetics, pharmacodynamics (mice), 487
- Hypertension antagonist activity of angiotensin I analogs (rats), 223
- captopril effects, placental blood flow, uterine oxygen consumption (rabbits), 294
- characterization of brain imidazoline receptors (rats), 1000
- effects of ICI 207,828 (rats), 450
- Hypnotics, zolpidem behavioral pharmacology (baboons), 1199
- Hypotension, reversal of desipramine toxicity, drug-specific antibody Fab' fragment (rats), 1392
- Hypothermia, pharmacological profile, bicyclic cannabinoid analogs, 201
- Hypoxia, -induced proximal tubule injury, time-dependent protective effects, calcium channel blockers (rats), 526
- ICI 207,828 evaluation of renal site of action (rats), 458
- renal and hypertensive effects (rats), 450
- Idazoxan binding sites, α -2D adrenoceptor, RINm5F cells, 417
- characterization of brain imidazoline receptors, normotensive and hypertensive rats, 1000
- Ifenprodil binding site in brain, pharmacological characterization, 896
- neuroprotective effects, hippocampal cells in culture (rats), 925
- Ifosfamide, metabolism, human body fluids, ³¹P nuclear magnetic resonance spectroscopy, 1133
- Iga, T., *see* Matsushita, H., 499
- Ileum inhibition, cholinergic and noncholinergic neurogenic contractions, 5-HT_{1A} receptor antagonists (guinea pigs), 306
- longitudinal muscle
- nitric oxide synthesis antagonists, ileum (guinea pigs), 140
 - postjunctional ATP release, muscarinic receptors (guinea pigs), 1309
 - noradrenergic innervation, β -adrenoceptors (guinea pigs), 192
- Im, W. B., *see* Quandt, F. N., 1379
- Im, W. B., *see* Zhu, Y., 110
- Imidazoline, characterization of brain receptors, normotensive and hypertensive rats, 1000
- Immune response, cell-mediated, chronic morphine administration (swine), 581
- Imura, H., *see* Murakami, N., 1344
- Imura, Y., *see* Terashita, Z.-I., 748
- Inosine, PD 116124, biochemistry and pharmacology (humans), 319
- Inositol 1,4,5-trisphosphate -induced aggregation, saponin-permeabilized platelets (humans), 947
- receptor-coupled G-proteins, calcium mobilization, intestinal muscle cells (guinea pigs), 90
- Inositol phosphate, calcium influx, melittin and mastoparan, PC12 cells (rats), 369
- Insulin, -secreting cell line RINm5F, α -2D adrenoceptor, idazoxan-binding sites, 417
- Interleukin 1, upregulation of receptor number, kinin receptors, human synovial cells, 384
- Interleukin 1 β , combination with lysine vasopressin, glucocorticoid-induced secondary adrenocortical insufficiency (rats), 1344
- Interleukins, cyclosporine and FK506 inhibition, mast cell cytokine production (mice), 680
- Intestine brush-border membranes, H⁺-coupled active transport, bestatin (rabbits), 482
- gastrointestinal motor alterations, precipitated benzodiazepine withdrawal (rats), 1067
- muscle cells, receptor-coupled G-proteins, calcium mobilization (guinea pigs), 90
- Inui, K.-I., Tomita, Y., Katsura, T., Okano, T., Takano, M. and Hori, R.: H⁺ coupled active transport of bestatin via the dipeptide transport system in rabbit intestinal brush-border membranes, 482
- [¹²⁵I]Iodocyanopindolol, binding and inhibition of [³H]-5-HT release, 5-HT_{1B} receptor characterization, spinal cord (rats), 614
- Ischemia brief transient, long-term norepinephrine depletion, kidney (rats), 902
- myocardial reperfusion injury, LY203647 evaluation, leukotriene D₄ receptors (dogs, rats, guinea pigs), 979
- Isothiocyanate, irreversible affinity ligand, phencyclidine recognition site, NMDA-type glutamate receptors (cattle), 21
- Isradipine, chronic treatment, calcium overload, vitamin D₃ and nicotine (rats), 1
- Ito, T., *see* Yoshida, N., 1159
- Jackson, C. V., Frank, J. D., Craft, T. J., Sundboom, J. L. and Smith, G. F.: Comparison of the thrombolytic activity of the novel plasminogen activator, LY210825, to anisoylated plasminogen-streptokinase activator complex in a canine model of coronary artery thrombolysis, 64
- Jackson, E. K.: *In vivo* evaluation of the antagonist activity of angiotensin I analogs, 223
- Jacobsen, P., *see* Turski, L., 742
- Janssen, P. A. J., *see* Megens, A. A. H. P., 146
- Jaramillo, J., *see* Bolger, G. T., 1314
- Jarusiripat, C., Chan, L., Shapiro, J. I. and Schrier, R. W.: Effect of long-acting calcium entry blocker (anipamil) on blood pressure, renal function and survival of uremic rats, 243
- Jevtović-Todorović, V., *see* Guenthner, T. M., 1331
- JO 1870, pharmacological evaluation, treatment, urinary bladder incontinence (rats), 1152
- Jobe, P. C., *see* Dailey, J. W., 533
- Johnson, D. E., *see* Kannan, M. S., 1180

- Johnson, M. R., *see* Compton, D. R., 201
 Johnston, P. A., *see* Kau, S. T., 450
 Johnston, P. A. and Kau, S. T.: Evaluation of the renal site of action of a novel, eukalemic diuretic, ICI 207,828, 458
 Jones, D. J., *see* Matsumoto, I., 614
 Jones, K. C., *see* Gretler, D. D., 491
 Jones, L. F. and Brody, M. J.: Coronary blood flow in rats is dependent on the release of vascular nitric oxide, 627
 Jung, C. Y., *see* Chung, S.-J., 652
 Junien, J. L., *see* Soulard C., 1152
 Kachur, J. F., *see* Villani-Price, D., 187
 Kamien, J. B., *see* Mello, N. K., 1185
 Kandasamy, A., *see* Shea-Donohue, T., 1023
 Kannan, M. S. and Johnson, D. E.: Functional innervation of pig tracheal smooth muscle: Neural and Non-neural mechanisms of relaxation, 1180
 Kanof, P. D., Handelman, L., Aronson, M. J., Ness, R., Cochrane, K. J. and Rubinstein, K. J.: Clinical characteristics of naloxone-precipitated withdrawal in human opioid-dependent subjects, 355
 Katsura, T., *see* Inui, K.-I., 482
 Katsuragi, T., Soejima, O., Tokunaga, T. and Furukawa, T.: Evidence for post-junctional release of ATP evoked by stimulation of muscarinic receptors in ileal longitudinal muscles of guinea pig, 1309
 Katz, J. L., *see* Cline, E. J., 1174
 Kau, S. T., Howe, B. B., Johnston, P. A., Li, J. H.-Y., Halterman, T. J., Zuzack, J. S., Leszczynska, K., Yochim, C. L., Schwartz, J. A. and Giles, R. E.: Renal and antihypertensive effects of a novel eukalemic diuretic, ICI 207,828, 450
 Kau, S. T., *see* Johnston, P. A., 458
 Kawaguchi, Y., *see* Matsushita, H., 499
 Kawamura, M., *see* Terashita, Z.-I., 748
 Kawasaki, H., *see* Uemasu, J., 505
 Keef, K. D., Pasco, J. S. and Eckman, D. M.: Purinergic relaxation and hyperpolarization in guinea pig and rabbit coronary artery: Role of the endothelium, 592
 Keenan, R. M., *see* Edwards, R. M., 175, 933
 Kehne, J. H., McCloskey, T. C., Taylor, V. L., Black, C. K., Fadayel, G. M. and Schmidt, C. J.: Effects of the serotonin releasers 3,4-methylenedioxymethamphetamine (MDMA), 4-chloroamphetamine (PCA) and fenfluramine on acoustic and tactile startle reflexes in rats, 78
 Keith, R. H., *see* Villani-Price, D., 187
 Keshavarzian, A., Gordon, J. H., Willson, C., Urban, G. and Fields, J. Z.: Chronic ethanol feeding produces a muscarinic receptor up-regulation, but not a muscarinic supersensitivity in lower esophageal sphincter muscle, 601
 Ketamine, sensory perception, *N*-methyl-D-aspartic acid channels (humans), 1209
 Ketoconazole, -prednisolone interaction, pharmacokinetics, pharmacodynamics (mice), 487
 Keyler, D. E., *see* Brunn, G. J., 1392
 Kidney acute renal actions, angiotensin converting enzyme inhibitors (marmosets), 29
 anoxia- and hypoxia-induced proximal tubule injury, time-dependent protective effects, calcium channel blockers (rats), 526
 benzylpenicillin effect, disposition of cefodizime (rats), 499
 brief transient ischemia, long-term nor-epinephrine depletion (rats), 902
 brush border membrane vesicles, organic ion transport, 3'-azido-3'-deoxythymidine (rats), 128
 characterization of angiotensin II receptors, subtype selective antagonists (rats), 933
 chemically induced damage, protection, methimazole (rats), 393
 evaluation of ICI 207,828 (rats), 458
 gentamicin nephrotoxicity, age dependence (rats), 444
 hemodynamics, captopril and ANP, heart failure (rats), 349
 hypertensive effects of ICI 207,828 (rats), 450
 organic cations in proximal tubules, contraluminal transport system, local anesthetic drugs and catecholamines (rats), 734
 reduced glomerular hypertrophy, somatostatin analog SMS 201-995, high-protein meals (rats), 505
 renal cortex, dopamine-induced activation, phospholipase C (rats), 134
 renal function and survival, blood pressure, anipamil effects (rats), 243
 renovascular actions, cytochrome P450-derived arachidonate metabolites, cyclooxygenase dependency (rabbits), 104
 subtype-selective *alpha*-1 adrenoceptor alkylation, vascular pressor response (rats), 709
 sympathetic nerve activity, renal norepinephrine spillover, yohimbine (rabbits), 780
 vascular action of adenosine, role, endothelium-derived relaxing factor (dogs), 1262
 Kinin, characterization of receptors, interleukin 1, human synovial cells, 384
 Kirlin, W. G., *see* Flammang, T. J., 865
 Kishimoto, C., *see* Hiraoka, Y., 1386
 Kitazawa, T., *see* Masuo, M., 1300
 Klein, M. and Musacchio, J. M.: High-affinity dextromethorphan and (+)-3-(3-hydroxyphenyl)-N-(1-propyl)piperidine binding sites in rat brain. Allosteric effects of ropivacaine, 990
 Knezevic, I., Dieter, J. P. and LeBreton, G. C.: Mechanism of Inositol 1,4,5-trisphosphate-induced aggregation in saponin-permeabilized platelets, 947
 Kobayashi, S., *see* Matsubara, K., 974
 Kocan, G., *see* Villani-Price, D., 187
 Koomans, H. A., *see* Beutler, J. J., 768
 Kornetsky, C., *see* Hubner, C. B., 562
 Koster, P. F., *see* Nichols, A. J., 269
 Kozikowski, A. P., *see* Casalotti, S. O., 21
 Kraimer, J. M., *see* Long, J. B., 1425
 Krantz, S., *see* Ma, X.-L., 1229
 Krause, D. N., *see* Friedman, D. J., 568
 Kroemer, H. K., Echizen, H., Heidemann, H. and Eichelbaum, M.: Predictability of the *in vivo* metabolism of verapamil from *in vitro* data: Contribution of individual metabolic pathways and stereoselective aspects, 1052
 Krueger, K. E., *see* Casalotti, S. O., 21
 Kuhar, M. J., *see* Cline, E. J., 1174
 Kurokawa, M., *see* Hiraoka, Y., 1386
 Kurz, K. D., *see* Foreman, M. M., 51
 Kwan, C. Y., *see* Shimamoto, H., 1119
 L 655,240, thromboxane receptors, interspecies differences (rats, guinea pigs), 789
 Labat, C., *see* Ortiz, J. L., 762
 Lamotrigine, *N*-glucuronidation, liver microsomes (humans), 1166
 Lapre, R. W., *see* Merkel, L. A., 437
 La vielle, S., *see* Serval, V., 1095
 LeBreton, G. C., *see* Knezevic, I., 947
 Lee, F. W., *see* Shaffer, J. E., 286
 Lee, K. J., *see* Flammang, T. J., 865
 Lee, R. W., Raya, T. E., Michael, U., Foster, S., Meeks, T. and Goldman, S.: Captopril and ANP: Changes in renal hemodynamics, glomerular-ANP receptors and guanylate cyclase activity in rats with heart failure, 349
 Lee, S. J., *see* Bendele, A. M., 300
 Lee, S. L., *see* Bendele, A. M., 1194
 Lee, T. J.-F., *see* Miao, F. J.-P., 644
 Lefer, A. M., *see* Ma, X.-L., 1229
 Lefer, A. M., *see* Siegfried, M. R., 668
 Lefort, J., *see* Bureau, M. F., 832
 Le Fur, G., *see* Herbert, J. M., 809
 Lerer, B., *see* Newman, M. E., 16
 Lesnfsky, E. J., *see* Dauber, I. M., 1250
 Leszczynska, K., *see* Kau, S. T., 450
 Leukemia, lymphocytic, teniposide disposition, pharmacodynamics (humans), 71
 Leukocytes elastase inhibitor SR 26831, biochemical and pharmacological activities (humans), 809
 mechanisms of cardioprotective actions, WEB-2170, myocardial ischemia (cats), 1229
 reduction of coronary vascular injury, ischemia reperfusion, pentoxifylline (dogs), 1250
 Leukotriene B₄, receptor antagonist SC-41930, multiple actions (humans), 187
 Leukotrienes, phospholipid-derived inflammatory mediators, intestinal anaphylaxis (rats), 773
 Levens, N., *see* Humke, U., 29
 Levine, M., *see* Chang, T., 1441, 1450
 Levine, S., *see* Stier, C. T., Jr., 1410
 Levine, W. G., *see* Zbaida, S., 554
 Li, J. H.-Y., *see* Kau, S. T., 450
 Liard, F., *see* Bolger, G. T., 1314
 Lindstrom, T. D., *see* Bendele, A. M., 300, 1194
 Lipid peroxidation, catecholamine-mediated positive inotropic effect, superoxide anion generation (guinea pigs, rats), 468
 5-Lipoxygenase, phospholipid-derived inflammatory mediators, intestinal anaphylaxis (rats), 773
 Lithium, clearance and diluting segment reabsorption, furosemide, ethacrynic acid and bumetanide (humans), 768

- Liu, S. F., Crawley, D. E., Evans, T. W. and Barnes, P. J.: Endothelium-dependent nonadrenergic, noncholinergic neural relaxation in guinea pig pulmonary artery, 541
- Liver
hepatobiliary clearance, benzylpenicillin effect, disposition of cefodizime (rats), 499
mammalian, melphalan conjugation with glutathione, direct measurement, 1331
- Liver microsomes
carboxylesterases, transesterification of cocaine, presence of ethanol (mice), 939
N-glucuronidation of lamotrigine (humans), 1166
metabolism of antipsychotic clozapine, 1355
predictability of *in vivo* metabolism, verapamil (humans), 1052
role of electronic factors, binding and reduction of azo dyes (rats), 554
selective inhibition of cytochrome P-450, cimetidine (rats), 1441, 1450
- Locke, K. W., *see* Hubbard, J. W., 1268
- Lokhandwala, M. F., *see* Vyas, S. J., 134
- Long, J. B., Rigamonti, D. D., Dosaka, K., Kraimer, J. M. and Martinez-Arizala, A.: Somatostatin causes vasoconstriction, reduces blood flow and increases vascular permeability in the rat central nervous system, 1425
- Lopaschuk, G. D., Barr, R. and Wambolt, R.: Effects of diltiazem on glycolysis and oxidative metabolism in the ischemic and ischemic/reperfused heart, 1220
- Lowry, T. F., *see* Hubbard, J. W., 1268
- Lukas, S. E., *see* Mello, N. K., 1185
- Lung
binding of atrial natriuretic factor, peptidase inhibitors (mice), 1373
elastase inhibitor SR 26831, biochemical and pharmacological activities (humans), 809
5-hydroxytryptamine-induced apnea, pharmacological characterization (rats), 917
parenchymal strips, pharmacological evaluation, A23187-induced contractions (guinea pigs), 714
thromboxane A₂, bronchoconstriction, platelet sequestration (guinea pigs), 832
vasculature, constrictor, acetylated endothelin-1 (guinea pigs), 632
- LY203647, evaluation on cardiovascular leukotriene D₄ receptors, myocardial reperfusion injury (dogs, rats, guinea pigs), 979
- LY210825, comparison of thrombolytic activity, anisolyated plasminogen-streptokinase activator complex (dogs), 64
- LY237733, preclinical studies (rats), 51
- Lymphoblastoid cells, PD 116124, biochemistry and pharmacology (humans), 319
- Lysine, vasopressin and interleukin 1 β , glucocorticoid-induced secondary adrenocortical insufficiency (rats), 1344
- Ma, X.-L., *see* Siegfried, M. R., 668
- Ma, X.-L., Weyrich, A. S., Krantz, S. and Lefer, A. M.: Mechanisms of the cardioprotective actions of WEB-2170, bapafant, a platelet activating factor antagonist, in myocardial ischemia and reperfusion, 1229
- MacDonald, B. R., *see* Hahn, R. A., 979
- MacNaughton, W. K., Catto-Smith, A. G. and Gall, D. G.: A role for phospholipid-derived inflammatory mediators in intestinal anaphylaxis in the rat, 773
- Maffrand, J. P., *see* Herbert, J. M., 809
- Magazine, H. I., Malik, A. B., Bruner, C. A. and Andersen, T. T.: Acetylated endothelin-1 is a constrictor in guinea pig lung vasculature but not in isolated vascular strips, 632
- Magdalou, J., Herber, R., Bidault, R. and Siest, G.: *In vitro* N-glucuronidation of a novel antiepileptic drug, lamotrigine, by human liver microsomes, 1166
- Mahboubi, K., *see* Stier, C. T., Jr., 1410
- Maines, M. D. and Trakshel, G. M.: Tin protoporphyrin: A potent inhibitor of hemoprotein-dependent steroidogenesis in rat adrenals and testes, 909
- Makhoul, G. M., *see* Murthy, K. S., 90
- Malcolm, K. C. and Fitzpatrick, F. A.: Indirect actions of thapsigargin on human platelets: Activation of eicosanoid biosynthesis and cellular signaling pathways, 1244
- Malet-Martino, M.-C., *see* Martino, R., 1133
- Malik, A. B., *see* Magazine, H. I., 632
- Malik, K. U., *see* Nebigil, C., 849
- Mandema, J. W., Tukker, E. and Danhof, M.: *In vivo* characterization of the pharmacodynamic interaction of a benzodiazepine agonist and antagonist: Midazolam and flumazenil, 36
- Manning, D. C., *see* Bathon, J. M., 384
- Marijuana, chronic smoke exposure (monkeys), 210
- Marshall, W. S., *see* Hahn, R. A., 979
- Martel, D. M., *see* Dauber, I. M., 1250
- Martin, B. R., *see* Compton, D. R., 201
- Martinez, J., Fargeas, M. J. and Bueno, L.: Gastrointestinal motor alterations induced by precipitated benzodiazepine withdrawal in rats, 1067
- Martinez-Arizala, A., *see* Long, J. B., 1425
- Martino, R., Crasnier, F., Chouini-Lalanne, N., Gilard, V., Neimeyer, U., de Forni, M. and Malet-Martino, M.-C.: A new approach to the study of ifosfamide metabolism by the analysis of human body fluids with ³¹P nuclear magnetic resonance spectroscopy, 1133
- Mast cells
cytokine production, cyclosporine and FK506 inhibition (mice), 680
lung parenchymal strips, pharmacological evaluation, A23187-induced contractions (guinea pigs), 714
- Mastoparan, melittin and, calcium influx, PC12 cells (rats), 369
- Masui, Y., *see* Murakami, N., 1344
- Masuo, M., Shimada, T. and Kitazawa, T.: Mechanism of inhibitory effects of azelastine on smooth muscle contraction, 1300
- Matsubara, K., Fukushima, S., Akane, A., Kobayashi, S. and Shiono, H.: In-creased urinary morphine, codeine and tetrahydropapaveroline in Parkinsonian patient undergoing L-3,4-dihydroxyphenylalanine therapy: A possible biosynthetic pathway of morphine from L-3,4-dihydroxyphenylalanine in humans, 974
- Matsuda, Y., *see* Sano, T., 825
- Matsumoto, I., Combs, M. R. and Jones, D. J.: Characterization of 5-hydroxytryptamine_{1B} receptors in rat spinal cord via [¹²⁵I]iodocyanopindolol binding and inhibition of [³H]5-hydroxytryptamine release, 614
- Matsumoto, M., *see* Yoshioka, M., 917
- Matsushita, H., Suzuki, H., Sugiyama, Y., Sawada, Y., Iga, T., Kawaguchi, Y. and Hanano, M.: Effect of benzylpenicillin on the disposition of cefodizime in rats: No net effect on total clearance due to decreased hepatobiliary clearance and increased renal clearance, 499
- Matta, S. G. and Sharp, B. M.: The role of the fourth cerebroventricle in nicotine-stimulated prolactin release in the rat: Involvement of catecholamines, 1285
- Mattia, A., Farmer, S. C., Takemori, A. E., Sultana, M., Portoghesi, P. S., Mosberg, H. I., Bowen, W. D. and Porreca, F.: Spinal opioid delta antinociception in the mouse: Mediation by a 5'-NTII-sensitive delta receptor subtype, 518
- Maurer, G., *see* Fischer, V., 1355
- Maurset, A., *see* Øye, I., 1209
- McCloskey, T. C., *see* Kehne, J. H., 78
- McGiff, J. C., *see* Carroll, M. A., 104
- McLean, M. J., *see* Wamil, A. W., 376
- Meeks, T., *see* Lee, R. W., 349
- Meert, T. F., *see* Megens, A. A. H. P., 146
- Mees, E. J. D., *see* Beutler, J. J., 768
- Megens, A. A. H. P., Awouters, F. H. L., Meert, T. F., Schellekens, K. H. L., Niemegeers, C. J. E. and Janssen, P. A. J.: Pharmacological profile of the new potent neuroleptic ocpiperidone (R 79 598), 146
- Megens, A. A. H. P., Niemegeers, C. J. E. and Awouters, F. H. L.: Behavioral disinhibition and depression in amphetamine rats: A comparison of risperidone, ocpiperidone and haloperidol, 160
- Melanoma, melphalan conjugation with glutathione, direct measurement, 1331
- Melittin, mastoparan and, calcium influx, PC12 cells (rats), 369
- Mello, N. K., Lukas, S. E., Kamien, J. B., Mendelson, J. H., Drieze, J. and Cone, E. J.: The effects of chronic buprenorphine treatment on cocaine and food self-administration by Rhesus monkey, 1185
- Melphalan, conjugation with glutathione, direct measurement, human melanoma cells and mammalian liver, 1331
- Meltzer, H. Y., *see* Roth, B. L., 1361
- Melvin, L. S., *see* Compton, D. R., 201
- Mendelson, J. H., *see* Mello, N. K., 1185
- Merkel, L. A., Lappe, R. W., Rivera, L. M., Cox, B. F. and Perrone, M. H.: Demonstration of vasorelaxant activity

- with an A₁-selective adenosine agonist in porcine coronary artery: Involvement of potassium channels, 437
- Metalloporphyrins, hemoprotein-dependent steroidogenesis, inhibition by tin-protoporphyrin (rats), 909
- Methamphetamine, influence of environmental temperature, dopamine levels, striatum (rats), 817
- Methimazole, protection, chemically induced kidney damage (rats), 393
- N*-Methyl-D-aspartate antagonists, D₁ receptor stimulation, reserpine treatment (rats), 409
- neurotransmission in cortex, purinergic inhibitory threshold, NMDA receptor activation (rats), 1278
- receptor antagonists, neuroprotective effects, hippocampal cells (rats), 925
- 3,4-Methylenedioxymethamphetamine, acoustic and tactile startle reflexes (rats), 78
- 1-Methyl-4-phenylpyridinium, analogs, dopaminergic neurotoxicity, cultured neurons (mice), 1400
- Miao, F. J.-P. and Lee, T. J.-F.: Regional variation in acute vascular homologous tachyphylaxis, 644
- Michael, U., *see* Lee, R. W., 349
- Microdialysis, fluoxetine effects on convulsions, brain serotonin, genetically epilepsy-prone rats, 533
- Microfilaments, botulinum C₂ toxin and steroid production, adrenal Y-1 cells, 859
- Microsphere, -induced cerebral embolism, brain regional energy metabolism, naftidrofuryl oxalate effects (rats), 1058
- Micturition, urinary bladder incontinence, pharmacological evaluation, JO 1870 (rats), 1152
- Midazolam, flumazenil and, pharmacodynamic interaction (rats), 36
- Migraine, preclinical studies of LY237733 (rats), 51
- Miller, A. D. and Nonaka, S.: Mechanisms of vomiting induced by serotonin-3 receptor agonists in the cat: Effect of vagotomy, splanchnicectomy or area postrema lesion, 509
- Miller, D. D., *see* Willins, D. L., 1145
- Mirro, R., *see* Armstead, W. M., 1107
- Mishra, P. K., *see* Dailey, J. W., 533
- Misner, J. W., *see* Foreman, M. M., 51
- Misoprostol, acceleration of colonic mucosal repair, acetic acid-induced colitis (rats), 313
- Mitochondria, dopaminergic toxicity, 1-methyl-4-phenylpyridinium analogs, neurons (mice), 1400
- Miura, K., *see* Okumura, M., 1262
- Miyake, K., Taguchi, T., Tanonaka, K., Horiguchi, T., Takagi, N. and Takeo, S.: Beneficial effects of naftidrofuryl oxalate on brain regional energy metabolism after microsphere-induced cerebral embolism, 1058
- MK-801
- action potential firing frequency, central neurons (mice), 376
 - compared to ADCI, ethanol withdrawal seizures (mice), 1017
 - irreversible affinity ligand, phencyclidine recognition site, NMDA-type glutamate receptors (cattle), 21
- Molitor, T. W., Morilla, A., Risdahl, J. M., Murtaugh, M. P., Chao, C. C. and Peterson, P. K.: Chronic morphine administration impairs cell-mediated immune responses in swine, 581
- Monoamine oxidase, long-term norepinephrine depletion, brief transient ischemia (rats), 902
- N*^t-Monomethyl L-arginine, interaction of non-arginine compounds (rats), 676
- Morelli, M., Fenno, S., Pinna, A. and Di Chiara, G.: Opposite effects of NMDA receptor blockade on dopaminergic D₁- and D₂-mediated behavior in the 6-hydroxydopamine model of turning: Relationship with c-fos expression, 402
- Morgan, E., *see* Hahn, R. A., 979
- Morilla, A., *see* Molitor, T. W., 581
- Morin-Surun, M.-P., *see* Branchereau, P., 1433
- Morishita, Y., *see* Sano, T., 825
- Moroika, M., *see* Fukuda, S., 1128
- Morphine
- agonist and antagonist properties and activities, *kappa* opioids (monkeys), 327, 334
 - chronic administration, cell-mediated immune responses (swine), 581
 - heroin and 6-acetylmorphine effects, threshold for rewarding, aversive brain stimulation (rats), 562
 - pharmacological evaluation of JO 1870, treatment, urinary bladder incontinence (rats), 1152
 - urinary, L-3,4-dihydroxyphenylalanine therapy, Parkinson's disease (humans), 974
- Mortensen, F. V., *see* Nielsen, H., 637
- Mos, J., *see* Ybema, C. E., 1045
- Mosberg, H. I., *see* Mattia, A., 518
- Moumami, C., Gullikson, G. W. and Gagnella, T. S.: Effect of endothelin-1 on guinea pig gallbladder smooth muscle *in vitro*, 549
- Mubagwa, K., Vites, A.-M. and Pappano, A. J.: Stimulant effects of muscarinic agonists in embryonic chick ventricular muscle. Are the effects mediated by protein kinase C?, 1323
- Mulder, G. J., *see* Polhuijs, M., 1349
- Mulvany, M. J., *see* Nielsen, H., 637
- Murad, F., *see* Hu, Z.-W., 756
- Murakami, N., Fukata, J., Usui, T., Naito, Y., Tominaga, T., Nakai, Y., Masui, Y., Nakao, K. and Imura H.: Effects of repetitive administration of recombinant human interleukin-1 β , an analog of corticotropin-releasing hormone combined with lysine vasopressin on rats with glucocorticoid-induced secondary adrenocortical insufficiency, 1344
- Murphy, M. B., *see* Gretler, D. D., 491
- Murtaugh, M. P., *see* Molitor, T. W., 581
- Murthy, K. S., Grider, J. R. and Makhlouf, G. M.: Receptor-coupled G proteins mediate contraction and Ca⁺⁺ mobilization in isolated intestinal muscle cells, 90
- Musacchio, J. M., *see* Klein, M., 990
- Muscarinic agonists, stimulant effects, ventricular muscle (chicks), 1323
- Muscle**
- duodenal longitudinal, mechanism of relaxation, potassium and nicotine (dogs), 697
 - ileal longitudinal, postjunctional ATP release, muscarinic receptors (guinea pigs), 1309
 - intestinal, receptor-coupled G-proteins, calcium mobilization (guinea pigs), 90
 - longitudinal, nitric oxide synthesis antagonists, ileum (guinea pigs), 140
 - lower esophageal sphincter, chronic ethanol feeding, muscarinic receptor up-regulation (cats), 601
 - skeletal, chloride conductance, clofibrate acid derivative (rats), 364
 - ventricular, stimulant effects, muscarinic agonists (chicks), 1323
- Muscle, smooth**
- aorta, prostaglandin synthesis, adrenergic stimuli (rabbits), 849
 - colonic, nerve-mediated inhibition, nitric oxide (dogs), 803
 - contraction, mechanism of inhibitory effects, azelastine (guinea pigs), 1300
 - coronary artery
 - conversion of nitroglycerin to nitric oxide (cattle), 652
 - purinergic relaxation, hyperpolarization (guinea pigs, rabbits), 592 - gallbladder, effect of endothelin-1 (guinea pigs), 549
 - lung parenchymal strips, pharmacological evaluation, A23187-induced contractions (guinea pigs), 714
 - relaxation, induction by sodium nitroprusside and atropine, catecholamine exposure (rats), 756
 - thromboxane receptors, interspecies differences (rats, guinea pigs), 789
 - trachea, pharmacological properties, potassium currents (swine), 1038
 - tracheal
 - functional innervation (pigs), 1180
 - 5-HT receptor activity, fenoldopam (dogs), 491
- Myenteric plexus, inhibition of neurogenic contractions, 5-HT_{1A} receptor antagonists (guinea pigs), 306
- Myocardial ischemia**
- cardioprotection and attenuation of endothelial dysfunction, organic nitric oxide donors (cats), 668
 - mechanisms of cardioprotective actions, WEB-2170, reperfusion (cats), 1229
 - reperfusion
 - coronary vascular injury reduced by pentoxifylline (dogs), 1250
 - effects of diltiazem, glycolysis and oxidative metabolism (rats), 1220
- Myocarditis, murine coxsackievirus, effects of FK-506 (mice), 1386
- Myocardium**
- electrophysiological actions, UD-CG 212 Cl (guinea pigs), 58
 - reperfusion injury, LY203647 evaluation, leukotriene D₄ receptors (dogs, rats, guinea pigs), 979
- Myocytes**
- ventricular
 - blockade of ATP-sensitive K⁺ channel, 5-hydroxydecanoate (guinea pigs), 702

- diazoxide and glyburide, ATP-sensitive K^+ channels (rats), 254
- N-0861, evaluation, A_1 subtype-selective adenosine receptor antagonist, heart (guinea pigs), 1292
- Naftidrofuryl oxalate, beneficial effects on brain regional energy metabolism, microsphere-induced cerebral embolism (rats), 1058
- Naismith, R. W., see Bendele, A. M., 300, 1194
- Naito, Y., see Murakami, N., 1344
- Nakai, Y., see Murakami, N., 1344
- Nakao, K., see Murakami, N., 1344
- Naloxone
- opioid and nonopioid components, mechanism of action, tramadol (rats), 275
 - precipitated withdrawal, opioid-dependent subjects, 355
 - prolonged action potential, antagonism of opioid inhibition, ganglioside GM1 (mice), 182
- Naltrexone
- agonist and antagonist activity, κ opioids, morphine treatment (monkeys), 334
 - induced supersensitivity, chronic fentanyl treatment, upregulation (rats), 168
- NAN-190, BMY-7378 and, antagonism studies (pigeons), 474
- Naphthoquinones, catecholamine-mediated positive inotropic effect, superoxide anion generation (guinea pigs, rats), 468
- Natriuresis, pharmacological profile of HS-142-1, inhibition, natriuretic peptides (rats), 825
- Nebigil, C. and Malik, K. U.: Prostaglandin synthesis elicited by adrenergic stimuli is mediated via α -2C and α -1A adrenergic receptors in cultured smooth muscle cells of rabbit aorta, 849
- Nelson, D. L., see Foreman, M. M., 51
- Nephrotoxicity
- acute and subacute, fenoldopam effects, amphotericin B (dogs), 269
 - chemically induced kidney damage, protection, methimazole (rats), 393
 - gentamicin, age dependence (rats), 444
- Nerve
- inhibition of neurogenic contractions, 5-HT_{1A} receptor antagonists (guinea pigs), 306
 - mediated inhibition and action, nitric oxide, vasoactive intestinal peptide in colonic smooth muscle (dogs), 803
 - mediated relaxations of longitudinal muscle, nitric oxide synthesis antagonists, ileum (guinea pigs), 140
 - sensory, depletion on cholinergic neurotransmission, airways (guinea pigs), 1073
 - sympathetic, yohimbine effect, renal nor-epinephrine spillover (rabbits), 780
 - vagus, mechanisms of vomiting, serotonin-3 receptor agonists (cats), 509
- Ness, R., see Kanof, P. D., 355
- Neuroblastoma
- block of sodium channel current, U-54494A (mice), 110
 - μ opioid receptor binding (guinea pigs), 9
- tetraalkylammonium ion block, potassium currents (mice), 1379
- Neuroleptics
- antagonism, muscarinic cholinergic receptors, Chinese hamster ovary cells, 576
 - pharmacological profile, R 79 598 (rats, dogs), 146
- Neurons
- central, MK-801, action potential firing frequency (mice), 376
 - cholecystokinin_A and cholecystokinin_B receptors, brainstem (rats), 1433
 - dopaminergic, amphetamine-induced slowing, 5-HT₂ receptor antagonists (rats), 872
 - dopaminergic neurotoxicity, 1-methyl-4-phenylpyridinium analogs (mice), 1400
 - hippocampal and cerebellar, electrophysiological effects, ethanol (rats), 887
 - naloxone-prolonged action potential, antagonism of opioid inhibition, ganglioside GM1 (mice), 182
 - neurally mediated relaxation, internal anal sphincter (opossums), 1113
 - noradrenergic innervation, β -3 adrenoceptors, ileum (guinea pigs), 192
- Neurotoxicity, dopamine levels and release in striatum, environmental temperature, methamphetamine (rats), 817
- Neurotransmission
- autonomic, ω -conotoxin-sensitive calcium channel (guinea pigs), 98
 - cortex, purinergic inhibitory threshold, NMDA receptor activation (rats), 1278
- Neutrophils
- acetic acid-induced colitis, acceleration of colonic mucosal repair, misoprostol (rats), 313
 - cardioprotection and attenuation of endothelial dysfunction, organic nitric oxide donors (cats), 668
 - mechanisms of cardioprotective actions, WEB-2170, myocardial ischemia (cats), 1229
 - multiple actions of SC-41930 (humans), 187
 - myocardial reperfusion injury, LY203647 evaluation, leukotriene D₄ receptors (dogs, rats, guinea pigs), 979
- Newman, M. E., Shapira, B. and Lerer, B.: Regulation of 5-hydroxytryptamine_{1A} receptor function in rat hippocampus by short- and long-term administration of 5-hydroxytryptamine_{1A} agonists and antidepressants, 16
- Newport, G. D., see Bowyer, J. F., 817
- Nichols, A. J., Koster, P. F., Brooks, D. P. and Ruffolo, R. R., Jr.: Effect of fenoldopam on the acute and subacute nephrotoxicity produced by amphotericin B in the dog, 269
- Nicklas, W. J., see Saporito, M. S., 1400
- Nicotine
- potassium and, mechanism of relaxation, duodenal longitudinal muscle (dogs), 697
 - stimulated prolactin release, role of fourth cerebroventricle, catecholamines (rats), 1285
 - vitamin D₃ and, calcium overload, chronic isradipine treatment (rats), 1
- Nielsen, H., Mortensen, F. V., Pilegaard, H.
- K., Hasenham, J. M. and Mulvany, M. J.: Calcium utilization coupled to stimulation of postjunctional α -1 and α -2 adrenoceptors in isolated human resistance arteries, 637
- Niemegeers, C. J. E., see Megens, A. A. H. P., 146, 160
- Niemeyer, U., see Martino, R., 1133
- Nishikawa, K., see Terashita, Z.-I., 748
- Nisoxetine, radioligand, quantitation, nor-epinephrine uptake sites (rats), 427
- Nitrendipine, inhibition of binding to cardiac membranes, amiloride and quinacrine (rats), 1366
- Nitric oxide
- conversion of nitroglycerin, coronary artery smooth muscle (cattle), 652
 - donors, cardioprotection, attenuation of endothelial dysfunction (cats), 668
 - endothelium-dependent neural relaxation, pulmonary artery (guinea pigs), 541
 - inhibitors, histamine receptors, pulmonary arterial muscle (humans), 762
 - interaction of non-arginine compounds, N⁶-monomethyl L-arginine (rats), 676
 - nerve-mediated inhibition and action, vasoactive intestinal peptide, colonic smooth muscle (dogs), 803
 - neurally mediated relaxation, internal anal sphincter (opossums), 1113
 - S-nitroso N-acetylpenicillamine, 24-hour infusion, lack of tolerance (rabbits), 286
 - synthesis antagonists, nerve-mediated relaxations, longitudinal muscle in ileum (guinea pigs), 140
 - vascular, release, coronary blood flow (rats), 627
- N-Nitro-L-arginine, coronary blood flow, release, vascular nitric oxide (rats), 627
- Nitroglycerin
- conversion to nitric oxide in microsomes, coronary artery smooth muscle (cattle), 652
 - S-nitroso N-acetylpenicillamine, 24-hour infusion, lack of tolerance (rabbits), 286
 - S-Nitroso N-acetylpenicillamine, 24-hour infusion, lack of tolerance (rabbits), 286
- Nitrovasodilators, new class of ocular hypotensive agents (rabbits), 956
- Nodose ganglia, 5-hydroxytryptamine-induced apnea, pharmacological characterization (rats), 925
- Noma, A., see Notsu, T., 702
- Nonaka, S., see Miller, A. D., 509
- Noradrenaline, endogenous, release from vascularly perfused stomach, adrenoceptors (rats), 728
- Nor-binaltorphimine, long-lasting antagonistic actions, tail-flick test (mice), 1237
- Norel, X., see Ortiz, J. L., 762
- Norepinephrine
- complex prejunctional actions, D₂ dopamine agonists, tail artery (rats), 568
 - control of release, influence of age, tail artery (rats), 722
 - electrophysiological effects of ethanol, noradrenergic circuitry (rats), 887
 - hippocampal release, N-methyl-D-aspar-

- tate and non-NMDA receptors (rats), 232, 238
- long-term depletion, brief transient ischemia, kidney (rats), 902
- low-level NMDA receptor activation, purinergic inhibitory threshold, neurotransmission in cortex (rats), 1278
- neuromodulatory effects, atrial natriuretic peptides, inhibition of adenylyl cyclase, 689
- renal spillover, yohimbine effect, renal sympathetic nerve activity (rabbits), 780
- uptake sites, quantitation, nisoxetine radioligand (rats), 427
- Notsu, T., Tanaka, I., Takano, M. and Noma, A.: Blockade of the ATP-sensitive K⁺ channel by 5-hydroxydecanoate in guinea pig ventricular myocytes, 702
- NSAIDS
- anti-inflammatory activity of BF389, arthritic model (rats), 300
 - correlation of anti-inflammatory activity, peak tissue levels, BF389 (rats), 1194
- Nuclear magnetic resonance spectroscopy, ifosfamide metabolism, human bloody fluids, 1133
- Nucleosides, PD 116124, biochemistry and pharmacology (humans), 319
- Nucleus accumbens, α -amino-3-hydroxy-5-methylisoxazole-4-propionate, kainate receptor antagonists, hypermotility response (rats), 1145
- Ocaperidone
- neuroleptic, pharmacological profile (rats, dogs), 146
 - risperidone and haloperidol, behavioral disinhibition, depression (rats), 160
- Ochiai, H., *see* Hiraoka, Y., 1386
- Ogletree, M. L. and Allen, G. T.: Interspecies differences in thromboxane receptors: Studies with thromboxane receptor antagonists in rat and guinea pig smooth muscles, 789
- Ogolla, F., *see* Flammang, T. J., 865
- Ohlstein, E. H., *see* Edwards, R. M., 175
- Okamura, T., *see* Toda, N., 697
- Okano, T., *see* Inui, K.-I., 482
- Okuma, Y., *see* Yokotani, K., 728
- Okumura, M., Miura, K., Yamashita, Y., Yukimura, T. and Yamamoto, K.: Role of endothelium-derived relaxing factor in the *in vivo* renal vascular action of adenosine in dogs, 1262
- Olivier, B., *see* Ybema, C. E., 1045
- Olsen, G. D., *see* Sandberg, J. A., 587
- Omoya, H., *see* Yoshida, N., 1159
- Opioids
- antagonism of inhibition, naloxone-prolonged action potential, ganglioside GM1 (mice), 182
 - cardiorespiratory effects of HP 736, anesthetized dog, conscious goat, 1268
 - dependent subjects, naloxone-precipitated withdrawal, 355
 - β -endorphin-induced tail flick inhibition, antagonism by cholecystokinin (mice), 1086
 - inhibited adenylyl cyclase, inhibition of protein phosphorylation, brain membranes (rats), 1416
 - kappa*
 - agonist and antagonist activity, morphine treatment (monkeys), 334
- agonist and antagonist properties (monkeys), 327
- modulation of cerebrovascular responses, vasopressin, newborns (pigs), 1107
- naltrexone-induced supersensitivity, chronic fentanyl treatment, upregulation (rats), 168
- Ortiz, J. L., Labat, C., Norel, X., Gorenne, I., Verley, J. and Brink, C.: Histamine receptors on human isolated pulmonary arterial muscle preparations: Effects of endothelial cell removal and nitric oxide inhibitors, 762
- Osthaus, L. E. and Galligan, J. J.: Antagonists of nitric oxide synthesis inhibit nerve-mediated relaxations of longitudinal muscle in guinea pig ileum, 140
- Osumi, Y., *see* Yokotani, K., 728
- Ovalbumin, lung parenchymal strips, pharmacological evaluation, A23187-induced contractions (guinea pigs), 714
- Ovary cells, Chinese hamster, antagonism, antimuscarinic and neuroleptic compounds, 576
- Oxygen consumption, uterine, placental blood flow, captopril effects (rabbits), 294
- \emptyset ye, I., Paulsen, O. and Maurret, A.: Effects of ketamine on sensory perception: Evidence for a role of N-Methyl-D-aspartate receptors, 1209
- Padgett, W. L., *see* Choi, O. H., 369
- Pakarinen, P., *see* Salonen, I., 463
- Palmer, M. R., Harlan, J. T. and Spuhler, K.: Genetic covariation in low alcohol-sensitive and high alcohol-sensitive selected lines of rats: Behavioral and electrophysiological sensitivities to the depressant effects of ethanol and the development of acute neuronal tolerance to ethanol *in situ* at generation eight, 879
- Palmer, M. R. and Granholm, A.-C. E.: Electrophysiological effects of ethanol on hippocampal and cerebellar neurons cogenerated with locus coeruleus *in oculo*: Role of the noradrenergic circuitry, 887
- Palmitoyl carnitine, modulation of basophil histamine release, protein kinase C inhibitors (humans), 1028
- Pan, L. G., *see* Hubbard, J. W., 1268
- Pang, C. C. Y., *see* Waite, R. P., 45
- Pappano, A. J., *see* Mubagwa, K., 1323
- Paris, H., *see* Remaury, A., 417
- Parkinson's disease, L-3,4-dihydroxyphenylalanine therapy, increased urinary morphine, codeine and tetrahydro-papaveroline (humans), 974
- Parli, C. J., *see* Foreman, M. M., 51
- Parli, C. J., *see* Hahn, R. A., 979
- Pascaud, X., *see* Soulard C., 1152
- Pasco, J. S., *see* Keef, K. D., 592
- Patel, R., *see* Stokke, M., 1366
- Paule, M. G., Allen, R. R., Bailey, J. R., Scallet, A. C., Ali, S. F., Brown, R. M. and Slikker, W., Jr.: Chronic marijuana smoke exposure in the rhesus monkey II: Effects on progressive ratio and conditioned position responding, 210
- Paulsen, O., *see* \emptyset ye, I., 1209
- PC12 cells
- calcium influx, melittin, mastoparan (rats), 369
- neuromodulatory effects, atrial natriuretic peptides, inhibition of adenylyl cyclase, 689
- PD 116124, biochemistry and pharmacology (humans), 319
- Pentazocine, high-affinity dextromethorphan, 3-(3-hydroxyphenyl)-N-(1-propyl)piperidine binding sites, ropivacaine allosteric effects (rats), 990
- Pentel, P. R., *see* Brunn, G. J., 1392
- Pentoxifylline, reduction of coronary vascular injury, ischemia reperfusion (dogs), 1250
- Peny, B., *see* Benavides, J., 896
- Pepin, O., *see* Herbert, J. M., 809
- Peptidase, inhibitors, binding of atrial natriuretic factor, lung membranes (mice), 1373
- Perrone, M. H., *see* Merkel, L. A., 437
- Pestana, M., *see* Soares-Da-Silva, 902
- Petersen, D. R., *see* Boyer, C. S., 939
- Peterson, P. K., *see* Molitor, T. W., 581
- Petrini, M. F., *see* Shieh, C.-C., 261
- Petros, W. P., *see* Evans, W. E., 71
- Pettinger, W. A., *see* Elhawary, A. M., 709
- Phencyclidine
- effects of ketamine on sensory perception, N-methyl-D-aspartic acid channels (humans), 1209
 - recognition site, irreversible affinity ligand, NMDA glutamate receptors (cattle), 21
- Phenylbiguanide, mechanisms of vomiting, serotonin-3 receptor agonists (cats), 509
- Phenylephrine, calcium utilization, α adrenoceptors, resistance arteries (humans), 637
- 8-Phenyltheophylline, low-level NMDA receptor activation, purinergic inhibitory threshold, neurotransmission in cortex (rats), 1278
- Phosphoinositide breakdown, melittin and mastoparan, PC12 cells (rats), 369
- hydrolysis, characterization of contractile serotonergic receptor, trachea (guinea pigs), 1101
- Phospholipase A₂, multiple actions of SC-41930 (humans), 187
- Phospholipase C, activation in renal cortex, receptors, dopamine-induced activation (rats), 134
- Phospholipid, -derived inflammatory mediators, intestinal anaphylaxis (rats), 773
- Pilegaard, H. K., *see* Nielsen, H., 637
- Pimobendan, metabolite UD-CG 212 Cl, electrophysiological actions, myocardium (guinea pigs), 58
- Pinna, A., *see* Morelli, M., 402
- Pintin-Quezada, J., *see* Huijzinga, J. D., 803
- Pittaluga, A., *see* Raiteri, M., 238
- Pittaluga, A. and Raiteri, M.: N-Methyl-D-aspartic acid (NMDA) and non-NMDA receptors regulating hippocampal norepinephrine release. I. Location on axon terminals and pharmacological characterization, 232
- Pituitary
- glucocorticoid-induced secondary adrenocortical insufficiency, interleukin 1 β , lysine vasopressin (rats), 1344

- gonadotropin gene expression, chronic ethanol diet (rats), 463
- Placenta, blood flow, captopril effects, uterine oxygen consumption (rabbits), 294
- Plasminogen, -streptokinase activator complex, comparison of thrombolytic activity, LY210825 (dogs), 64
- Platelet-activating factor
beneficial effects of TCV-309, endotoxin and anaphylactic shock (humans, rats, rabbits), 748
- mechanisms of cardioprotective actions, WEB-2170, myocardial ischemia (cats), 1229
- phospholipid-derived inflammatory mediators, intestinal anaphylaxis (rats), 773
- Platelets
indirect actions of thapsigargin, eicosanoid biosynthesis, cellular signaling pathways (humans), 1244
- saponin-permeabilized, inositol 1,4,5-trisphosphate-induced aggregation (humans), 947
- sequestration, thromboxane A₂, lung (guinea pigs), 832
- Polhuijs, M., Tergau, A. C. and Mulder, G. J.: Chiral inversion and stereoselective glutathione conjugation of the four 2-bromo-3-methylvaleric acid stereoisomers in the rat *in vivo* and *in vitro*, 1349
- Polyamines
acetic acid-induced colitis, acceleration of colonic mucosal repair, misoprostol (rats), 313
- neuroprotective effects, ifenprodil and SL-82,0715, hippocampal cells (rats), 925
- Pond, S. M., see Brunn, G. J., 1392
- Ponjee, G., see Fleming, L. M., 1416
- Porreca, F., see Horan, P., 1237
- Porreca, F., see Mattia, A., 518
- Portoghesi, P. S., see Mattia, A., 518
- Potassium, nicotine and, mechanism of relaxation, duodenal longitudinal muscle (dogs), 697
- Potassium channel
adenosine triphosphate-sensitive, blockade by 5-hydroxydecanoate, ventricular myocytes (guinea pigs), 702
- ATP-sensitive, diazoxide and glyburide, hypertrophied ventricular myocytes (rats), 254
- blockers, mechanisms of relaxation, coronary artery (pigs), 248
- vasorelaxant activity, A₁-selective adenosine agonist, coronary artery (pigs), 437
- Potassium currents
pharmacological properties, tracheal smooth muscle (swine), 1038
- tetraalkylammonium ion block, mouse neuroblastoma cells, 1379
- Potts, B. D., see Hahn, R. A., 979
- Poulsson, C., see Stokke, M., 1366
- Prednisolone, -ketocconazole interaction, pharmacokinetics, pharmacodynamics (mice), 487
- Pregnancy, cocaine and metabolite concentrations, maternal administration (guinea pigs), 587
- Prochniak, M. A., see Shalaby, I. A., 925
- Prolactin, nicotine-stimulated release, role of fourth cerebroventricle, catecholamines (rats), 1285
- Prostacyclin, analog U-68,215, gastric emptying, systemic blood pressure (primates), 1023
- Prostaglandin E₁, -induced vasorelaxation, coronary artery (pigs), 1128
- Prostaglandin E₂, correlation of anti-inflammatory activity, peak tissue levels, BF389 (rats), 1194
- Prostaglandins
acetic acid-induced colitis, acceleration of colonic mucosal repair, misoprostol (rats), 313
- anti-inflammatory activity of BF389, arthritis model (rats), 300
- histamine receptors, pulmonary arterial muscle, endothelial cell removal (humans), 762
- synthesis elicited by adrenergic stimuli, aorta smooth muscle cells (rabbits), 849
- urinary, antiproteinuric action of enalapril, stroke-prone SHR rats, 1410
- Prostanoids, thromboxane A₂ and bronchoconstriction, platelet sequestration, lung (guinea pigs), 832
- Protein kinase C
inhibitors, modulation, basophil histamine release (humans), 1028
- receptor-coupled G-proteins, calcium mobilization, intestinal muscle cells (guinea pigs), 90
- stimulant effects of muscarinic agonists, ventricular muscle (chicks), 1323
- Proud, D., see Bathon, J. M., 384
- Proximal tubules
anoxia- and hypoxia-induced injury, time-dependent protective effects, calcium channel blockers (rats), 526
- organic cations, contraluminal transport system, local anesthetic drugs and catecholamines (rats), 734
- Pui, C.-H., see Evans, W. E., 71
- Purine nucleoside phosphorylase, inhibitor, PD 116124, biochemistry and pharmacology (humans), 319
- Quandt, F. N. and Im, W. B.: Tetraalkylammonium ion block of potassium currents in mouse neuroblastoma, 1379
- Quinacrine
amiloride and, inhibition of nitrendipine binding, cardiac membranes (rats), 1366
- Quinones
catecholamine-mediated positive inotropic effect, superoxide anion generation (guinea pigs, rats), 468
- R 79 598, pharmacological profile (rats, dogs), 146
- Radiation, DAT-582 as antiemetic agent (ferrets, dogs), 1159
- Radioligands, nisoxetine, quantitation, norepinephrine uptake sites (rats), 427
- Raffa, R. B., Friderichs, E., Reimann, W., Shank, R. P., Codd, E. E. and Vaught, J. L.: Opioid and nonopioid components independently contribute to the mechanism of action of tramadol, an "atypical" opioid analgesic, 275
- Raiteri, M., Garrone, B. and Pittaluga, A.: N-Methyl-D-aspartic acid (NMDA) and non-NMDA receptors regulating hippocampal norepinephrine release. II. Evidence for functional cooperation and for coexistence on the same axon terminal, 238
- Raiteri, M., see Pittaluga, A., 232
- Ramwell, P. W., see Thomas, G., 676
- Rattan, S., see Chakder, S., 1113
- Raya, T. E., see Lee, R. W., 349
- Raynor, K. and Reisine, T.: Differential coupling of somatostatin, receptors to adenylyl cyclase in the rat stratum *vs.* the pituitary and other regions of the rat brain, 841
- Receptors
adenosine A₁, evaluation of N-0861, heart (guinea pigs), 1292
- angiotensin II
antagonist SK&F 108566, pharmacological characterization (rats), 175
- characterization, subtype selective antagonists (rats), 933
- benzodiazepine, withdrawal, gastrointestinal motor alterations (rats), 1067
- cholecystokinina_A and cholecystokinina_B, neurons, brainstem (rats), 1433
- contractile serotonergic, characterization, trachea (guinea pigs), 1101
- coupled G-proteins, calcium mobilization, intestinal muscle cells (guinea pigs), 90
- dopamine
fenoldopam effects, amphotericin B (dogs), 269
- 5-HT receptor activity in tracheal smooth muscle, fenoldopam (dogs), 491
- phospholipase C activation, renal cortex (rats), 134
- dopamine D-1
cholecystokinin release, brain (rats), 343
- reserpine treatment, chronic SCH 23390 (rats), 409
- dopamine D-1 and D-2, NMDA receptor blockade, model of turning (rats), 402
- histamine, endothelial cell removal, pulmonary arterial muscle (humans), 762
- 5-HT, fenoldopam, tracheal smooth muscle (dogs), 491
- 5-HT₂
adrenal catecholamine-releasing and hyperglycemic effects, D-fenfluramine (rats), 1008
- antagonists, A10 dopamine cells (rats), 872
- 5-HT_{1A}
function in hippocampus, agonists and antidepressants (rats), 16
- inhibition, cholinergic and noncholinergic neurogenic contractions (guinea pigs), 306
- 5-HT_{1B}, characterization in spinal cord (rats), 614
- 5-HT_{1C}, binding, typical and atypical antipsychotic agents, 1361
- 5-HT_{1C} and 5-HT₂, preclinical studies, LY237733 (rats), 51
- imidazoline, brain, normotensive and hypertensive rats, 1000
- kinin, interleukin 1, human synovial cells, 384
- leukotriene D₄, LY203647 evaluation, myocardial reperfusion injury (dogs, rats, guinea pigs), 979
- N-methyl-D-aspartate

- antagonists, neuroprotective effects (rats), 925
 hippocampal norepinephrine release (rats), 232, 238
 ketamine effects, sensory perception (humans), 1209
 opposite effects of blockade, 6-hydroxydopamine model of turning (rats), 402
 purinergic inhibitory threshold, neurotransmission in cortex (rats), 1278
N-methyl-D-aspartate-type glutamate, irreversible affinity ligand, phencyclidine recognition site (cattle), 21
 muscarinic
 chronic ethanol feeding, lower esophageal sphincter muscle (cats), 601
 multiple binding site subtypes, cerebral vasculature (cats, humans), 660
 postjunctional ATP release, ileal longitudinal muscles (guinea pigs), 1309
 muscarinic cholinergic, antagonism, antimuscarinic and neuroleptic compounds in ovary cells (hamsters), 576
 opioid *delta*, antinociception, receptor subtype (mice), 518
 opioid *mu*, neuroblastoma cells, brain and cell membranes (guinea pigs), 9
 serotonin-3, agonists, mechanisms of vomiting (cats), 509
 somatostatin, adenylyl cyclase, brain (rats), 841
 thromboxane, interspecies differences (rats, guinea pigs), 789
 Reflexes, acoustic and tactile, serotonin releasers (rats), 78
 Reimann, W., *see* Raffa, R. B., 275
 Reisine, T., *see* Raynor, K., 841
 Relling, M. V., *see* Evans, W. E., 71
 Remaury, A. and Paris, H.: The insulin-secreting cell line, RINm5F, expresses and *alpha*-2D adrenoceptor and nonadrenergic idazoxan-binding sites, 417
 Renin-angiotensin system
 angiotensin converting enzyme inhibitors, acute renal actions (marmosets), 29
 placental blood flow, uterine oxygen consumption, captopril effects (rabbits), 294
 Reserpine, D₁ receptor stimulation, chronic SCH 23390 (rats), 409
 Respiratory function, cardiorespiratory effects of HP 736, anesthetized dog, conscious goat, 1268
 Retinal, modulation of basophil histamine release, protein kinase C inhibitors (humans), 1028
 Richelson, E., *see* Bolden, C., 576
 Rider, T., *see* Siegfried, M. R., 668
 Rigamonti, D. D., *see* Long, J. B., 1425
 Rinkema, L. E., *see* Hahn, R. A., 979
 Risdahl, J. M., *see* Molitor, T. W., 581
 Risperidone, ocpaperidone and haloperidol, behavioral disinhibition, depression (rats), 160
 Ritanserin, pharmacological profile, R 79 598 (rats, dogs), 146
 Rivera, G. K., *see* Evans, W. E., 71
 Rivera, L. M., *see* Merkel, L. A., 437
 Rodman, J. H., *see* Evans, W. E., 71
 Roehm, N. W., *see* Hatfield, S. M., 680
 Rogawski, M. A., *see* Grant, K. A., 1017
 Roman, F. J., *see* Soulard C., 1152
 Roques, B. P., *see* Branchereau, P., 1433
 Rosso, M. P., *see* Herbert, J. M., 809
 Roth, Bryan L., Ciaranello, R. D. and Meltzer, H. Y.: Binding of typical and atypical antipsychotic agents to transiently expressed 5-HT_{1C} receptors, 1361
 Rubinstein, K. J., *see* Kanof, P. D., 355
 Ruffolo, R. R., Jr., *see* Nichols, A. J., 269
 Ruffolo, R. R., *see* Edwards, R. M., 175
 Ruterborries, K. J., *see* Bendele, A. M., 300, 1194
 Saeki, S. and Yaksh, T. L.: Suppression by spinal *alpha*-2 agonists of motor and autonomic responses evoked by low- and high-intensity thermal stimuli, 795
 Saito, H., *see* Yoshioka, M., 917
 Salonen, I., Pakarinen, P. and Huhtaniemi, I.: Effect of chronic ethanol diet on expression of gonadotropin genes in the male rat, 463
 Sandberg, J. A. and Olsen, G. D.: Cocaine and metabolite concentrations in the fetal guinea pig after chronic maternal cocaine administration, 587
 Sannerud, C. A., *see* Griffiths, R. R., 1199
 Sano, T., Morishita, Y., Matsuda, Y. and Yamada, K.: Pharmacological profile of HS-142-1, a novel nonpeptide atrial natriuretic peptide antagonist of microbial origin. I. Selective inhibition of the actions of natriuretic peptides in anesthetized rats, 825
 Saponin, -permeabilized platelets, inositol 1,4,5-trisphosphate-induced aggregation (humans), 947
 Saportito, M. S., Heikkila, R. E., Youngster, S. K., Nicklas, W. J. and Geller, H. M.: Dopaminergic neurotoxicity of 1-methyl-4-phenylpyridinium analogs in cultured neurons: Relationship to the dopamine uptake system and inhibition of mitochondrial respiration, 1400
 Sasayama, S., *see* Hiraoka, Y., 1386
 Saunders, H.-M. H. and Farley, J. M.: Pharmacological properties of potassium currents in swine tracheal smooth muscle, 1038
 Sausen, P. J., Elfarra, A. A. and Cooley, A. J.: Methimazole protection of rats against chemically induced kidney damage *in vivo*, 393
 Sawada, Y., *see* Matsushita, H., 499
 SC-41930, multiple actions (humans), 187
 Scalpet, A. C., *see* Paule, M. G., 210
 Scatton, B., *see* Benavides, J., 896
 SCH 23390, D₁ receptor stimulation, reserpine treatment, inhibition of dopamine cell activity (rats), 490
 Scheffel, U., *see* Cline, E. J., 1174
 Schellekens, K. H. L., *see* Megens, A. A. H. P., 146
 Schmidt, C. J., *see* Kehne, J. H., 78
 Schmidt, C. J., *see* Sorensen, S. M., 872
 Schramm, A., *see* Szabo, B., 780
 Schrier, D. J., *see* Dong, M. K., 319
 Schrier, R. W., *see* Almeida, A. R. P., 526
 Schrier, R. W., *see* Jarusiripat, C., 243
 Schwartz, J. A., *see* Kau, S. T., 450
 Schwartz, J. C., *see* Souque, A., 1373
 Scopolamine, α -amino-3-hydroxy-5-methylisoxazole-4-propionate, kainate receptor antagonists, hypermotility response (rats), 1145
 Scott, M. E., *see* Dong, M. K., 319
 Seban, E., *see* Herbert, J. M., 809
 Seizures, ethanol withdrawal, comparison, ADCI and structural analogs (mice), 1017
 Serotonin
 antagonism studies with BMY-7378 and NAN-190, punished responding (pi-greens), 474
 behavioral disinhibition and depression, risperidone, ocpaperidone and haloperidol (rats), 160
 brain, fluoxetine effects on convulsions, genetically epilepsy-prone rats, 533
 discriminative stimulus properties (rats), 1045
 pharmacological profile, R 79 598 (rats, dogs), 146
 preclinical studies of LY237733 (rats), 51
 releasers, acoustic and tactile startle reflexes (rats), 78
 Serotonin-3, receptor agonists, mechanisms of vomiting (cats), 509
 Serval, V., Galli, T., Cheramy, A., Glowinski, J. and La vielle, S.: *In vitro* and *in vivo* inhibition of *N*-acetyl-L-aspartyl-L-glutamate catabolism by *N*-acylated L-glutamine analogs, 1095
 Seth, P., *see* Chung, S.-J., 652
 Sexual behavior, preclinical studies of LY237733 (rats), 51
 Shaffer, J. E., Han, B.-J., Chern, W. H. and Lee, F. W.: Lack of tolerance to a 24-hour infusion of *S*-nitroso N-acetyl-pencillamine (SNAP) in conscious rabbits, 286
 Shalaby, I. A., Chenard, B. L., Prochniak, M. A. and Butler, T. W.: Neuroprotective effects of the N-methyl-D-aspartate receptor antagonists ifenprodil and SL-82,0715 on hippocampal cells in culture, 925
 Shank, R. P., *see* Raffa, R. B., 275
 Shapira, B., *see* Newman, M. E., 16
 Shapiro, J. I., *see* Jarusiripat, C., 243
 Sharp, B. M., *see* Matta, S. G., 1285
 Shea-Donohue, T., Kandasamy, A. and Dubois, A.: Effects of a prostacyclin analog, U-68,215, on gastric acid secretion, gastric emptying and systemic blood pressure in primates, 1023
 Shen, K.-F., *see* Crain, S. M., 182
 Sheridan, F. M., *see* Dauber, I. M., 1250
 Sherman, S. E., *see* Watkins, J. B., III, 1337
 Sherwin, J. R., *see* Considine, R. V., 859
 Shieh, C.-C., Petrini, M. F., Dwyer, T. M. and Farley, J. M.: Cromakalim effects on acetylcholine-induced changes in cytosolic calcium and tension in swine trachealis, 261
 Shimada, T., *see* Masuo, M., 1300
 Shimamoto, H., Bourreau, J.-P., Kwan, C. Y. and Daniel, E. E.: Amplification of *alpha* adrenergic vasoconstriction in canine isolated mesenteric artery and vein, 1119
 Shimoji, K., *see* Fukuda, S., 1128
 Shiono, H., *see* Matsubara, K., 974
 Shippenberg, T. S., *see* Ayesta, F. J., 168
 Shock, endotoxin and anaphylactic, beneficial effects, TCV-309 (humans, rats, rabbits), 748
 Shryock, J. C., Travagli, H. C. and Belardi-

- nelli, L.: Evaluation of N-0861, (\pm)-N⁶-endorbornan-2-yl-9-methyladenine as an A₁ subtype-selective adenosine receptor antagonist in the guinea pig isolated heart, 1292
- Siegfried, M. R., Erhardt, J., Rider, T., Ma, X.-L. and Lefer, A. M.: Cardioprotection and attenuation of endothelial dysfunction by organic nitric oxide donors in myocardial ischemia-reperfusion, 668
- Siest, G., *see* Magdalou, J., 1166
- Simpson, L. L., *see* Considine, R. V., 859
- Sircar, J. C., *see* Dong, M. K., 319
- SK&F 108566, pharmacological characterization (rats), 175
- SL-82,0715, neuroprotective effects, hippocampal cells in culture (rats), 925
- Slangen, J. L., *see* Ybema, C. E., 1045
- Slikker, W., Jr., *see* Bowyer, J. F., 817
- Slikker, W., Jr., *see* Paule, M. G., 210
- Smith, G. F., *see* Jackson, C. V., 64
- SMS 201-995, reduced glomerular hypertrophy, high-protein meals (rats), 505
- Snell, L. D., *see* Grant, K. A., 1017
- Soares-Da-Silva, P., Fernandes, M. H., Albino-Teixeira, A., Azevedo, I. and Pestana, M.: Brief transient ischemia induces long-term depletion of norepinephrine without affecting the aromatic amino acid decarboxylase and monoamine oxidase activities in the rat kidney, 902
- Sodium bicarbonate, reversal of desipramine toxicity, drug-specific antibody Fab' fragment (rats), 1392
- Sodium channel, block of current by U-54494A, neuroblastoma cells (mice), 110
- Sodium nitroprusside, atriopeptin and, smooth muscle relaxation, exposure to catecholamines (rats), 756
- Soejima, O., *see* Katsuragi, T., 1309
- Sokol, P. P., *see* Griffiths, D. A., 128
- Solaro, R. J., *see* Westfall, M. V., 58
- Solvents, action of Bay K-8644, calcium channel currents, 966
- Somatostatin analog SMS 201-995, reduced glomerular hypertrophy, high-protein meals (rats), 505
- vasoconstriction and reduced blood flow, vascular permeability, central nervous system (rats), 1425
- Sorensen, S. M., Humphreys, T. M., Taylor, V. L. and Schmidt, C. J.: 5-HT₂ receptor antagonists reverse amphetamine-induced slowing of dopaminergic neurons by interfering with stimulated dopamine synthesis, 872
- Soulard, C., Pascaud, X., Roman, F. J., Grouhel, A. and Junien, J. L.: Pharmacological evaluation of JO 1870: Relation to the potential treatment of urinary bladder incontinence, 1152
- Souque, A., Gros, C. and Schwartz, J. C.: Binding of [¹²⁵I]atrial natriuretic factor to mouse lung membranes *in vivo*: Characterization and effects of peptidase inhibitors, 1373
- Spaethe, S. M., *see* Bendele, A. M., 300, 1194
- Speck, R. F., *see* Ulrich, B., 487
- Sphincter, internal anal, neurally mediated relaxation (opossums), 1113
- Spinal cord characterization of 5-HT_{1B} receptors (rats), 614
- spinal opioid delta antinociception, receptor subtype (mice), 518
- Splenchnicectomy, mechanisms of vomiting, serotonin-3 receptor agonists (cats), 509
- Splanchnic nerve, release of endogenous noradrenaline, vascularly perfused stomach (rats), 728
- Spuhler, K., *see* Palmer, M. R., 879
- SQ 30,741, thromboxane receptors, interspecies differences (rats, guinea pigs), 789
- SR 26831, biochemical and pharmacological activities (humans), 809
- ST-91, suppression by spinal alpha-2 agonists, motor and autonomic responses, thermal stimuli (rats), 795
- Stack, E. J., *see* Edwards, R. M., 933
- Starke, K., *see* Szabo, B., 780
- Staurosporine, modulation of basophil histamine release, protein kinase C inhibitors (humans), 1028
- Stellate ganglia, coronary blood flow, release, nitric oxide (rats), 627
- Stephens, D. N., *see* Turks, L., 742
- Steroidogenesis, hemoprotein-dependent, inhibition by tin-protoporphyrin, adrenals and testes (rats), 909
- Steroids, production and botulinum C₂ toxin, role of microfilaments, adrenal Y-1 cells, 859
- Stevens, D. L., *see* Welch, S. P., 117
- Stewart, C. F., *see* Evans, W. E., 71
- Stier, C. T., Jr., Mahboubi, K., DiPippo, V. A., Levine, S. and Chander, P. N.: The antiproteinuric actions of enalapril in stroke-prone SHR is unrelated to alterations in urinary prostaglandins, 1410
- Stokke, M., Hagelin, E. M., Pousson, C., Patel, R., Haile, Y. and Brörs, O.: Inhibition by amiloride and quinacrine of specific [³H] nitrendipine binding to rat cardiac membranes, 1366
- Stomach chronic ethanol feeding, muscarinic receptor up-regulation, lower esophageal sphincter muscle (cats), 601
- vascularly perfused, release of endogenous noradrenaline, adrenoceptors (rats), 728
- Striatum, dopamine levels and release, environmental temperature, methamphetamine (rats), 817
- Stroke, -prone SHR rats, antiproteinuric action of enalapril, urinary prostaglandins, 1410
- Substance P ω -conotoxin-sensitive calcium channel, autonomic neurotransmission, airways (guinea pigs), 98
- metabolism, dipeptidyl(amino)peptidase IV, aminopeptidase M (rats), 1257
- Sugiyama, Y., *see* Matsushita, H., 499
- Sultana, M., *see* Mattia, A., 518
- Sundboom, J. L., *see* Jackson, C. V., 64
- Superoxide anion generation, catecholamine-mediated positive inotropic effect, simple quinones (guinea pigs, rats), 468
- anion generator and scavenger, neurally mediated relaxation, internal anal sphincter (opossums), 1113
- multiple actions of SC-41930 (humans), 187
- Superoxide dismutase, long-term norepinephrine depletion, brief transient ischemia (rats), 902
- Suto, M. J., *see* Dong, M. K., 319
- Suzuki, H., *see* Matsushita, H., 499
- Sympathetic nervous system, facilitation of endothelin-1 effects, venous tone (rats), 45
- Synaptosomes, 5-HT_{1B} receptor characterization, spinal cord (rats), 614
- Synovial cells, upregulation of receptor number, interleukin 1, kinin receptors (humans), 384
- Szabo, B., Schramm, A. and Starke, K.: Effect of yohimbine on renal sympathetic nerve activity and renal norepinephrine spillover in anesthetized rabbits, 780
- SZL-49, subtype-selective alpha-1 adrenoceptor alkylation, kidney, vascular pressor response (rats), 709
- Tabakoff, B., *see* Grant, K. A., 1017
- Tachyphylaxis, acute vascular homologous, regional variation (cats, dogs, rabbits), 644
- Taguchi, T., *see* Miyake, K., 1058
- Takagi, N., *see* Miyake, K., 1058
- Takano, M., *see* Inui, K.-I., 482
- Takano, M., *see* Notsu, T., 702
- Takatani, M., *see* Terashita, Z.-I., 748
- Takemori, A. E., *see* Mattia, A., 518
- Takeo, S., *see* Miyake, K., 1058
- Talaska, G., *see* Flammang, T. J., 865
- Tanaka, I., *see* Notsu, T., 702
- Tanaka, T., *see* Fukuda, S., 1128
- Taneja, D. T. and Clarke, D. E.: Evidence for a noradrenergic innervation to "atypical" beta adrenoceptors (or putative beta-3 adrenoceptors) in the ileum of guinea pig, 192
- Tank, A. W., *see* Bowyer, J. F., 817
- Tanobe, Y., *see* Toda, N., 697
- Tanonaka, K., *see* Miyake, K., 1058
- Taylor, J., *see* Horan, P., 1237
- Taylor, V. L., *see* Kehne, J. H., 78
- Taylor, V. L., *see* Sorensen, S. M., 872
- TCV-309, beneficial effects, endotoxin and anaphylactic shock (rats, rabbits), 748
- Tejani-Butt, S. M.: [³H]Nisoxetine: A radioligand for quantitation of norepinephrine uptake sites by autoradiography or by homogenate binding, 427
- Temperature, environmental, methamphetamine, dopamine levels in striatum (rats), 817
- Teniposide, disposition and pharmacodynamics, lymphocytic leukemia (humans), 71
- Terashita, Z.-I., Kawamura, M., Takatani, M., Tsushima, S., Imura, Y. and Nishikawa, K.: Beneficial effects of TCV-309, a novel potent and selective platelet activating factor antagonist in endotoxin and anaphylactic shock in rodents, 748
- Tergau, A. C., *see* Polhuijs, M., 1349
- Terodiline, pharmacological evaluation of JO 1870, treatment, urinary bladder incontinence (rats), 1152
- Testis

- gonadotropin gene expression, chronic ethanol diet (rats), 463
- hemoprotein-dependent steroidogenesis, inhibition by tin-protoporphyrin (rats), 909
- Tetraalkylammonium, ion block of potassium currents, mouse neuroblastoma cells, 1379
- Tetraethylammonium, local anesthetic drugs and catecholamines, contraluminal transport system, organic cations in proximal tubules (rats), 734
- Tetrahydropapaveroline, increased urinary morphine, L-3,4-dihydroxyphenylalanine therapy, Parkinson's disease (humans), 974
- Tetrodotoxin, endothelin-1 effect, gallbladder smooth muscle (guinea pigs), 549
- Thapsigargin, indirect actions on platelets, eicosanoid biosynthesis, cellular signaling pathways (humans), 1244
- Thériault, G., *see Beauchamp, D.*, 444
- Thomas, G. and Ramwell, P. W.: Interaction of non-arginine compounds with the endothelium-derived relaxing factor inhibitor, N^G -monomethyl L-arginine, 676
- Thompson, D. C., *see Altieri, R. J.*, 98
- Thrombolysis, plasminogen-streptokinase activator complex, LY210825 (dogs), 64
- Thromboxane
indirect actions of thapsigargin on platelets, eicosanoid biosynthesis, cellular signaling pathways (humans), 1244
phospholipid-derived inflammatory mediators, intestinal anaphylaxis (rats), 773
- Thromboxane A₂
bronchoconstriction, platelet sequestration, lung (guinea pigs), 832
saponin-permeabilized platelets, inositol 1,4,5-trisphosphate-induced aggregation (humans), 947
- Thurkauf, A., *see Grant, K. A.*, 1017
- Tifluadom
agonist and antagonist activity
kappa opioids, morphine treatment (monkeys), 334
kappa opioids (monkeys), 327
- Tin-protoporphyrin, inhibitor of hemoprotein-dependent steroidogenesis, adrenals and testes (rats), 909
- Toda, N., Baba, H., Tanobe, Y. and Okamura, T.: Mechanism of relaxation induced by K⁺ and nicotine in dog duodenal longitudinal muscle, 697
- Togashi, H., *see Yoshioka, M.*, 917
- Tokumoto, A., *see Uemasu, J.*, 505
- Tokunaga, T., *see Katsuragi, T.*, 1309
- Toll, L.: Comparison of Mu opioid receptor binding on intact neuroblastoma cells with guinea pig brain and neuroblastoma cell membranes, 9
- Tominaga, T., *see Murakami, N.*, 1344
- Tomita, Y., *see Inui, K.-I.*, 482
- Tomlinson, J., *see Huizinga, J. D.*, 803
- Tortorella, V., *see De Luca, A.*, 364
- Towns, M. C., *see Bathon, J. M.*, 384
- Trachea
autonomic neurotransmission, ω -conotoxin-sensitive calcium channel (guinea pigs), 98
characterization of contractile serotoner-
- gic receptor, agonists and antagonists (guinea pigs), 1101
- smooth muscle
functional innervation (pigs), 1180
pharmacological properties, potassium currents (swine), 1038
- smooth muscle contractility, 5-HT receptor activity, fenoldopam (dogs), 491
- Trachealis, acetylcholine-induced changes, cytosolic calcium, cromakalim effects (swine), 261
- Trachte, G. J., *see Drewett, J. G.*, 689
- Traksel, G. M., *see Maines, M. D.*, 909
- Tramadol, opioid and nonopioid components, mechanism of action (rats), 275
- Travagli, H. C., *see Shryock, J. C.*, 1292
- Tricarico, D., *see De Luca, A.*, 364
- Tsai, B. S., *see Villani-Price, D.*, 187
- Tsai, H., *see Buchholz, J.*, 722
- Tseng, L. F. and Collins, K. A.: Cholecystokinin administered intrathecally selectively antagonizes intracerebroventricular β -endorphin-induced tail-flick inhibition in the mouse, 1086
- Tso, P., *see Yamada, T.*, 313
- Tsushima, S., *see Terashita, Z.-I.*, 748
- Tückmantel, W., *see Casalotti, S. O.*, 21
- Tukker, E., *see Mandema, J. W.*, 36
- Tung, D. E., *see Ciampolillo, F.*, 254
- Turski, L., Jacobsen, P., Honore, T. and Stephens, D. N.: Relief of experimental spasticity and anxiolytic/anticonvulsant actions of the α -amino-3-hydroxy-5-methyl-4-isoxazolepropionate antagonist 2,3-dihydroxy-6-nitro-7-sulfamoylbenzo(F)quinoxaline, 742
- Tynes, R., *see Fischer, V.*, 1355
- U-50,488
agonist and antagonist activity
kappa opioids, morphine treatment (monkeys), 334
kappa opioids (monkeys), 327
- U-68,215, effects on gastric acid secretion, gastric emptying, systemic blood pressure (primates), 1023
- U-69,593, long-lasting antagonistic actions, nor-binaltorphimine, tail-flick test (mice), 1237
- U-50,488H, intrathecally administered calcium, mechanism of action, antinociceptive effect (mice), 117
- U-54494A, block of sodium channel current, neuroblastoma cells (mice), 110
- UD-CG 212 Cl, electrophysiological actions, myocardium (guinea pigs), 58
- Uemasu, J., Godai, K., Tokumoto, A. and Kawasaki, H.: Reduced glomerular hypertrophy by somatostatin analog, SMS 201-995, in the subtotal nephrectomized rats fed high-protein meals, 505
- UK-14304, amplification of α adrenergic vasoconstriction, mesenteric artery and vein (dogs), 1119
- Ulcer, effects of U-68,215, gastric emptying, systemic blood pressure (primates), 1023
- Ulrich, B., Frey, F. J., Speck, R. F. and Frey, B. M.: Pharmacokinetics/pharmacodynamics of ketoconazole-prednisolone interaction, 487
- Urban, G., *see Keshavarzian, A.*, 601
- Uremia, renal function and survival, blood pressure, anipamil effects (rats), 243
- Uretsky, N. J., *see Willins, D. L.*, 1145
- Uric acid, lithium clearance and diluting segment reabsorption, furosemide, ethacrynic acid and bumetanide (humans), 768
- Usui, T., *see Murakami, N.*, 1344
- Uterus, oxygen consumption, placental blood flow, captopril effects (rabbits), 294
- Vagotomy, mechanisms of vomiting, serotonin-3 receptor agonists (cats), 509
- Vanselous, C. L., *see Hubbard, J. W.*, 1268
- Vargaftig, B. B., *see Bureau, M. F.*, 832
- Vasoactive intestinal peptide
functional innervation, tracheal smooth muscle (pigs), 1180
nerve-mediated inhibition and action, nitric oxide, colonic smooth muscle (dogs), 803
- Vasoconstriction
acetylated endothelin-1, lung vasculature (guinea pigs), 632
 α adrenergic, mesenteric artery and vein (dogs), 1119
somatostatin, reduced blood flow, central nervous system (rats), 1425
- Vasodilation, acute vascular homologous tachyphylaxis, regional variation (cats, dogs, rabbits), 644
- Vasopressin
interleukin 1 β , glucocorticoid-induced secondary adrenocortical insufficiency (rats), 1344
modulation of cerebrovascular responses, opioids, newborns (pigs), 1107
- Vasorelaxation, prostaglandin E₁-induced, coronary artery (pigs), 1128
- Vaught, J. L., *see Raffa, R. B.*, 275
- Vein, mesenteric, amplification, α adrenergic vasoconstriction (dogs), 1119
- Ventral pallidum, α -amino-3-hydroxy-5-methylisoxazole-4-propionate, kainate receptor antagonists, hypermotility response (rats), 1145
- Verapamil
facilitation of endothelin-1 effects, venous tone, sympathetic nervous system (rats), 45
predictability of *in vivo* metabolism (humans), 1052
time-dependent protective effects, anoxia- and hypoxia-induced proximal tubule injury (rats), 526
- Veratridine, postjunctional ATP release, muscarinic receptors, ileal longitudinal muscles (guinea pigs), 1309
- Verley, J., *see Ortiz, J. L.*, 762
- Villani-Price, D., Yang, D. C., Walsh, R. E., Fretland, D. J., Keith, R. H., Kocan, G., Kachur, J. F., Gaginella, T. S. and Tsai, B. S.: Multiple actions of the leukotriene B₄ receptor antagonist SC-41930, 187
- Vitamin D₃, nicotine and, calcium overload, chronic isradipine treatment (rats), 1
- Vitamin K, cycle inhibition, plasma anticoagulant response, steady-state S-warfarin conditions (rats), 1081
- Vites, A.-M., *see Mubagwa, K.*, 1323
- Vogels, B., *see Fischer, V.*, 1355
- Vomiting, mechanisms of, serotonin-3 receptor agonists (cats), 509

- Vyas, S. J., Eichberg, J. and Lokhandwala, M. F.: Characterization of receptors involved in dopamine-induced activation of phospholipase-C in rat renal cortex, 134
- Wagner, R., *see* De Luca, A., 364
- Wahler, G. M., *see* Westfall, M. V., 58
- Waite, R. P. and Pang, C. C. Y.: The sympathetic nervous system facilitates endothelin-1 effects on venous tone, 45
- Wallace, L. J., *see* Willins, D. L., 1145
- Walsh, R. E., *see* Villani-Price, D., 187
- Walters, J. R., *see* Huang, K.-X., 409
- Wambolt, R., *see* Lopaschuk, G. D., 1220
- Wamil, A. W. and McLean, M. J.: Use-, concentration- and voltage-dependent limitation by MK-801 of action potential firing frequency in mouse central neurons in cell culture, 376
- Wang, L., *see* Ahmad, S., 1257
- Ward, P. E., *see* Ahmad, S., 1257
- Warfarin, steady-state conditions, vitamin K cycle inhibition, plasma anticoagulant response (rats), 1081
- Watkins, J. B., III and Sherman, S. E.: Long-term diabetes alters the hepatobiliary clearance of acetaminophen, bilirubin and digoxin, 1337
- Watts, S. W. and Cohen, M. L.: Characterization of the contractile serotonergic receptor in guinea pig trachea with agonists and antagonists, 1101
- WEB-2170, mechanisms of cardioprotective actions, myocardial ischemia, reperfusion (cats), 1229
- Weidley, E. F., *see* Edwards, R. M., 175, 933
- Weil, J. V., *see* Dauber, I. M., 1250
- Weinstock, J., *see* Edwards, R. M., 175, 933
- Weissman, B. A., *see* Ahlers, S. T., 474
- Welch, S. P., Stevens, D. L. and Dewey, W. L.: A proposed mechanism of action for the antinociceptive effect of intrathecally administered calcium in the mouse, 117
- Westfall, M. V., Wahler, G. M., Fujino, K. and Solaro, R. J.: Electrophysiological actions of the pimobendan metabolite, UD-CG 212 CI, in guinea pig myocardium, 58
- Wetzel, J. F. M., *see* Almeida, A. R. P., 526
- Weyrich, A. S., *see* Ma, X.-l., 1229
- Whalen, R., *see* Guenthner, T. M., 1331
- White, T. D., *see* Craig, C. G., 1278
- Whitesitt, C. A., *see* Hahn, R. A., 979
- Willins, D. L., Wallace, L. J., Miller, D. D. and Uretsky, N. J.: α -Amino-3-hydroxy-5-methylisoxazole-4-propionate/kainate receptor antagonists in the nucleus accumbens and ventral pallidum decrease the hypermotility response to psychostimulant drugs, 1145
- Willson, C., *see* Keshavarzian, A., 601
- WIN 35,428, behavioral effects, novel cocaine analogs (mice), 1174
- Wolff, D. W., *see* Elhawary, A. M., 709
- Wong, W.-S. F., Bendele, A. M. and Fleisch, J. H.: Pharmacologic evaluation of A23187-induced contractions of three distinct preparations of guinea pig lung parenchymal strips, 714
- Wood, J., *see* Humke, U., 29
- Yaksh, T. L., *see* Saeki, S., 795
- Yamada, K., *see* Sano, T., 825
- Yamada, T., Fujimoto, K., Tso, P., Fujimoto, T., Gaginella, T. S. and Grisham, M. B.: Misoprostol accelerates colonic mucosal repair in acetic acid-induced colitis, 313
- Yamamoto, K., *see* Okumura, M., 1262
- Yamamura, H. I., *see* Horan, P., 1237
- Yamashita, Y., *see* Okumura, M., 1262
- Yan, Q. S., *see* Dailey, J. W., 533
- Yang, D. C., *see* Villani-Price, D., 187
- Ybema, C. E., Slanger, J. L., Olivier, B. and Mos, J.: Discriminative stimulus properties of the serotonergic compound eltoprazine, 1045
- Yerokun, T., *see* Flammang, T. J., 865
- Yochim, C. L., *see* Kau, S. T., 450
- Yohimbine, renal sympathetic nerve activity, renal norepinephrine spillover (rabbits), 780
- Yokotani, K., Okuma, Y. and Osumi, Y.: Release of endogenous noradrenaline from the vascularly perfused rat stomach *in vitro*: Modulation by pre- and postsynaptic adrenoceptors, 728
- Yoshida, N., Omoya, H. and Ito, T.: DAT-582, a novel serotonin 5-HT₃ receptor antagonist, is a potent and long-lasting antiemetic agent in the ferret and dog, 1159
- Yoshioka, M., Goda, Y., Togashi, H., Matsumoto, M. and Saito, H.: Pharmacological characterization of 5-hydroxytryptamine-induced apnea in the rat, 917
- Young, J. B., *see* Chaouloff, F., 1008
- Youngster, S. K., *see* Saporito, M. S., 1400
- Yukimura, T., *see* Okumura, M., 1262
- Zbaida, S. and Levine, W. G.: Role of electronic factors in binding and reduction of azo dyes by hepatic microsomes, 554
- Zhu, Y. and Im, W. B.: Block of sodium channel current by anticonvulsant U-54494A in mouse neuroblastoma cells, 110
- Ziegler, R. J., *see* Drewett, J. G., 689
- Zolpidem, behavioral pharmacology (benzodiazepines), 1199
- Zuckerman, S. L., *see* Armstead, W. M., 1107
- Zuzack, J. S., *see* Kau, S. T., 450

Newsworthy and timely
articles in your field


MOLECULAR PHARMACOLOGY

Editor: **T. Kendall Harden, PhD**, University of North Carolina School of Medicine, Chapel Hill, North Carolina

Is your special interest receptors and neurotransmitters... drug metabolism... antibiotic and anticancer drug actions... or other areas related to the molecular basis of drug action? If so, you should be subscribing to **MOLECULAR PHARMACOLOGY**.

The editor's and editorial board's high standards ensure that the papers you read in **MOLECULAR PHARMACOLOGY** are on the cutting edge of research on drug action and selective toxicity at the molecular level. Original applications of biochemistry, biophysics, genetics, and molecular biology are juxtaposed with innovative pharmacologic research to elucidate basic problems in pharmacology and toxicology, including such areas as molecular mechanisms involved in drug receptor-effector coupling, xenobiotic metabolism, and antibiotic and anticancer drug action. Start your subscription today to ensure access to the most newsworthy papers in your field. **Monthly**

Call toll-free to start your subscription immediately, **1-800-638-6423** from anywhere in the U.S. or Canada.



YES! Enter my subscription:

Avoid future rate increases and ensure uninterrupted service—enter your multiyear subscription today!

Molecular Pharmacology (monthly)

- Individual: \$100/yr Institutions: \$210/yr
(Please add \$30.00 outside the U.S.; in Canada, also add 7% GST.)
 New Subscription Renewal 3 yrs 2 yrs 1 yr

name _____

address _____

city state zip _____

Williams & Wilkins

MOL 53431

P.O. Box 23291
Baltimore, Maryland 21203-9990

Broadway House
2-6 Fulham Broadway
London SW6 1AA England

J2006S01

Payment options:

- Check enclosed Bill me
 VISA MasterCard American Express

card # _____

signature P.O.# _____

MD residents, please add 5% sales tax. CA residents, please add 8% sales tax.
Subscriptions from outside the US and Canada must be prepaid, in US dollars only. Rates valid for orders received before October 31, 1992.

Please allow 10 weeks for delivery of your first issue. Surface mail delivery to countries outside the US may take up to 16 weeks. Airmail rates available upon request.



INFORMATION TO SUBSCRIBERS

THE JOURNAL OF PHARMACOLOGY AND EXPERIMENTAL THERAPEUTICS is issued monthly. Four volumes are published each year. Each volume contains three numbers.

Correspondence concerning business matters should be addressed to Williams & Wilkins, 428 East Preston St., Baltimore, MD 21202-3993 U.S.A.

Annual Subscription Rates—U. S. A. AND POSSESSIONS: personal, \$180.00; institutional, \$310.00; single copy, \$19.00. FOREIGN: personal, \$245.00; institutional, \$375.00; single copy, \$23.00. (Prices subject to change.) Institutional (multiple reader) rate applies to libraries, schools, hospitals, clinics, group practices, and federal, commercial, and private institutions and organizations. Foreign subscribers who wish to have issues sent by airmail may inquire of the publisher for the additional cost. The GST Tax Number for Canadian subscribers is 123394371.

Change of address: Publisher must be notified 60 days in advance. Journals undeliverable because of incorrect address will be destroyed. Duplicates can be obtained (if available) from the publisher at the regular price of single issues.

New subscriptions are entered to begin with the next issue to publish unless otherwise specified by the subscriber. Subscriptions run for a twelve-month period.

To avoid a break in your series, subscriptions should be renewed promptly. The publisher cannot guarantee to supply back issues on belated renewals.


Reprints of individual articles are available *only* from authors.

Microfilm. For availability, inquire of Williams & Wilkins.

WILLIAMS & WILKINS
BALTIMORE, MD 21202-3993 U.S.A.


LAB ANIMAL RESEARCH EQUIPMENT

RATS/MICE ROTATION METER




Counts left, right and partial rotations. Single data collection unit for 1 to 8 animals. Self standing with its' own printer, it can also transfer data via RS-232 to PC.

END-TIDAL CO₂ METER FOR MICE AND RATS




Extremely small air sample 5ml/min. High frequency response (150 or 300 breath/min). Analog output for recorders. Equipped with own printer. Digital display for end tidal CO₂ and N₂O.

VO₂/VCO₂ MEASUREMENTS DURING EXERCISE




Complete computerized systems for mice, rats, dogs and horses. Include multi-lane enclosed animal exercisers with adjustable speed and inclination.

MULTIPLE ANIMAL VIDEO TRACKING



Tracks multiple animals sharing the same space using color markers for identification. Also measures activity, (distance traveled) rotations, visits to zones etc. of multiple animals in multiple cages using black/white contrast principle. Ideal for water mazes.

GRIP-STRENGTH METER



Objective measurements of animal deficiency in strength.

"FIGURE-8" AND RADIAL MAZES



System of 1 to 8 mazes controlled by IBM-PC, supplied with software. Animal location is monitored by multiple IR beams.

MULTIPLE CAGE ANIMAL ACTIVITY METER



128 individual IR beams interfaced to IBM-PC monitor multiple standard plastic cages. Software differentiates ambulatory from non-ambulatory activity, can operate 64 cages with 2 IR beams assigned for each cage.

PASSIVE/ACTIVE AVOIDANCE




Stainless steel shuttle boxes. Easily sterilizable. System of 1 to 16 boxes controlled by IBM-PC. Shock/light/sound controlled by software. Infrared pass no pass sensors.

RESPIRATION FREQUENCY RELATIVE TIDAL VOLUME



Measure respiration frequency and relative tidal volume of free running animals by monitoring small pressure changes with each breath. Continuous supply of air to animals. Normal size cages (1 to 16). Computer data collection.

STARTLE RESPONSE SYSTEM



IBM-PC based. 1 to 8 animals. Software control of stimulus and pre-pulse. Calibrated sensors (load cells). Systematic or random stimulus delivery. Acoustic, air puff and electric stimulus.

For complete catalog please contact:

Columbus Instruments International Corp.

P.O. Box 44049 Columbus, Ohio 43204 USA

PH: (614) 276-0861 FAX:(614) 276-0529 TLX: 246514 Toll Free: 1-800-669-5011