

INDEX

Volume 266, July-September, 1993

- A23187, protein catabolism products, endothelium-dependent and -independent relaxation, thoracic aorta rings (rabbits), 626
Abbruscato, T. J., *see* Weber, S. J., 1649
Abdel-Rahman, A. A., *see* El-Mas, M. M., 602
Abecarnil, full and partial agonism, benzodiazepine receptor ligands, GABA_A receptor subtypes (humans), 385
Abernethy, D. R., Wainer, I. W., Longstreth, J. A. and Andrawis, N. S.: Stereoselective verapamil disposition and dynamics in aging during racemic verapamil administration, 904
Abolfathi, Z., Fiset, C., Gilbert, M., Moerike, K., Bélanger, P. M. and Turgeon, J.: Role of polymorphic debrisoquin 4-hydroxylase activity in the stereoselective disposition of mexiletine in humans, 1196
Abrahamsson, T., *see* Nordström, M., 147
Acadesine, prevention of oxidant-induced damage, heart (guinea pigs), 666
A431 cells, role of G proteins and tyrosine kinase, platelet-activating factor activation, phospholipase C, 1106
Acetaminophen-induced hepatotoxicity, protective effects, oleanolic acid (mice), 1607
N-Acetyl-aspartylglutamate, modulation of NMDA-stimulated norepinephrine release, hippocampal slices (rats), 796
Acetylcholine
action at M₄ muscarinic receptors, enhanced glycine release, brain cortex synaptosomes (humans), 142
cell density, dopamine, neuroleptic responsive and neuroleptic nonresponsive lines (mice), 431
endogenous, release from vascularly perfused stomach, inhibition by M₃ muscarinic autoreceptors and alpha-2 adrenoceptors (rats), 1190
increased striatal release, neuroleptics, stimulation of dopamine D₁ receptors (rats), 557
-induced edema, role of neuropeptides, lungs (rabbits), 483
potassium channel-mediated relaxation, arteries (rabbits), 1482
prolonged inhibition of cholinesterase, behavioral and neurochemical effects, acute chlorpyrifos (rats), 1007
protein catabolism products, endothelium-dependent and -independent relaxation, thoracic aorta rings (rabbits), 626
sympathetic neurotransmission, melatonin modulation, age-related changes (rats), 1536
Acetylcholinesterase, chronic denervation of jejunum, cholinergic supersensitivity, reduction of cholinesterase activity (rats), 1684
Acetylpolyamines, decreased blood pressure, [Ca⁺⁺]_i, isometric force of vascular smooth muscle (rats), 179
Acetylselenonium choline, biological activities (mice), 593
Adamantidis, M. M., Kerram, P., Caron, J. F. and Dupuis, B. A.: Droperidol exerts dual effects on repolarization and induces early afterdepolarizations and triggered activity in rabbit Purkinje fibers, 884
Adams, J. U., Tallarida, R. J., Geller, E. B. and Adler, M. W.: Isobolographic superadditivity between delta and mu opioid agonists in the rat depends on the ratio of compounds, the mu agonist and the analgesic assay used, 1261
Adams, M. L., Sewing, B., Forman, J. B., Meyer, E. R. and Cicero, T. J.: Opioid-induced suppression of rat testicular function, 323
[Adenine-2,8-³H, ethyl-²H]-N⁶-phenylisopropyladenosine, agonist and antagonist binding, membrane-bound and solubilized A₁ adenosine receptors (pigs), 1463
Adenosine
analogs, inhibition of neurotransmitter release, enteric nerve endings (guinea pigs), 634
negative chronotropic action, A₁ adenosine receptor enhancer, heart (guinea pigs), 611
Adenosine triphosphate
atherosclerosis-related remodeling, aortic relaxation, Watanabe heritable hyperlipidemic rabbit, 1091
-dependent potassium channels, antifibrillatory effects of ibutilide, heart (rabbits), 1348
GABA_A receptor-mediated synaptic currents, potentiation by pentobarbital and diazepam, hippocampal CA1 neurons (rats), 1227
-inhibited K⁺ channels, specific activator, ventricular cells (guinea pigs), 978
-sensitive K⁺ channel openers, antagonist U-37883A (rabbits), 655
-sensitive K⁺ channels, sulphonylurea drugs, metabolic stress in cardiac muscle (rats), 456
Adenylate cyclase
glomerular, inhibition by angiotensin II, receptor subtype AT₁ (rats), 506
presynaptic dopamine receptor agonist Ro 41-9067 (rats), 97
Adenyl cyclase
coupling of R1.1 cells through immune G protein, kappa opioid receptor (mice), 1678
inhibition, potency of 5-HT_{1A} agonists, affinity states, 618
Adipose tissue, beta-adrenoceptors, lipomobilizing effect, catecholamines (dogs), 358
Adler, M. W., *see* Adams, J. U., 1261
Adrenal cortex, pharmacological profile, CV-11974 and TCV-116, 114
Adrenoceptors
alpha, prostaglandin synthesis, calcium channels and G protein (rabbits), 1113
alpha-1, agonist efficacy, gap junctions and tissue contractility (rats), 1054
alpha-1B, cardiovascular effects, chlorothyclonidine (rats), 864
alpha-2
depression of neurogenic tachycardia, naloxone-induced potentiation (rats), 184
heterogeneity, pregnant uterus (rats), 439
medullary thick ascending limbs, kidney (rabbits), 279
release of endogenous acetylcholine, vascularly perfused stomach (rats), 1190
beta
contraction of uterine smooth muscle, Ca⁺⁺-independent relaxation (rats), 367
thermoregulatory effects, isoproterenol and BRL-35135 (rats), 1446
beta-3, lipomobilizing effects of catecholamines, adipose tissue (dogs), 358
protective effect of clentiazem, epinephrine-induced cardiac injury (rats), 262
Adriamycin-induced cardiotoxicity, inhibitory effect, 5,6,7,8-tetrahydronopertin (mice), 1699
AF-DX 116, enhanced glycine release, brain cortex synaptosomes, acetylcholine acting at M₄ muscarinic receptors (humans), 142
Agelenopsis aperta, toxins, NMDA receptor, polyamine-like and high-affinity antagonist actions (rats), 231
Aging
-related changes, melatonin modulation, sympathetic neurotransmission (rats), 1536
stereoselective verapamil disposition, dynamics, racemic verapamil administration (humans), 904
Aharony, D., *see* Little, J., 1291
Ai, Y., *see* Negus, S. S., 1355
Aiba, T., *see* Hori, R., 1620
Aigner, T. G., *see* Ogura, H., 60
Airway, tracheal vascular permeability, hypertonic saline, prevention of increase by CP-99,994 (rats), 270
AJ 76, clozapine or, cocaine and, reinforcing and discriminative stimulus effects (monkeys), 780
Alcaraz, C., Milanés, M. V. and Vargas, M. L.: Chronic kappa opioid receptor an-

- tagonism produces supersensitivity to U-50,488H at the hypothalamo-pituitary-adrenocortical (HPA) axis level, 1385
- Alcaraz, C., Vargas, M. L., Fuente, T. and Milanés, M. V.: Chronic naloxone treatment induces supersensitivity to a *Mu* but not to a *Kappa* agonist at the hypothalamus-pituitary-adrenocortical axis level, 1602
- Alcohol, *see* Ethanol
- Aldosterone, effects of diltiazem on calcium metabolism, glomerulosa cells, angiotensin II and potassium actions (cattle), 374
- Aliev, G., *see* Ragazzi, E., 1091
- Allam, M. E., *see* Elgebaly, S. A., 1670
- Allan, P. W., *see* Bennett, L. L., Jr., 707
- Allende, G., *see* Casadó, V., 1463
- Alzheimer's disease, 3,4-methylenedioxymethamphetamine, serotonin and memory (rats), 1097
- Ambrosio, G., *see* Golino, P., 511
- Amiloride, M17055 and, calcium transport, connecting tubule (rabbits), 1589
- Amines, heterocyclic, phenylbutazone peroxidative metabolism and conjugation, 81
- γ -Aminobutyric acid
action at GABA_A receptors, imidazenil, partial positive allosteric modulator (rats), 1018
divergent alterations in response, chronic benzodiazepine agonist exposure, male and ovariectomized rats, 768, 774
reduced paired-pulse depression in dentate gyrus, L-2-amino-4-phosphonobutanoic acid, 1S,3R-1-aminocyclopentane-1,3-dicarboxylic acid (rats), 207
- γ -Aminobutyric acid_A, receptor function and binding, enhancement, volatile anesthetic halothane (rats), 153
- γ -Aminobutyric acid_B, inhibition of electrically evoked substance P-like immunoreactivity release, spinal cord (rats), 1490
- 1S,3R-1-Aminocyclopentane-1,3-dicarboxylic acid, L-2-amino-4-phosphonobutanoic acid and, reduced paired-pulse depression, dentate gyrus (rats), 207
- para-Aminohippurate, transport in kidney proximal tubules, interaction, thiazide and loop diuretics (rabbits), 972
- 2-Amino-4-(5-nitro-2-furyl)-thiazole, phenylbutazone peroxidative metabolism and conjugation, 81
- L-2-Amino-4-phosphonobutanoic acid, 1S, 3R-1-aminocyclopentane-1,3-dicarboxylic acid and, reduced paired-pulse depression, dentate gyrus (rats), 207
- Ammoniogenesis, renal substrate uptake, valproate, sodium 2-propyl-4-pentenoate and -2-pentenoate valproate (rats), 89
- Amoah-Apraku, B., Xu, J., Lu, J. Y., Pelleg, A., Bruns, R. F. and Belardinelli, L.: Selective potentiation by an A₁ adenosine receptor enhancer of the negative dromotropic action of adenosine in the guinea pig heart, 611
- Amphetamine, 5-HT₂ receptor antagonist MDL 100907 (rats), 684
- Amygdala-kindled rats
anticonvulsant efficacy and adverse effects
phenytoin, 216
- Analgesia
assay and *mu* agonist, isobolographic superadditivity, *delta* and *mu* opioid agonists (rats), 1261
opiate-induced histamine release, periaqueductal gray and opiate antinociception (rats), 934
Tyr-D-Arg²-Phe-sarcosine-induced opioid, respiratory stimulation, *mu*, receptors (rats), 544
- Anderson, P. S., *see* Ramjit, D. R., 1501
- Andrawis, N. S., *see* Abernethy, D. R., 904
- Andrioli, G. C., *see* Russo, C., 142
- Anesthetics, halothane, γ -aminobutyric acid_A receptor function and binding (rats), 153
- Angioplasty, carotid arteries, 5-HT₂ receptor blockade, LY215840 (rats), 450
- Angiotensin-converting enzyme inhibition
renal adaptations, acute furosemide administration (rats), 33
systemic hemodynamics, renal function and hormone levels in pacing-induced heart failure (dogs), 872
inhibitors ramipril and ramiprilat, central nervous and systemic kinetics (dogs), 147
- Angiotensin II
continuous exposure, tonic tone in arteries (rats), 1520
inhibition of glomerular adenylate cyclase, angiotensin II receptor subtype (rats), 506
potassium and, effects of diltiazem, calcium metabolism in glomerulosa cells (cattle), 374
vascular structure and function alterations, short-term losartan treatment (rats), 642
- Angiotensin II(3-8), angiotensin IV and, specific binding site, mammalian heart membranes (rabbits, guinea pigs), 1036
- Angiotensin IV, central binding sites, distribution and specificity, brain (guinea pigs), 1718
- Anions
stimulation of secretion by sodium nitroprusside, inhibition of sodium chloride absorption, colon (rats), 224
transport by primary cultures, structurally similar pesticides, renal proximal tubule (fish), 673
- Anoxia, pharmacological protection, CNS white matter (rats), 1549
- Ansary, M., *see* Delaunois, A., 483
- Anthracycline-induced cardiotoxicity, role of biotransformation (mice), 1312
- Antiarrhythmic agents
class 1c, improvement, ischemia/reperfusion-induced contractile dysfunction (rats), 1247
stereoselective disposition of mexiletine, role, polymorphic debrisoquin 4-hydroxylase activity (humans), 1196
- Anticonvulsant agents
efficacy and adverse effects of phenytoin, chronic treatment, amygdala-kindled rats, 216
lamotrigine/phenytoin/carbamazepine interactions, sodium current (mice), 829
- Antidepressant agents, fluoxetine and desipramine, endocrine responses, serotonin agonists (rats), 836
- Antidiuretic hormone, mediation of *kappa* agonist-induced water diuresis, opiate receptors, blood-brain barrier (guinea pigs), 164
- Antiepileptic agents, renal substrate uptake and ammoniogenesis, valproate, sodium 2-propyl-4-pentenoate and -2-pentenoate valproate (rats), 89
- Antigen-induced bronchoconstriction, eosinophil infiltration, rolipram (guinea pigs), 306
- Anti-inflammatory agents, phenylbutazone peroxidative metabolism and conjugation, 81
- Antinociception
bremazocine- and U69,593-induced, differential antagonism by quadazocine (mice), 926
intrathecally administered muscarinic agonists (rats), 329
modeling of tolerance development and rebound effect, intravenous morphine (rats), 244
reversal by morphine, prostaglandin E₂-induced thermal hyperalgesia (monkeys), 1355
spinal involvement, dynorphin A and met-enkephalin, intracerebral bremazocine (mice), 1430
substance P-like immunoreactivity release, inhibition, γ -aminobutyric acid_B (rats), 1490
- Antioxidants, inhibitory effect, 5,6,7,8-tetrahydronoepterin, Adriamycin-induced cardiotoxicity (mice), 1699
- Antipsychotic agents
dopamine D-1 and D-2 antagonist, differential effects, sleep-wake patterns (rats), 726
dopamine partial agonist PD 128483, pharmacological profile (mice, rats), 1177
- DuP 734, selective ligand for sigma receptors, brain (mice), 1541
- MDL 100907 (rats), 684
- typical and atypical, *in vivo* affinities, serotonin and dopamine₂ receptors (rats), 1374
- Antonacci, M. J., Normandin, D., Serafino, R. and Moreland, S.: Effects of thrombin and thrombin receptor activating peptides on rat aortic vascular smooth muscle, 125
- Antonacci, M. J., *see* Sargent, C. A., 1422
- Anxiolytic agents
imidazenil, γ -aminobutyric acid action, GABA_A receptors (rats), 1018
- RP 59037 and RP 60503, low sedative potential, interaction with GABA_A receptor complex (rats), 1213
- Aorta
 α_1 adrenergic agonist efficacy, gap junctions, modulation of tissue contractility (rats), 1054
- atherosclerosis-related remodeling, relaxation to purines, Watanabe heritable hyperlipidemic rabbit, 1091
- metabolically resistant antagonists, B₁ receptors for kinins (rabbits), 192

- pharmacological profile, CV-11974 and TCV-116, 114
- thoracic, protein catabolism products, endothelium-dependent and -independent relaxation (rabbits), 626
- vascular reactivity, superoxide radical-induced alteration, streptozotocin treatment (rats), 992
- vascular smooth muscle, thrombin and thrombin receptor activating peptides (rats), 125
- vascular structure and function alterations, short-term losartan treatment (rats), 642
- Arachidonic acid**
- alpha* adrenergic receptor subtypes, prostaglandin synthesis, calcium channels and G protein (rabbits), 1113
 - human recombinant nonpancreatic secretory phospholipase A₂, contractile effects, lung pleural strips (guinea pigs), 1147
 - inhibition of sodium chloride absorption in colon, stimulation of anion secretion, sodium nitroprusside (rats), 224
- Arban, R., *see* Giusti, P., 1018
- L-Arginine**
- nitric oxide pathway, nonadrenergic noncholinergic relaxation, gastric fundus (cats), 172
 - protein catabolism products, endothelium-dependent and -independent relaxation, thoracic aorta rings (rabbits), 626
- Arnold, L., *see* McClurkan, M. B., 1439
- Aronstam, R. S., *see* Buccafusco, J. J., 314
- Arrhythmia**, cocaine-induced malignant, calcium channel antagonists (dogs), 407
- Artery**
- basilar, 5-HT₁-like receptors, vascular smooth muscle cells (cattle), 692
 - carotid
 - 5-HT₂ receptor blockade, LY215840 (rats), 450
 - prevention of intimal thickening and impairment of vascular function, TCV-116 (rats), 1664
 - coronary
 - occlusion, inhibition of neutrophil accumulation by cyclocreatine (dogs), 1670
 - transient occlusion, vascular injury and prevention (dogs), 1528
 - potassium channel-mediated relaxation, acetylcholine (rabbits), 1482
 - superficial temporal, neurogenic and non-neurogenic relaxations, nicotine (dogs), 1416
 - tonic tone, continuous angiotensin II exposure (rats), 1520
 - umbilical, extracellular calcium, intrinsic tone (humans), 1475
 - vascular structure and function alterations, short-term losartan treatment (rats), 642
- Arthritis**
- anti-arthritis effects, diphosphonates (mice), 1691
 - disease-modifying anti-arthritis drug raloxifene (rats), 1125
- Arylacetamide**, bremazocine- and U69,593-induced antinociception, differential antagonism, quazepam (mice), 926
- Asaad, M. M., *see* Seymour, A. A., 872
- Aspar, D. G., *see* Dunn, C. J., 1691
- Assays**, analgesic, isobolographic superadditivity, *delta* and *mu* opioid agonists (rats), 1261
- Atchison, W. D., *see* Hare, M. F., 1626
- Atherosclerosis**-related remodeling, aortic relaxation to purines, Watanabe heritable hyperlipidemic rabbit, 1091
- Atrial natriuretic peptide, inhibition of neutral endopeptidase 3.4.24.11 and ACE, renal function, pacing-induced heart failure (dogs), 872
- Atrium**
- cyclic GMP-generating agents, muscarinic receptor-linked potassium channel (rabbits), 1594
 - left, dual-component positive inotropic effect, protein kinase C (guinea pigs), 1202
- Audet, R., *see* Drapeau, G., 192
- Autoradiography**
- heterogeneity of *alpha*-2 adrenoceptors, subtypes, uterus (rats), 439
 - tachykinin receptors in gastric fundus (rats), 1043
- Autoreceptors**
- dopamine partial agonist, pharmacological profile, PD 128483 and its enantiomers (mice, rats), 1177
 - dopaminergic, mediation of stimulus properties, quinpirole (rats), 526
 - M₃ muscarinic, release of endogenous acetylcholine, vascularly perfused stomach (rats), 1190
- Avidor, R., *see* Brenneman, D. E., 1029
- Azzaro, A. J., *see* Johnson, E. A., 133
- Baclofen, substance P-like immunoreactivity release, inhibition, *tau*-aminobutyric acid_B (rats), 1490
- Bak, M., Shalimi, M., Petersen, J. S., Poulsen, L. B. and Christensen, S.: Effects of angiotensin-converting enzyme inhibition on renal adaptations to acute furosemide administration in conscious rats, 33
- Baker, M. L., *see* Kimura, T., 1300
- Bali, J.-P., *see* Choquet, A., 1306
- Barbier, A. J. and Lefebvre, R. A.: Involvement of the L-arginine: Nitric oxide pathway in nonadrenergic noncholinergic relaxation of the cat gastric fundus, 172
- Bardone, M. C., *see* Doble, A., 1213
- Barke, K. E. and Hough, L. B.: Simultaneous measurement of opiate-induced histamine release in the periaqueductal gray and opiate antinociception: An *in vivo* microdialysis study, 934
- Baron, C. B., Pompeo, J., Blackman, D. and Coburn, R. F.: Common phosphatidylinositol 4,5-bisphosphate pools are involved in carbachol and serotonin activation of tracheal smooth muscle, 8
- Baroreceptors, mechanism for controlling renin secretion, calcium channel blockers (rats), 274
- Baroreflexes, depressant effect of ethanol, NMDA and non-NMDA receptors, nucleus tractus solitarius (rats), 602
- Bartel, C., Wirtz, C., Brändle, E. and Greven, J.: Interaction of thiazide and loop diuretics with the basolateral *para*-aminohippurate transport system in isolated S₂ segments of rabbit kidney proximal tubules, 972
- Bartosz, H., *see* Weber, S. J., 1649
- Basal ganglia**, dopamine and acetylcholine cell density, neuroleptic responsive and neuroleptic nonresponsive lines (mice), 431
- Basolateral membrane**, *para*-aminohippurate transport, thiazide and loop diuretics, proximal tubules (rabbits), 972
- Bass, P., *see* Osinski, M. A., 1684
- Bast, A., *see* de Jong, J., 1312
- Battaglia, G., *see* Li, Q., 836
- Baverel, G., *see* Elhamri, M., 89
- Bean, J. S., *see* Kauffmann, R. F., 450
- Behavior**
- diazepam-insensitive *tau*-aminobutyric acid_A receptor, transduction, discriminative stimulus (pigeons), 570
 - discriminative stimulus properties, cocaine, relation to dopamine D₂ receptor function (rats), 585
 - downregulation of nicotinic receptor function, chronic nicotine infusion (mice), 1268
 - low sedative potential, RP 59037 and RP 60503, interaction with GABA_A receptor complex (rats), 1213
 - sensitization to cocaine, time course, tyrosine hydroxylase expression (rats), 424
 - toxic effects of cocaine, 6-(6-(4-hydroxypiperidinyl))hexyloxy-3-methylflavone (mice, rats), 473
- Bélanger, P. M., *see* Abolfathi, Z., 1196
- Belardinelli, L., *see* Amoah-Apraku, B., 611
- Bell, D. R., *see* Brackley, P. T. H., 1573
- Benextramine, gastric lesion formation and gastric secretion, neuropeptide Y, [Leu³¹, Pro³⁴]neuropeptide Y (rats), 339
- Bennett, L. L., Jr., Allan, P. W., Noker, P. E., Rose, L. M., Niwas, S., Montgomery, J. A. and Erion, M. D.: Purine nucleoside phosphorylase inhibitors: Biochemical and pharmacological studies with 9-benzyl-9-deazaguanine and related compounds, 707
- Benzalkonium chloride, chronic denervation of jejunum, cholinergic supersensitivity, reduction of cholinesterase activity (rats), 1684
- Benzodiazepines**
- agonist exposure, *tau*-aminobutyric acid responses, male and ovariectomized rats, 768, 774
 - diazepam-insensitive *tau*-aminobutyric acid_A receptors, transduction, discriminative stimulus (pigeons), 570
 - imidazoles, *tau*-aminobutyric acid action, GABA_A receptors (rats), 1018
- 9-Benzyl-9-deazaguanine, related compounds and, purine nucleoside phosphorylase inhibitors (rats), 707
- Berg, K. A., *see* Ebersole, B. J., 692
- Berlan, M., *see* Galitzky, J., 358
- Berridge, M. S., *see* Harik, S. I., 790
- Bertrand, C., *see* Piedimonte, G., 270
- Bezold-Jarisch reflex, RS 42358-197, 5-HT₃ receptor antagonist (dogs), 535
- Bicarbonate**
- electrogenic and electroneutral secretion, chloride channel blockers, gallbladder epithelium (guinea pig), 65

- gastric and duodenal secretion, stimulation, nitric oxide synthase inhibitors (rats), 1512
- Bidlack, J. M., *see* Lawrence, D. M. P., 1678
- Billingham, M. E., *see* Deisher, T. A., 262
- Billman, G. E.: Effect of calcium channel antagonists on cocaine-induced malignant arrhythmias: Protection against ventricular fibrillation, 407
- Biscardi, R., *see* Wilson, M. A., 768
- Black, S. C., *see* Friedrichs, G. S., 1348
- Blackman, D., *see* Baron, C. B., 8
- Bladder neoplasms, phenylbutazone peroxidative metabolism and conjugation, 81
- Blanchard, J. C., *see* Doble, A., 1213
- Blood-brain barrier
assessment of model, [met^5]enkephalin opioid analogs (cattle), 1649
opiate receptors, mediation, *kappa* agonist-induced water diuresis (guinea pigs), 164
synergism of nicotinamide and choline (rats), 720
- Blood pressure
alcohol and cocaine interactions (humans), 1364
decreased, acetylpolyamines, isometric force of vascular smooth muscle (rats), 179
depressant effect of ethanol on baroreflexes, NMDA and non-NMDA receptors (rats), 602
role of prostanoids, regulation, central cholinergic receptor sensitivity (rats), 314
- Bloomquist, W. E., *see* Kauffmann, R. F., 450
- Blumberg, P. M., *see* Szallasi, A., 678
- Bobbitt, J. L., *see* Snyder, D. W., 1147
- Boireau, A., *see* Doble, A., 1213
- Bologna, S. D., Hasler, W. L. and Owyang, C.: Down-regulation of motilin receptors on rabbit colon myocytes by chronic oral erythromycin, 852
- Bonizzoni, E., *see* Ongini, E., 726
- Boudier, H. A. J. S., *see* Schiffrers, P. M. H., 1520
- Bourzat, J. D., *see* Doble, A., 1213
- Bowery, N. G., *see* Malcangio, M., 1490
- Bowyer, J. F., Gough, B., Broening, H. W., Newport, G. D. and Schmued, L.: Fluoro-gold and pentamidine inhibit the *in vitro* and *in vivo* release of dopamine in the striatum of rat, 1066
- Brackley, P. T. H., Bell, D. R., Choi, S.-K., Nakanishi, K. and Usherwood, P. N. R.: Selective antagonism of native and cloned kainate and NMDA receptors by polyamine-containing toxins, 1573
- Brady, S. F., *see* Ramjit, D. R., 1501
- Bradykinin
-induced contraction, modulatory effect of endopeptidase inhibitors, uterus (rats), 700
receptors in gallbladder (guinea pigs), 1291
-stimulated inositol monophosphate production, rapid desensitization, NG108-15 cells, 253
- Brain
 γ -aminobutyric acid_A receptor function and binding, halothane (rats), 153
catecholamine depletion, withdrawal from morphine treatment, tolerance to morphine's enhancing effect (mice), 749
- continuous pentobarbital intracerebroventricular administration, induction of tolerance, physical dependence (rats), 1300
- cortex synaptosomes, enhanced glycine release, acetylcholine acting at M₁ muscarinic receptors (humans), 142
- differentiation of metabotropic glutamate receptors, potentiation of cAMP responses, phosphoinositide hydrolysis (rats), 518
- distribution and specificity, central angiotensin IV binding sites (guinea pigs), 1718
- downregulation of nicotine receptor function, chronic nicotine infusion (mice), 1268
- extracellular choline levels, synergism, nicotinamide and choline (rats), 720
- nigrostriatal toxicity, fluorinated 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine analogs, use in PET studies (mice, monkeys), 790
- periaqueductal gray and opiate antinociception, opiate-induced histamine release, microdialysis (rats), 934
- selective ligand DuP 734 (mice), 1541
- striatum, coupling of A₂-adenosine receptor, G protein, 294
- temporary focal cerebral ischemia, effect of ibuprofen, infarct volume (rats), 1713
- ventral tegmental *mu/delta/kappa* opioid receptors, basal mesolimbic dopamine release (rats), 1236
- Brändle, E., *see* Bartel, C., 972
- Brannon, P. M., *see* Rao, R. K., 647
- Bremazocine
intracerebral administration, spinal involvement, dynorphin A and met-enkephalin (mice), 1430
- U69,593-induced antinociception and, differential antagonism, quadazocine (mice), 926
- Brenneman, D. E., Page, S. W., Schultzberg, M., Thomas, F. S., Zelazowski, P., Burnet, P., Avidor, R. and Sternberg, E. M.: A decomposition product of a contaminant implicated in L-tryptophan eosinophilia myalgia syndrome affects spinal cord neuronal cell death and survival through stereospecific, maturation and partly interleukin-1-dependent mechanisms, 1029
- Brink, P. R., *see* Christ, G. J., 1054
- Bristow, M. R., *see* Deisher, T. A., 262
- BRL-35135, agonists and interactions of antagonists, thermoregulatory effects, *beta* adrenoceptors (rats), 1446
- Broad, R. M. and Cook, M. A.: Inhibition of neurotransmitter release from enteric nerve endings by 2-[*p*-(carboxymethyl)-phenethylamino]-5'-N-ethylcarboxamido-adenosine (CGS-21680) and related adenosine analogs: Lack of simple competition by antagonists, 634
- Broening, H. W., *see* Bowyer, J. F., 1066
- N-(2-Bromoethyl)-4-piperidinyl diphenylacetate, kinetics of activation, muscarinic receptor binding, 301
- Bronchoconstriction, antigen-induced, eosinophil infiltration, rolipram (guinea pigs), 306
- Brooks, D. P., Giardina, G., Gellai, M., Donadio, G., Edwards, R. M., Petrone, G., DePalma, P. D., Sbacchi, M., Jugus, M., Misiano, P., Wang, Y.-X. and Clarke, G. D.: Opiate receptors within the blood-brain barrier mediate *kappa* agonist-induced water diuresis, 164
- Brownfield, M. S., *see* Li, Q., 836
- Brownson, E. A., *see* Weber, S. J., 1649
- Bruni, R. F., *see* Amoah-Apraku, B., 611
- Brush-border membrane, renal vesicles, inhibition of H⁺/organic cation antiport, carboxyl reagents (rabbits), 500
- Buccafusco, J. J., Lapp, C. A., Aronstam, R. S., Hays, A. C. and Shuster, L. C.: Role of prostanoids in the regulation of central cholinergic receptor sensitivity, 314
- Bueno, L., *see* Fioramonti, J., 1255
- Bugnon, O., *see* Ofori, S., 350
- Bullough, D. A., Potter, S., Fox, M. H., Zhang, C., Metzner, E. K. and Mullaney, K. M.: Acadesine prevents oxidant-induced damage in the isolated guinea pig heart, 666
- Burcher, E., *see* Mussap, C. J., 10, 54, 1043
- Christ, G. J., Brink, P. R., Zhao, W., Moss,
- Burks, T. F., *see* Kramer, T. H., 577
- Burnet, P., *see* Brenneman, D. E., 1029
- Bushnell, P. J., Pope, C. N. and Padilla, S.: Behavioral and neurochemical effects of acute chlorpyrifos in rats: Tolerance to prolonged inhibition of cholinesterase, 1007
- Butelman, E. R., *see* Negus, S. S., 1355
- Butylated hydroxytoluene, pulmonary bioactivation and toxicity, cytochrome P450 2B (rats, mice), 958
- Cabrera, T. M., *see* Li, Q., 836
- Cadmium
hepatotoxicity, oleanolic acid, induction of metallothionein (mice), 400
tumor-suppressive effects, B6C3F1 mouse liver and lung, 1656
- Caffeine
phosphodiesterase inhibitors and, respiration and behavior (monkeys), 894
treatment and withdrawal (mice), 1563
- Calcitonin gene-related peptide, calcium and, role of endogenous opioids, mediators of hypothermic effects (mice), 1407
- Calcium
-activated potassium channel opener NS-004 (rats), 1422
- calcitonin gene-related peptide and, role of endogenous opioids, mediators of hypothermic effects (mice), 1407
- decreased blood pressure, acetylpolyamines, isometric force of vascular smooth muscle (rats), 179
- dependent constitutive nitric oxide synthase, carbachol, ventricular cardiomyocytes (guinea pigs), 919
- extracellular, intrinsic tone and, umbilical artery (humans), 1475
- independent relaxation, *beta* adrenoceptor mediation, contraction of uterine smooth muscle (rats), 367
- intracellular, 5-HT₁-like receptors, vas-

- cular smooth muscle cells (cattle), 692
- intracellular concentrations, methylmercury, NG108-15 cells, 1626
- L-type channels and, nicotine-induced antinociception (mice), 1330
- metabolism in glomerulosa cells, effects of diltiazem, actions of angiotensin II and potassium (cattle), 374
- role of protein kinase C, dual-component positive inotropic effect, endothelin-1 in left atria (guinea pigs), 1202
- same signaling pathway, peptidyl leukotrienes, gastric muscle cells (guinea pigs), 857
- thrombin and thrombin receptor activating peptides, aortic vascular smooth muscle (rats), 125
- transport, effects of amiloride and M17055, connecting tubule (rabbits), 1589
- Calcium channel**
- antagonists, cocaine-induced malignant arrhythmias (dogs), 407
 - ATP-inhibited K⁺ channels, specific activator, ventricular cells (guinea pigs), 978
 - G protein and, *alpha* adrenergic receptor subtypes, prostaglandin synthesis (rabbits), 1113
- Calcium channel blockers, control of renin secretion, baroreceptor mechanism (rats), 274
- Calhoun, W., *see* Carlson, R. P., 1125
- Callahan, P. M. and Cunningham, K. A.: Discriminative stimulus properties of cocaine in relation to dopamine D₂ receptor function in rats, 585
- Cami, J., *see* Farré, M., 1364
- Canela, E. I., *see* Casadó, V., 1463
- Canton, T., *see* Doble, A., 1213
- Caparrotta, L., *see* Ragazzi, E., 1091
- Capaz, F. R., Ruffié, C., Lefort, J., Manzini, S., Vargaftig, B. B. and Pretolani, M.: Effect of active sensitization on the bronchopulmonary responses to tachykinins in the guinea pig. Modulation by peptidase inhibitors, 812
- Caprathé, B. W., *see* Meltzer, L. T., 1177
- Capsaicin, tracheal vascular permeability, hypertonic saline, prevention of increase by CP-99,994 (rats), 270
- Captopril
- inhibition of neutral endopeptidase 3.4.24.11 and ACE, renal function, pacing-induced heart failure (dogs), 872
 - peptide inhibitors, active sensitization, bronchopulmonary tachykinins (guinea pigs), 812
- Carbachol
- Ca⁺⁺-dependent nitric oxide synthase, ventricular cardiomyocytes (guinea pigs), 919
 - cellular regulation of acid secretion, gastric mucosal endogenous prostanoids, parietal cells, 1306
 - cyclic GMP-generating agents, muscarinic receptor-linked potassium channel, atrium (rabbits), 1594
 - negative dromotropic action of adenosine, A₁ adenosine receptor enhancer (guinea pigs), 611
 - reduced paired-pulse depression in dentate gyrus, L-2-amino-4-phosphono-
- butanoic acid, 1S,3R-1-aminocyclopentane-1,3-dicarboxylic acid (rats), 207
- role of prostanoids, regulation, central cholinergic receptor sensitivity (rats), 314
- serotonin activation and, common phosphatidylinositol 4,5-bisphosphate pools, tracheal smooth muscle (dogs), 8
- Carbamazepine
- lamotrigine and phenytoin interactions, sodium current, neuroblastoma cells (mice), 829
 - pharmacological protection, CNS white matter, anoxia (rats), 1549
- 2-[*p*-(Carboxyethyl)phenethylamino]-5'-N-ethylcarboxamido-a denosine, *see* CGS-21680
- Carboxyl reagents, inhibition of H⁺/organic cation antiport, renal brush-border membrane vesicles (rabbits), 500
- Cardiomyocytes, ventricular, effects of carbachol, Ca⁺⁺-dependent nitric oxide synthase (guinea pigs), 919
- Cardiotoxicity
- Adriamycin-induced, inhibitory effect, 5, 6,7,8-tetrahydronoepterin (mice), 1699
 - anthracycline-induced, role of biotransformation (mice), 1312
- Carlen, P. L., *see* Zhang, L., 1227
- Carlisle, H. J. and Stock, M. J.: Thermoregulatory effects of *beta* adrenoceptors: Effects of selective agonists and the interaction of antagonists with isoproterenol and BRL-35135 in the cold, 1446
- Carlson, R. P., Hartman, D. A., Tomchek, L. A., Walter, T. L., Lugay, J. R., Calhoun, W., Sehgal, S. N. and Chang, J. Y.: Rapamycin, a potential disease-modifying antiarthritic drug, 1125
- Carneiro, R. C. G., Pereira, E. P., Cipolla-Neto, J. and Markus, R. P.: Age-related changes in melatonin modulation of sympathetic neurotransmission, 1536
- Caron, J. F., *see* Adamantidis, M. M., 884
- Carpene, C., *see* Galitzky, J., 358
- Carpentier, R. G., Coleman, B. R. and Patel, D. J.: Cocaine enhances postrest and paired-stimulation potentiation in rat papillary muscle, 41
- Carruba, M. O., *see* Nisoli, E., 97
- Casadó, V., Allende, G., Mallol, J., Franco, R., Lluis, C. and Canela, E. I.: Thermodynamic analysis of agonist and antagonist binding to membrane-bound and solubilized A₁ adenosine receptors, 1463
- Casu, M. A., *see* Imperato, A., 557
- Catalepsy, presynaptic dopamine receptor agonist Ro 41-9067 (rats), 97
- Catecholamines
- cerebral, depletion and morphine treatment withdrawal, tolerance to morphine's enhancing effect (mice), 749
 - endogenous and exogenous norepinephrine and epinephrine, extraneuronal metabolism (rats), 288
 - lipomobilizing effects, β 3-adrenoceptors, adipose tissue (dogs), 358
- Catechol-O-methyltransferase, endogenous and exogenous norepinephrine and epinephrine, extraneuronal metabolism (rats), 288
- Cavazzani, P., *see* Russo, C., 142
- Cechetto, D. F., *see* Kline, R. L., 1556
- Cederbaum, A. I., *see* Dicker, E., 1282
- Central nervous system
- chimeric galanin analogs that function as antagonists, full antagonists, gastrointestinal smooth muscle (rats), 912
 - kinetics of ramipril and ramiprilat (dogs), 147
 - role of prostanoids, regulation, central cholinergic receptor sensitivity (rats), 314
 - white matter, pharmacological protection during anoxia (rats), 1549
- Chakder, S. and Rattan, S.: The entire vasoactive intestinal polypeptide molecule is required for the activation of the vasoactive intestinal polypeptide receptor: Functional and binding studies on opossum internal anal sphincter smooth muscle, 392
- Chamberlain, J., Offord, S. J., Wolfe, B. B., Tyau, L. S., Wang, H.-L. and Frazer, A.: Potency of 5-hydroxytryptamine_{1A} agonists to inhibit adenylyl cyclase activity is a function of affinity for the "low-affinity" state of [³H]8-hydroxy-N,N-dipropylaminotetralin ([³H]8-OH-DPAT) binding, 618
- Chan, C.-F., *see* Wing, L.-Y., 179
- Chang, C. T.-C., *see* Ramjit, D. R., 1501
- Chang, E. B., *see* Wilson, K. T., 224
- Chang, H.-H., *see* Rao, R. K., 647
- Chang, J. Y., *see* Carlson, R. P., 1125
- Chang, K. C., Chung, S. Y., Chong, W. S., Suh, J. S., Kim, S. H., Noh, H. K., Seong, B. W., Ko, H. J. and Chun, K. W.: Possible superoxide radical-induced alteration of vascular reactivity in aortas from streptozotocin-treated rats, 992
- Chemotaxis, inhibition of neutrophil accumulation, cyclocreatine, myocardium (dogs), 1670
- Chen, S.-Y., *see* Sorg, B. A., 424
- Cherian, M. G., *see* Waalkes, M. P., 1656
- Chi, L., *see* Friedrichs, G. S., 1348
- Chiariello, M., *see* Golino, P., 511
- Chiba, K., Kobayashi, K., Manabe, K., Tani, M., Kamataki, T. and Ishizaki, T.: Oxidative metabolism of omeprazole in human liver microsomes: Cosegregation with S-mephenytoin 4'-hydroxylation, 52
- Chiba, M. and Pang, K. S.: Effect of protein binding on 4-methylumbelliferyl sulfate desulfation kinetics in perfused rat liver, 492
- Chikai, T., Oishi, R. and Saeki, K.: Microdialysis study of the effects of sedative drugs on extracellular histamine in the striatum of freely moving rats, 1277
- Chinellato, A., *see* Ragazzi, E., 1091
- Chloride
- γ -aminobutyric acid-activated influx, divergent alterations, responses of male and ovariectomized rats, 768, 774

- γ -aminobutyric acid_A receptor function and binding, halothane (rats), 153
- Chloride channel blockers, electrogenic and electroneutral HCO_3^- secretion, gallbladder epithelium (guinea pigs), 65
- 7-Chloro-2,3-dihydro-1-(2-methylbenzoyl)-4(H)-quinoline-4-oxime-*o*-sulfonic acid, potassium salt, *see* M17055
- Chloroethyklonidine, cardiovascular effects (rats), 864
- 6-Chloro-2-[1-piperazinyl]-pyrazine, endocrine responses, long-term treatment, fluoxetine and desipramine (rats), 836
- Chlorpyrifos, acute, behavioral and neurochemical effects, inhibition of cholinesterase (rats), 1007
- CHO cells
 effects of emetine, association of T-2 toxin, mammalian cells, 732
 functional receptor subtype selectivity, muscarinic agonists, 237
- Choi, S.-K., *see* Brackley, P. T. H., 1573
- Choline
 analogs selenonium choline and acetyl-selenonium choline, biological activities (mice), 593
 nicotinamide and, synergism, extracellular choline levels in brain (rats), 720
- Choline acetyltransferase, dopamine and acetylcholine cell density, neuroleptic responsive and neuroleptic non-responsive lines (mice), 431
- Cholinergic system, cholinergic drugs, comparison with MK-801, impaired memory recognition (monkeys), 60
- Cholinesterase
 prolonged inhibition, behavioral and neurochemical effects, acute chlorpyrifos (rats), 1007
 reduction of activity, chronic denervation of jejunum, cholinergic supersensitivity (rats), 1684
- Chong, W. S., *see* Chang, K. C., 992
- Choquet, A., Magous, R. and Bali, J.-P.: Gastric mucosal endogenous prostaglandins are involved in the cellular regulation of acid secretion from isolated parietal cells, 1306
- Chotinaruemol, S., *see* Miller, M. J. S., 468
- Choudhuri, S., *see* Liu, Y., 400
- Christensen, S., *see* Bak, M., 33
- Christoffersen, C. L., *see* Meltzer, L. T., 1177
- Chun, K. W., *see* Chang, K. C., 992
- Chung, S. Y., *see* Chang, K. C., 992
- Churchill, P., *see* Jones-Dombi, T., 274
- Churchill, P. C. and Ellis, V. R.: Purinergic P_{2Y} receptors stimulate renin secretion by rat renal cortical slices, 160
- Cicero, T. J., *see* Adams, M. L., 323
- Cipkus-Dubray, L. A., *see* Meisheri, K. D., 655
- Cipolla-Neto, J., *see* Carneiro, R. C. G., 1536
- Cisplatin, RS 42358-197, 5-HT₃ receptor antagonist (dogs), 535
- Clark, D. A., *see* Miller, M. J. S., 468 Clark, J. A., *see* Standifer, K. M., 106
- Clarke, G. D., *see* Brooks, D. P., 164
- Cleniazem, protective effect, epinephrine-induced cardiac injury (rats), 262
- Clozapine
 AJ 76 or, cocaine and, reinforcing and discriminative stimulus effects (monkeys), 780
- dopamine D-1 and D-2 receptor antagonist antipsychotics, sleep-wake patterns (rats), 726
- 5-HT₂ receptor antagonist MDL 100907 (rats), 684
- typical and atypical antipsychotic drugs, *in vivo* affinities, serotonin₂ and dopamine₂ receptors (rats), 1374
- Coburn, R. F., *see* Baron, C. B., 8
- Cocaine
 acute effects on anterior pituitary hormones (monkeys), 804
 alcohol interactions and (humans), 1364
 behavioral and toxic effects, 6-(6-(4-hydroxypiperidinyl))hexyloxy-3-methylflavone (mice, rats), 473
- behavioral sensitization, time course, tyrosine hydroxylase expression (rats), 424
- caffeine and phosphodiesterase inhibitors, respiration and behavior (monkeys), 894
- combined with AJ 76 or clozapine, reinforcing and discriminative stimulus effects (monkeys), 780
- discriminative stimulus properties, relation to dopamine D₂ receptor function (rats), 585
- electrophysiological effects, nucleus accumbens, microiontophoretic studies (rats), 1075
- enhanced postrest and paired-stimulation potentiation, papillary muscle (rats), 41
- induced malignant arrhythmias, calcium channel antagonists (dogs), 407
- Coenzyme A, enantioselective metabolism, inversion of ibuprofen, xenobiotics (rats), 845
- Cohen, M. L., Johnson, M. P., Schenck, K. W., Susemichel, A., Wainscott, D. B., Robertson, D. W. and Nelson, D. L.: DOI and α -methylserotonin: Comparative vascular and nonvascular smooth muscle effects and central 5-hydroxytryptamine₂ receptor affinities, 943
- Cohen, M. L., *see* Kauffmann, R. F., 450
- Cohen, M. L., *see* Watts, S. W., 950
- Cohen, R. A., *see* Cowan, C. L., 1482
- Cold, thermoregulatory effects of beta adrenoceptors, agonists and interactions of antagonists, isoproterenol and BRL-35135 (rats), 1446
- Cole, D. J., Patel, P. M., Reynolds, L., Drummond, J. C. and Marcantonio, S.: Temporary focal cerebral ischemia in spontaneously hypertensive rats: The effect of ibuprofen on infarct volume, 1713
- Coleman, B. R., *see* Carpenter, R. G., 41
- Collins, A. C., Romm, E., Selvaag, S., Turner, S. and Marks, M. J.: A comparison of the effects of chronic nicotine infusion on tolerance to nicotine and cross-tolerance to ethanol in long-sleep and short-sleep mice, 1390
- Collins, A. C., *see* de Fiebre, C. M., 1398
- Collins, A. C., *see* Marks, M. J., 1268
- Collins, K. A., *see* Tseng, L. F., 1430
- Colon
 function, effect of FK1052 (rats), 74
 inhibition of sodium chloride absorption, stimulation of anion secretion, sodium nitroprusside (rats), 224
- myocytes, down-regulation of motilin receptors, chronic oral erythromycin (rabbits), 852
- Conn, J., *see* Winder, D. G., 518
- Contractility, enhanced postrest and paired-stimulation potentiation, cocaine, papillary muscle (rats), 41
- Convulsions, behavioral and toxic effects of cocaine, 6-(6-(4-hydroxypiperidinyl))hexyloxy-3-methylflavone (mice, rats), 473
- Cook, C. S., Hauswald, C., Oppermann, J. A. and Schoenhard, G. L.: Involvement of cytochrome P-450IIIA in metabolism of potassium canrenoate to an epoxide: Mechanism of inhibition of the epoxide formation by spirooalactone and its sulfur-containing metabolite, 1
- Cook, M. A., *see* Broad, R. M., 634
- Cooper, B. R., *see* Lang, D. G., 829
- Corbin, A. E., *see* Meltzer, L. T., 1177
- Cormann, P., *see* Petersen, K.-U., 65
- Corticosterone
 endocrine responses, long-term treatment, fluoxetine and desipramine (rats), 836
- stimulation of hypothalamo-pituitary-adrenal axis, DAMGO, mu-2 opioid receptor (rats), 985
- Cory-Slechta, D. A., *see* Widzowski, D. V., 526
- Costa, E., *see* Giusti, P., 1018
- Cotman, C. W., *see* Kahle, J. S., 207
- Cotreau-Bibbo, M. M., *see* Kaplan, G. B., 1563
- Cotrel, C., *see* Doble, A., 1213
- Cowan, C. L., Palacino, J. J., Najibi, S. and Cohen, R. A.: Potassium channel-mediated relaxation to acetylcholine in rabbit arteries, 1482
- Coy, D. H., *see* Gu, Z.-F., 912
- Coyle, J. T., *see* Puttfarcken, P. S., 796
- CP-99,994, prevention of increase, tracheal vascular permeability, hypertonic saline (rats), 270
- Cueto, S., *see* Woodward, J. J., 563
- Cunningham, D., *see* Vargas, H. M., 864
- Cunningham, K. A., *see* Callahan, P. M., 585
- CV-11974, pharmacological profile, 114
- Cyclic AMP
 alpha-2 adrenoceptors, medullary thick ascending limbs, kidney (rabbits), 279
- functional receptor subtype selectivity, muscarinic agonists, 237
- 5-HT₁-like receptors, increased intracellular calcium, vascular smooth muscle cells (cattle), 692
- inhibition of glomerular adenylate cyclase, angiotensin II, receptor subtype AT₁ (rats), 506
- neurogenic and non-neurogenic relaxations, nicotine, superficial temporal artery (dogs), 1416
- potentiation of responses and phosphoinositide hydrolysis, differentiation, metabotropic glutamate receptors (rats), 518
- specific phosphodiesterase inhibitor rolipram, antigen-induced bronchocon-

- striction, eosinophil infiltration (guinea pigs), 306
- Cyclic GMP
effects of carbachol, Ca^{++} -dependent nitric oxide synthase, ventricular cardiomyocytes (guinea pigs), 919
-generating agents, muscarinic receptor-linked potassium channel, atrium (rabbits), 1594
- Cyclocreatine, inhibition of neutrophil accumulation, coronary artery occlusion and reperfusion model, myocardium (dogs), 1670
- Cycloheximide, effects of emetine, T-2 toxin-induced inhibition, protein synthesis, 741
- 1-(Cyclohexylazycarbonyloxy)ethyl-2-ethoxy-1-[(2'-1H-tetrazol-5-yl)biphenyl-4-yl)methyl]1H-benzimidazole-7-carboxylate, see TCV-116
- Cyclooxygenase, inhibitors, time-dependent improvement, tracheal contractility (guinea pigs), 950
- 8-Cyclopentyl-1,3-[^3H]dipropylxanthine, agonist and antagonist binding, thermodynamic analysis, membrane-bound and solubilized A_1 adenosine receptors (pigs), 1463
- Cyclophosphamide, disease-modifying anti-arthritis drug rapamycin (rats), 1125
- 1-(Cyclopropylmethyl)-4-(2-(4-fluorophenyl)-2-oxethyl) piperidine HBr, see DuP 734
- Cyclopyrrolone, derivatives RP 59037 and RP 60503, low sedative potential, interaction with GABA_A receptor complex (rats), 1213
- Cyclosporin A
-digoxin interaction, modulation of P-glycoprotein, kidney, 1614
disease-modifying anti-arthritis drug rapamycin (rats), 1125
- Cytochrome P450
liver, interaction of enantiomers, fluoxetine and norfluoxetine (humans), 964
oxidative metabolism of omeprazole, liver microsomes (humans), 52
- Cytochrome P450 2B, isoenzymes, pulmonary bioactivation, toxicity of pneumotoxins (rats, mice), 958
- Cytochrome P450 2D6, -like activity, catalytic characterization (humans, monkeys), 715
- Cytochrome P450IIIA, metabolism of potassium canrenoate to an epoxide, spironolactone, sulfur-containing metabolite (rats), 1
- Damaj, M. I., Welch, S. P. and Martin, B. R.: Involvement of calcium and L-type channels in nicotine-induced antinociception, 1330
- DAMGO, stimulation of hypothalamo-pituitary-adrenal axis, μ -2 opioid receptor (rats), 985
- 4-DAMP mustard, N-(2-bromoethyl)-4-piperidinyl diphenylacetate, kinetics of activation, muscarinic receptor binding, 301
- Da Prada, M., see Nisoli, E., 97
- Davis, B. B., see Lakshmi, V. M., 81
- Davis, P., see Kramer, T. H., 577
- Davis, T. P., see Rao, R. K., 647
- Davis, T. F., see Weber, S. J., 1649
- Dawson, M. A. and Renfro, J. L.: Interaction of structurally similar pesticides with organic anion transport by primary cultures of winter flounder renal proximal tubule, 673
- Dazzi, L., see Imperato, A., 557
- Debrisoquin 4-hydroxylase, role in stereoselective disposition, mexiletine (humans), 1196
- de Costa, B. R., see Horan, P. J., 926
- Deferoxamine, pretreatment, coronary vascular injury, transient coronary artery occlusion (dogs), 1528
- de Fiebre, C. M. and Collins, A. C.: A comparison of the development of tolerance to ethanol and cross-tolerance to nicotine after chronic ethanol treatment in long- and short-sleep mice, 1398
- Deisher, T. A., Narita, H., Zera, P., Ginsburg, R., Bristow, M. R., Billingham, M. E., Fowler, M. B. and Hoffman, B. B.: Protective effect of clentiazem against epinephrine-induced cardiac injury in rats, 262
- de Jong, J., Schoofs, P. R., Snabilé, A. M., Bast, A. and van der Vlijgh, W. J. F.: The role of biotransformation in anthracycline-induced cardiotoxicity in mice, 1312
- de la Torre, R., see Farré, M., 1364
- Delaunois, A., Gustin, P. and Ansay, M.: Role of neuropeptides in acetylcholine-induced edema in isolated and perfused rabbit lungs, 483
- DeLegge, M., Murthy, K. S., Grider, J. R. and Makhoul, G. M.: Characterization of distinct receptors for the peptidyl leukotrienes LTC₄ and LTD₄/LTE₄ coupled to the same signaling pathway in isolated gastric muscle cells, 857
- [D-Ala², Glu⁴]Deltorphin, delta opioid receptor subtypes (rats), 820
- De Mey, J. G. R., see Schiffers, P. M. H., 1520
- Demonis, G. C., see Longon, B., 153
- Dentate gyrus
opioid actions at μ and delta receptors (rats), 1139
reduced paired-pulse depression, L-2-amino-4-phosphonobutanoic acid, 1S,3R-1-aminocyclopentane-1,3-dicarboxylic acid (rats), 207
- Deoxynivalenol, delayed gastric emptying, serotonin-3 receptors (rats), 1255
- DePalma, P. D., see Brooks, D. P., 164
- Dermorphin, analog Tyr-D-Arg²-Phe-sarcosine, opioid analgesia and respiratory stimulation, μ , receptors (rats), 544
- Desai, M. C., see Piedimonte, G., 270
- Desipramine, fluoxetine and, endocrine responses, serotonin agonists (rats), 836
- Desouza, C. J., see Meglasson, M. D., 1454
- De Souza, E. B., see Watanabe, M., 1541
- Devine, D. P., Leone, P., Pocock, D. and Wise, R. A.: Differential involvement of ventral tegmental μ , delta and kappa opioid receptors in modulation of basal mesolimbic dopamine release: *In vivo* microdialysis studies, 1236
- Dewey, W. L., see Smith, R. L., 1407
- Dextromethorphan, human hepatic cytochrome P450 2D6-like activity, non-human primates, 715
- Diabetes, antihyperglycemic action, guanidoalkanoic acids (mice, monkeys), 1454
- Diamidines, aromatic, Fluoro-Gold and pentamidine, inhibited dopamine release, striatum (rats), 1066
- 1,10-Diaminodecane, diethylenetriamine and, NMDA-stimulated norepinephrine release, hippocampal slices (rats), 563
- Diazepam
-insensitive γ -aminobutyric acid_A receptor, transduction, discriminative stimulus (pigeons), 570
pharmacological protection, CNS white matter, anoxia (rats), 1549
potentiation of GABA_A receptor-mediated synaptic currents, immature hippocampal CA1 neurons (rats), 1227
- DiCarlo, J. J., see Stockmeier, C. A., 1374
- Dicker, E. and Cederbaum, A. I.: Requirement for iron for the production of hydroxyl radicals by rat liver quinone reductase, 1282
- Diethyldithiocarbamate, S-methylation, catalysis by liver thiol methyltransferase, thiopurine methyltransferase (humans), 23
- Diethylenetriamine, 1,10-diaminodecane and, NMDA-stimulated norepinephrine release, hippocampal slices (rats), 563
- Diglio, C. A., see Ebersole, B. J., 692
- Digoxin
-cyclosporin A interaction, modulation of P-glycoprotein, kidney, 1614
role of P-glycoprotein, renal tubular secretion, kidney (rats), 1620
- 5,7-Dihydroxytryptamine, 3,4-methylene-dioxymethamphetamine, serotonin and memory (rats), 1097
- Diltiazem
baroreceptor mechanism, control of renin secretion (rats), 274
calcium metabolism in glomerulosa cells, actions, angiotensin II and potassium (cattle), 374
- 1-(2,5-Dimethoxy-4-iodophenyl)-2-amino-propane, α -methylserotonin and, smooth muscle effects, 5-HT₂ receptor affinities (rats, guinea pigs), 943
- 1-(2,5-Dimethoxy-4-iodophenyl)-2-amino-propane HCl, endocrine responses, long-term treatment, fluoxetine and desipramine (rats), 836
- (2E)-3-[5-(2,3-Dimethoxy-6-methyl-1,4-benzoquinoyl)]-2-nonyl-2-propenoic acid, protective effects, experimental alcoholic liver injury (rats), 1085
- Dimethylthiourea, pretreatment, coronary vascular injury, transient coronary artery occlusion (dogs), 1528
- Dinsdale, D., see Verschoyle, R. D., 958
- 1,2-Dipalmitoylphosphatidylcholine, synthetic pulmonary surfactants, role of hydrophobic face, amphipathic α -helical peptides (dogs), 551
- Diphosphonates, anti-arthritis and anti-inflammatory effects (mice), 1691
- Discriminative stimulus
behavioral and toxic effects of cocaine, 6-

- (6-(4-hydroxypiperidinyl))hexyloxy-3-methylflavone (mice, rats), 473
- cocaine in combination with Aj 76 or clozapine, 780
- drug discrimination procedure, agonist and antagonist effects, mixed action opioids (pigeons), 756
- properties of cocaine, relation to dopamine D₂ receptor function (rats), 585
- transduction, diazepam-insensitive γ -aminobutyric acid_A receptor (pigeons), 570
- Diuresis**
- kappa* agonist-induced, opiate receptors, blood-brain barrier (guinea pigs), 164
- renal protective effects and, KW-3902, pertussis toxin insensitive mechanism (rats), 200
- Diuretics**, loop, thiazide and, basolateral para-aminohippurate transport in proximal tubules (rabbits), 972
- Diwan, B. A., *see* Waalkes, M. P., 1656
- DNA, induction of apoptosis by morphine, opiate and glucocorticoid receptors (dogs), 417
- Doble, A., Canton, T., Dreisler, S., Piot, O., Boireau, A., Stutzmann, J. M., Barde, M. C., Rataud, J., Roux, M., Roussel, G., Bourzat, J. D., Cotrel, C., Pauchet, C., Zundel, J. L. and Blanchard, J. C.: RP 59037 and RP 60503: Anxiolytic cyclopyrrolone derivatives with low sedative potential. Interaction with the γ -aminobutyric acid_A/benzodiazepine receptor complex and behavioral effects in the rodent, 1213
- Dombrowski, D. S., *see* Smith, R. L., 1407
- Dondio, G., *see* Brooks, D. P., 164
- Dopamine**
- acetylcholine cell density and, neuroleptic responsive and neuroleptic nonresponsive lines (mice), 431
 - autoreceptors, mediation of stimulus properties, quinipirole (rats), 526
 - basal mesolimbic release, ventral tegmental $\mu/\delta/\kappa$ opioid receptors, microdialysis (rats), 1236
 - cerebral catecholamine depletion, withdrawal from repeated morphine treatment (mice), 749
 - electrophysiological effects of cocaine, nucleus accumbens, microiontophoretic studies (rats), 1075
 - 5-HT₂ receptor antagonist MDL 100907 (rats), 684
 - inhibited release, Fluoro-Gold and pentamidine, striatum (rats), 1066
 - partial agonist PD 128483 and its enantiomers, pharmacological profile (mice, rats), 1177
 - receptor agonist Ro-9067 (rats), 97
 - time course to tyrosine hydroxylase expression, behavioral sensitization, cocaine (rats), 424
- Dorsal root ganglia, vanilloid receptor, reserpine-toxin binding, modulation by reduction and oxidation (rats), 678
- Doxorubicin, anthracycline-induced cardiotoxicity, role of biotransformation (mice), 1312
- Drapeau, G., Audet, R., Levesque, L., Godin, D. and Marceau, F.: Development and *in vivo* evaluation of metabolically resistant antagonists of B₁ receptors for kinins, 192
- Dreisler, S., *see* Doble, A., 1213
- Drescher, U., *see* Knoefel, F., 385
- Drieze, J. M., *see* Mello, N. K., 804
- Drögemüller, A., *see* Stein, B., 919
- Droperidol, dual effects on repolarization, early afterdepolarizations and triggered activity, Purkinje fibers (rabbits), 884
- Drummond, J. C., *see* Cole, D. J., 1713
- Ducic, I., *see* Giusti, P., 1018
- Duff, H. J., *see* Gillis, A. M., 1001
- Dunlap, R. B., *see* Terry, A. V., Jr., 593
- Dunn, C. J., Galinet, L. A., Wu, H., Nugent, R. A., Schlachter, S. T., Staite, N. D., Aspar, D. G., Elliott, G. A., Essani, N. A., Rohloff, N. A. and Smith, R. J.: Demonstration of novel anti-arthritis and anti-inflammatory effects of diphosphonates, 1691
- Duodenum, HCO₃⁻ secretion, nitric oxide synthase inhibitors (rats), 1512
- DuP 734, ligand for sigma receptors in brain (mice), 1541
- DuP 753, pharmacological profile, CV-11974 and TCV-116, 114
- Dupuis, B. A., *see* Adamantidis, M. M., 884
- Dupuy, C., *see* Fioramonti, J., 1255
- Dupuy, J., *see* Fioramonti, J., 1255
- Dykstra, L. A., *see* Picker, M. J., 756
- Dynorphin A**
- [des-tyr']dynorphin A peptides and, suppression of opiate withdrawal and tolerance, morphine dependency (mice), 121
 - met-enkephalin and, spinal involvement in antinociception, intracerebral bremazocine (mice), 1430
- Ebersole, B. J., Diglio, C. A., Kaufman, D. W. and Berg, K. A.: 5-Hydroxytryptamine₁-like receptors linked to increases in intracellular calcium concentration and inhibition of cyclic AMP accumulation in cultured vascular smooth muscle cells derived from bovine basilar artery, 692
- Edema**
- acetylcholine-induced, role of neuropeptides, lungs (rabbits), 483
 - tracheal vascular permeability, hypertonic saline, prevention of increase by CP-99,994 (rats), 270
- Edwards, R. M., *see* Brooks, D. P., 164
- Edwards, R. M. and Stack, E. J.: Angiotensin II inhibits glomerular adenylate cyclase via the angiotensin II receptor subtype 1 (AT₁), 506
- Eglen, R. M., Lee, C., Smith, W. L., Johnson, L. G., Whiting, R. L. and Hegde, S. S.: RS 42358-197, a novel and potent 5-HT₃ receptor antagonist, *in vitro* and *in vivo*, 535
- Ehlert, F. J., *see* Griffin, M. T., 301
- Ehrlich, D., *see* Samoszuk, M., 1643
- Eicosanoids**
- human recombinant nonpancreatic secretory phospholipase A₂, contractile effects, lung pleural strips (guinea pigs), 1147
 - time-dependent improvement, tracheal contractility (guinea pigs), 950
- Eisenberg, R. M.: DAMGO stimulates the hypothalamo-pituitary-adrenal axis through a mu-2 opioid receptor, 985
- Eisenhofer, G., *see* Lenders, J. W. M., 288
- Ekblom, M., Hammarlund-Udenaes, M. and Paalzow, L.: Modeling of tolerance development and rebound effect during different intravenous administrations of morphine to rats, 244
- Electrolytes**, inhibition of sodium chloride absorption in colon, stimulation of anion secretion, sodium nitroprusside (rats), 224
- Electron paramagnetic resonance spectroscopy**, minocycline-induced thyroid pigment, several synthetic models (dogs), 1164
- Electrophysiology**
- decreased glutamatergic synaptic transmission, ethanol, naloxone reversal (rats), 1705
 - divergent alterations, γ -aminobutyric acid/benzodiazepine response, male and ovariectomized rats, 774
 - effects of cocaine, nucleus accumbens, microiontophoretic studies (rats), 1075
 - myocardial uptake and pharmacodynamics, procainamide, coronary heart disease and sustained ventricular tachyarrhythmias (humans), 1001
- El-Fakahany, E. E., *see* Wang, S.-Z., 237
- Elgebal, S. A., Allam, M. E., Houser, S., Hashmi, F., Forouhar, F. and Miano, D.: Cyclocreatine inhibits neutrophil accumulation in the myocardium of a canine model of coronary artery occlusion and reperfusion, 1670
- Elhamri, M., Ferrier, B., Martin, M. and Baverel, G.: Effect of valproate, sodium 2-propyl-4-pentenoate valproate and sodium 2-propyl-2-pentenoate valproate on renal substrate uptake and ammoniogenesis in the rat, 89
- Elliott, G. A., *see* Dunn, C. J., 1691
- Ellis, V. R., *see* Churchill, P. C., 160
- El-Mas, M. M. and Abdel-Rahman, A. A.: Role of NMDA and non-NMDA receptors in the nucleus tractus solitarius in the depressant effect of ethanol on baroreflexes, 602
- Emesis, RS 42358-197, 5-HT₃ receptor antagonist (dogs), 535
- Emetine**
- association of T-2 toxin with mammalian cells, 732
 - T-2 toxin-induced inhibition, protein synthesis, mammalian cells, 741
- Enalapril, effects of angiotensin-converting-enzyme inhibition, renal adaptations, acute furosemide administration (rats), 33
- Encephalomyelitis, experimental allergic, disease-modifying anti-arthritis drug rapamycin (rats), 1125
- Endopeptidase, modulatory effect of inhibitors, bradykinin-induced contraction, uterus (rats), 700
- Endothelial cells**
- [met⁶]enkephalin opioid analogs, assessment, *in vitro* blood-brain barrier model (cattle), 1649
 - prevention of intimal thickening, TCV-116, carotid injury (rats), 1664
- Endothelin-1, dual-component positive in-

- otropic effect, role of protein kinase C, left atria (guinea pigs), 1202
- Endothelium**
 atherosclerosis-related remodeling, aortic relaxation, Watanabe heritable hyperlipidemic rabbit, 1091
 -dependent and -independent relaxation, protein catabolism products, thoracic aorta rings (rabbits), 626
 potassium channel-mediated relaxation, acetylcholine, arteries (rabbits), 1482
- Endothelium-derived relaxing factor**, renin secretion by renal cortical slices, purinergic P_{2Y} receptors (rats), 160
- cyclic[D-Pen², D-Pen⁵]Enkephalin, *delta* opioid receptor subtypes (rats), 820
- Enkephalin, modulation of *mu*-1 opioid binding, magnesium, multiple receptor conformation, 106
- met-Enkephalin, dynorphin A and, spinal involvement in antinociception, intracerebral bremazocine (mice), 1430
- [met⁶]Enkephalin, opioid analogs, assessment, *in vitro* blood-brain barrier model (cattle), 1649
- Enochs, W. S., Nilges, M. J. and Swartz, H. M.: The minocycline-induced thyroid pigment and several synthetic models: Identification and characterization by electron paramagnetic resonance spectroscopy, 1164
- Enokibori, M., *see* Okamura, T., 1416
- Enteric nervous system, chronic denervation of jejunum, cholinergic supersensitivity, reduction of cholinesterase activity (rats), 1684
- Eosinophilia myalgia syndrome, L-tryptophan, decomposition product of contaminant, spinal cord neuronal cell death (mice), 1029
- Eosinophil peroxidase, preclinical safety studies, glucose oxidase (mice), 1643
- Eosinophils, infiltration, antigen-induced bronchoconstriction, rolipram (guinea pigs), 306
- Epidermal growth factor, inhibition of gastric acid secretion, ontogenetic differences (rats), 647
- Epilepsy, amygdala-kindled rats, anticonvulsant efficacy and adverse effects, phenytoin (rats), 216
- Epinephrine**
 endogenous and exogenous, extraneuronal metabolism (rats), 288
 -induced cardiac injury, protective effect, clentiazem (rats), 262
- Epithelium, gallbladder, electrogenic and electroneutral HCO₃⁻ secretion, chloride channel blockers (guinea pig), 65
- Erion, M. D., *see* Bennett, L. L., Jr., 707
- Ervik, M., *see* Nordström, M., 147
- Erythromycin, chronic oral, down-regulation of motilin receptors, colon myocytes (rabbits), 852
- Esophagus, tunica muscularis mucosae, SC-53606, antagonist of 5-HT₄, 1339
- Essano, N. A., *see* Dunn, C. J., 1691
- Etemadzadeh, E.: Cerebral catecholamine depletion in mice withdrawn from repeated morphine treatment and development of tolerance to the enhancing effect of morphine on noradrenaline depletion, 749
- Ethanol
- cocaine interactions and (humans), 1364
- decreased glutamatergic synaptic transmission, naloxone reversal, nucleus accumbens (rats), 1705
- depressant effect on baroreflexes, NMDA and non-NMDA receptors, nucleus tractus solitarius (rats), 602
- development of tolerance, cross-tolerance to nicotine, long- and short-sleep mice, 1398
- nicotine tolerance and cross-tolerance, chronic nicotine infusion, long- and short-sleep mice, 1390
- 2-Ethoxy-7-carboxy-1-[2'-1H-tetrazol-5-yl]biphenyl-4-yl)methylb enzimidazole, *see* CV-11974
- EXP3174, pharmacological profile, CV-11974 and TCV-116, 114
- Fab fragment, monoclonal antiphencyclidine, IgG, disposition (rats), 1439
- Fadayel, G. M., *see* Sorenson, S. M., 684
- Falcone, R. C., Hubbs, S. J., Vanderloo, J. D., Prosser, J. C., Little, J., Gomes, B., Aharony, D. and Krell, R. D.: Characterization of bradykinin receptors in guinea pig gall bladder, 1291
- Farré, M., de la Torre, R., Llorente, M., Lamas, X., Ugena, B., Segura, J. and Cami, J.: Alcohol and cocaine interactions in humans, 1364
- Fassina, G., *see* Ragazzi, E., 1091
- Fazzi, G. E., *see* Schiffers, P. M. H., 1520
- Fennell, S. A., *see* Seymour, A. A., 872
- Fentanyl
 drug discrimination procedure, agonist and antagonist effects, mixed action opioids (pigeons), 756
 opiate-induced histamine release, periaqueductal gray and opiate antinociception (rats), 934
- Ferkany, J., *see* Witkin, J. M., 473
- Fern, R., Ransom, B. R., Stys, P. K. and Waxman, S. G.: Pharmacological protection of CNS white matter during anoxia: Actions of phenytoin, carbamazepine and diazepam, 1549
- Forri, N., *see* Ongini, E., 726
- Frerier, B., *see* Elhamri, M., 89
- Feuerstein, G., *see* Paakkari, P., 544
- Fibrosis, protective effect of clentiazem, epinephrine-induced cardiac injury (rats), 262
- Findlay, I.: Sulphonylurea drugs no longer inhibit ATP-sensitive K⁺ channels during metabolic stress in cardiac muscle, 456
- Fioramonti, J., Dupuy, C., Dupuy, J. and Bueno, L.: The myotoxin, deoxynivalenol, delays gastric emptying through serotonin-3 receptors in rodents, 1255
- Fiset, C., *see* Abolfathi, Z., 1196
- Fisher, G. J., *see* Reynolds, N. J., 1636
- FK1052, effect on colonic function (rats), 74
- Flecainide, improvement, ischemia/reperfusion-induced contractile dysfunction (rats), 1247
- Flumazenil, diazepam-insensitive τ -amino-butyric acid_A receptor, transduction, discriminative stimulus (pigeons), 570
- Fluoro-Gold, pentamidine and, inhibited dopamine release, striatum (rats), 1066
- Fluoxetine
 desipramine and, endocrine responses, serotonin agonists (rats), 836
 norfluoxetine and, interaction of enantiomers, liver cytochromes P450 (humans), 964
- Flynn, D. L., *see* Yang, D.-C., 1339
- Forman, J. B., *see* Adams, M. L., 323
- Forouhar, F., *see* Elgebaly, S. A., 1670
- Forsahl, e., *see* Nordström, M., 147
- Forskolin
 alpha-2 adrenoceptors, medullary thick ascending limbs, kidney (rabbits), 279
 cyclic GMP-generating agents, muscarinic receptor-linked potassium channel, atrium (rabbits), 1594
- Fowler, M. B., *see* Deisher, T. A., 262
- Fox, M. H., *see* Bullough, D. A., 666
- Franco, R., *see* Casadó, V., 1463
- Frazer, A., *see* Chamberlain, J., 618
- Free radicals
 hydroxyl, requirement for iron, liver quinone reductase (rats), 1282
 transient coronary occlusion, coronary vascular injury, pretreatments (dogs), 1528
- Friedman, P. A., *see* Ramjit, D. R., 1501
- Friedrichs, G. S., Chi, L., Black, S. C., Manley, P. J., Oh, J. and Lucchesi, B. R.: Antifibrillatory effects of ibutilide in the rabbit isolated heart: Mediation via ATP-dependent potassium channels, 1348
- Froldi, G., *see* Ragazzi, E., 1091
- Fuchs, B. A. and Pruett, S. B.: Morphine induces apoptosis in murine thymocytes *in vivo* but not *in vitro*: Involvement of both opiate and glucocorticoid receptors, 417
- Fuente, T., *see* Alcaraz, C., 1602
- Fura-2**
 intracellular concentrations of Ca⁺⁺, heavy metals and, methylmercury in NG108-15 cells, 1626
 lipid A cytotoxicity, mediation by intracellular calcium, LLC-PK₁ cells, 47
- Furosemide, acute administration, renal adaptations, angiotensin-converting enzyme inhibition (rats), 33
- Galanin, chimeric analogs, antagonists in CNS, full antagonists in gastrointestinal smooth muscle (rats), 912
- Galinet, L. A., *see* Dunn, C. J., 1691
- Galitzky, J., Reverte, M., Carpene, C., Lafontan, M. and Berlan, M.: β 3-Adrenoceptors in dog adipose tissue: Studies on their involvement in the lipomobilizing effect of catecholamines, 358
- Gallbladder
 bradykinin receptors (guinea pigs), 1291
 epithelium, electrogenic and electroneutral HCO₃⁻ secretion, chloride channel blockers (guinea pigs), 65
- Gap junctions, modulation of tissue contractility, α 1 adrenergic agonist efficacy, aorta (rats), 1054
- Garg, L. C., *see* Mohuczy-Domiak, D., 279
- Gastric acid, inhibition of secretion, ontogenetic differences, epidermal growth factor (rats), 647
- Gastric emptying, delayed, deoxynivalenol, serotonin-3 receptors (rats), 1255
- Gastric fundus

- autoradiographic localization, tachykinin receptors (rats), 1043
- nonadrenergic noncholinergic relaxation, L-arginine-nitric oxide pathway (cats), 172
- Gastric mucosa, endogenous prostanoids, cellular regulation of acid secretion, parietal cells, 1306
- Gastrointestinal motility
chimeric galanin analogs, antagonists in CNS (rats), 912
down-regulation of motilin receptors, chronic oral erythromycin, colon myocytes (rabbits), 852
- inhibition of neurotransmitter release, enteric nerve endings, CGS-21680 and related adenosine analogs (guinea pigs), 634
- Gellai, M., *see* Brooks, D. P., 164
- Geller, E. B., *see* Adams, J. U., 1261
- Genetics, dopamine and acetylcholine cell density, neuroleptic responsive and neuroleptic nonresponsive lines (mice), 431
- Geppetti, P., *see* Piedimonte, G., 270
- Gessa, G. L., *see* Imperato, A., 557
- Giardina, G., *see* Brooks, D. P., 164
- Gilbert, M., *see* Abolfathi, Z., 1196
- Gillis, A. M., Duff, H. J., Mitchell, L. B. and Wyse, D. G.: Myocardial uptake and pharmacodynamics of procainamide in patients with coronary heart disease and sustained ventricular tachyarrhythmias, 1001
- Ginsburg, R., *see* Deisher, T. A., 262
- Giusti, P., Ducic, I., Puia, G., Arban, R., Walser, A., Guidotti, A. and Costa, E.: Imidazenil: A new partial positive allosteric modulator of γ -aminobutyric acid (GABA) action at GABA_A receptors, 1018
- Glauser, T. A., Nelson, A. N., Zembower, D. E., Lipsky, J. J. and Weinshilboum, R. M.: Diethylthiocarbamate S-methylation: Evidence for catalysis by human liver thiol methyltransferase and thiopurine methyltransferase, 23
- Glavin, G. B., *see* Penner, S. B., 339
- Glibenclamide, ATP-sensitive K⁺ channels, sulphonylurea drugs, metabolic stress in cardiac muscle (rats), 456
- Glomeruli, inhibition of adenylate cyclase, angiotensin II, receptor subtype AT₁ (rats), 506
- Glomerulosa cells, calcium metabolism, effects of diltiazem, actions of angiotensin II and potassium (cattle), 374
- Glucose, antihyperglycemic action, guanidinoalkanoic acids (mice, monkeys), 1454
- Glucose oxidase, preclinical safety studies (mice), 1643
- Glutamate
decreased synaptic transmission, ethanol, naloxone reversal (rats), 1705
metabotropic receptors, potentiation of cAMP, phosphoinositide hydrolysis (rats), 518
- Glutarate, basolateral para-aminohippurate transport, thiazide and loop diuretics, proximal tubules (rabbits), 972
- Glutathione, acetaminophen-induced hepatotoxicity, protective effects, oleic acid (mice), 1607
- Glycine, enhanced release from brain cortex synaptosomes, acetylcholine acting at M₄ muscarinic receptors (humans), 142
- Glycoprotein, antithrombotic effects of MK-0852 (dogs), 1501
- Godin, D., *see* Drapeau, G., 192
- Goldstein, D. S., *see* Lenders, J. W. M., 288
- Goldstein, B., *see* Yang, D.-C., 1339
- Golino, P., Ambrosio, G., Gresele, P., Pasucci, I., Ragni, M., Russolillo, E., Leproux, G. B. and Chiariello, M.: The *in vivo* antiplatelet effects of thromboxane A₂ synthase inhibitors are potentiated by simultaneous thromboxane A₂/prostaglandin H₂ receptor blockade, 511
- Gomes, B., *see* Little, J., 1291
- Gondré, C. M., *see* Christ, G. J., 1054
- Gorman, A. J., *see* Vargas, H. M., 864
- Gough, B., *see* Bowyer, J. F., 1066
- Gould, R. J., *see* Ramjit, D. R., 1501
- Goyer, R. A., *see* Waalkes, M. P., 1656
- G proteins
agonist-induced desensitization, dopamine D-1 receptors, retina and striatum (cattle, rats), 350
- coupling of A₂-adenosine receptor, brain striatum, 294
- coupling of R1.1 cells and adenylyl cyclase, kappa opioid receptor (mice), 1678
- tyrosine kinase and, platelet-activating factor activation, phospholipase C in A431 cells, 1106
- Grady, S. R., *see* Marks, M. J., 1268
- Granuloma, anti-arthritis and anti-inflammatory effects, diphosphonates (mice), 1691
- Greenblatt, D. J., *see* Kaplan, G. B., 1563
- Gresele, P., *see* Golino, P., 511
- Greven, J., *see* Bartel, C., 972
- Grider, J. R., *see* DeLegge, M., 857
- Griffin, M. T., Thomas, E. A. and Ehlert, F. J.: Kinetics of activation and *in vivo* muscarinic receptor binding of N-(2-bromoethyl)-4-piperidinyl diphenylacetate: An analog of 4-DAMP mustard, 301
- Griffiths, C. E. M., *see* Reynolds, N. J., 1636
- Grove, K. L., *see* Miller-Wing, A. V., 1718
- Grover, G. J., *see* Sargent, C. A., 1422
- Growth factor, epidermal growth factor, inhibition of gastric acid secretion, ontogenetic differences (rats), 647
- Gu, Z.-F., Rossowski, W. J., Coy, D. H., Pradhan, T. K. and Jensen, R. T.: Chimeric galanin analogs that function as antagonists in the CNS are full agonists in gastrointestinal smooth muscle, 912
- Guanidine, protein catabolism products, endothelium-dependent and -independent relaxation, thoracic aorta rings (rabbits), 626
- Guanidinoalkanoic acids, antihyperglycemic action (mice, monkeys), 1454
- Guanosine monophosphate, potassium channel-mediated relaxation, acetylcholine, arteries (rabbits), 1482
- Guidotti, A., *see* Giusti, P., 1018
- Gullikson, G. W., *see* Yang, D.-C., 1339
- Gupta, R. C., Neumann, J. and Watanabe, A. M.: Comparison of adenosine and muscarinic receptor-mediated effects on protein phosphatase inhibitor-1 activity in the heart, 16
- Gustin, P., *see* Delaunois, A., 483
- Haaseth, R. C., *see* Horan, P. J., 926
- Haaseth, R. C., *see* Weber, S. J., 1649
- Hagaman, K. A., *see* McLean, L. R., 551
- Hall, K., *see* Miller-Wing, A. V., 1718
- Hall, K. L., *see* Hanesworth, J. M., 1036
- Hall, S. D., *see* Xiaotao, Q., 845
- Haloperidol
dopamine and acetylcholine cell density, neuroleptic responsive and neuroleptic nonresponsive lines (mice), 431
- DUP 734, selective ligand for sigma receptors, brain (mice), 1541
- 5-HT₂ receptor antagonist MDL 100907 (rats), 684
- Halothane, γ -aminobutyric acid_A receptor function and binding (rats), 153
- Hamilton, T. A., *see* Reynolds, N. J., 1636
- Hammarlund-Udenaes, M., *see* Ekbom, M., 253, 244 Paalzow, L., *see* Ekbom, M., olves interaction of a single receptor with multi, 244 Wolsing, D. H. and Rosenbaum, J. S.: The mech
- Hammond, D. L., *see* Stewart, P. E., 820
- Hand, J. M., *see* Underwood, D. C., 306
- Handen, J. S., *see* Puttfarcken, P. S., 796
- Hanesworth, J. M., Sardinia, M. F., Krebs, L. T., Hall, K. L. and Harding, J. W.: Elucidation of a specific binding site for angiotensin II(3-8), angiotensin IV, in mammalian heart membranes, 1036
- Hanesworth, J. M., *see* Miller-Wing, A. V., 1718
- Harding, J. W., *see* Hanesworth, J. M., 1036
- Harding, J. W., *see* Miller-Wing, A. V., 1718
- Hare, M. F., McGinnis, K. M. and Atchison, W. D.: Methylmercury increases intracellular concentrations of Ca⁺⁺ and heavy metals in NG108-15 cells, 1626
- Harik, S. I., Riachi, N. J., Hritz, M. A., Berridge, M. S. and Sayre, L. M.: Development of fluorinated 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine analogs with potent nigrostriatal toxicity for potential use in positron emission tomography studies, 790
- Hartman, D. A., *see* Carlson, R. P., 1125
- Hartman, H. B., *see* Vargas, H. M., 864
- Hashmi, F., *see* Elgebaly, S. A., 1670
- Hasler, W. L., *see* Bologna, S. D., 852
- Hattori, Y., Nakaya, H., Nishihira, J. and Kanno, M.: A dual-component positive inotropic effect of endothelin-1 in guinea pig left atria: A role of protein kinase C, 1202
- Hatzidimitriou, G., *see* Ricaurte, G. A., 1097
- Hauswald, C., *see* Cook, C. S., 1
- Hayashi, M., *see* Kojima, S., 1699
- Hays, A. C., *see* Buccafusco, J. J., 314
- HCO₃⁻, electrogenic and electroneutral secretion, Cl⁻ channel blockers, gallbladder epithelium (guinea pigs), 65
- Heart
adenosine and muscarinic receptor-mediated effects, protein phosphatase inhibitor-1 activity (guinea pigs), 16
- alpha-2 adrenoceptor-mediated depression, naloxone-induced potentiation, neurogenic tachycardia (rats), 184

- anthracycline-induced cardiotoxicity, role of biotransformation (mice), 1312
antifibrillatory effects of ibutilide, ATP-dependent potassium channels (rabbits), 1348
cardioprotection, calcium-activated potassium channel opener NS-004 (rats), 1422
cardiovascular effects, chloroethylclonidine (rats), 864
epinephrine-induced injury, protective effect, clentiazem (rats), 262
ischemia/reperfusion-induced contractile dysfunction, improvement, class 1c antiarrhythmic agents (rats), 1247
left atrium
 dual-component positive inotropic effect, endothelin-1 (guinea pigs), 1202
 muscarinic receptor-linked potassium channel, cyclic GMP-generating agents (rabbits), 1594
limitation of infarct size, KP-10614, platelet-polymorphonuclear interaction (rats), 344
membranes, specific binding site, angiotensin II(3-8) and angiotensin IV (rabbits, guinea pigs), 1036
metabolic stress, sulphonylurea drugs, ATP-sensitive K⁺ channels (rats), 456
myocardial uptake and pharmacodynamics, procainamide, coronary heart disease and sustained ventricular tachyarrhythmias (humans), 1001
negative dromotropic action of adenosine, A₁ adenosine receptor enhancer (guinea pigs), 611
prevention of oxidant-induced damage, acadesine (guinea pigs), 666
protection against ventricular fibrillation, calcium channel antagonists (dogs), 407
Purkinje fibers, dual effects of droperidol, repolarization (rabbits), 884
ventricular cardiomyocytes, effects of carbachol, Ca⁺⁺-dependent nitric oxide synthase (guinea pigs), 919
ventricular cells, specific activator, ATP-inhibited K⁺ channels (guinea pigs), 978
Heart failure, pacing-induced, inhibition of neutral endopeptidase 3.4.24.11 and ACE, renal function (dogs), 872
Heart rate
 alcohol and cocaine interactions (humans), 1364
 depressant effect of ethanol on baroreflexes, NMDA and non-NMDA receptors (rats), 602
 development of tolerance to ethanol, cross-tolerance to ethanol, long- and short-sleep mice, 1398
Heffner, T. G., see Meltzer, L. T., 1177
Hegde, S. S., see Eglen, R. M., 535
Henry, D. J., see White, F. J., 1075
Hepatocytes, enantioselective metabolism, inversion of ibuprofen, xenobiotics (rats), 845
Hepatotoxicity
 acetaminophen-induced, protective effects, oleanolic acid (mice), 1607
 cadmium, oleanolic acid, induction of metallothionein (mice), 400
Heptanol, gap junctions, modulation of tissue contractility in aorta, *alpha*₁ adrenergic agonist efficacy (rats), 1054
Herbicides, chlorophenoxy acid, organic acid transport, renal proximal tubule (fish), 673
Hickey, P., see Witkin, J. M., 473
Himbacine, enhanced glycine release, brain cortex synaptosomes, acetylcholine acting at M₁ muscarinic receptors (humans), 142
Hippocampus
 CA1 neurons, potentiation by pentobarbital and diazepam, GABA_A receptor-mediated synaptic currents (rats), 1227
 modulation of NMDA-stimulated norepinephrine release, N-acetyl-aspartyl-glutamate modulation (rats), 796
NMDA-stimulated norepinephrine release, polyamine antagonists (rats), 563
reduced paired-pulse depression, L-2-amino-4-phosphonobutyric acid, 1S,3R-1-aminocyclopentane-1,3-dicarboxylic acid (rats), 207
Hirai, M., see Okamura, N., 1614
Histamine
 antigen-induced bronchoconstriction, eosinophil infiltration, rolipram (guinea pigs), 306
cellular regulation of acid secretion, gastric mucosal endogenous prostanooids, parietal cells, 1306
extracellular, effects of sedative drugs, striatum of freely moving rats, 1277
inhibition of gastric acid secretion, epidermal growth factor, ontogenetic differences (rats), 647
opiate-induced release, periaqueductal gray and opiate antinociception, microdialysis (rats), 934
Hitzemann, B., see Hitzemann, R., 431
Hitzemann, R., Qian, Y. and Hitzemann, B.: Dopamine and acetylcholine cell density in the neuroleptic responsive (NR/lbg) and neuroleptic nonresponsive (NNR/lbg) lines of mice, 431
Ho, I. K., see Kimura, T., 1300
Hodgkin's disease, preclinical safety studies, glucose oxidase (mice), 1643
Hoffman, B. B., see Deisher, T. A., 262
Holahan, M. A., see Ramjit, D. R., 1501
Holler, T., see Köppen, A., 720
Horan, P. J., de Costa, B. R., Rice, K., Haaseth, R. C., Hruby, V. J. and Porreca, F.: Differential antagonism of bremazocine- and U69,593-induced antinociception by quazadazocine: Further functional evidence of opioid κ receptor multiplicity in the mouse, 926
H⁺/organic cation antiport, inhibition by carboxyl reagents, renal brush-border membrane vesicles (rabbits), 500
Hori, R., Okamura, N., Aiba, T. and Tanigawara, Y.: Role of P-glycoprotein in renal tubular secretion of digoxin in the isolated perfused rat kidney, 1620
Hori, R., see Okamura, N., 1614
Hough, L. B., see Barke, K. E., 934
Houser, S., see Elgebaly, S. A., 1670
Howell, L. L.: Comparative effects of caffeine and selective phosphodiesterase inhibitors on respiration and behavior in Rhesus monkeys, 894
Ibuprofen
 enantioselective metabolism and inversion, xenobiotics, hepatocytes (rats), 845
 temporary focal cerebral ischemia, infarct volume (rats), 1713
Ibutilide, antifibrillatory effects, ATP-dependent potassium channels, heart (rabbits), 1348
Icho, T., see Kojima, S., 1699
Idazoxan, intrathecally administered muscarinic agonists, antinociception (rats), 329
Ileitis, attenuation by leumedin N-(fluoren-9-methoxy carbonyl)-leucine (guinea pigs), 468
Ileum
 RS 42358-197, 5-HT₃ receptor antagonist (dogs), 535
smooth muscle effects, 1-(2,5-dimethoxy-4-iodophenyl)-2-aminopropane and

α -methylserotonin, 5-HT₂ receptor affinities (rats, guinea pigs), 943
 Imai, M., *see* Yasoshima, K., 1581, 1589
 Imhof, R., *see* Nisoli, E., 97
 Imidazenil, partial positive allosteric modulator, τ -aminobutyric acid action, GABA_A receptors (rats), 1018
 Immunoglobulin G, monoclonal antiphencyclidine Fab fragment distribution (rats), 1439
 Immunosuppression, purine nucleoside phosphorylase inhibitors, 9-benzyl-9-deazaguanine and related compounds (rats), 707
 Imperato, A., Obinu, M. C., Casu, M. A., Mascia, M. S., Dazzi, L. and Gessa, G. L.: Evidence that neuroleptics increase striatal acetylcholine release through stimulation of dopamine D₁ receptors, 557
 Imura, Y., *see* Kawamura, M., 1664
 Inaba, T., *see* Wu, D., 715
 Inada, Y., *see* Shibouta, Y., 114
 Indomethacin
 cellular regulation of acid secretion, gastric mucosal endogenous prostanoids, parietal cells, 1306
 role of prostanoids, regulation, central cholinergic receptor sensitivity (rats), 314
 time-dependent improvement, tracheal contractility (guinea pigs), 950
 Inflammation, anti-inflammatory effects, diphosphonates (mice), 1691
 Inositol monophosphate, bradykinin-stimulated production, rapid desensitization, NG108-15 cells, 253
 Inotropic effect, positive, dual-component, endothelin-1 in left atria (guinea pigs), 1202
 Interleukin 1, L-tryptophan eosinophilia myalgia syndrome, decomposition product of contaminant, neuronal cell death (mice), 1029
 Intestine
 chronic denervation of jejunum, cholinergic supersensitivity, reduction of cholinesterase activity (rats), 1684
 inhibition of sodium chloride absorption in colon, stimulation of anion secretion, sodium nitroprusside (rats), 224
 Iron, production of hydroxyl radicals, liver quinone reductase (rats), 1282
 Ischemia
 calcium-activated potassium channel opener NS-004 (rats), 1422
 heart, prevention of oxidant-induced damage, adenosine (guinea pigs), 666
 -reperfusion-induced contractile dysfunction, improvement, class 1c antiarrhythmic agents (rats), 1247
 temporary focal cerebral, effect of ibuprofen, infarct volume (rats), 1713
 Ishine, T., Miyauchi, Y. and Uchida, M. K.: Ca⁺⁺-independent relaxation mediated by β adrenoceptor in Ca⁺⁺-independent contraction of uterine smooth muscle, 367
 Ishizaki, T., *see* Chiba, K., 52
 Isobutylmethylxanthine, cyclic GMP-generating agents, muscarinic receptor-linked potassium channel, atrium (rabbits), 1594
 Isoproterenol, agonists and interactions of

antagonists, thermoregulatory effects, β adrenoceptors (rats), 1446
 Iwamoto, E. T. and Marion, L.: Characterization of the antinociception produced by intrathecally administered muscarinic agonists in rats, 329
 Jaen, J. C., *see* Meltzer, L. T., 1177
 Jejunum, chronic denervation, cholinergic supersensitivity, reduction of cholinesterase activity (rats), 1684
 Jensen, R. T., *see* Gu, Z.-F., 912
 Jiang, M. J., *see* Wing, L.-Y., 179
 Johnson, E. A., Tsai, C. E., H.-Shahan, Y. and Azzaro, A. J.: Serotonin 5-HT_{1A} receptors mediate inhibition of tyrosine hydroxylation in rat striatum, 133
 Johnson, L. G., *see* Eglen, R. M., 535
 Johnson, M. P., *see* Cohen, M. L., 943
 Jones, A. W., *see* Meisheri, K. D., 655
 Jones-Dombi, T. and Churchill, P.: The baroreceptor mechanism for controlling renin secretion: Effect of calcium channel blockers, 274
 Jugus, M., *see* Brooks, D. P., 164
 Jung, D. K., *see* Kim, Y. K., 500
 Jung, J. S., *see* Kim, Y. K., 500
 Kadowaki, M., Nagakura, Y., Tomoi, M., Mori, J. and Kohsaka, M.: Effect of FK1052, a potent 5-hydroxytryptamine₃ and 5-hydroxytryptamine₄ receptor dual antagonist, on colonic function *in vivo*, 74
 Kahle, J. S. and Cotman, C. W.: L-2-Amino-4-phosphonobutanoic acid and 1S, 3R-1-aminocyclopentane-1,3-dicarboxylic acid reduce paired-pulse depression recorded from medial perforant path in the dentate gyrus of rat hippocampal slices, 207
 Kainate, native and cloned selective antagonism, polyamine-containing toxins (rats), 1573
 Kajiwara, Y., *see* Kojima, S., 1699
 Kalivas, P. W., *see* Sorg, B. A., 424
 Kalow, W., *see* Wu, D., 715
 Kamataki, T., *see* Chiba, K., 52
 Kanayama, T., Kimura, Y. and Mizogami, S.: A new prostacyclin analog, KP-10614, inhibits platelet-polymorphonuclear leukocyte interaction and limits experimental infarct size in rat heart, 344
 Kanno, M., *see* Hattori, Y., 1202
 Kaplan, G. B., Greenblatt, D. J., Kent, M. A. and Cotreau-Bibbo, M. M.: Caffeine treatment and withdrawal in mice: Relationships between dosage, concentrations, locomotor activity and A₁ adenosine receptor binding, 1563
 Karasawa, A., *see* Mizumoto, H., 200
 Katz, J. L., *see* Witkin, J. M., 473
 Katz, J. L., *see* Wong, G., 570
 Kauffmann, R. F., Bean, J. S., Bloomquist, W. E. and Cohen, M. L.: Vascular serotonin 5-hydroxytryptamine₂ receptor blockade by LY215840: Lack of effect upon neointima formation in balloon-injured rat carotid arteries, 450
 Kaufman, D. W., *see* Ebersole, B. J., 692
 Kawamura, M., Terashita, Z.-I., Okuda, H.,

Imura, Y., Shino, A., Nakao, M. and Nishikawa, K.: TCV-116, a novel angiotensin II receptor antagonist, prevents intimal thickening and impairment of vascular function after carotid injury in rats, 1664
 Kehne, J. H., *see* Sorensen, S. M., 684
 Kelly, M., *see* Mello, N. K., 804
 Kent, M. A., *see* Kaplan, G. B., 1563
 Keratinocytes, biological activity of retinoic acid metabolites (humans), 1636
 Kerram, P., *see* Adamantidis, M. M., 884
 Ketanserin, endocrine responses, long-term treatment, fluoxetine and desipramine (rats), 836
 Ketteler, H. J., *see* Sorensen, S. M., 684
 Khan, S. A., *see* Meisheri, K. D., 655
 Khetry, U., *see* Nanji, A. A., 1085
 Kidney
 adaptation to acute furosemide administration, angiotensin-converting enzyme inhibition (rats), 33
 brush-border membrane vesicles, inhibition of H⁺/organic cation antiport, carboxyl reagents (rabbits), 500
 connecting tubule, effects of amiloride and M17055, calcium transport (rabbits), 1589
 cortical slices, renin secretion, purinergic P_{2Y} receptors (rats), 160
 digoxin-cyclosporin A interaction, P-glycoprotein, 1614
 distal nephron segments, effect of M17055, Na⁺ and K⁺ transport (rabbits), 1581
 function and systemic hemodynamics, inhibition of neutral endopeptidase 3.4.24.11 and ACE, pacing-induced heart failure (dogs), 872
 glomerular adenylate cyclase, inhibition by angiotensin II, receptor subtype AT₁ (rats), 506
 medullary thick ascending limbs, α -adrenoceptors (rabbits), 279
 modulation of vascular response, neuropeptide Y, periarterial nerve stimulation (rats), 1321
 protective effects and diuresis, KW-3902, pertussis toxin-insensitive mechanism (rats), 200
 renal tubular secretion, role of P-glycoprotein, digoxin (rats), 1620
 rilmenidine effects, importance of renal nerves (rats), 1556
 substrate uptake and ammonogenesis, valproate, sodium 2-propyl-4-pentenoate and 2-pentenoate valproate (rats), 89
 Kim, S. H., *see* Chang, K. C., 992
 Kim, T. I., *see* Kim, Y. K., 500
 Kim, Y. K., Kim, T. I., Jung, D. K., Jung, J. S. and Lee, S. H.: Inhibition of H⁺/organic cation antiport by carboxyl reagents in rabbit renal brush-border membrane vesicles, 500
 Kimura, T., Miyaoka, T., Saunders, P. A., Baker, M. L., Hume, A. S., Yamamoto, I. and Ho, I. K.: Induction of tolerance to and physical dependence on pentobarbital continuous intracerebroventricular administration, 1300
 Kimura, Y., *see* Kanayama, T., 344
 Kindling, amygdala, anticonvulsant efficacy

- and adverse effects, phenytoin (rats), 216
- Kinins, metabolically resistant antagonists of B₁ receptors, development, *in vivo* evaluation (rabbits), 192
- Kitabatake, K., *see* Kojima, S., 1699
- Klaassen, C. D., *see* Liu, J., 1607
- Klaassen, C. D., *see* Liu, Y., 400
- Klein, J., *see* Köppen, A., 720
- Kline, R. L. and Cechetto, D. F.: Renal effects of rilmenidine in anesthetized rats: Importance of renal nerves, 1556
- Knoflach, F., Drescher, U., Scheurer, L., Malherbe, P. and Mohler, H.: Full and partial agonism displayed by benzodiazepine receptor ligands at different recombinant γ -aminobutyric acid_A receptor subtypes, 385
- Ko, H. J., *see* Chang, K. C., 992
- Kobayashi, K., *see* Chiba, K., 52
- Kohara, Y., *see* Shibouta, Y., 114
- Kohsaka, M., *see* Kadowaki, M., 74
- Kojima, S., Icho, T., Hayashi, M., Kajiwara, Y., Kitabatake, K. and Kubota, K.: Inhibitory effect of 5,6,7,8-tetrahydro-*droneopterin* on adriamycin-induced cardiotoxicity, 1699
- Koldovsky, O., *see* Rao, R. K., 647
- Komano, T., *see* Okamura, N., 1614
- Kopin, I. J., *see* Lenders, J. W. M., 288
- Köppen, A., Klein, J., Holler, T. and Löffelholz, K.: Synergistic effect of nicotinamide and choline administration on extracellular choline levels in the brain, 720
- Kosh, J. W., *see* Terry, A. V., Jr., 593
- KP-10614, inhibition of platelet-polymorphonuclear leukocyte interaction, limitation of infarct size, heart (rats), 344
- Kramer, R. E.: Effects of diltiazem on calcium metabolism in cultured bovine glomerulosa cells: Relationships to the actions of angiotensin II and potassium, 374
- Kramer, T. H., Davis, P., Hruby, V. J., Burks, T. F. and Porreca, F.: *In vitro* potency, affinity and agonist efficacy of highly selective delta opioid receptor ligands, 577
- Krebs, L. T., *see* Hanesworth, J. M., 1036
- Krell, R. D., *see* Little, J., 1291
- Kreppel, H., *see* Liu, Y., 400
- Kubo, K., *see* Mizumoto, H., 200
- Kubo, K., *see* Shibouta, Y., 114
- Kubota, K., *see* Kojima, S., 1699
- Kvetnansky, R., *see* Lenders, J. W. M., 288
- KW-3902, diuretic and renal protective effects, pertussis toxin insensitive mechanism (rats), 200
- Lafontan, M., *see* Galitzky, J., 358
- Lakshmi, V. M., Zenser, T. V., Mattamall, M. B. and Davis, B. B.: Phenylbutazone peroxidative metabolism and conjugation, 81
- Lamas, X., *see* Farré, M., 1364
- Lamotrigine, phenytoin and carbamazepine interactions, sodium current, neuroblastoma cells (mice), 829
- Lang, D. G., Wang, C. M. and Cooper, B. R.: Lamotrigine, phenytoin and carbamazepine interactions on the sodium current present in N4TG1 mouse neuroblastoma cells, 829
- Langenbacher, K. M., *see* Seymour, A. A., 872
- Lanoce, V. M., *see* Seymour, A. A., 872
- Lapp, C. A., *see* Buccafusco, J. J., 314
- Lawrence, D. M. P. and Bidlack, J. M.: The Kappa opioid receptor expressed on the mouse R1.1 thymoma cell line is coupled through a pertussis toxin-sensitive immune guanine nucleotide-binding regulatory protein to anenyl cyclase, 1678
- Leatherman, D. L. and Middlebrook, J. L.: Effects of emetine on the specific association of T-2 toxin with mammalian cells, 732
- Leatherman, D. L. and Middlebrook, J. L.: Effect of emetine on T-2 toxin-induced inhibition of protein synthesis in mammalian cells, 741
- Lee, C., *see* Eglen, R. M., 535
- Lee, K. S., *see* Xu, X., 978
- Lee, N. M., *see* Takemori, A. E., 121
- Lee, S. H., *see* Kim, Y. K., 500
- Lefebvre, R. A., *see* Barbier, A. J., 172
- Lefort, J., *see* Capaz, F. R., 812
- Legrand, C., Mhaouty, S., Rigolot, C. and Maltier, J. P.: Heterogeneity of alpha-2 adrenoceptors in pregnant rat uterus: Identification of subtypes and autoradiographic distribution, 439
- Lenders, J. W. M., Kvetnansky, R., Pacák, K., Goldstein, D. S., Kopin, I. J. and Eisenhofer, G.: Extraneuronal metabolism of endogenous and exogenous norepinephrine and epinephrine in rats, 288
- Leone, P., *see* Devine, D. P., 1236
- Leproux, G. B., *see* Golino, P., 511
- Leukocyte-platelet interaction, limitation of infarct size, KP-10614 (rats), 344
- Leukotriene B₄, protective effects of quinone derivative, experimental alcoholic liver injury (rats), 1085
- Leukotriene D₄, antigen-induced bronchoconstriction, eosinophil infiltration, rolipram (guinea pigs), 306
- Leukotrienes, peptidyl, same signaling pathway, gastric muscle cells (guinea pigs), 857
- Leumedin N-(fluorenyl-9-methoxycarbonyl)-leucine, attenuation of ileitis (guinea pigs), 468
- Levenson, S., *see* Rao, R. K., 647
- Levesque, L., *see* Drapeau, G., 192
- Levy, A. D., *see* Li, Q., 836
- Lewin, N. A., *see* Szallasi, A., 678
- Lewis, J. E., *see* McLean, L. R., 551
- Li, Q., Brownfield, M. S., Battaglia, G., Cabrera, T. M., Levy, A. D., Rittenhouse, P. A. and van de Kar, L. D.: Long-term treatment with the antidepressants fluoxetine and desipramine potentiated endocrine responses to the serotonin agonists 6-chloro-2-[1-piperazinyl]-pyrazine and (\pm)-1-(2,5-dimethoxy-4-iodophenyl)-2-aminopropane HCl, 836
- Ligands
- benzodiazepine receptor, full and partial agonism, GABA_A receptor subtypes (humans), 385
 - delta opioid receptor, affinity and agonist efficacy (mice, guinea pigs), 577
 - Light, activation, depletable store of vaso-
- dilator, vascular smooth muscle (rabbits), 1497
- Lipid A, cytotoxicity, mediation by intracellular calcium, LLC-PK₁ cells, 47
- Lipkowski, A. W., *see* Weber, S. J., 1649
- Lipolysis, lipomobilizing effect of catecholamines, β 3-adrenoceptors (dogs), 358
- Lipopolsaccharide, lipid A cytotoxicity, mediation by intracellular calcium, LLC-PK₁ cells, 47
- Lipsky, J. J., *see* Glauser, T. A., 23
- Lisuride, presynaptic dopamine receptor agonist Ro 41-9067 (rats), 97
- Little, J., *see* Little, J., 1291
- Liu, J., Liu, Y., Madhu, C. and Klaassen, C. D.: Protective effects of oleanolic acid on acetaminophen-induced hepatotoxicity in mice, 1607
- Liu, J., *see* Liu, Y., 400
- Liu, J.-X., Tanonaka, K., Ohtsuka, Y., Sakai, Y. and Takeo, S.: Improvement of ischemia/reperfusion-induced contractile dysfunction of perfused hearts by class Ic antiarrhythmic agents, 1247
- Liu, Y., Kreppel, H., Liu, J., Choudhuri, S. and Klaassen, C. D.: Oleanolic acid protects against cadmium hepatotoxicity by inducing metallothionein, 400
- Liu, Y., *see* Liu, J., 1607
- Liver
- alcoholic injury, protective effects, quinone derivative (rats), 1085
 - B6C3F1 mice, tumor-suppressive effects, cadmium, 1656
 - catalysis by thiol methyltransferase and thiopurine methyltransferase, diethyldithiocarbamate S-methylation (humans), 23
 - cytochromes P450, interaction of enantiomers, fluoxetine and norfluoxetine (humans), 964
 - 4-methylumbelliferyl sulfate desulfation kinetics, protein binding (rats), 492
 - quinone reductase, requirement for iron, hydroxyl radical production (rats), 1282
- Liver microsomes, oxidative metabolism of omeprazole (humans), 52
- LLC-PK₁ cells
- digoxin-cyclosporin A interaction, P-glycoprotein, kidney, 1614
 - mediation of lipid A cytotoxicity, intracellular calcium, 47
- Llorente, M., *see* Farré, M., 1364
- Lluis, C., *see* Casadó, V., 1463
- Locomotion
- caffeine treatment and withdrawal (mice), 1563
 - 5-HT₂ receptor antagonist MDL 100907 (rats), 684
 - presynaptic dopamine receptor agonist Ro 41-9067 (rats), 97
- Löffelholz, K., *see* Köppen, A., 720
- Loh, H. H., *see* Takemori, A. E., 121
- Longon, B., Demontis, G. C. and Olsen, R. W.: Enhancement of γ -aminobutyric acid_A receptor function and binding by the volatile anesthetic halothane, 153
- Longstreth, J. A., *see* Abernethy, D. R., 904
- Losartan, short-term treatment, alterations, vascular structure and function (rats), 642

- Löscher, W., *see* Rundfeldt, C., 216
 Lu, J. Y., *see* Amoah-Apraku, B., 611
 Lucchesi, B. R., *see* Friedrichs, G. S., 1348
 Lugay, J. R., *see* Carlson, R. P., 1125
 Lung
 acetylcholine-induced edema, role of neuropeptides (rabbits), 483
 B6C3F1 mice, tumor-suppressive effects, cadmium, 1656
 bioactivation and toxicity, pneumotoxins, cytochrome P450 2B isoenzymes (rats, mice), 958
 pleural strips, contractile effects, human recombinant nonpancreatic phospholipase A₂ (guinea pigs), 1147
 synthetic pulmonary surfactants, role of hydrophobic face, amphiphatic α -helical peptides (dogs), 551
- Luteinizing hormone
 acute effects of cocaine, anterior pituitary hormones (monkeys), 804
 opioid-induced suppression, testicular function (rats), 323
- LY53857, intrathecally administered muscarinic agonists, antinociception (rats), 329
- LY215840, vascular serotonin 5-HT₂ receptor blockade, carotid arteries (rats), 450
- Lymphoma, preclinical safety studies, glucose oxidase (mice), 1643
- Lynch, J. J., Jr., *see* Ramjit, D. R., 1501
- Lynch, R. J., *see* Ramjit, D. R., 1501
- M17055
 amiloride and, calcium transport, connecting tubule (rabbits), 1589
 effect on Na⁺ and K⁺ transport, distal nephron segments (rabbits), 1581
- Macherey, H. J., *see* Petersen, K.-U., 65
- MacLeod, Kathleen M., *see* Ray, A., 1594
- Macrolide, disease-modifying anti-arthritis drug rapamycin (rats), 1125
- Macrophages, anti-arthritis and anti-inflammatory effects, diphosphonates (mice), 1691
- Madamba, S. G., *see* Nie, Z., 1705
- Madhu, C., *see* Liu, J., 1607
- Magnesium, modulation of mu-1 opioid binding, multiple receptor conformation, 106
- Magous, R., *see* Choquet, A., 1306
- Makhlouf, G. M., *see* DeLegge, M., 857
- Malcangio, M. and Bowery, N. G.: τ -Aminobutyric acid_A, but not τ -aminobutyric acid_A receptor activation, inhibits electrically evoked substance P-like immunoreactivity release from the rat spinal cord *in vitro*, 1490
- Malherbe, P., *see* Knoflach, F., 385
- Malik, K. U., *see* Nebigil, C., 1113
- Malik, K. U., *see* Oellerich, W. F., 1321
- Mallol, J., *see* Casadó, V., 1463
- Maltier, J. P., *see* Legrand, C., 439
- Mammalian cells
 effects of emetine
 association of T-2 toxin, 732
 T-2 toxin-induced inhibition, protein synthesis, 741
- Manabe, K., *see* Chiba, K., 52
- Manley, P. J., *see* Friedrichs, G. S., 1348
- Manno, P. D., *see* Ramjit, D. R., 1501
- Manzini, S., *see* Capaz, F. R., 812
- Marala, R. B. and Mustafa, S. J.: Direct evidence for the coupling of A₂-adenosine receptor to stimulatory guanine nucleotide-binding protein in bovine brain striatum, 294
- Marcantonio, S., *see* Cole, D. J., 1713
- Marceau, F., *see* Drapeau, G., 192
- Marchi, M., *see* Russo, C., 142
- Marion, L., *see* Iwamoto, E. T., 329
- Markowska, A. L., *see* Ricaurte, G. A., 1097
- Marks, M. J., Grady, S. R. and Collins, A. C.: Downregulation of nicotinic receptor function after chronic nicotine infusion, 1268
- Marks, M. J., *see* Collins, A. C., 1390
- Markus, R. P., *see* Carneiro, R. C. G., 1536
- Martin, B. R., *see* Damaj, M. I., 1330
- Martin, M., *see* Elhamri, M., 89
- Mascia, M. S., *see* Imperato, A., 557
- Mattamal, M. B., *see* Lakshmi, V. M., 81
- Matthews, E. R., *see* McLean, L. R., 551
- Matthews, J. K., *see* Underwood, D. C., 306
- Maxi-K channels, calcium-activated potassium channel opener NS-004 (rats), 1422
- Mayeux, P. R. and Shah, S. V.: Intracellular calcium mediates the cytotoxicity of lipid A in LLC-PK₁ cells, 47
- McClurkan, M. B., Valentine, J. L., Arnold, L. and Owens, S. M.: Disposition of a monoclonal antiphencyclidine Fab fragment of immunoglobulin G in rats, 1439
- McCullough, J. R., *see* Sargent, C. A., 1422
- McGinnis, K. M., *see* Hare, M. F., 1626
- McIntyre, J. A., *see* Miller, M. J. S., 468
 McLean, L. R., Lewis, J. E., Hagan, K. A., Owen, T. J. and Matthews, E. R.: Role of the hydrophobic face of amphiphatic α -helical peptides in synthetic pulmonary surfactants, 551
- MDL 29,913, autoradiographic localization, tachykinin receptors, gastric fundus (rats), 1043
- MDL 100,907, atypical antipsychotic (rats), 684
- Mecamylamine
 calcium and L-type channels, nicotine-induced antinociception (mice), 1330
 intrathecally administered muscarinic agonists, antinociception (rats), 329
- Meglasson, M. D., Wilson, J. M., Yu, J. H., Robinson, D. D., Wyse, B. M. and Desouza, C. J.: Antihyperglycemic action of guanidinoalkanoic acids: 3-guanidinopropionic acid ameliorates hyperglycemia in diabetic KKA^y and C57BL6Job/ob mice and increases glucose disappearance in Rhesus monkeys, 1454
- Meisheri, K. D., Humphrey, S. J., Khan, S. A., Ciprus-Dubray, L. A., Smith, M. P. and Jones, A. W.: 4-Morpholinecarboximidine-N-1-adamantyl-N'-cyclohexylhydrochloride (U-37883A): Pharmacological characterization of a novel antagonist of vascular ATP-sensitive K⁺ channel openers, 655
- Melanoma, biological activity of retinoic acid metabolites (mice), 1636
- Melatonin, modulation of sympathetic neurotransmission, age-related changes (rats), 1536
- Mello, N. K., Sarnyai, Z., Mendelson, J. H., Drieze, J. M. and Kelly, M.: Acute effects of cocaine on anterior pituitary hormones in male and female rhesus monkeys, 804
- Mellott, M. J., *see* Ramjit, D. R., 1501
- Meltzer, H. Y., *see* Stockmeier, C. A., 1374
- Meltzer, L. T., Caprathé, B. W., Christoffersen, C. L., Corbin, A. E., Jaen, J. C., Ninteman, F. W., Pugsley, T. A., Serpa, K. A., Shih, Y.-H., Whetzel, S. Z., Wiley, J. N., Wise, L. D. and Heffner, T. G.: Pharmacological profile of the dopamine partial agonist, (\pm)-PD 128483 and its enantiomers, 1177
- Memory
 3,4-methylenedioxymethamphetamine and serotonin (rats), 1097
 recognition, MK-801, comparison with cholinergic drugs (monkeys), 60
- Mendelson, J. H., *see* Mello, N. K., 804
- Menkel, M., *see* Witkin, J. M., 473
- N-2-Mercaptopropionyl glycine, pretreatment, coronary vascular injury, transient coronary artery occlusion (dogs), 1528
- Metallothionein
 induction, protection against cadmium hepatotoxicity, oleanolic acid (mice), 400
 tumor-suppressive effects of cadmium, B6C3F1 mouse liver and lung, 1656
- Methemoglobin, preclinical safety studies, glucose oxidase (mice), 1643
- Methoctramine, intrathecally administered muscarinic agonists, antinociception (rats), 329
- 5-Methyl-10,11-dihydro-5H-dibenzo-a,d]cyclohepten-5,10-imine, *see* MK-801
- N-Methyl-D-aspartate
 impaired memory recognition, MK-801, comparison with cholinergic drugs (monkeys), 60
- non-NMDA receptors and, depressant effect of ethanol on baroreflexes, nucleus tractus solitarius (rats), 602
- stimulated norepinephrine release, N-acetyl-aspartylglutamate modulation, hippocampal slices (rats), 796
- stimulated norepinephrine release, polyamine antagonists, hippocampal slices (rats), 563
- Methylcyclopentadienyl manganese tricarbonyl, pulmonary bioactivation and toxicity, cytochrome P450 2B (rats, mice), 958
- cis-Methyldioxolane, intrathecally administered muscarinic agonists, antinociception (rats), 329
- 3,4-Methylenedioxymethamphetamine, serotonin and memory (rats), 1097
- Methylmercury, intracellular concentrations of Ca⁺⁺, heavy metals and, NG108-15 cells, 1626
- 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine, fluorinated analogs, nigrostriatal toxicity, use in PET studies (mice, monkeys), 790
- α -Methylserotonin, 1-(2,5-dimethoxy-4-iodophenyl)-2-aminopropane and, smooth muscle effects, 5-HT₂ receptor affinities (rats, guinea pigs), 943
- 4-Methylumbelliferyl sulfate, desulfation kinetics, protein binding, liver (rats), 492
- Metzner, E. K., *see* Bullough, D. A., 666
- Mexiletine, stereoselective disposition, role,

- polymorphic debrisoquin 4-hydroxylase activity (humans), 1196
- Meyer, E. R., *see* Adams, M. L., 323
- Mhaouty, S., *see* Legrand, C., 439
- Miano, D., *see* Elgebaly, S. A., 1670
- Microdialysis
 effects of sedative drugs, extracellular histamine, striatum of freely moving rats, 1277
- increased striatal acetylcholine release, neuroleptics, stimulation of dopamine D₁ receptors (rats), 557
- opiate-induced histamine release, periaqueductal gray and opiate antinociception (rats), 934
- synergism of nicotinamide and choline (rats), 720
- ventral tegmental *mu/delta/kappa* opioid receptors, basal mesolimbic dopamine release (rats), 1236
- Microiontophoresis, electrophysiological effects of cocaine, nucleus accumbens (rats), 1075
- Middlebrook, J. L., *see* Leatherman, D. L., 732, 741
- Mihelich, E., *see* Snyder, D. W., 1147
- Milanés, M. V., *see* Alcaraz, C., 1385, 1602
- Milani, S., *see* Ongini, E., 726
- Miller, M. J. S., Chotinaruemol, S., Sadowska-Krowicka, H., Zhang, X.-J., Clark, D. A. and McIntyre, J. A.: Guinea pig ileitis is attenuated by the leumedin N-(fluorenyl-9-methoxy-carbonyl)-leucine (NPC 15199), 468
- Miller-Wing, A. V., Hanesworth, J. M., Sardinia, M. F., Hall, K., Wright, J. W., Speth, R. C., Grove, K. L. and Harding, J. W.: Central angiotensin IV binding sites: Distribution and specificity in guinea pig brain, 1718
- Minocycline-induced thyroid pigment, synthetic models and, electron paramagnetic resonance spectroscopy (dogs), 1164
- Misiano, P., *see* Brooks, D. P., 164
- Misicka, A., *see* Weber, S. J., 1649
- Mitchell, L. B., *see* Gillis, A. M., 1001
- Miyake, H., *see* Takeuchi, K., 1512
- Miyaoka, T., *see* Kimura, T., 1300
- Miyauchi, Y., *see* Ishine, T., 367
- Mizogami, S., *see* Kanayama, T., 344
- Mizumoto, H., Karasawa, A. and Kubo, K.: Diuretic and renal protective effects of 8-(noradamantan-3-yl)-1,3-diproxyxanthine (KW-3902), a novel adenosine A₁-receptor antagonist, via pertussis toxin insensitive mechanism, 200
- MK-801
 behavioral and toxic effects of cocaine, 6-(6-(4-hydroxypiperidinyl)hexyloxy-3-methylflavone (mice, rats), 473
 impaired recognition memory, comparison with cholinergic drugs (monkeys), 60
- MK-852, antithrombotic effects (dogs), 1501
- Moerike, K., *see* Abolfathi, Z., 1196
- Mohler, H., *see* Knoflach, F., 385
- Mohuczy-Dominiak, D. and Garg, L. C.: Alpha-2 adrenoceptors in medullary thick ascending limbs of the rabbit kidney, 279
- Molineaux, C. J., *see* Schriefer, J. A., 700
- Moncada, S., *see* Venturini, C. M., 1497
- Mongomery, J. A., *see* Bennett, L. L., Jr., 707
- Monoamine oxidases, fluorinated 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine analogs, nigrostriatal toxicity, use in PET studies (mice, monkeys), 790
- Monocytes, anti-arthritis and anti-inflammatory effects, diphosphonates (mice), 1691
- N⁶-Monomethyl-L-arginine, protein catabolism products, endothelium-dependent and -independent relaxation, thoracic aorta rings (rabbits), 626
- Montgomery, D. T., *see* Puttfarcken, P. S., 796
- Moermann, A. E., *see* Yang, D.-C., 1339
- Moreland, S., *see* Antonaccio, M. J., 125
- Morgan, D., *see* Picker, M. J., 756
- Mori, J., *see* Kadowaki, M., 74
- Morphine
 dependency, opiate withdrawal and tolerance, suppression by dynorphin A and [des-tyr¹]dynorphin A peptides (mice), 121
 induction of apoptosis in thymocytes, opiate and glucocorticoid receptors (dogs), 407
 intravenous, modeling, tolerance development and rebound effect (rats), 244
 modulation of *mu-1* opioid binding, magnesium, multiple receptor conformation, 106
 opiate-induced histamine release, periaqueductal gray and opiate antinociception, microdialysis (rats), 934
 opioid-induced suppression, testicular function (rats), 323
 reversal, prostaglandin E₂-induced thermal hyperalgesia (monkeys), 1355
 role of endogenous opioids, mediators of hypothermic effects, calcium and calcitonin gene-related peptide (mice), 1407
 withdrawal from repeated treatment, cerebral catecholamine depletion (mice), 749
- 4-Morpholinecarboximidine-*N*-1-adamantyl-*N'*-cyclohexylhydrochloride, pharmacological characterization (rabbits), 655
- Morrow, P., *see* Wu, D., 715
- Moss, J., *see* Christ, G. J., 1054
- Motilin, receptor down-regulation, chronic oral erythromycin, colon myocytes (rabbits), 852
- Mullane, K. M., *see* Bullough, D. A., 666
- Mulsch, A., *see* Stein, B., 919
- Murthy, K. S., *see* DeLegge, M., 857
- Muscarinic agonists, intrathecally administered, antinociception (rats), 329
- Musch, M. W., *see* Wilson, K. T., 224
- Muscle, papillary, enhanced postrest and paired-stimulation potentiation, cocaine (rats), 41
- Muscle, smooth
 alpha₁ adrenergic agonist efficacy, gap junctions, modulation of tissue contractility in aorta (rats), 1054
 down-regulation of motilin receptors, chronic oral erythromycin, colon myocytes (rabbits), 852
 gastric, same signaling pathway, peptidyl leukotrienes (guinea pigs), 857
- Gastrointestinal, chimeric galanin analogs, antagonists in CNS (rats), 912
- 5-HT₂ receptor affinities, 1-(2,5-dimethoxy-4-iodophenyl)-2-aminopropane and alpha-methylserotonin (rats), 943
- internal anal sphincter, entire vasoactive intestinal polypeptide molecule, activation of VIP receptor (opossum), 392
- jejunum, cholinergic supersensitivity, reduction of cholinesterase activity (rats), 1684
- tracheal, common phosphatidylinositol 4,5-bisphosphate pools, carbachol and serotonin activation (dogs), 8
- uterine, Ca⁺⁺-independent relaxation, beta adrenoceptor (rats), 367
- vascular
 depletable store of vasodilator, light activation and restoration by donors of nitric oxide (rabbits), 1497
 increased intracellular calcium, 5-HT₁-like receptors (cattle), 692
 isometric force, acetylpolyamines and decreased blood pressure (rats), 179
 reactivity in aorta, superoxide radical-induced alteration (rats), 992
 thrombin and thrombin receptor activating peptides, aorta (rats), 125
- Mussap, C. J. and Burcher, E.: Characterization and autoradiographic localization of tachykinin receptors in rat gastric fundus, 1043
- Mustafa, S. J., *see* Marala, R. B., 294
- Mycotoxin, deoxynivalenol, delayed gastric emptying, serotonin-3 receptors (rats), 1255
- Myenteric plexus, chronic denervation of jejunum, cholinergic supersensitivity, reduction of cholinesterase activity (rats), 1684
- Myocardial infarction, limitation of infarct size, KP-10614, platelet-polymorphonuclear interaction (rats), 344
- Myocardial ischemia, transient coronary occlusion, coronary vascular injury, pretreatments (dogs), 1528
- Myocardium
 enhanced postrest and paired-stimulation potentiation, cocaine, papillary muscle (rats), 41
 inhibition of neutrophil accumulation, cyclocreatine (dogs), 1670
 uptake and pharmacodynamics, procainamide, coronary heart disease and sustained ventricular tachyarrhythmias (humans), 1001
- Myocytes, colonic, down-regulation of motilin receptors, chronic oral erythromycin (rabbits), 852
- Myometrium, heterogeneity of alpha-2 adrenoceptors, subtypes and autoradiographic distribution, uterus (rats), 439
- Nadel, J. A., *see* Piedimonte, G., 270
- Nakakura, Y., *see* Kadowaki, M., 74
- Najibi, S., *see* Cowan, C. L., 1482
- Naka, T., *see* Shibusawa, Y., 114
- Nakamura, K., *see* Yokotani, K., 1190
- Nakanishi, K., *see* Brackley, P. T. H., 1573
- Nakao, M., *see* Kawamura, M., 1664
- Nakaya, H., *see* Hattori, Y., 1202
- Naloxonazine
 respiratory stimulation and opioid analgesia, mu₁ receptors, Tyr-D-Arg²-Phe-sarcosine (rats), 544

- stimulation of hypothalamo-pituitary-adrenal axis, DAMGO, *mu*-2 opioid receptor (rats), 985
- Naloxone**
chronic treatment, supersensitivity to *mu* agonist, hypothalamus-pituitary-adrenocortical axis level (rats), 1602
-induced potentiation, cardiac *alpha*-2 adrenoceptor-mediated depression, neurogenic tachycardia (rats), 184
intrathecally administered muscarinic agonists, antinociception (rats), 329
opioid-induced suppression, testicular function (rats), 323
- Naloxone methiodide**, induction of apoptosis by morphine, opiate and glucocorticoid receptors (dogs), 417
- Naltrexone**, opioid-induced suppression, testicular function (rats), 323
- Naltriben**, *delta* opioid receptor subtypes (rats), 820
- NAN-190**, tyrosine hydroxylation in striatum, mediation of inhibition, 5-HT_{1A} receptors (rats), 133
- Nanji, A. A.**, Sadrzadeh, S. M. H., Khettry, U., Thomas, P. and Yamanaka, T.: Protective effects of a novel quinone derivative, (2E)-3-[5-(2,3-dimethoxy-6-methyl-1,4-benzoquinoyl)]-2-nonyl-2-propenoic acid on experimental alcoholic liver injury, 1085
- B-Naphthoflavone**, pulmonary bioactivation and toxicity, pneumotoxins, cytochrome P450 2B (rats, mice), 958
- Narita, H.**, see Deisher, T. A., 262
- Nebigil, C.** and Malik, K. U.: *Alpha* adrenergic receptor subtypes involved in prostaglandin synthesis are coupled to Ca⁺⁺ channels through a pertussis toxin-sensitive guanine nucleotide-binding protein, 1113
- Negus, S. S.** Butelman, E. R., Ai, Y. and Woods, J. H.: Prostaglandin E₂-induced thermal hyperalgesia and its reversal by morphine in the warm-water tail-withdrawal procedure in Rhesus monkeys, 1355
- Nelson, A. N.**, see Glauser, T. A., 23
- Nelson, D. L.**, see Cohen, M. L., 943
- Neointima**, carotid arteries, 5-HT₂ receptor blockade, LY215840 (rats), 450
- Neostigmine**, chronic denervation of jejunum, cholinergic supersensitivity, reduction of cholinesterase activity (rats), 1684
- Nerve**
enteric, inhibition of neurotransmitter release, CGS-21680 (guinea pigs), 634
periarterial, modulation of vascular response by neuropeptide Y, kidney (rats), 1321
renal, renal effects of rilmenidine (rats), 1556
- Neumann, J.**, see Gupta, R. C., 16
- Neuroblastoma** cells, lamotrigine/phenytoin/carbamazepine interactions, sodium current (mice), 829
- Neuroleptics**
dopamine and acetylcholine cell density, neuroleptic responsive and neuroleptic nonresponsive lines (mice), 431
dopamine D-1 and D-2 receptor antagonist antipsychotics, sleep-wake patterns (rats), 726
- DuP 734, selective ligand for *sigma* receptors, brain (mice), 1541
striatal acetylcholine release, stimulation, dopamine D₁ receptors (rats), 557
- Neuronal** cells, death, decomposition product of contaminant, L-tryptophan eosinophilia myalgia syndrome (mice), 1029
- Neurons**
gastric parasympathetic, release of endogenous acetylcholine, vascularly perfused stomach (rats), 1190
hippocampal CA1, potentiation by pentobarbital and diazepam, GABA_A receptor-mediated synaptic currents (rats), 1227
substantia nigra pars reticulata, *r*-amino-nobutyric acid/benzodiazepine responses, male and ovariectomized rats, 774
- Neuropeptides**
acetylcholine-induced edema, lungs (rabbits), 483
autoradiographic localization, tachykinin receptors, gastric fundus (rats), 1043
- Neuropeptide Y**
[Leu³¹, Pro³⁴]neuropeptide Y and, gastric lesion formation, gastric secretion (rats), 339
modulation of vascular response, periarterial nerve stimulation, postjunctional action in kidney (rats), 1321
- Neurotoxicity**
intracellular concentrations of Ca⁺⁺, heavy metals and, methylmercury in NG108-15 cells, 1626
- 3,4-methylenedioxymethamphetamine, serotonin and memory (rats), 1097
- Neurotoxins**, fluorinated 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine analogs, use in PET studies (mice, monkeys), 790
- Neurotransmission**, sympathetic, melatonin modulation, age-related changes (rats), 1536
- Neurotransmitters**
inhibition of release from enteric nerve endings, CGS-21680 and related adenosine analogs (guinea pigs), 634
polyamine antagonists, NMDA-stimulated norepinephrine release, hippocampal slices (rats), 563
selenonium choline and acetyl-selenonium choline, biological activities (mice), 593
- Neutral endopeptidase**
active sensitization, bronchopulmonary responses to tachykinins (guinea pigs), 812
metabolically resistant antagonists, B₁ receptors for kinins (rabbits), 192
- Neutral endopeptidase 3.4.24.11**, inhibition, systemic hemodynamics, renal function and hormone levels in pacing-induced heart failure (dogs), 872
- Neutrophils**, inhibition of accumulation by cyclocreatine, coronary artery occlusion and reperfusion model, myocardium (dogs), 1670
- Newport, G. D., see Bowyer, J. F., 1066
- Newholme, S. J., see Underwood, D. C., 306
- NG108-15 cells
bradykinin-stimulated inositol monophosphate production, rapid desensitization, 253
- intracellular concentrations of Ca⁺⁺, heavy metals and, methylmercury, 1626
- Nicotinamide**, choline and, synergism, extracellular choline levels in brain (rats), 720
- Nicotine**
chronic infusion
downregulation, nicotinic receptor function (mice), 1268
tolerance and cross-tolerance to ethanol, long- and short-sleep mice, 1390
cross-tolerance, development of tolerance to ethanol, long- and short-sleep mice, 1398
-induced antinociception, calcium and L-type channels (mice), 1330
neurogenic and non-neurogenic relaxations, superficial temporal artery (dogs), 1416
- Nie, Z.**, Yuan, X., Madamba, S. G. and Siggins, G. R.: Ethanol decreases glutamatergic synaptic transmission in rat nucleus accumbens *in vitro*: Naloxone reversal, 1705
- Nifedipine**, baroreceptor mechanism, control of renin secretion (rats), 274
- Nilges, M. J.**, see Enochs, W. S., 1164
- Ninteman, F. W.**, see Meltzer, L. T., 1177
- Nishihira, J.**, see Hattori, Y., 1202
- Nishikawa, K.**, see Kawamura, M., 1664
- Nishikawa, K.**, see Shibouta, Y., 114
- Nisoli, E.**, Tonello, C., Imhof, R., Scherlach, R., Da Prada, M. and Carrua, M. O.: Neurochemical and behavioral evidence that Ro 41-9067 is a selective presynaptic dopamine receptor agonist, 97
- Nitric oxide**
-L-arginine pathway, nonadrenergic non-cholinergic relaxation, gastric fundus (cats), 172
depletable store of vasodilator, light activation, vascular smooth muscle (rabbits), 1497
- Fluoro-Gold and pentamidine**, inhibited dopamine release, striatum (rats), 1066
- inhibition of sodium chloride absorption in colon, stimulation of anion secretion, sodium nitroprusside (rats), 224
- neurogenic and non-neurogenic relaxations, nicotine, superficial temporal artery (dogs), 1416
- potassium channel-mediated relaxation, acetylcholine, arteries (rabbits), 1482
- renin secretion by renal cortical slices, purinergic P_{2Y} receptors (rats), 160
- Nitric oxide synthase**
Ca⁺⁺-dependent, effects of carbachol, ventricular cardiomyocytes (guinea pigs), 919
inhibitors, stimulation, gastric and duodenal HCO₃⁻ secretion (rats), 1512
- N-Nitrosodiethylamine**, tumor-suppressive effects of cadmium, B6C3F1 mouse liver and lung, 1656
- Niwas, S.**, see Bennett, L. L. Jr., 707
- N^G-nitro-L-arginine methyl ester**, nitric oxide synthase inhibitors, stimulation, gastric and duodenal HCO₃⁻ secretion (rats), 1512
- Noda, M.**, see Shibouta, Y., 114
- Noh, H. K.**, see Chang, K. C., 992

- Noker, P. E., *see* Bennett, L. L., Jr., 707
 8-(Noradamantan-3-yl)-1,3-dipropylxanthine, *see* KW-3902
- Nordström, M., Abrahamsson, T., Ervik, M., Forshult, E. and Regårdh, C. G.: Central nervous and systemic kinetics of ramipril and ramiprilat in the conscious dog, 147
- cerebral catecholamine depletion, withdrawal from repeated morphine treatment (mice), 749
- Norepinephrine endogenous and exogenous, extraneuronal metabolism (rats), 288
 3,4-methylenedioxymethamphetamine, serotonin and memory (rats), 1097
 modulation of vascular response, neuropeptide Y, periarterial nerve stimulation (rats), 1321
 NMDA-stimulated release, N-acetyl-aspartylglutamate modulation, hippocampal slices (rats), 796
- Norfluoxetine, fluoxetine and, interaction of enantiomers, liver cytochromes P450 (humans), 964
- Normandin, D., *see* Antonaccio, M. J., 125
- Normetanephrine, endogenous and exogenous norepinephrine and epinephrine, extraneuronal metabolism (rats), 288
- North, R. A., *see* Piguet, P., 1139
- Novak, L. B., *see* Underwood, D. C., 306
- NPC 16377, *see* 6-(6-(4-Hydroxypiperidinyl)hexyloxy-3-methylflavone
- NS-004, maxi-K channel in the heart (rats), 1422
- Nucleus accumbens decreased glutamatergic synaptic transmission, ethanol, naloxone reversal (rats), 1705
 dopamine and acetylcholine cell density, neuroleptic responsive and neuroleptic nonresponsive lines (mice), 431
 electrophysiological effects of cocaine, microiontophoretic studies (rats), 1075
 time course to tyrosine hydroxylase expression, behavioral sensitization, cocaine (rats), 424
- Nucleus tractus solitarius, depressant effect of ethanol on baroreflexes, NMDA and non-NMDA receptors (rats), 602
- Nugent, R. A., *see* Dunn, C. J., 1691
- Nutt, R. F., *see* Ramjit, D. R., 1501
- Obinu, M. C., *see* Imperato, A., 557
- Odom, J. D., *see* Terry, A. V., Jr., 593
- Oellerich, W. F. and Malik, K. U.: Neuropeptide Y modulates the vascular response to periarterial nerve stimulation primarily by a postjunctional action in the isolated perfused rat kidney, 1321
- Offord, S. J., *see* Chamberlain, J., 618
- Ofori, S., Bugnon, O. and Schorderet, M.: Agonist-induced desensitization of dopamine D-1 receptors in bovine retina and rat striatum, 350
- Ogura, H. and Aigner, T. G.: (+)-5-Methyl-10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5,10-imine (MK-801) impairs recognition memory in rhesus monkeys: Comparison with cholinergic drugs, 60
- Oh, J., *see* Friedrichs, G. S., 1348
- 8-OH-DPAT affinity states, potency of 5-HT_{1A} agonists, inhibition of adenylyl cyclase, 618
 tyrosine hydroxylation in striatum, mediation of inhibition, 5-HT_{1A} receptors (rats), 133
- Ohtsuka, Y., *see* Liu, J.-X., 1247
- Ohuchi, T., *see* Takeuchi, K., 1512
- Oishi, R., *see* Chikai, T., 1277
- Ojima, M., *see* Shibouta, Y., 114
- Okabe, S., *see* Takeuchi, K., 1512
- Okamura, N., Hirai, M., Tanigawara, Y., Tanaka, K., Yasuhara, M., Ueda, K., Komano, T. and Hori, R.: Digoxin-cyclosporin A interaction: Modulation of the multidrug transporter P-glycoprotein in the kidney, 1614
- Okamura, N., *see* Hori, R., 1620
- Okamura, T., Enokibori, M. and Toda, N.: Neurogenic and non-neurogenic relaxations caused by nicotine in isolated dog superficial temporal artery, 1416
- Okuda, H., *see* Kawamura, M., 1664
- Okuma, Y., *see* Yokotani, K., 1190
- Oleanolic acid protection against cadmium hepatotoxicity, induction of metallothionein (mice), 400
 protective effects, acetaminophen-induced hepatotoxicity (mice), 1607
- Olsen, R. W., *see* Longon, B., 153
- Olton, D. S., *see* Ricaurte, G. A., 1097
- Omeprazole, oxidative metabolism in liver microsomes (humans), 52
- Ongini, E., Bonizzoni, E., Ferri, N., Milani, S. and Trampus, M.: Differential effects of dopamine D-1 and D-2 receptor antagonist antipsychotics on sleep-wake patterns in the rat, 726
- Ontogeny, differences in inhibition of gastric acid secretion, epidermal growth factor (rats), 647
- Oocytes, *Xenopus, Agelenopsis aperta* toxins, polyamine-like and high-affinity antagonist actions (rats), 231
- Opiates ethanol, decreased glutamatergic synaptic transmission, nucleus accumbens (rats), 1705
 -induced histamine release, periaque ductal gray and opiate antinociception (rats), 934
 withdrawal and tolerance, suppression by dynorphin A and [des-tyr]¹dynorphin A peptides, morphine dependency (mice), 121
- Opioids delta and mu agonists, isobolographic superadditivity, mu agonist and analgesic assay (rats), 1261
 endogenous, mediators of hypothermic effects, calcium and calcitonin gene-related peptide (mice), 1407
 [met⁶]enkephalin analogs, assessment, *in vitro* blood-brain barrier model (cattle), 1649
 -induced suppression, testicular function (rats), 323
 mixed action, agonist and antagonist effects, drug discrimination procedure (pigeons), 756
 mu-1 binding, modulation by magnesium, multiple receptor conformation, 106
 reversal by morphine, prostaglandin E₂ induced thermal hyperalgesia (monkeys), 1355
 supersensitivity to mu agonist, chronic naloxone treatment, hypothalamus-pituitary-adrenocortical axis (rats), 1602
- Oppermann, J. A., *see* Cook, C. S., 1
- Organophosphates, prolonged inhibition of cholinesterase, behavioral and neurochemical effects, acute chlorpyrifos (rats), 1007
- Osborn, R. R., *see* Underwood, D. C., 306
- Osinski, M. A. and Bass, P.: Chronic denervation of rat jejunum results in cholinergic supersensitivity due to reduction of cholinesterase activity, 1684
- Osteoporosis, anti-arthritis and anti-inflammatory effects, diphosphonates (mice), 1691
- Osumi, Y., *see* Yokotani, K., 1190
- Otton, S. V., *see* Wu, D., 715
- Ovariectomy, divergent alterations, τ -aminobutyric acid responses, chronic benzodiazepine agonist exposure, 768, 774
- Owen, T. J., *see* McLean, L. R., 551
- Owens, S. M., *see* McClurkan, M. B., 1439
- Owyang, C., *see* Bologna, S. D., 852
- Oxidant-induced damage, prevention by acadesine, heart (guinea pigs), 666
- Oxygen radicals, superoxide radical-induced alteration, vascular reactivity in aorta, streptozotocin treatment (rats), 992
- Oxymetazoline, gap junctions, modulation of tissue contractility in aorta, α_1 adrenergic agonist efficacy (rats), 1054
- Oxytocin, endocrine responses, long-term treatment, fluoxetine and desipramine (rats), 836
- Paakkari, I., *see* Paakkari, P., 544
- Paakkari, P., Paakkari, I., Vonhof, S., Feuerstein, G. and Sirén, A.-L.: Dermorphin analog Tyr-D-Arg²-Phe-sarcosine-induced opioid analgesia and respiratory stimulation: The role of mu-receptors?, 544
- Pacak, K., *see* Lenders, J. W. M., 288
- Padilla, S., *see* Bushnell, P. J., 1007
- Page, S. W., *see* Brenneman, D. E., 1029
- Palacino, J. J., *see* Cowan, C. L., 1482
- Palmer, R. M. J., *see* Venturini, C. M., 1497
- Pandolfo, L., *see* Ragazzi, E., 1091
- Pang, K. S., *see* Chiba, M., 492
- Parietal cells, cellular regulation of acid secretion, gastric mucosal endogenous prostanoids, 1306
- Parkinson disease, nigrostriatal toxicity, fluorinated 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine analogs, use in PET studies (mice, monkeys), 790
- Pascucci, I., *see* Golino, P., 511
- Pasternak, G. W., *see* Standifer, K. M., 106
- Patel, D. J., *see* Carpenter, R. G., 41
- Patel, P. M., *see* Cole, D. J., 1713
- Patterson, E.: Coronary vascular injury following transient coronary artery occlusion: Prevention by pretreatment with deferoxamine, dimethylthiourea and N-2-mercaptopropionyl glycine, 1528
- Pauchet, C., *see* Doble, A., 1213
- PD 128483, dopamine partial agonist, phar-

- macological profile, enantiomers (mice, rats), 1177
- Pelleg, A., *see Amoah-Apraku, B.*, 611
- Penner, S. B., Smyth, D. D. and Glavin, G. B.: Effects of neuropeptide Y and [Leu³¹,Pro³⁴] neuropeptide Y on experimental gastric lesion formation and gastric secretion in the rat, 339
- Pentagastrin, inhibition of gastric acid secretion, epidermal growth factor, ontogenetic differences (rats), 647
- Pentamidine, Fluoro-gold and, inhibited dopamine release, striatum (rats), 1066
- Pentazocine, DuP 734, selective ligand for sigma receptors, brain (mice), 1541
- Pentobarbital
continuous intracerebroventricular administration, induction of tolerance, physical dependence (rats), 1300
potentiation of GABA_A receptor-mediated synaptic currents, immature hippocampal CA1 neurons (rats), 1227
- Pepsin, gastric lesion formation and gastric secretion, neuropeptide Y, [Leu³¹, Pro³⁴]neuropeptide Y (rats), 339
- Peptides
amphipathic α -helical, role of hydrophobic face, synthetic pulmonary surfactants (dogs), 551
inhibitors, active sensitization, bronchopulmonary tachykinins (guinea pigs), 812
peptide inhibitors, active sensitization, bronchopulmonary tachykinins (guinea pigs), 812
- Pereira, E. P., *see Carneiro, R. C. G.*, 1536
- Pertussis toxin
insensitive mechanism, diuretic and renal protective effects, KW-3902 (rats), 200
 γ -sensitive immune G protein to adenylyl cyclase, coupling of R1.1 cells, kappa opioid receptor (mice), 1678
- Pesticides, structurally similar, organic anion transport, renal proximal tubule (fish), 673
- Petersen, J. S., *see Bak, M.*, 33
- Petersen, K.-U., Cormann, P., Macherey, H. J., Sprakties, G. and Winterhager, J. M.: Electrogenic and electroneutral HCO₃⁻ secretion by guinea pig gallbladder epithelium: Discriminatory abilities of Cl⁻ channel blockers, 65
- Petrone, G., *see Brooks, D. P.*, 164
- P-glycoprotein
digoxin-cyclosporin A interaction, kidney, 1614
role in renal tubular secretion, digoxin, kidney (rats), 1620
- Phencyclidine
behavioral and toxic effects of cocaine, 6-(6-(4-hydroxypiperidinyl))hexyloxy-3-methylflavone (mice, rats), 473
monoclonal antiphencyclidine Fab fragment distribution of IgG (rats), 1439
- Phenylbutazone, peroxidative metabolism and conjugation, 81
- Phenylephrine
depressant effect of ethanol on baroreflexes, NMDA and non-NMDA receptors (rats), 602
gap junctions, modulation of tissue contractility in aorta, alpha, adrenergic agonist efficacy (rats), 1054
- Phenytoin
anticonvulsant efficacy and adverse effects, chronic treatment, amygdala-kindled rats, 216
lamotrigine and carbamazepine interactions, sodium current, neuroblastoma cells (mice), 829
pharmacological protection, CNS white matter, anoxia (rats), 1549
- Phosphatidylinositol 4,5-bisphosphate, common pools, carbachol and serotonin activation, tracheal smooth muscle (dogs), 8
- Phosphodiesterase
inhibitor rolipram, antigen-induced bronchoconstriction, eosinophil infiltration (guinea pigs), 306
inhibitors and caffeine, respiration and behavior (monkeys), 894
- Phosphoinositides
functional receptor subtype selectivity, muscarinic agonists, 237
hydrolysis, metabotropic glutamate receptors, potentiation of cAMP responses (rats), 518
phospholipase C and, equilibria and U73122 effects, unstimulated and thrombin-stimulated platelets (humans, rabbits), 1156
role of protein kinase C, dual-component positive inotropic effect, endothelin-1 in left atria (guinea pigs), 1202
same signaling pathway, peptidyl leukotrienes, gastric muscle cells (guinea pigs), 857
- Phospholipase A₂, human recombinant non-pancreatic secretory, contractile effects, lung pleural strips (guinea pigs), 1147
- Phospholipase C
equilibria between phosphoinositides, U73122 effects, unstimulated and thrombin-stimulated platelets (humans, rabbits), 1156
platelet-activating factor activation, G proteins and tyrosine kinase, A431 cells, 1106
- Photorelaxation, depletable store of vaso-dilator, vascular smooth muscle (rabbits), 1497
- Picker, M. J., Yarbrough, J., Hughes, C. E., Smith, M. A., Morgan, D. and Dykstra, L. A.: Agonist and antagonist effects of mixed action opioids in the pigeon drug discrimination procedure: Influence of training dose, intrinsic efficacy and interanimal differences, 756
- Piedmonte, G., Bertrand, C., Geppetti, P., Snider, R. M., Desai, M. C. and Nadel, J. A.: A new NK₁ receptor antagonist (CP-99,994) prevents the increase in tracheal vascular permeability produced by hypertonic saline, 270
- Piercey, M. F., *see Vanover, K. E.*, 780
- Piguet, P. and North, R. A.: Opioid actions at mu and delta receptors in the rat dentate gyrus *in vitro*, 1139
- Pilocarpine, functional receptor subtype selectivity, muscarinic agonists, 237
- Pilsicainide, improvement, ischemia/reperfusion-induced contractile dysfunction (rats), 1247
- Pinacidil, antifibrillatory effects of ibutilide, ATP-dependent potassium channels, heart (rabbits), 1348
- Pineal gland, melatonin modulation in sympathetic neurotransmission, age-related changes (rats), 1536
- Pinto, A., *see Sorrentino, R.*, 626
- Piot, O., *see Doble, A.*, 1213
- Pirenzepine
enhanced glycine release, brain cortex synaptosomes, acetylcholine acting at M₄ muscarinic receptors (humans), 142
intrathecally administered muscarinic agonists, antinociception (rats), 329
- Piroxicam, inhibition of sodium chloride absorption in colon, stimulation of anion secretion, sodium nitroprusside (rats), 224
- Pituitary, anterior, hormones, acute effects of cocaine (monkeys), 804
- Platelet-activating factor, activation in phospholipase C in A431 cells, role of G proteins, tyrosine kinase, 1106
- Platelets
antiplatelet effects, thromboxane A₂ synthase inhibitors (rabbits), 511
fibrinogen receptor antagonist MK-0852, antithrombotic effects (dogs), 1501
-polymorphonuclear leukocyte interaction, limitation of infarct size, KP-10614 (rats), 344
unstimulated and thrombin-stimulated, U73122 effects, equilibria between phosphoinositides and phospholipase C (humans, rabbits), 1156
- Pocock, D., *see Devine, D. P.*, 1236
- Polyamine
antagonists diethylenetriamine and 1,10-diaminodecane, NMDA-stimulated norepinephrine release, hippocampal slices (rats), 563
-containing toxins, selective antagonism, native and cloned kainate and NMDA receptors (rats), 1573
-like and high-affinity antagonist actions, *Agelenopsis aperta* toxins, NMDA receptors (rats), 231
- Pompeo, J., *see Baron, C. B.*, 8
- Pontecorvo, M., *see Witkin, J. M.*, 473
- Pope, C. N., *see Bushnell, P. J.*, 1007
- Porreca, F., *see Horan, P. J.*, 926
- Porreca, F., *see Kramer, T. H.*, 577
- Porreca, F., *see Rao, R. K.*, 647
- Positron emission tomography, fluorinated 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine analogs, nigrostriatal toxicity (mice, monkeys), 790
- Potassium
angiotensin II and, effects of diltiazem, calcium metabolism in glomerulosa cells (cattle), 374
transport, effect of M17055, distal nephron segments (rabbits), 1581
- Potassium canrenoate, involvement of cytochrome P-450IIIA in metabolism, spironolactone, sulfur-containing metabolite (rats), 1
- Potassium channel
ATP-dependent, antifibrillatory effects of ibutilide, heart (rabbits), 1348
ATP-inhibited, specific activator, ventricular cells (guinea pigs), 978
ATP-sensitive, sulphonylurea drugs, metabolic stress in cardiac muscle (rats), 456

- calcium-activated, opener NS-004, profile (rats), 1422
 -mediated relaxation to acetylcholine, arteries (rabbits), 1482
 muscarinic receptor-linked, cyclic GMP-generating agents, atrium (rabbits), 1594
 vascular ATP-sensitive openers, antagonist 4-morpholinocarboximidine-*N*-1-adamantyl-*N'*-cyclohexylhydrochloride (rabbits), 655
- Potter, S., *see* Bullough, D. A., 666
 Poulsen, L. B., *see* Bak, M., 33
 Pradhan, T. K., *see* Gu, Z.-F., 912
 Pregnancy, heterogeneity of *alpha*-2 adrenoceptors, subtypes and autoradiographic distribution, uterus (rats), 439
 Pretolani, M., *see* Capaz, F. R., 812
 Procainamide, myocardial uptake and pharmacodynamics, coronary heart disease, sustained ventricular tachyarrhythmias (humans), 1001
 Prolactin
 acute effects of cocaine, anterior pituitary hormones (monkeys), 804
 endocrine responses, long-term treatment, fluoxetine and desipramine (rats), 836
 Propranolol
 intrathecally administered muscarinic agonists, antinociception (rats), 329
 tyrosine hydroxylation in striatum, mediation of inhibition, 5-HT_{1A} receptors (rats), 133
 Prosdocimi, M., *see* Ragazzi, E., 1091
 Prosser, J. C., *see* Little, J., 1291
 Prostacyclin, thromboxane A₂/prostaglandin H₂ receptor blockade, antiplatelet effects, thromboxane A₂ synthase inhibitors (rabbits), 511
 Prostaglandin E₂
 -induced thermal hyperalgesia, reversal by morphine (monkeys), 1355
 protective effects of quinone derivative, experimental alcoholic liver injury (rats), 1085
 Prostaglandin H₂, receptor blockade, antiplatelet effects, thromboxane A₂ synthase inhibitors (rabbits), 511
 Prostaglandin I₂, neurogenic and non-neurogenic relaxations, nicotine, superficial temporal artery (dogs), 1416
 Prostaglandins
 role of prostanoids, regulation, central cholinergic receptor sensitivity (rats), 314
 stimulation by nitric oxide synthase inhibitors, gastric and duodenal HCO₃⁻ secretion (rats), 1512
 synthesis, *alpha* adrenergic receptor subtypes, calcium channels and G protein (rabbits), 1113
 Prostanoids
 gastric mucosal, cellular regulation of acid secretion, parietal cells, 1306
 regulation, central cholinergic receptor sensitivity (rats), 314
 temporary focal cerebral ischemia, effect of ibuprofen, infarct volume (rats), 1713
 Protein
 binding, 4-methylumbelliferyl sulfate desulfation kinetics, liver (rats), 492
 catabolism products, endothelium-de-
- pendent and -independent relaxation, thoracic aorta rings (rabbits), 626
 Protein kinase C
 bradykinin-stimulated inositol monophosphate production, rapid desensitization, NG108-15 cells, 253
 dual-component positive inotropic effect, endothelin-1, left atria (guinea pigs), 1202
 Protein phosphatase inhibitor-1, activity in the heart, adenosine and muscarinic receptor-mediated effects (guinea pigs), 16
 Proximal tubules
 basolateral *para*-aminohippurate transport, interaction, thiazide and loop diuretics (rabbits), 972
 organic anion transport, interaction, structurally similar pesticides (fish), 673
 renal brush-border membrane vesicles, inhibition of H⁺/organic cation antiport, carboxyl reagents (rabbits), 500
 Pruitt, S. B., *see* Fuchs, B. A., 417
 Pugsley, T. A., *see* Meltzer, L. T., 1177
 Puia, G., *see* Giusti, P., 1018
 Purine nucleoside phosphorylase, inhibitors, 9-benzyl-9-deazaguanine and related compounds (rats), 707
 Purines, atherosclerosis-related remodeling, aortic relaxation, Watanabe heritable hyperlipidemic rabbit, 1091
 Purkinje fibers, dual effects of droperidol, repolarization, early afterdepolarizations and triggered activity (rabbits), 884
 Puttfarcken, P. S., Handen, J. S., Montgomery, D. T., Coyle, J. T. and Werling, L. L.: N-acetyl-aspartylglutamate modulation of N-methyl-D-aspartate-stimulated [³H]norepinephrine release from rat hippocampal slices, 796
 Pyridylcyanoguanidines, specific activator, ATP-inhibited K⁺ channels, ventricular cells (guinea pigs), 978
 Qian, Y., *see* Hitzemann, R., 431
 Quadazocine, differential antagonism, bremazocine- and U69,593-induced antinociception (mice), 926
 Quinidine
 human hepatic cytochrome P450 2D6-like activity, nonhuman primates, 715
 role of P-glycoprotein, renal tubular secretion of digoxin, kidney (rats), 1620
 Quinipirole, mediation of stimulus properties, dopaminergic autoreceptors (rats), 526
 Quinone, derivative, protective effects, experimental alcoholic liver injury (rats), 1085
 Quinone reductase, liver, requirement for iron, hydroxyl radical production (rats), 1282
 Ragazzi, E., Chinellato, A., Pandolfo, L., Froldi, G., Caparrotta, L., Prosdocimi, M., Aliev, G. and Fassina, G.: Atherosclerosis-related remodeling of aortic relaxation to purines in the Watanabe heritable hyperlipidemic rabbit, 1091
 Ragni, M., *see* Golino, P., 511
 Raiteri, M., *see* Russo, C., 142
- Ramipril, ramiprilat and, central nervous and systemic kinetics (dogs), 147
 Ramjit, D. R., Lynch, J. J., Jr., Sitko, G. R., Mellott, M. J., Holahan, M. A., Stabilio, I. I., Stranieri, M. T., Zhang, G., Lynch, R. J., Manno, P. D., Chang, C. T.-C., Nutt, R. F., Brady, S. F., Veber, D. F., Anderson, P. S., Shebuski, R. J., Friedman, P. A. and Gould, R. J.: Antithrombotic effects of MK-0852, a platelet fibrinogen receptor antagonist, in canine models of thrombosis, 1501
 Ramzi, E., *see* Samoszuk, M., 1643
 Ransom, B. R., *see* Fern, R., 1549
 Rao, R. K., Chang, H.-H., Levenson, S., Porreca, F., Brannon, P. M., Davis, T. P. and Koldovsky, O.: Ontogenetic differences in the inhibition of gastric acid secretion by epidermal growth factor, 647
 Rapamycin, disease-modifying anti-arthritis drug (rats), 1125
 Rataud, J., *see* Doble, A., 1213
 Rattan, S., *see* Chakder, S., 392
 Rauwolscine, *alpha*-2 adrenoceptors, medullary thick ascending limbs, kidney (rabbits), 279
 Ray, A. and MacLeod, K. M.: A pharmacological investigation of the contribution of muscarinic receptor-linked potassium channels to the reversal by carbachol of positive inotropic responses of rabbit left atrium to cyclic AMP-generating agents, 1594
 R1.1 cells, coupling through G protein to adenylyl cyclase, *kappa* opioid receptor (mice), 1678
 Receptors
 adenosine
 caffeine and phosphodiesterase inhibitors, respiration and behavior (monkeys), 894
 protein phosphatase inhibitor-1 activity, heart (guinea pigs), 16
 adenosine A₁
 caffeine treatment and withdrawal (mice), 1563
 diuretic and renal protective effects, KW-3902 (rats), 200
 enhancer of negative dromotropic action of adenosine, heart (guinea pigs), 611
 adenosine A₂, coupling to G protein, brain striatum, 294
 tau-aminobutyric acid_A
 diazepam insensitivity, transduction of a discriminative stimulus (pigeons), 570
 function and binding, volatile anesthetic halothane (rats), 153
 angiotensin II, antagonist TCV-116, prevention of intimal thickening after carotid injury (rats), 1664
 angiotensin II(3-8) and angiotensin IV, specific binding site, mammalian heart membranes (rabbits, guinea pigs), 1036
 angiotensin AT₁, inhibition of glomerular adenylate cyclase, angiotensin II (rats), 506
 benzodiazepine, ligands at GABA_A receptor subtypes, full and partial agonism (humans), 385

- bradykinin, gallbladder (guinea pigs), 1291
 bradykinin B₁, metabolically resistant antagonists, kinins (rabbits), 192
 bradykinin-stimulated inositol monophosphate production, rapid desensitization, NG108-15 cells, 253
 cholinergic, sensitivity, role of prostanoids in regulation (rats), 314
 conformation, modulation of *mu*-1 opioid binding, magnesium, 106
 dopamine, presynaptic agonist Ro 41-9067 (rats), 97
 dopamine D-1
 agonist-induced desensitization, retina and striatum (cattle, rats), 350
 neuroleptics, striatal acetylcholine release (rats), 557
 dopamine D-1 and D-2, antagonist anti-psychotics, sleep-wake patterns (rats), 726
 dopamine D-2
 discriminative stimulus properties, cocaine (rats), 585
 in vivo affinities, typical and atypical antipsychotic drugs (rats), 1374
 dopaminergic autoreceptors, mediation of stimulus properties, quinipirole (rats), 526
 GABA, substance P-like immunoreactivity release, inhibition by γ -aminobutyric acid_B (rats), 1490
 GABA_A
 full and partial agonism, benzodiazepine receptor ligands (humans), 385
 imidazenil, modulator of γ -aminobutyric acid (rats), 1018
 low sedative potential of RP 59037 and RP 60503, behavioral effects (rats), 1213
 potentiation of receptor-mediated synaptic currents by pentobarbital and diazepam, immature hippocampal CA1 neurons (rats), 1227
 glucocorticoid, induction of apoptosis by morphine, thymocytes (dogs), 417
 5-HT, role of neuropeptides, acetylcholine-induced edema in lungs (rabbits), 483
 5-HT₁, increased intracellular calcium, vascular smooth muscle cells (cattle), 692
 5-HT_{1A}
 mediation, inhibition of tyrosine hydroxylation in striatum (rats), 133
 potency of agonists and affinity state, inhibition of adenylyl cyclase, 618
 5-HT₂
 blockade by LY215840, carotid arteries (rats), 450
 in vivo affinities, typical and atypical antipsychotic drugs (rats), 1374
 smooth muscle effects, 1-(2,5-dimethoxy-4-iodophenyl)-2-aminopropane and α -methylserotonin (rats, guinea pigs), 943
 5-HT₃, antagonist RS 42358-197 (dogs), 535
 5-HT₃ and 5-HT₄, effect of FK1052, colonic function (rats), 74
 5-HT₄, antagonist SC-53606, esophageal tunica muscularis mucosae, 1339
 membrane-bound and solubilized A₁ adenosine, thermodynamic analysis, agonist and antagonist binding (pigs), 1463
 metabotropic glutamate, potentiation of cyclic AMP responses, phosphoinositide hydrolysis (rats), 518
 N-methyl-D-aspartate
 Agelenopsis aperta toxins, polyamine-like and high-affinity antagonist actions (rats), 231
 Fluoro-Gold and pentamidine, inhibited dopamine release in striatum (rats), 1066
 selective antagonism, polyamine-containing toxins (rats), 1573
 N-methyl-D-aspartate and non-NMDA, depressant effect of ethanol on baroreflexes, nucleus tractus solitarius (rats), 602
 muscarinic
 antagonists, application of transfected cell lines and selectivity, 237
 binding of *N*-(2-bromoethyl)-4-piperidinyl diphenylacetate, kinetics of activation, 301
 linked potassium channels, atrium (rabbits), 1594
 protein phosphatase inhibitor-1 activity, heart (guinea pigs), 16
 nicotinic
 age-related changes, melatonin modulation in sympathetic neurotransmission (rats), 1536
 antinociception, calcium and L-type channels (mice), 1330
 downregulation, chronic nicotine infusion (mice), 1268
 opiate
 induction of apoptosis by morphine, thymocytes (dogs), 417
 kappa agonist-induced water diuresis, blood-brain barrier (guinea pigs), 164
 opioid delta
 ligands, affinity and agonist efficacy (mice, guinea pigs), 577
 subtypes in spinal cord (rats), 820
 opioid kappa
 chronic antagonism, supersensitivity to U-50,488H (rats), 1385
 coupling of R1.1 cells, G protein to adenylyl cyclase (mice), 1678
 opioid mu-1, analgesia and respiratory stimulation, Tyr-D-Arg²-Phe-sarcosine (rats), 544
 opioid mu-2, stimulation of hypothalamo-pituitary-adrenal axis, DAMGO (rats), 985
 opioid mu and delta, dentate gyrus (rats), 1139
 opioid mu/delta/kappa, modulation of basal mesolimbic dopamine release, microdialysis (rats), 1236
 opioid sigma, selective ligand in brain, DuP 734 (mice), 1541
 peptidyl leukotrienes LTC₄ and LTD₄/LTE₄, same signaling pathway, gastric muscle cells (guinea pigs), 857
 purinergic P_{2Y}, renin secretion, renal cortical slices (rats), 160
 purinoceptor, atherosclerosis-related remodeling, aortic relaxation (rabbits), 1091
 serotonin-3, delayed gastric emptying, deoxynivalerol (rats), 1255
 tachykinin autoradiographic localization, gastric fundus (rats), 1043
 tracheal vascular permeability, CP-99, 994 (rats), 270
 thrombin, activating peptides, aortic vascular smooth muscle (rats), 125
 thromboxane A₂/prostaglandin H₂, blockade, antiplatelet effects of thromboxane A₂ synthase inhibitors (rabbits), 511
 vanilloid, resiniferatoxin binding, modulation by reduction and oxidation (rats), 678
 Regardh, C. G., see Nordström, M., 147
 Remoxipride, dopamine D-1 and D-2 receptor antagonist antipsychotics, sleep-wake patterns (rats), 726
 Renfro, J. L., see Dawson, M. A., 673
 Renin
 endocrine responses, long-term treatment, fluoxetine and desipramine (rats), 836
 secretion, baroreceptor mechanism, calcium channel blockers (rats), 274
 secretion by renal cortical slices, purinergic P_{2Y} receptors (rats), 160
 Reperfusion, -induced contractile dysfunction, improvement, class 1c antiarrhythmic agents (rats), 1247
 Resiniferatoxin, binding and modulation by reduction and oxidation, vanilloid receptor (rats), 678
 Respiration
 behavior and, caffeine and phosphodiesterase inhibitors (monkeys), 894
 stimulation by Tyr-D-Arg²-Phe-sarcosine, opioid analgesia, mu₁ receptors (rats), 544
 Respiratory distress syndrome, synthetic pulmonary surfactants, role of hydrophobic face, amphipathic α -helical peptides (dogs), 551
 Restenosis, 5-HT₂ receptor blockade, LY215840 (rats), 450
 Retina, striatum and, agonist-induced desensitization, dopamine D-1 receptors (cattle, rats), 350
 Retinoic acid, metabolites and biological activity, human keratinocytes, mouse melanoma cells and hairless mouse skin, 1636
 Reverte, M., see Galitzky, J., 358
 Reynolds, L., see Cole, D. J., 1713
 Reynolds, N. J., Fisher, G. J., Griffiths, C. E. M., Tavakkol, A., Talwar, H. S., Rowse, P. E., Hamilton, T. A. and Voorhees, J. J.: Retinoic acid metabolites exhibit biological activity in human keratinocytes, mouse melanoma cells and hairless mouse skin *in vivo*, 1636
 Rhee, S. G., see Thurston, A. W., Jr., 1106
 Riachi, N. J., see Harik, S. I., 790
 Ribosomes, effects of emetine, association of T-2 toxin, mammalian cells, 732
 Ricaurte, G. A., Markowska, A. L., Wenk, G. L., Hatzidimitriou, G., Wlos, J. and Olton, D. S.: 3,4-Methylenedioxymethamphetamine, serotonin and memory, 1097
 Rice, J. M., see Waalkes, M. P., 1656
 Rice, K., see Horan, P. J., 926
 Rigolot, C., see Legrand, C., 439
 Rilmenidine, renal effects, importance of renal nerves (rats), 1556

- Rittenhouse, P. A., *see* Li, Q., 836
- RNA, messenger, time course to tyrosine hydroxylase expression, behavioral sensitization, cocaine (rats), 424
- Ro 41-9067, selective presynaptic dopamine receptor agonist (rats), 97
- Robertson, D. W., *see* Cohen, M. L., 943
- Robinson, D. D., *see* Meglasson, M. D., 1454
- Rogers, W. L., *see* Seymour, A. A., 872
- Rohloff, N. A., *see* Dunn, C. J., 1691
- Rolipram
antigen-induced bronchoconstriction, eosinophil infiltration (guinea pigs), 306
caffeine and phosphodiesterase inhibitors, respiration and behavior (monkeys), 894
- Rominger, D., *see* Watanabe, M., 1541
- Romm, E., *see* Collins, A. C., 1390
- Rose, L. M., *see* Bennett, L. L., Jr., 707
- Rosenbaum, J. S., *see* Wolsing, D. H., 253
- Rossowski, W. J., *see* Gu, Z.-F., 912
- Roussel, G., *see* Doble, A., 1213
- Roux, M., *see* Doble, A., 1213
- Rowse, P. E., *see* Reynolds, N. J., 1636
- Roy, C., *see* Christ, G. J., 1054
- RP 59037, RP 60503 and, low sedative potential, interaction with GABA_A receptor complex and behavior (rats), 1213
- RS 42358-197, 5-HT₃ receptor antagonist (dogs), 535
- RU 24926, tyrosine hydroxylation in striatum, mediation of inhibition, 5-HT_{1A} receptors (rats), 133
- Ruffié, C., *see* Capaz, F. R., 812
- Rundfeldt, C. and Löscher, W.: Anticonvulsant efficacy and adverse effects of phenytoin during chronic treatment in amygdala-kindled rats, 216
- Russo, C., Marchi, M., Andrioli, G. C., Cavazzani, P. and Raiteri, M.: Enhancement of glycine release from human brain cortex synaptosomes by acetylcholine acting at M₁ muscarinic receptors, 142
- Russolillo, E., *see* Golino, P., 511
- (1-S,8-SO-N-[(hexahydro-1H-pyrrolizin-1-yl)methyl]-6-chloro imidazo [1,2-a] pyridine-8-carboxamide hydrochloride, *see* SC-53606
- Sadowska-Krowicka, H., *see* Miller, M. J. S., 468
- Sadrzadeh, S. M. H., *see* Nanji, A. A., 1085
- Saeki, K., *see* Chikai, T., 1277
- Sakai, Y., *see* Liu, J.-X., 1247
- Saline, hypertonic, tracheal vascular permeability, prevention of increase by CP-99,994 (rats), 270
- Samoszuk, M., Ehrlich, D. and Ramzi, E.: Preclinical safety studies of glucose oxidase, 1643
- Samsel, R. W., *see* Wylam, M. E., 1475
- Sanada, T., *see* Shibouta, Y., 114
- Sardinia, M. F., *see* Hanesworth, J. M., 1036
- Sardinia, M. F., *see* Miller-Wing, A. V., 1718
- Sargent, C. A., Grover, G. J., Antonaccio, M. J. and McCullough, J. R.: The cardioprotective, vasorelaxant and electrophysiological profile of the large conductance calcium-activated potassium channel opener NS-004, 1422
- Sarynyai, Z., *see* Mello, N. K., 804
- Saunders, P. A., *see* Kimura, T., 1300
- Sayre, L. M., *see* Harik, S. I., 790
- Sbacchi, M., *see* Brooks, D. P., 164
- SC-53606, antagonist of 5-HT₁ receptors, esophageal tunica muscularis mucosae, 1339
- SCH 39166, dopamine D-1 and D-2 receptor antagonist antipsychotics, sleep-wake patterns (rats), 726
- Schenk, K. W., *see* Cohen, M. L., 943
- Scherschlicht, R., *see* Nisol, E., 97
- Scheurer, L., *see* Knoefel, F., 385
- Schiffers, P. M. H., van der Heijden, H. A. M. D., Fazzi, G. E., Boudier, H. A. J. S. and De Mey, J. G. R.: Tonic tone in arteries exposed continuously to angiotensin II *in vitro*, 1520
- Schizophrenia
DuP 734, selective ligand for sigma receptors, brain (mice), 1541
5-HT₂ receptor antagonist MDL 100907 (rats), 684
- Schlachter, S. T., *see* Dunn, C. J., 1691
- Schmidt, C. J., *see* Sorensen, S. M., 684
- Schmitz, W., *see* Stein, B., 919
- Schmued, L., *see* Bowyer, J. F., 1066
- Schoenhard, G. L., *see* Cook, C. S., 1
- Scholz, H., *see* Stein, B., 919
- Schoofs, P. R., *see* de Jong, J., 1312
- Schorderet, M., *see* Ofori, S., 350
- Schrieffer, J. A. and Molineaux, C. J.: Modulatory effect of endopeptidase inhibitors on bradykinin-induced contraction of rat uterus, 700
- Schultzberg, M., *see* Brenneman, D. E., 1029
- Schumacker, P. T., *see* Wylam, M. E., 1475
- Scopolamine, impaired memory recognition, MK-801, comparison with cholinergic drugs (monkeys), 60
- Sedatives, effects on extracellular histamine, microdialysis study, striatum of freely moving rats, 1277
- Segura, J., *see* Farré, M., 1364
- Sehgal, S. N., *see* Carlson, R. P., 1125
- Selenonium choline, biological activities (mice), 593
- Sellers, E. M., *see* Wu, D., 715
- Selvaag, S., *see* Collins, A. C., 1390
- Seong, B. W., *see* Chang, K. C., 992
- Serafino, R., *see* Antonaccio, M. J., 125
- Serotonin
agonists, endocrine responses, antidepressants (rats), 836
carbachol activation and, common phosphatidylinositol 4,5-bisphosphate pools, tracheal smooth muscle (dogs), 8
electrophysiological effects of cocaine, nucleus accumbens, microiontophoretic studies (rats), 1075
5-HT₂ receptor antagonist MDL 100907, atypical antipsychotic (rats), 684
5-HT₂ receptor blockade, LY215840 (rats), 450
3,4-methylenedioxymethamphetamine and memory (rats), 1097
- Serpa, K. A., *see* Meltzer, L. T., 1177
- Sewing, B., *see* Adams, M. L., 323
- Sex differences, divergent alterations, *γ*-aminobutyric acid/benzodiazepine response, male and ovariectomized rats, 774
- Seymour, A. A., Asaad, M. M., Lanoce, V. M., Langenbacher, K. M., Fennell, S. A. and Rogers, W. L.: Systemic hemodynamics, renal function and hormonal levels during inhibition of neutral endopeptidase 3.4.24.11 and angiotensin-converting enzyme in conscious dogs with pacing-induced heart failure, 872
- Shah, S. V., *see* Mayeux, P. R., 41
- Shaimi, M., *see* Bak, M., 33
- Shebuski, R. J., *see* Ramjit, D. R., 1501
- Shibouta, Y., Inada, Y., Ojima, M., Wada, T., Noda, M., Sanada, T., Kubo, K., Kohara, Y., Naka, T. and Nishikawa, K.: Pharmacological profile of a highly potent and long-acting angiotensin II receptor antagonist, 2-ethoxy-7-carboxy-1-[2'-(1H-tetrazol-5-yl)biphenyl-4-yl] methylbenzimidazole (CV-11974), and its prodrug, (\pm)-1-(cyclohexylaxycarbonyloxylethyl-2-ethoxy-1-[2'-(1H-tetrazol-5-yl)biphenyl-4-yl]methyl)-1H-benzimidazole-7-carboxylate (TCV-116), 114
- Shih, Y.-H., *see* Meltzer, L. T., 1177
- Shinkawa, T., *see* Yasoshima, K., 1581, 1589
- Shino, A., *see* Kawamura, M., 1664
- Shukla, S. D., *see* Thurston, A. W., Jr., 1106
- Shuster, L. C., *see* Buccafusco, J. J., 314
- Siggins, G. R., *see* Nie, Z., 1705
- Signal transduction, receptors for peptidyl leukotrienes, same signaling pathway, gastric muscle cells (guinea pigs), 857
- Silks, L. A., III, *see* Terry, A. V., Jr., 593
- Sirén, A.-L., *see* Paakkari, P., 544
- Sitko, G. R., *see* Ramjit, D. R., 1501
- SKF 10,047, DuP 734, selective ligand for sigma receptors, brain (mice), 1541
- Skolnick, P., *see* Wong, G., 570
- Slavik, K. J. and Szilagyi, J. E.: Naloxone-induced potentiation of cardiac α -2 adrenoceptor-mediated depression of neurogenic tachycardia, 184
- Sleep
chronic nicotine infusion, nicotine tolerance, cross-tolerance to ethanol (mice), 1390
development of tolerance to ethanol, cross-tolerance to ethanol (mice), 1398
-wake patterns, dopamine D-1 and D-2 receptor antagonist antipsychotics (rats), 726
- S-Mephenytoin, 4'-hydroxylation, oxidative metabolism of omeprazole, liver microsomes (humans), 52
- Smith, F. L., Welch, S. P., Dombrowski, D. S. and Dewey, W. L.: The role of endogenous opioids as mediators of the hypothermic effects of intrathecally administered calcium and calcitonin gene-related peptide in mice, 1407
- Smith, M. A., *see* Picker, M. J., 756
- Smith, M. P., *see* Meisheri, K. D., 655
- Smith, R. J., *see* Dunn, C. J., 1691
- Smith, T., *see* Winder, D. G., 518
- Smith, W. L., *see* Eglen, R. M., 535
- Smyth, D. D., *see* Penner, S. B., 339
- Snabilie, A. M., *see* de Jong, J., 1312
- Snider, R. M., *see* Piedimonte, G., 270
- Snyder, D. W., Sommers, C. D., Bobbitt, J. L. and Mihelich, E. D.: Characterization of the contractile effects of human recombinant nonpancreatic secretory phospholipase A₂ (PLA₂) and

- other PLA₂s on guinea pig lung pleural strips, 1147
- Sodium, transport, effect of M17055, distal nephron segments (rabbits), 1581
- Sodium chloride, inhibition of absorption in colon, stimulation of anion secretion, sodium nitroprusside (rats), 224
- Sodium current, lamotrigine/phenytoin/carbamazepine interactions, neuroblastoma cells (mice), 829
- Sodium-hydrogen exchange, tonic tone in arteries, continuous angiotensin II exposure (rats), 1520
- Sodium nitroprusside, stimulation of anion secretion, inhibition of sodium chloride absorption, colon (rats), 224
- Sodium 2-propyl-4-pentenoate valproate, valproate and, renal substrate uptake, ammoniogenesis (rats), 89
- Soltis, E. E.: Alterations in vascular structure and function after short-term losartan treatment in spontaneously hypertensive rats, 642
- Sommers, C. D., *see* Snyder, D. W., 1147
- Sorensen, S. M., Kehne, J. H., Fadayel, G. M., Humphreys, T. M., Ketteler, H. J., Sullivan, C. K., Taylor, V. L. and Schmidt, C. J.: Characterization of the 5-HT₂ receptor antagonist MDL 100907 as a putative atypical antipsychotic: Behavioral, electrophysiological and neurochemical studies, 684
- Sorg, B. A., Chen, S.-Y. and Kalivas, P. W.: Time course of tyrosine hydroxylase expression after behavioral sensitization to cocaine, 424
- Sorrentino, L., *see* Sorrentino, R., 626
- Sorrentino, R., Sorrentino, L. and Pinto, A.: Effect of some products of protein catabolism on the endothelium-dependent and -independent relaxation of rabbit thoracic aorta rings, 626
- Speth, R. C., *see* Miller-Wing, A. V., 1718
- Sphincter, anal, entire vasoactive intestinal polypeptide molecule, activation of VIP receptor (opossum), 392
- Spinal cord
- delta* opioid receptor subtypes (rats), 820
 - neuronal cell death, decomposition product of contaminant, L-tryptophan (mice), 1029
 - substance P-like immunoreactivity release, inhibition, τ -aminobutyric acids (rats), 1490
- Spine, dynorphin A and met-enkephalin, antinociception, intracerebral bremazocine (mice), 1430
- Spironolactone, involvement of cytochrome P-450IIIA, metabolism of potassium canrenoate (rats), 1
- Sprakties, G., *see* Petersen, K.-U., 65
- Spray, D. C., *see* Christ, G. J., 1054
- SR95531, divergent alterations, τ -aminobutyric acid/benzodiazepine response, male and ovariectomized rats, 774
- Stabilito, I. I., *see* Ramjit, D. R., 1501
- Stack, E. J., *see* Edwards, R. M., 506
- Staite, N. D., *see* Dunn, C. J., 1691
- Standifer, K. M., Clark, J. A. and Pasternak, G. W.: Modulation of Mu-1 opioid binding by magnesium: Evidence for multiple receptor conformation, 106
- Stein, B., Drögemüller, A., Mülsch, A., Schmitz, W. and Scholz, H.: Ca⁺⁺-dependent constitutive nitric oxide synthase is not involved in the cyclic GMP-increasing effects of carbachol in ventricular cardiomyocytes, 919
- Sternberg, E. M., *see* Brenneman, D. E., 1029
- Stevens, J. C. and Wrighton, S. A.: Interaction of the enantiomers of fluoxetine and norfluoxetine with human liver cytochromes P450, 964
- Stewart, P. E. and Hammond, D. L.: Evidence for *delta* opioid receptor subtypes in rat spinal cord: Studies with intrathecal naltriben, cyclic[D-Pen², D-Pen⁵] enkephalin and [D-Ala², Glu⁴]deltorphin, 820
- Stock, M. J., *see* Carlisle, H. J., 1446
- Stockmeier, C. A., DiCarlo, J. J., Zhang, Y., Thompson, P. and Meltzer, H. Y.: Characterization of typical and atypical antipsychotic drugs based on *in vivo* affinities for serotonin₂ and dopamine₂ receptors, 1374
- Stomach
- gastric lesion formation and gastric secretion, neuropeptide Y, [Leu³¹, Pro³⁴] neuropeptide Y (rats), 339
 - HCO₃⁻ secretion, nitric oxide synthase inhibitors (rats), 1512
 - inhibition of gastric acid secretion, epidermal growth factor, ontogenetic differences (rats), 647
 - smooth muscle effects, 1-(2,5-dimethoxy-4-iodophenyl-4)-2-aminopropane and α -methylserotonin, 5-HT₂ receptor affinities (rats, guinea pigs), 943
 - vascularly perfused, release of endogenous acetylcholine, M₃ muscarinic autoreceptors and α -2 adrenoceptors (rats), 1190
- Stranieri, M. T., *see* Ramjit, D. R., 1501
- Streptozotocin, superoxide radical-induced alteration, vascular reactivity, aorta (rats), 992
- Striatum
- acetylcholine release, neuroleptics, stimulation of dopamine D₁ receptors (rats), 557
 - coupling of A₂-adenosine receptors, G protein, 294
 - freely moving rats, effects of sedative drugs on extracellular histamine, microdialysis, 1277
 - inhibited dopamine release, Fluoro-Gold and pentamidine (rats), 1066
 - retina and, agonist-induced desensitization, dopamine D-1 receptors (cattle, rats), 350
 - tyrosine hydroxylation, mediation of inhibition, 5-HT_{1A} receptors (rats), 133
- Stutzmann, J. M., *see* Doble, A., 1213
- Stys, P. K., *see* Fern, R., 1549
- Substance P
- like immunoreactivity release from spinal cord, inhibition, τ -aminobutyric acid_B (rats), 1490
 - tracheal vascular permeability, hypertonic saline, prevention of increase by CP-99,994 (rats), 270
- Substantia nigra
- dopamine and acetylcholine cell density, neuroleptic responsive and neuroleptic nonresponsive lines (mice), 431
- 5-HT₂ receptor antagonist MDL 100907 (rats), 684
- Suh, J. S., *see* Chang, K. C., 992
- Sullivan, C. K., *see* Sorensen, S. M., 684
- Sulphonylurea, no inhibition of ATP-sensitive K⁺ channels, metabolic stress, cardiac muscle (rats), 456
- Supiride, tyrosine hydroxylation in striatum, mediation of inhibition, 5-HT_{1A} receptors (rats), 133
- Superoxide, radical-induced alteration, vascular reactivity in aorta, streptozotocin treatment (rats), 992
- Surfactants, synthetic pulmonary, role of hydrophobic face, amphipathic α -helical peptides (dogs), 551
- Susenichel, A., *see* Cohen, M. L., 943
- Swartz, H. M., *see* Enochs, W. S., 1164
- Sympathetic nervous system
- lipomobilizing effect of catecholamines, β -adrenoceptors (dogs), 358
 - naloxone-induced potentiation, cardiac α -2 adrenoceptor-mediated depression, neurogenic tachycardia (rats), 184
 - neurotransmission, melatonin modulation, age-related changes (rats), 1536
- Synapse
- GABA_A receptor-mediated currents, potentiation by pentylenetetrazole and diazepam, hippocampal CA1 neurons (rats), 1227
 - glutamatergic, decreased transmission by ethanol, naloxone reversal (rats), 1705
- Synaptic potentials, opioid actions at mu and *delta* receptors, dentate gyrus (rats), 1139
- Synaptosomes, brain cortex, enhanced glycine release, acetylcholine acting at M₄ muscarinic receptors (humans), 142
- Szallasi, A., Lewin, N. A. and Blumberg, P. M.: Vanilloid (capsaicin) receptor in the rat: Positive cooperativity of resiniferatoxin binding and its modulation by reduction and oxidation, 678
- Szilagyi, J. E., *see* Slavik, K. J., 184
- Tachyarrhythmia, sustained ventricular, myocardial uptake and pharmacodynamics, procainamide (humans), 1001
- Tachycardia, neurogenic, naloxone-induced potentiation, cardiac α -2 adrenoceptor-mediated depression (rats), 184
- Tachykinins, bronchopulmonary, active sensitization, modulation by peptide inhibitors (guinea pigs), 812
- Takemori, A. E., Loh, H. H. and Lee, N. M.: Suppression by dynorphin A and [des-Tyr¹]dynorphin A peptides of the expression of opiate withdrawal and tolerance in morphine-dependent mice, 121
- Takeo, S., *see* Liu, J.-X., 1247
- Takeuchi, K., Ohuchi, T., Miyake, H. and Okabe, S.: Stimulation by nitric oxide synthase inhibitors of gastric and duodenal HCO₃⁻ secretion in rats, 1512
- Tallarida, R. J., *see* Adams, J. U., 1261
- Walwar, H. S., *see* Reynolds, N. J., 1636
- Tam, S. W., *see* Watanabe, M., 1541
- Tanaka, K., *see* Okamura, N., 1614
- Tani, M., *see* Chiba, K., 52

- Tanigawara, Y., *see* Hori, R., 1620
 Tanigawara, Y., *see* Okamura, N., 1614
 Tanonaka, K., *see* Liu, J.-X., 1247
 Tavakkol, A., *see* Reynolds, N. J., 1636
 Taylor, V. L., *see* Sorensen, S. M., 684
 TCV-116
 pharmacological profile, 114
 prevention of intimal thickening, impairment of vascular function, carotid injury (rats), 1664
 Temperature
 development of tolerance to ethanol, cross-tolerance to ethanol, long- and short-sleep mice, 1398
 role of prostanoids, regulation, central cholinergic receptor sensitivity (rats), 314
 Terashita, Z.-I., *see* Kawamura, M., 1664
 Terry, A. V., Jr., Silks, L. A., III, Dunlap, R. B., Odom, J. D. and Kosh, J. W.: Further biological activities of the novel choline analogs selenonium choline and acetyl selenonium choline, 593
 Terry, P., *see* Witkin, J. M., 473
 Testicle, function, opioid-induced suppression (rats), 323
 Testosterone
 acute effects of cocaine, anterior pituitary hormones (monkeys), 804
 opioid-induced suppression, testicular function (rats), 323
 5,6,7,8,-Tetrahydronopterin, inhibitory effect, Adriamycin-induced cardiotoxicity (mice), 1699
 Tetrodotoxin, inhibition of sodium chloride absorption in colon, stimulation of anion secretion, sodium nitroprusside (rats), 224
 Thermodynamics, agonist and antagonist binding, membrane-bound and solubilized A₁ adenosine receptors (pigs), 1463
 Thermoregulation, beta adrenoceptors, agonists and interaction of antagonists, isoproterenol and BRL-35135 (rats), 1446
 Thiazide, loop diuretics and, basolateral para-aminohippurate transport system, kidney proximal tubules (rabbits), 972
 Thiopurine methyltransferase, thiol methyltransferase and, diethylthiocarbamate S-methylation, liver (humans), 23
 Thiorphan, peptide inhibitors, active sensitization, bronchopulmonary tachykines (guinea pigs), 812
 Thomas, E. A., *see* Griffin, M. T., 301
 Thomas, F. S., *see* Brenneman, D. E., 1029
 Thomas, P., *see* Nanji, A. A., 1085
 Thompson, P., *see* Stockmeier, C. A., 1374
 Thrombin
 -stimulated platelets, U73122 effects, equilibria between phosphoinositides and phospholipase C (humans, rabbits), 1156
 thrombin receptor activating peptides and, aortic vascular smooth muscle (rats), 125
 Thrombosis, antithrombotic effects of MK-0852 (dogs), 1501
 Thromboxane A₂ synthase, antiplatelet effects of inhibitors, potentiation, thromboxane A₂/prostaglandin H₂ receptor blockade (rabbits), 511
 Thromboxane B₂, protective effects of quinone derivative, experimental alcoholic liver injury (rats), 1085
 Thurston, A. W., Jr., Rhee, S. G. and Shukla, S. D.: Role of guanine nucleotide-binding protein and tyrosine kinase in platelet-activating factor activation of phospholipase C in A431 cells: Proposal for dual mechanisms, 1106
 Thymocytes, induction of apoptosis by morphine, opiate and glucocorticoid receptors (dogs), 417
 Thymoma cells, coupling through G protein to adenylyl cyclase, kappa opioid receptor (mice), 1678
 Thyroid, minocycline-induced pigment, several synthetic models, electron paramagnetic resonance spectroscopy (dogs), 1164
 Toda, N., *see* Okamura, T., 1416
 Tolerance
 development and rebound effect, modeling, intravenous morphine (rats), 244
 induction to and physical dependence on, pentobarbital continuous intracerebroventricular administration (rats), 1300
 Tomchek, L. A., *see* Carlson, R. P., 1125
 Tomoi, M., *see* Kadouaki, M., 74
 Tonello, C., *see* Nisoli, E., 97
 Torphy, T. J., *see* Underwood, D. C., 306
 Toxins, polyamine-containing, selective antagonism, native and cloned kainate and NMDA receptors (rats), 1573
 Trachea
 contractility, time-dependent improvement, cyclooxygenase inhibitors (guinea pigs), 950
 smooth muscle, common phosphatidylinositol 4,5-bisphosphate pools, carbamol and serotonin activation (dogs), 8
 vascular permeability, hypertonic saline, prevention of increase by CP-99,994 (rats), 270
 Trampus, M., *see* Ongini, E., 726
 Trichotenes, effects of emetine, T-2 toxin-induced inhibition, protein synthesis, 741
 O,O,S-Trimethylphosphorothioate, pulmonary bioactivation and toxicity, cytochrome P450 2B (rats, mice), 958
 L-Tryptophan, eosinophilia myalgia syndrome, decomposition product of contaminant, spinal cord neuronal cell death (mice), 1029
 Tsai, C. E., *see* Johnson, E. A., 133
 Tsai, T. D., *see* Xu, X., 978
 Tseng, L. F. and Collins, K. A.: Spinal involvement of both dynorphin A and met-enkephalin in the antinociception induced by intracerebroventricularly administered bremazocine but not morphine in the mouse, 1430
 T-2 toxin
 effects of emetine, mammalian cells, 732
 -induced inhibition of protein synthesis, effects of emetine, mammalian cells, 741
 Turgeon, J., *see* Abolfathi, Z., 1196
 Turner, S., *see* Collins, A. C., 1390
 Tyau, L. S., *see* Chamberlain, J., 618
 Tyr-D-Arg²-Phe-sarcosine, -induced opioid analgesia, respiratory stimulation, mu₁ receptors (rats), 544
 Tyrosine
 biological activity of retinoic acid metabolites, human keratinocytes, mouse melanoma cells and hairless mouse skin, 1636
 hydroxylation in striatum, mediation of inhibition, 5-HT_{1A} receptors (rats), 133
 Tyrosine hydroxylase
 dopamine and acetylcholine cell density, neuroleptic responsive and neuroleptic nonresponsive lines (mice), 431
 time course of expression, behavioral sensitization to cocaine (rats), 424
 Tyrosine kinase, G proteins and, platelet-activating factor activation, phospholipase C in A431 cells, 1106
 U-37,883A, *see* 4-Morpholinecarboximidine-N-1-adamantyl-N'-cyclohexylhydrochloride
 U-50,488H, supersensitivity, chronic kappa opioid receptor antagonism (rats), 1385
 U-69,593-induced antinociception, bremazocine and, differential antagonism by quazazocine (mice), 926
 U-73,122, equilibria between phosphoinositides, phospholipase C activity, unstimulated and thrombin-stimulated platelets (humans, rabbits), 1156
 Uchida, M. K., *see* Ishine, T., 367
 Ueda, K., *see* Okamura, N., 1614
 Ugena, B., *see* Farré, M., 1364
 Ulcer, gastric lesion formation and gastric secretion, neuropeptide Y, [Leu³¹, Pro³⁴]neuropeptide Y (rats), 339
 Umans, J. G., *see* Wylam, M. E., 1475
 Undem, B. J., *see* Underwood, D. C., 306
 Underwood, D. C., Osborn, R. R., Novak, L. B., Matthews, J. K., Newsholme, S. J., Undem, B. J., Hand, J. M. and Torphy, T. J.: Inhibition of antigen-induced bronchoconstriction and eosinophil infiltration in the guinea pig by the cyclic AMP-specific phosphodiesterase inhibitor, rolipram, 306
 Urea, protein catabolism products, endothelin-dependent and -independent relaxation, thoracic aorta rings (rabbits), 626
 Usherwood, P. N. R., *see* Brackley, P. T. H., 1573
 Uterus
 bradykinin-induced contraction, modulatory effect, endopeptidase inhibitors (rats), 700
 pregnant, heterogeneity, alpha-2 adrenoceptors (rats), 439
 smooth muscle contraction, Ca⁺⁺-independent relaxation, beta adrenoceptor (rats), 367
 Valentine, J. L., *see* McClurkan, M. B., 1439
 Valproate, sodium 2-propyl-4-pentenoate valproate and sodium 2-propyl-2-pentenoate valproate, renal substrate uptake, ammonogenesis (rats), 89
 van de Kar, L. D., *see* Li, Q., 836
 van der Heijden, H. A. M. D., *see* Schiffers, P. M. H., 1520
 Vanderloo, J. D., *see* Little, J., 1291
 van der Vijgh, W. J. F., *see* de Jong, J., 1312

- Vanover, K. E., Piercy, M. F. and Woolverton, W. L.: Evaluation of the reinforcing and discriminative stimulus effects of cocaine in combination with (+)-AJ 76 or clozapine, 780
- Vargaftig, B. B., *see* Capaz, F. R., 812
- Vargas, H. M., Cunningham, D., Zhou, L., Hartman, H. B. and Gorman, A. J.: Cardiovascular effects of chloroethylclonidine, an irreversible α_{1B} -adrenoceptor antagonist, in the unanesthetized rat: A pharmacological analysis *in vivo* and *in vitro*, 864
- Vargas, M. L., *see* Alcaraz, C., 1385, 1602
- Vasculature
injury by transient coronary artery occlusion, pretreatment with deferoxamine, dimethylthiourea and *N*-2-mercaptopropionyl glycine (dogs), 1528
modulation of vascular response by neuropeptide Y, periarterial nerve stimulation, kidney (rats), 1321
prevention of impairment and intimal thickening, TCV-116, carotid injury (rats), 1664
structure and function alterations, short-term losartan treatment (rats), 642
tracheal permeability, hypertonic saline, prevention of increase by CP-99,994 (rats), 270
- Vas deferens, sympathetic neurotransmission, melatonin modulation, age-related changes (rats), 1536
- Vasoactive intestinal peptide, L-arginine-nitric oxide pathway, nonadrenergic noncholinergic relaxation, gastric fundus (cats), 172
- Vasoactive intestinal polypeptide, entire molecule necessary for activation of receptor, internal anal sphincter smooth muscle (opossum), 392
- Vasoconstriction
neurogenic and non-neurogenic relaxations, nicotine, superficial temporal artery (dogs), 1416
pharmacological profile, CV-11974 and TCV-116, 114
- Vasodilator, depletable store, light activation, vascular smooth muscle (rabbits), 1497
- Vasopressin
alpha-2 adrenoceptors, medullary thick ascending limbs, kidney (rabbits), 279
endocrine responses, long-term treatment, fluoxetine and desipramine (rats), 836
mediation of *kappa* agonist-induced water diuresis, opiate receptors, blood-brain barrier (guinea pigs), 164
- Vasorelaxation, calcium-activated potassium channel opener NS-004 (rats), 1422
- Weber, D. F., *see* Ramjit, D. R., 1501
- Venturini, C. M., Palmer, R. M. J. and Moncada, S.: Vascular smooth muscle contains a depletable store of a vasodilator which is light-activated and restored by donors of nitric oxide, 1497
- Verapamil
baroreceptor mechanism, control of renin secretion (rats), 274
role of P-glycoprotein, renal tubular secretion of digoxin, kidney (rats), 1620
- stereoselective disposition and dynamics, aging, racemic verapamil administration (humans), 904
- Verschoyle, R. D., Wolf, C. R. and Dinsdale, D.: Cytochrome P450 2B isoenzymes are responsible for the pulmonary bioactivation and toxicity of butylated hydroxytoluene, O,O,S-trimethylphosphorothioate and methylcyclpentadienyl manganese tricarbonyl, 958
- Vickers, J. D.: U73122 affects the equilibria between the phosphoinositides as well as phospholipase C activity in unstimulated and thrombin-stimulated human and rabbit platelets, 1156
- Vonhof, S., *see* Paakkari, P., 544
- Voorhees, J. J., *see* Reynolds, N. J., 1636
- Waalkes, M. P., Diwan, B. A., Weghorst, C. M., Ward, J. M., Rice, J. M., Cherian, M. G. and Goyer, R. A.: Further evidence of the tumor-suppressive effects of cadmium in the B6C3F1 mouse liver and lung: Late stage vulnerability of tumors to cadmium and the role of metallothioneine, 1656
- Wada, T., *see* Shibusawa, Y., 114
- Wainer, I. W., *see* Abernethy, D. R., 904
- Wainscott, D. B., *see* Cohen, M. L., 943
- Walser, A., *see* Giusti, P., 1018
- Walter, T. L., *see* Carlson, R. P., 1125
- Wang, C. M., *see* Lang, D. G., 829
- Wang, H.-L., *see* Chamberlain, J., 618
- Wang, S.-Z. and El-Fakahany, E. E.: Application of transfected cell lines in studies of functional receptor subtype selectivity of muscarinic agonists, 237
- Wang, Y.-X., *see* Brooks, D. P., 164
- Ward, J. M., *see* Waalkes, M. P., 1656
- Watanabe, A. M., *see* Gupta, R. C., 16
- Watanabe, M., Rominger, D., Hurt, S. D., De Souza, E. B. and Tam, S. W.: 1-(Cyclopropylmethyl)-4-(2-(4-fluorophenyl)-2-oxoethyl) piperidine HBr ([3 H]DuP 734). A selective ligand for sigma receptors in mouse brain *in vivo*, 1541
- Water, *kappa* agonist-induced diuresis, opiate receptors, blood-brain barrier (guinea pigs), 164
- Watts, S. W. and Cohen, M. L.: Time-dependent improvement in guinea pig tracheal contractility: Modification by cyclooxygenase inhibitors, 950
- Waxman, S. G., *see* Fern, R., 1549
- Weber, S. J., Abbruscato, T. J., Brownson, E. A., Lipkowski, A. W., Misicka, A., Haaseth, R. C., Bartosz, H., Hruby, V. J. and Davis, T. P.: Assessment of an *in vitro* blood-brain barrier model using several [14 Met]-enkephalin opioid analogs, 1649
- Weghorst, C. M., *see* Waalkes, M. P., 1656
- Weiner, J. L., *see* Zhang, L., 1227
- Weinshilboum, R. M., *see* Glauser, T. A., 23
- Welch, S. P., *see* Damaj, M. I., 1330
- Welch, S. P., *see* Smith, R. L., 1407
- Wenk, G. L., *see* Ricaurte, G. A., 1097
- Werling, L. L., *see* Puttfarcken, P. S., 796
- Whetzel, S. Z., *see* Meltzer, L. T., 1177
- White, F. J., Hu, X.-T. and Henry, D. J.: Electrophysiological effects of co-
- caine in the rat nucleus accumbens: Microiontophoretic studies, 1075
- Whiting, R. L., *see* Eglen, R. M., 535
- Widzowski, D. V. and Cory-Slechta, D. A.: Apparent mediation of the stimulus properties of a low dose of quinpirole by dopaminergic autoreceptors, 526
- Wiley, J. N., *see* Meltzer, L. T., 1177
- Williams, K.: Effects of *Agelenopsis aperta* toxins on the N-methyl-D-aspartate receptor: Polyamine-like and high-affinity antagonist actions, 231
- Wilson, J. M., *see* Meglasson, M. D., 1454
- Wilson, K. T., Xie, Y., Musch, M. W. and Chang, E. B.: Sodium nitroprusside stimulates anion secretion and inhibits sodium chloride absorption in rat colon, 224
- Wilson, M. A. and Biscardi, R.: Divergent alterations in γ -aminobutyric acid responses of male and ovariectomized rats after chronic benzodiazepine agonist exposure: Analysis of γ -aminobutyric acid-activated chloride influx, 768
- Wilson, M. A.: Divergent alterations in γ -aminobutyric acid/benzodiazepine responses of male and ovariectomized rats after chronic benzodiazepine agonist exposure: Electrophysiological analysis of substantia nigra pars reticulata neurons, 4, 77
- Winder, D. G., Smith, T. and Conn, J.: Pharmacological differentiation of metabotropic glutamate receptors coupled to potentiation of cyclic adenosine monophosphate responses and phosphoinositide hydrolysis, 518
- Wing, L.-Y., Chan, C.-F. and Jiang, M. J.: Acetylpolyamines decrease blood pressure, $[Ca^{++}]_i$ and isometric force of vascular smooth muscle, 179
- Winterhager, J. M., *see* Petersen, K.-U., 65
- Wirtz, C., *see* Bartel, C., 972
- Wise, L. D., *see* Meltzer, L. T., 1177
- Wise, R. A., *see* Devine, D. P., 1236
- Witkin, J. M., *see* Wong, G., 570
- Witkin, J. M., Terry, P., Menkel, M., Hickey, P., Pontecorvo, M., Ferkany, J. and Katz, J. L.: Effects of the selective sigma receptor ligand, 6-(6-(4-hydroxypiperidinyl)hexyloxy-3-methylflavone (NPC 16377), on behavioral and toxic effects of cocaine, 473
- Wlos, J., *see* Ricaurte, G. A., 1097
- Wolf, C. R., *see* Verschoyle, R. D., 958
- Wolfe, B. B., *see* Chamberlain, J., 618
- Wong, G., Skolnick, P., Katz, J. L. and Witkin, J. M.: Transduction of a discriminative stimulus through a diazepam-insensitive γ -aminobutyric acid_A receptor, 570
- Woods, J. H., *see* Negus, S. S., 1355
- Woodward, J. J. and Cueto, S.: Effects of the putative polyamine antagonists diethylenetriamine and 1,10-diaminodecane on N-methyl-D-aspartic acid-stimulated [3 H]norepinephrine release from rat hippocampal slices, 563
- Woolverton, W. L., *see* Vanover, K. E., 780
- Wright, J. W., *see* Miller-Wing, A. V., 1718
- Wrighton, S. A., *see* Stevens, J. C., 964
- Wu, D., Otton, S. V., Morrow, P., Inaba, T.,

- Kalow, W. and Sellers, E. M.: Human hepatic cytochrome P450 2D6-like activity in nonhuman primates: Catalytic characterization *in vitro*, 715
- Wu, H., *see* Dunn, C. J., 1691
- Wylam, M. E., Samsel, R. W., Schumacker, P. T. and Umans, J. G.: Extracellular calcium and intrinsic tone in the human umbilical artery, 1475
- Wyse, B. M., *see* Meglasson, M. D., 1454
- Wyse, D. G., *see* Gillis, A. M., 1001
- Xanthines, caffeine and phosphodiesterase inhibitors, respiration and behavior (monkeys), 894
- Xenobiotics, enantioselective metabolism and inversion of ibuprofen, hepatocytes (rats), 845
- Xiaotao, Q. and Hall, S. D.: Modulation of enantioselective metabolism and inversion of ibuprofen by xenobiotics in isolated rat hepatocytes, 845
- Xie, Y., *see* Wilson, K. T., 224
- Xu, J., *see* Amoah-Apraku, B., 611
- Xu, X., Tsai, T. D. and Lee, K. S.: A specific activator of the ATP-inhibited K⁺ channels in guinea pig ventricular cells, 978
- p-Xylene, pulmonary bioactivation and toxicity, pneumotoxins, cytochrome P450 2B (rats, mice), 958
- Yamamoto, I., *see* Kimura, T., 1300
- Yamanaka, T., *see* Nanji, A. A., 1085
- Yamasaki, F., *see* Yasoshima, K., 1581, 1589
- Yamasaki, F., Yoshitomi, K., Shinkawa, T. and Imai, M.: Effects of amiloride and a novel diuretic, 7-chloro-2,3-dihydro-1-(2-methylbenzoyl)-4(1H)-quinolinone-4-oxime-o-sulfonic acid, potassium salt (M17055), on calcium transport in the rabbit connecting tubule, 1589
- Yang, D.-C., Goldstin, B., Moormann, A. E., Flynn, D. L. and Gullikson, G. W.: (1-S,8-S)-N-[(hexahydro-1H-pyrrolizin-1-yl)methyl]-6-chloroimidazo[1,2-a]pyridine-8-carboxamide hydrochloride (SC-53606), a potent and selective antagonist of 5-hydroxytryptamine₂ receptors in isolated rat esophageal tunica muscularis mucosae, 1339
- Yarbrough, J., *see* Picker, M. J., 756
- Yasoshima, K., Yamasaki, F., Shinkawa, T., Yoshitomi, K. and Imai M.: Effect of a novel diuretic, 7-chloro-2,3-dihydro-1-(2-methylbenzoyl)-4(1H)-quinolinone-4-oxime-o-sulfonic acid, potassium salt (M17055) on Na⁺ and K⁺ transport in the distal nephron segments, 1581
- Yasuhsara, M., *see* Okamura, N., 1614
- Yokotani, K., Okuma, Y., Nakamura, K. and Osumi, Y.: Release of endogenous acetylcholine from a vascularly perfused rat stomach *in vitro*; inhibition by M₃ muscarinic autoreceptors and alpha-2 adrenoceptors, 1190
- Yoshitomi, K., *see* Yasoshima, K., 1581, 1589
- Yu, J. H., *see* Meglasson, M. D., 1454
- Yuan, X., *see* Nie, Z., 1705
- Zacopride, intrathecally administered muscarinic agonists, antinociception (rats), 329
- Zaprinast, caffeine and phosphodiesterase inhibitors, respiration and behavior (monkeys), 894
- Zelazowski, P., *see* Brenneman, D. E., 1029
- Zembower, D. E., *see* Glauser, T. A., 23
- Zenser, T. V., *see* Lakshmi, V. M., 81
- Zera, P., *see* Deisher, T. A., 262
- Zhang, C., *see* Bullough, D. A., 666
- Zhang, G., *see* Ramjit, D. R., 1501
- Zhang, L., Weiner, J. L. and Carlen, P. L.: Potentiation of gamma-aminobutyric acid type A receptor-mediated synaptic currents by pentobarbital and diazepam in immature hippocampal CA1 neurons, 1227
- Zhang, X.-J., *see* Miller, M. J. S., 468
- Zhang, Y., *see* Stockmeier, C. A., 1374
- Zhao, W., *see* Christ, G. J., 1054
- Zhou, L., *see* Vargas, H. M., 864
- Zundel, J. L., *see* Doble, A., 1213

NOTICE TO CONTRIBUTORS

Complete instructions for the preparation of manuscripts appear in the first issue of each volume, or copies may be obtained from the editor. All manuscripts and correspondence concerning them should be sent to the editor:

Dr. John A. Harvey, Ed.
Suite 129
The Medical College of
Pennsylvania/EPPI Campus
3300 Henry Avenue
Philadelphia, PA 19129
(215) 842-4061

SAY IT WITH STYLE!

AMA MANUAL OF STYLE

The one to consult

Whether it's a multi-volume work or a short article, you'll find the write stuff in the **AMA Manual of Style**.

This 8th Edition, a major revision, is the standard among medical publishers. All major aspects of manuscript preparation are covered in five sections which outline:

- Preparing an article for publication
- Style • Terminology • Measurement and Quantitation • Technical Information and Bibliography.

You'll find everything you need to make your article a success including:

- Legal and Ethical Matters
- Grammar
- Punctuation
- Word Use
- Foreign Words and Phrases
- Diacritics
- Abbreviations
- Units of Measure
- Numbers and Percentages
- Mathematics
- Statistics
- Production and Printing Terms
- Editing and Proofreading Marks
- Eponyms
- Nomenclature
- Greek Alphabet
- Virus Names
- SI Units and Conversion Tables
- Expanded Collection of Graphs and Charts
- Bibliography
- Resources for On-Line Databases.

Next time you have a question about making your medical writing more clear,



Mail Coupon to:
Williams & Wilkins
428 East Preston Street
Baltimore, MD 21202

concise and accurate, be ready with one simple answer — the **AMA Manual of Style**. Order your copy today!

1988/377 pp/ 4351-X/\$28.95

Want it faster? Call FREE
1-800-638-0672 from anywhere in the U.S.

Yes, send me _____ copies of **AMA Manual of Style** (4351-X) at \$28.95 per copy. If not completely satisfied, I may return the book within 30 days at no further obligation (US only).

Payment Options

Save postage and handling charges by enclosing your payment.

Check enclosed Bill me VISA
 MasterCard American Express

Card # _____ Exp. Date _____

Signature/P.O. # _____

Name _____

Address _____

City/State/Zip _____