

CONTENTS

NUMBER 1, FEBRUARY, 1926

I. Experiments with Anesthetic Gases. By W. Easson Brown and Velyien E. Henderson.....	1
II. k-Strophanthidin Emesis in Cats with Denervated Hearts. The Seat of Its Action. By Melvin Dresbach and Kenneth C. Waddell.....	9
III. The Effects of General Anesthesia on the Muscular Activity of the Gastro-Intestinal Tract. A Study of Ether, Chloroform, Ethylene and Nitrous-Oxide. By G. H. Miller.....	41
IV. The Acute Toxicity of Ephedrine. By K. K. Chen.....	61
V. The Effect of Repeated Administration of Ephedrine. By K. K. Chen..	61
VI. The Effect of Ephedrine on Digestive Secretions. By K. K. Chen.....	87

NUMBER 2, MARCH, 1926

VII. Comparative Studies of Propylene, Ethylene, Nitrous Oxide and Ether. By Chapman Reynolds.....	93
VIII. Toxicology Studies of Acute Anilin Poisoning. I. Experimental Studies of Acute Anilin Poisoning. By A. G. Young, C. W. Muehlberger, and W. J. Meek.....	101
IX. Toxicological Studies of Anilin and Anilin Compounds. II. Hematological Studies of Anilin Poisoning. By A. G. Young.....	125
X. Toxicological Studies of Aniline and Aniline Compounds. III. Toxicological and Hematological Studies of Acetanilid Poisoning. By A. G. Young and J. A. Wilson.....	133
XI. Effects of Carminative Volatile Oils on the Muscular Activity of the Stomach and Colon. By O. H. Plant and G. H. Miller.....	149
XII. The Nephropathic Action of the Dicarboxylic Acids and Their Derivatives. V. Alkyl-, Hydroxy-, and Keto-Acids. By Ralph C. Corley with William C. Rose.....	165

NUMBER 3, APRIL, 1926

XIII. Persistence of Action of Physostigmin and the Atropin-Physostigmin Antagonism in Animals and in Man. By Soma Weiss.....	181
XIV. Isoamyl Ethyl Barbituric Acid (Amytal), its Use as an Intravenous Anesthetic. By Irvine H. Page and Pol Coryllos.....	189
XV. Prevention of the Edema of Paraphenylenediamine by Drugs Acting on the Adrenals. By M. L. Tainter.....	201
XVI. The Effect of Iodides on the Nitrogen Partition. By G. P. Grabfield and A. M. Prentiss.....	231
XVII. Scientific Proceedings of the American Society for Pharmacology and Experimental Therapeutics.....	235
XVIII. Arthur Robertson Cushny and Pharmacology.....	265

NUMBER 4, MAY, 1926

XIX. Observations on the Action of Digitalis on the Frog Heart and its Modification by Quinidine. By McKen Cattell	287
XX. The Action of Small Doses of Ergotamine on the Muscular Response to Stimulation of Sympathetic Nerves. By H. B. van Dyke.....	299
XXI. The Effects of Atropine, Physostigmine, and Pilocarpine on the Cardiac Vagus of the Fowl. By O. S. Gibbs.....	319
XXII. IV. The Effect of Sodium Phenobarbital and Some Other Barbituric Acid Derivatives upon the Coronary Circulation. By Charles M. Gruber and Samuel J. Roberts.....	327
XXIII. XVII. The Effect of Adrenalin and other Vaso-Motor Drugs upon the Cerebral Blood Vessels. By Charles M. Gruber and Samuel J. Roberts.....	335
XXIV. V. The Effect of Phenobarbital "Luminal" and Some Other Barbituric Acid Derivatives upon Cerebral Circulation. By Charles M. Gruber and Samuel J. Roberts.....	349

NUMBERS 5 AND 6, JUNE, 1926

XXV. The Iodine Content of the Human Cerebrospinal Fluid. By David Campbell and William R. Snodgrass	355
XXVI. Effects of Morphine and Some Other Opium Alkaloids on the Muscular Activity of the Alimentary Canal. I. Action on the Small Intestine in Unanesthetized Dogs and Man. By O. H. Plant and G. H. Miller.....	361
XXVII. The Toxicity of Mercuric Salicylate for Rabbits. By G. E. Wakerlin and A. S. Loevenhart.....	385
XXVIII. Concerning the Point of Attack of Pituitary Extract and Histamine on Smooth Muscle. By David I. Macht.....	389
XXIX. Plexus-free Preparations of the Small Intestine. A Study of their Rhythmicity and of their Response to Drugs. By Herbert S. Gasser..	395
XXX. Lymph Alterations Following Arsenic Injections. By W. F. Petersen and T. P. Hughes.....	411
XXXI. The Influence of Thyroid Feeding on Chronic Morphine Poisoning. By Eleanor M. Scarborough.....	421
XXXII. The Pharmacological Action of Sparteine and Some Related Alkaloids. I. Sparteine and Oxysparteine. By Reginald St. A. Heathcote..	431
XXXIII. The Pharmacological Properties of Periplocin. By M. H. MacKeith.....	440
XXXIV. Biological Significance of Cystine and Glutathione. I. On the Mechanism of the Cyanide Action. By Carl Voegtlin, J. M. Johnson and H. A. Dyer.....	467

ILLUSTRATIONS

Ether anesthesia (Fig. 1).....	46
Chloroform anesthesia (Fig. 2).....	48
Ethylene anesthesia (Fig. 3).....	49
Nitrous-oxide anesthesia (Fig. 4).....	51
Effects of anesthesia on a denervated Thiry-Vella loop of ileum (Fig. 5).....	53
Comparative magnitudes of M.L.D. of ephedrine sulphate in rabbits by different methods of administration (Fig. 1).....	67
Comparative magnitudes of M.L.D. of ephedrine sulphate in different species of animals by intravenous injection (Fig. 2).....	67
Effect on respiration and circulation of an injection of a M.L.D. of ephedrine sulphate (Fig. 3).....	71
Fibrillation of rabbit's heart by a large dose of ephedrine sulphate with Langendorff-Locke's method of perfusion (Fig. 4).....	72
The change of electrocardiogram after the M.L.D. intravenously in a rabbit (Fig. 5).....	74
Effect of ephedrine on blood pressure after its repeated administration (Fig. 1).....	83
Effect of ephedrine on Pavlov pouch preparation (no. 3) in comparison with that of a meal (Fig. 1).....	90
Effect of intravenous injection of 0.1 gram anilin per kilo in female dog (Fig. 1).....	104
Effect of intravenous injection of 0.1 gram anilin per kilo body weight in male dog following the section of vagi (Fig. 2).....	105
Effect of intravenous injection of 0.1 gram anilin per kilo into a male dog following section of the vagi and intravenous administration of 3 mgm. of atropine sulphate (Fig. 3).....	106
Myocardiograph record showing the terminal effect of intravenous injection of anilin in a dog (Fig. 4).....	107
Tonograph tracing showing effect of intravenous injection of anilin in a dog (Fig. 5).....	110
Experiment 3 after third injection of 0.1 gram of anilin in a 10 per cent solution of the acetate (Fig. 6).....	111
Experiment 3, lead 2 (Fig. 7).....	113
Experiment 4. First effects after intravenous injection of 0.1 gram per kilo of anilin in the form of acetate (Fig. 8).....	116
Experiment 9. Gradual development of right bundle branch block after anilin (Fig. 9).....	117
Experiment 4. After third injection. Complete heart block (Fig. 10).....	118
Effect produced by injecting intravenously 24 cc. of an 0.8 per cent solution of acetanilid in 2 per cent acetic acid; before and after paralyzing the vagi with atropine (Fig. 1).....	137

Effect of injecting intravenously 10 cc. of a 10 per cent solution of anilin HCl (Fig. 2).....	138
Same dog as figure 1, showing terminal stage of the experiment (Fig. 3).....	139
Injection of 25 cc. of 10 per cent anilin. Terminal effects of injection (Figs. 4 (a) and (b)).....	140
Normal E. K. G. after injection of 24 cc. of 35 per cent alcohol, and after injection of 24 cc. of 5 per cent acetanilid in 35 per cent alcohol (Figs. 5 (a) and (b)).....	142
Later effects, auricles quiescent (Fig. 5 (c)).....	143
Auricles recovered (Fig. 5 (d)).....	143
Experiment K-12 (Fig. 1).....	155
Experiment K-21 (Fig. 2).....	156
Experiment K-18 (Fig. 3).....	157
Experiment K-31 (Fig. 4).....	158
Experiment K-36 (Fig. 5).....	159
Experiment K-41 (Fig. 6).....	161
Experiment K-45 (Fig. 7).....	162
Increased output of epinephrine as indicated by marked dilatation of sensitized pupil in cat 356 in which the edema of paraphenylenediamine was prevented by nicotine (Fig. 1).....	218
Increased output of epinephrine as indicated by marked dilatation of sensitized pupil in rabbit 327 in which the edema of paraphenylenediamine was prevented by picrotoxin (Fig. 2).....	223
Increased output of epinephrine as indicated by marked dilatation of sensitized pupil in cat 357 in which edema of paraphenylenediamine was prevented by strychnine (Fig. 3).....	225
Arthur Robertson Cushny, 1866-1926.....	263
Graph showing tracing obtained by perfusing heart with a 1:50 dilution of a standard digitalis solution (Fig. 1).....	289
Graph showing record of ventricular contractions to illustrate the gradual diminution of the alternate beat under digitalis perfusion (Fig. 2).....	290
Graph showing record similar to figure 1, except that the ventricle was perfused with quinidine plus digitalis (Fig. 3).....	292
Graph showing typical tracing of developing "block" in a heart perfused simultaneously with quinidine and digitalis (Fig. 4).....	294
Graph showing blood pressure changes on stimulation of splanchnic nerve (Fig. 1).....	303
Graph showing blood pressure changes on stimulation of splanchnic nerve (Fig. 2).....	304
Graph showing tracings of contraction of the vagina on hypogastric nerve stimulation in a decapitated and curarized cat (Fig. 3).....	307
Graph showing tracings of the contraction of the vagina on hypogastric nerve stimulation in a decapitated and curarized cat (Fig. 4).....	308
Graph showing tracings of changes in the volume of the nasal cavity on stimulation of the cervical sympathetic (Fig. 5).....	312
Graph showing tracings of changes in the volume of the nasal cavity on stimulation of the cervical sympathetic in the cat anesthetized by paraldehyde (Fig. 6).....	313

Graph showing blood pressure changes on stimulation of superior mesenteric nerves (Fig. 7).....	314
Graph showing effects of vagus stimulation on the heart and blood pressure (Fig. 1).....	321
Graph showing rise in blood pressure caused by an injection of 1 mgm. of physostigmine (Fig. 2).....	321
Graph showing the primary and secondary rise of blood pressure caused by an injection of physostigmine (Fig. 3).....	321
Graph showing the effect of vagus stimulation, after an injection of physostigmine, on the heart rate (Fig. 4).....	321
Graph showing the effect of an injection of atropine on a heart slowed by physostigmine and vagus stimulation (Fig. 5).....	322
Graph showing the absence of vagal effects after pilocarpine (Fig. 6).....	322
Graph showing the negative results of an injection of pilocarpine on the heart and blood pressure after an injection of physostigmine (Fig. 7) ..	324
Graph showing a continuation of figure 7) (Fig. 8).....	324
Graph showing rabbit heart perfused with oxygenated Locke's solution modified by the addition of blood 2 per cent, at a pressure of 72 mm. of mercury, at a temperature of 37.5°C. (Fig. 1).....	329
Graph showing same heart as used in figure 1 (Fig. 2).....	330
Graph, same as figure 2, except that the heart of another animal was used (Fig. 3).....	330
Dog 20 kgm. ether anesthesia (Fig. 4).....	331
Graphs showing records of a dog's brain perfused through the basilar artery with carotids ligated (Figs. 1-9).....	340-346
Graph showing one cc. saturated solution of "luminal" in blood-Ringer's solution (Fig. 1).....	350
Graph showing use of Ringer's solution pH 7.6 modified by the addition of 20 per cent defibrinated autogenous blood (Fig. 2).....	351
Graph showing use of Ringer's solution pH 7.6 (Fig. 3).....	351
Graph showing use of Ringer's solution pH 7.6 modified by addition of 20 per cent defibrinated autogenous blood (Fig. 4).....	352
Graph showing tracing of dog IA22, weight 9 kgm., six hours after injection (Fig. 1).....	368
Graph showing tracing of dog IA5, weight 20 kgm., twenty minutes after injection (Fig. 2).....	368
Graph showing tracing of dog IA6, weight 23 kgm., during first hour after injection (Fig. 3).....	369
Graph showing tracing of dog IA22, twelve hours after injection (Fig. 4)...	370
Graph showing tracing of dog IA6, weight 23 kgm., fifteen minutes after injecting 0.2 mgm. atropine sulphate per kilogram (Fig. 5).....	374
Graph showing tracing of dog IA11, weight 17 kgm. (Fig. 6).....	375
Graph showing tracing of Case A. Ileostomy (Fig. 7).....	377
Case C. Scrotal hernia (Fig. 8).....	379
Graph showing tracing of Dog IA8, weight 18 kgm. (Fig. 9).....	380
Graph showing tracing of rabbit fundus (Fig. 1).....	391
Graph showing tracing of a preparation of the trigone from the bladder of rabbit (Fig. 2).....	391

Graph showing tracing of bladder of rabbit (Fig. 3).....	392
Plexus-free preparations of small intestine (Fig. 1).....	399
Plexus-free preparations of small intestine (Figs. 2 and 3).....	400
Plexus-free preparations of small intestine (Fig. 4).....	401
Plexus-free preparations of small intestine (Figs. 5 and 6).....	403
Plexus-free preparations of small intestine (Figs. 7 and 8).....	406
Diagram comparing the average body weight of 8 control rats with that of 8 rats under separate and combined thyroid and morphine administration (Fig. 1).....	425
Diagram comparing the average temperature of 8 control rats, with that of 8 rats under separate and combined thyroid and morphine administration (Fig. 2).....	426
Tracing to show action of sparteine, 1:5,000, on isolated rabbit intestine; prolonged period of increased tone and amplitude followed by final depression (Fig. 1).....	437
Tracing to show action of oxysparteine, 1:1000, on isolated rabbit intestine (Fig. 2).....	439
Tracing to show action of sparteine, 1:10,000, on isolated toad heart; immediate diminution of amplitude and of rate, the amplitude recovers gradually to nearly the original size but the slowing is progressive (Fig. 3).....	441
Tracing from isolated toad heart (Fig. 4).....	442
Tracing from isolated toad heart (Fig. 5).....	443
Tracing to show action of oxysparteine, 1:20,000 on isolated toad heart; immediate reduction of amplitude and soon cessation of beat (Fig. 6).....	443
Effect of periplocin on blood-pressure and heart-rate. (Rabbit under urethane) (Fig. 1).....	455
Arterial pressure in decapitate cat. Effect of periplocin (Tracing 1).....	456
Effect of periplocin on isolated perfused frog heart (Tracing 2).....	458
Effect of periplocin on isolated rabbit heart (Tracing 3).....	459
Isolated jejunum of cat suspended in oxygenated Ringer-Locke solution (Tracing 4).....	463
Significance of cystine and glutathione (Chart 1).....	478