

Contents

ANALGESICS

- Marijuana Smoking: Effects of Varying Puff Volume and Breathhold Duration** Julian L. Azorlosa, Mark K. Greenwald and Maxine L. Stitzer 560
- Cross-Tolerance Between *Kappa* and *Mu* Opioid Agonists in the Guinea Pig Ileum Myenteric Plexus** J. V. Garulet, M. V. Milanés and M. L. Laorden 658
- Low Doses of Anandamides Inhibit Pharmacological Effects of Δ^2 -Tetrahydrocannabinol** E. Frider, J. Barg, R. Levy, D. Saya, E. Heldman, R. Mechoulam and Z. Vogel 699
- Butorphanol: Characterization of Agonist and Antagonist Effects in Rhesus Monkeys** Eduardo R. Butelman, Gail Winger, Gerald Zernig and James H. Woods 845
- Identification of Distinct Components, with Different Time Courses, of the Changes in Response to Convulsive Stimuli during Ethanol Withdrawal** W. P. Watson and H. J. Little 876
- Effects of Acute and Delayed Effects of Prior Chronic Cocaine Administration on Regional Rates of Cerebral Protein Synthesis in Rats** Francesco Orzi, Yun Sun, Karen Pettigrew, Louis Sokoloff and Carolyn Beebe Smith 892

AUTONOMIC PHARMACOLOGY

- Role of Prejunctional *Beta* Adrenoceptors in Rat Cardiac Sympathetic Neurotransmission** S. Apparsundaram and D. C. Eikenburg 519
- Interaction between Noradrenergic and Histamine-Containing Neurons in the Rat Vas Deferens** H. Augusto Campos and Joaquín Domínguez 732
- Pertussis Toxin Attenuates Presynaptic Inhibition of Cholinergic but not Nonadrenergic Noncholinergic Contraction in Guinea Pig Airways** Iréne G. M. Johansson-Rydberg, Nils Grundström and Rolf G. G. Andersson 786

BEHAVIORAL PHARMACOLOGY

- Repeated Acquisition of Behavioral Chains in Squirrel Monkeys: Comparisons of a *Mu*, *Kappa* and *Delta* Opioid Agonist** Eric D. Pakarinen, James H. Woods and Joseph M. Moerschbaeher 552
- Abecarnil and Alprazolam in Humans: Behavioral, Subjective and Reinforcing Effects** Geoffrey K. Mumford, Craig R. Rush and Roland R. Griffiths 570
- Buprenorphine Effects in Methadone-Maintained Volunteers: Effects at Two Hours after Methadone** Eric C. Strain, Kenzie L. Preston, Ira A. Liebson and George E. Bigelow 628
- Chronic Administration of a Cocaine "Binge" Alters Basal Extracellular Levels in Male Rats: An *in Vivo* Microdialysis Study** Isabelle M. Maisonneuve, Ann Ho and Mary Jeanne Kreek 652
- Effects of Typical and Atypical Antipsychotic Drugs on Response Decrement Patterns in Rats** David J. Sanger and Ghislaine Perrault 708
- Calcium Channel Blockers Antagonize Some of Cocaine's Cardiovascular Effects, But Fail to Alter Cocaine's Behavioral Effects** C. W. Schindler, S. R. Tella, J. Prada and S. R. Goldberg 791
- Behavioral and Local Cerebral Metabolic Effects of the Novel Tropane Analog, 2 β -Propanoyl-3 β -(4-tolyl)-tropane** Linda J. Porrino, Huw M. L. Davies and Steven R. Childers 901

CARDIOVASCULAR PHARMACOLOGY

- In Vivo* Receptor Occupancy of the Angiotensin II Receptor by Nonpeptide Antagonists: Relationship to *In Vitro* Affinities and *In Vivo* Pharmacological Potency** Holly T. Beauchamp, Raymond S. L. Chang, Peter K. S. Siegl and Raymond E. Gibson 612

| | | |
|---|--|-----|
| Repression of Angiotensin II and Potentiation of Bradykinin Contribute to the Synergistic Effects of Dual Metalloprotease Inhibition in Heart Failure | Nick C. Trippodo, Balkrushna C. Panchal and Maxine Fox | 619 |
| Voltage-Dependent Inhibition of the ATP-Sensitive K⁺ Current by the Class Ia Agent Disopyramide in Cat Ventricular Myocytes | Fabien G. de Lorenzi, Terry R. Bridal and Walter Spinelli | 714 |
| Selective Inhibition by Zatebradine and Discrete Parasympathetic Stimulation of the Positive Chronotropic Response to Sympathetic Stimulation in Anesthetized Dogs | Yasuyuki Furukawa, Hirofumi Nakano, Takeshi Oguchi, Miho Kasama, Yuuji Hoyano and Shigetoshi Chiba | 744 |
| Pharmacological Effects of GR138950, a Novel Angiotensin AT₁ Receptor Antagonist | Anthony Hilditch, Anthony A. E. Hunt, Alison Travers, Joanne Polley, Geoffrey M. Drew, David Middlemiss, Duncan B. Judd, Barry C. Ross and Mark J. Robertson | 750 |
| A Selective Type V Phosphodiesterase Inhibitor, E4021, Dilates Porcine Large Coronary Artery | Takao Saeki, Hideyuki Adachi, Yasutaka Takase, Shinji Yoshitake, Shigeru Souda and Isao Saito | 825 |
| Are Negative Chronotropic and Inotropic Responses to Adenosine Differentiated at the Receptor or Postreceptor Levels in Isolated Dog Hearts | Takeshi Oguchi, Yasuyuki Furukawa, Shoji Sawaki, Miho Kasama and Shigetoshi Chiba | 838 |
| Previous Exposure to Bradykinin Unmasks an Endothelium-Dependent Relaxation to the Converting Enzyme Inhibitor Trandolaprilat in Isolated Canine Coronary Arteries | Barnabas Desta, Mikio Nakashima, Michael Kirchengast, Paul M. Vanhoutte and Chantal M. Boulanger | 885 |
| Protective Effects of AE0047, a Novel Calcium Antagonist, on Incidence of Stroke and Hemodynamic Disturbances in Stroke-Prone Spontaneously Hypertensive Rats | Hiroshi Shinyama, Hitoshi Nagai, Toru Kawamura, Yuji Narita, Takeshi Uchida, Masahiro Watanabe and Yoshio Kagitani | 911 |
| Nitric Oxide Synthase Inhibitor Alters Papillary Muscle Force-Frequency Relationship | Mitchell S. Finkel, Carmine V. Oddis, O. Henry Mayer, Brack G. Hattler and Richard L. Simmons | 945 |
| CELLULAR AND MOLECULAR PHARMACOLOGY | | |
| Inhibition of Dihydropyridine-Sensitive Ca⁺⁺ Channels by Ethanol in Undifferentiated and Nerve Growth Factor-Treated PC12 Cells: Interaction with the Inactivated State | Debra Mullikin-Kilpatrick and Steven N. Treistman | 489 |
| The Paralytic Agent 2,4-Dithiobiuret Decreases Open Time of Murine Skeletal Muscle Acetylcholine Receptor Channels | John M. Spitsbergen and William D. Atchison | 645 |
| Inhibition of Amine Oxidase Activity by Derivatives that Recognize Imidazoline I₂ Sites | Christian Carpené, Philippe Collon, Anne Remaury, Alex Cordi, Alan Hudson, David Nutt and Max Lafontan | 681 |
| Suppression of Interleukin-1 <i>Alpha</i> Production by Protein Kinase C Activators in Human Vascular Endothelial Cells | Masako Watanabe, Yuhsuke Kawase, Jun-Ichi Tanabe, Kyung-Rak Min, Suetsugu Mue and Kazuo Ohuchi | 808 |
| DRUG METABOLISM AND DISPOSITION | | |
| Disposition of Glutathione Monoethyl Ester in the Rat: Glutathione Ester Is a Slow Release Form of Extracellular Glutathione | Ignazio Grattagliano, Peter Wieland, Christian Schranz and Bernhard H. Lauterburg | 484 |
| Comparative Analysis of Buprenorphine- and Norbuprenorphine-Induced Analgesic Effects Based on Pharmacokinetic-Pharmacodynamic Modeling | Michiteru Ohtani, Hajime Kotaki, Yasufumi Sawada and Tatsuji Iga | 505 |
| Identification of a Reversible Component in the <i>In Vitro</i> Inhibition of Rat Hepatic Cytochrome P450 2B1 by Parathion | Michael Murray and Alison M. Butler | 639 |
| Tissue Distribution of Zinc-Mesoporphyrin in Rats: Relationship to Inhibition of Heme Oxygenase | Shirley M. Russo, Joyce A. Pepe, Susan Donohue, Edward E. Cable, Richard W. Lambrecht and Herbert L. Bonkovsky | 766 |
| Characterization of Diethyldithiocarbamate Methyl Ester Sulfine as an Intermediate in the Bioactivation of Disulfiram | Ajay Madan and Morris D. Faiman | 775 |

| | | |
|--|---|-----|
| Mepyramine, a Histamine H1 Receptor Antagonist, Inhibits the Metabolic Activity of Rat and Human P450 2D Forms | Toyoko Hiroi, Norihisa Ohishi, Susumu Imaoka, Yoshiyasu Yabusaki, Hiroyuki Fukui and Yoshihiko Funae | 939 |
| A Novel Quantitative Method for Determining the Biodistribution of Radiolabeled Xenobiotics Using Whole-Body Cryosectioning and Autoradioluminography | Michael J. Potchoiba, Thomas G. Tensfeldt, Mark R. Nocerini and B. Michael Silber | 953 |
| GASTROINTESTINAL PHARMACOLOGY | | |
| Absorption-Enhancing Mechanism of Sodium Caprate and Decanoylcarnitine in Caco-2 Cells | Mikio Tomita, Masahiro Hayashi and Shoji Awazu | 739 |
| Some Novel 5-Hydroxytryptamine_{1A} (5-HT_{1A}) Receptor Agonists Reduce Gastric Acid and Pepsin Secretion, Reduce Experimental Gastric Mucosal Injury and Enhance Gastric Mucus in Rats | Antonio J. Farré, Mario Colombo, Ines Alvarez and Gary B. Glavin | 832 |
| Ursodeoxycholate (UDCA) Inhibits the Mitochondrial Membrane Permeability Transition Induced by Glycochenodeoxycholate: A Mechanism of UDCA Cytoprotection | Ravi Botla, James R. Spivey, Humberto Aguilar, Steven F. Bronk and Gregory J. Gores | 930 |
| IMMUNOPHARMACOLOGY | | |
| Mechanisms Whereby Macrophage-Derived Nitric Oxide Is Involved in Morphine-Induced Suppression of Splenic Lymphocyte Proliferation | Karamarie Fecho, Kimberly A. Maslonek, Linda A. Dykstra and Donald T. Lysle | 477 |
| Effects of Morphine on the Pathogenesis of Murine Friend Retrovirus Infection | Marie-Laure Veyries, Martine Sinet, Benedicte Desforages and Bernard Rouveix | 498 |
| Therapeutic Trial of Reconstituted Human High-Density Lipoprotein in a Canine Model of Gram-Negative Septic Shock | Zenaide M. N. Quezado, Charles Natanson, Steve M. Banks, David W. Alling, Cezar A. Koev, Robert L. Danner, Ronald J. Elin, Jeannette M. Hosseini, Thomas S. Parker, Daniel M. Levine, Albert L. Rubin and William D. Hoffman | 604 |
| Separation of Immunomodulatory and Cholesterol-Lowering Activities of Heterocyclic Azaspiranes | Christine R. Albrightson, Peter J. Bugelski, Theo A. Berkhout, Brian Jackson, William D. Kerns, Andy J. Organ and Alison M. Badger | 689 |
| NEUROPHARMACOLOGY | | |
| Comparison of A₄ and A_{2a} Binding Sites in Striatum and COS Cells Transfected With Adenosine A_{2a} Receptors | David R. Luthin and Joel Linden | 511 |
| Pharmacological Characterization of Nerve Growth Factor and/or Monosialoganglioside GM1 Effects on Cholinergic Markers in the Adult Lesioned Brain | Lorella Garofalo and A. Claudio Cuello | 527 |
| Comparison of the Properties of Agmatine and Endogenous Clonidine-Displacing Substance at Imidazoline and <i>Alpha</i>-2 Adrenergic Receptors | John E. Piletz, Deepak N. Chikkala and Paul Ernsberger | 581 |
| [4-Dimethyl-3-t-butylcarboxyl-4,5-dihydro (1,5-a) quinoxaline] Is a Novel Ligand to the Picrotoxin Site on GABA_A Receptors, and Decreases Single-Channel Open Probability | Glenn H. Dillon, Wha Bin Im, Jeffrey F. Pregonzer, Donald B. Carter and Beverly J. Hamilton | 597 |
| Characterization of Neuropeptide Y Binding Sites in Rat Brain Membrane Preparations Using [¹²⁵I][Leu³¹,Pro³⁴]Peptide YY and [¹²⁵I]Peptide YY₃₋₃₆ as Selective Y₁ and Y₂ Radioligands | Yvan Dumont, Alain Fournier, Serge St-Pierre and Rémi Quirion | 673 |
| Profound Decrease of Mesolimbic Dopaminergic Neuronal Activity in Morphine Withdrawn Rats | Marco Diana, Marco Pistis, Annalisa Muntoni and Gianluigi Gessa | 781 |
| Interleukin-2 (IL-2) Induces Corticotropin-Releasing Factor (CRF) Release from the Amygdala and Involves a Nitric Oxide-Mediated Signaling; Comparison with the Hypothalamic Response | Jacob Raber, George F. Koob and Floyd E. Bloom | 815 |
| Continuous Administration Decreases and Pulsatile Administration Increases Behavioral Sensitivity to a Novel Dopamine D₂ Agonist (U-91356A) in MPTP-Exposed Monkeys | P. J. Blanchet, F. Calon, J. C. Martel, P. J. Bédard, T. Di Paolo, R. R. Walters and M. F. Piercey | 854 |

| | | |
|---|--|-----|
| Role of Hypothermia in the Mechanism of Protection Against Serotonergic Toxicity. I. Experiments using 3,4-Methylenedioxymethamphetamine, Dizocilpine, CGS 19755 and NBQX | Gail M. Farfel and Lewis S. Seiden | 860 |
| Role of Hypothermia in the Mechanism of Protection Against Serotonergic Toxicity. II. Experiments with Methamphetamine, <i>p</i>-Chloroamphetamine, Fenfluramine, Dizocilpine and Dextromethorphan | Gail M. Farfel and Lewis S. Seiden | 868 |
| Are Postsynaptic 5-HT_{1A} Receptors Involved in the Anxiolytic Effects of 5-HT_{1A} Receptor Agonists and in their Inhibitory Effects on the Firing of Serotonergic Neurons in the Rat? | T. Jolas, R. Schreiber, A. M. Laporte, M. Chastanet, J. De Vry, T. Glaser, J. Adrien and M. Hamon | 920 |
| PROSTAGLANDINS, LEUKOTRIENES AND OTHER EICOSANOIDS | | |
| Optimization of the Potency and Duration of Action of N-Hydroxyurea 5-Lipoxygenase Inhibitors | Randy L. Bell, Jennifer B. Bouska, Peter E. Malo, Carmine Lanni, Richard R. Harris, Ellen R. Otis, Andrew O. Stewart, Dee W. Brooks and George W. Carter | 724 |
| Characterization of a Behavioral Model for Peripherally Evoked Itch Suggests Platelet-Activating Factor as a Potent Pruritogen | D. F. Woodward, A. L. Nieves, C. S. Spada, L. S. Williams and R. P. Tuckett | 758 |
| <i>In Vivo</i> Effects of a Novel Thromboxane A₂/Prostaglandin H₂ (TXA₂/PGH₂) Partial Agonist, (+)5(Z)-7-[3-endo-phenylsulfonylamino[2.2.1]-bicyclohept-2-exo-yl]-heptenoic acid [(+)-S-145], on Vascular, Platelet and Cardiac Function | Gregory P. Dubé, Joseph A. Jakubowski, Kellie A. Brune, Kerry G. Bemis and William L. Kurtz | 799 |
| RENAL PHARMACOLOGY | | |
| Aquaretic Effect of a Potent, Orally Active, Nonpeptide V₂ Antagonist in Men | Akihiro Ohnishi, Yoshimasa Orita, Naoko Takagi, Tsuyoshi Fujita, Takaaki Toyoki, Yasuhito Ihara, Yoshitaka Yamamura, Tomoo Inoue and Teruji Tanaka | 546 |
| Kinetics of Interactions of Para-Aminohippurate, Probenecid, Cysteine Conjugates and <i>N</i>-Acetyl Cysteine Conjugates with Basolateral Organic Anion Transporter in Isolated Rabbit Proximal Renal Tubules | William H. Dantzler, Kristen K. Evans and Stephen H. Wright | 663 |
| TOXICOLOGY | | |
| Metabolism of Allylbenzene 2',3'-Oxide and Estragole 2',3'-Oxide in the Isolated Perfused Rat Liver | Gang Luo and Thomas M. Guenther | 588 |
| ERRATUM | | 962 |