

The Journal of  
**PHARMACOLOGY**  
And Experimental Therapeutics

A Publication of the American Society for Pharmacology and Experimental Therapeutics

October 2008

Vol. 327, No. 1

**Contents**

**BEHAVIORAL PHARMACOLOGY**

- The Extensive Nitration of Neurofilament Light Chain in the Hippocampus Is Associated with the Cognitive Impairment Induced by Amyloid  $\beta$  in Mice** Tursun Alkam, Atsumi Nitta, Hiroyuki Mizoguchi, Akio Itoh, Rina Murai, Taku Nagai, Kiyofumi Yamada, and Toshitaka Nabeshima 137
- Continuous and Intermittent Nicotine Treatment Reduces L-3,4-Dihydroxyphenylalanine (L-DOPA)-Induced Dyskinesias in a Rat Model of Parkinson's Disease** Tanuja Bordia, Carla Campos, Luping Huang, and Maryka Quik 239
- K<sup>+</sup> Channel TASK-1 Knockout Mice Show Enhanced Sensitivities to Ataxic and Hypnotic Effects of GABA<sub>A</sub> Receptor Ligands** Anni-Maija Linden, M. Isabel Aller, Elli Leppä, Per H. Rosenberg, William Wisden, and Esa R. Korpi 277

**CARDIOVASCULAR**

- Anti-Inflammatory and Anti-Apoptotic Effects of Fumonisin B1, an Inhibitor of Ceramide Synthase, in a Rodent Model of Splanchnic Ischemia and Reperfusion Injury** Salvatore Cuzzocrea, Rosanna Di Paola, Tiziana Genovese, Emanuela Mazzon, Emanuela Esposito, Concetta Crisafulli, Placido Bramanti, and Daniela Salvemini 45
- Dissociation between Superoxide Accumulation and Nitroglycerin-Induced Tolerance** Pei-Suen Tsou, Vamsi Addanki, and Ho-Leung Fung 97
- Sodium Hydrogen Exchange 1 (NHE-1) Regulates Connexin 43 Expression in Cardiomyocytes via Reverse Mode Sodium Calcium Exchange and c-Jun NH<sub>2</sub>-Terminal Kinase-Dependent Pathways** Seta Stanbouly, Lorrie A. Kirshenbaum, Douglas L. Jones, and Morris Karmazyn 105
- Simvastatin Inhibits Catecholamine Secretion and Synthesis Induced by Acetylcholine via Blocking Na<sup>+</sup> and Ca<sup>2+</sup> Influx in Bovine Adrenal Medullary Cells** Taeko Matsuda, Yumiko Toyohira, Susumu Ueno, Masato Tsutsui, and Nobuyuki Yanagihara 130
- Gap Junction Inhibitors Reduce Endothelium-Dependent Contractions in the Aorta of Spontaneously Hypertensive Rats** Eva H. C. Tang and Paul M. Vanhoutte 148

**CELLULAR AND MOLECULAR**


- Expression of CYP4A1 in U251 Human Glioma Cell Induces Hyperproliferative Phenotype in Vitro and Rapidly Growing Tumors in Vivo** Austin M. Guo, Ju Sheng, Gloria M. Scicli, Ali S. Arbab, Norman L. Lehman, Paul A. Edwards, John R. Falck, Richard J. Roman, and A. Guillermo Scicli 10
- The Pore Region of N-Methyl-D-aspartate Receptors Differentially Influences Stimulation and Block by Spermine** Lihua Jin, Maki Miyazaki, Satomi Mizuno, Miki Takigawa, Tadao Hirose, Kazuhiro Nishimura, Toshihiko Toida, Keith Williams, Keiko Kashiwagi, and Kazuei Igarashi 68

*The Journal of Pharmacology and Experimental Therapeutics* (ISSN 0022-3565) is published monthly by the American Society for Pharmacology and Experimental Therapeutics, 9650 Rockville Pike, Bethesda, MD 20814-3995; email: info@aspet.org; web site: www.aspet.org. Periodicals postage paid at Bethesda, MD, and at additional mailing offices. POSTMASTER: Send address changes to *The Journal of Pharmacology and Experimental Therapeutics*, 9650 Rockville Pike, Bethesda, MD 20814-3995. Subscription rates: U.S.: \$893.00 for institutions and \$389.00 for non-ASPET members. Outside the U.S.: \$1,049.00 for institutions and \$545.00 for non-ASPET members.

Single copy: \$79.00. GST Tax Number for Canadian subscribers: BN: 13489 2330 RT. Indexed or abstracted by *Biochemistry & Biophysics Citation Index*®, *Biological Abstracts*, *BIOSIS Previews Database*, *BioSciences Information Services*, *Current Awareness in Biological Sciences*, *Current Contents*®/Life Sciences, *EMBASE/Excerpta Medica*, *Index Medicus*, *Medical Documentation Service*®, *PsycINFO*, *Reference Update*®, *Research Alert*®, *Science Citation Index*®, *SciSearch*®, and *SIIC Data Bases*. Copyright © 2008 by the American Society for Pharmacology and Experimental Therapeutics. All rights reserved. Printed in the U.S.A.

<p>☐ <b>Phenylalanine 169 in the Second Extracellular Loop of the Human Histamine H<sub>4</sub> Receptor Is Responsible for the Difference in Agonist Binding between Human and Mouse H<sub>4</sub> Receptors</b></p> <p><b>1-[1-Hexyl-6-(methoxy)-1<i>H</i>-indazol-3-yl]-2-methyl-1-propanone, a Potent and Highly Selective Small Molecule Blocker of the Large-Conductance Voltage-Gated and Calcium-Dependent K<sup>+</sup> Channel</b></p> <p><b>Vasoactive Intestinal Peptide Increases Cystic Fibrosis Transmembrane Conductance Regulator Levels in the Apical Membrane of Calu-3 Cells through a Protein Kinase C-Dependent Mechanism</b></p>	<p>Herman D. Lim, Aldo Jongejan, Remko A. Bakker, Eric Haaksma, Iwan J. P. de Esch, and Rob Leurs</p>	<p>88</p>
<p><b>1-[1-Hexyl-6-(methoxy)-1<i>H</i>-indazol-3-yl]-2-methyl-1-propanone, a Potent and Highly Selective Small Molecule Blocker of the Large-Conductance Voltage-Gated and Calcium-Dependent K<sup>+</sup> Channel</b></p>	<p>Haoyu Zeng, Earl Gordon, Zuojun Lin, Irina M. Lozinskaya, Robert N. Willette, and Xiaoping Xu</p>	<p>168</p>
<p><b>Vasoactive Intestinal Peptide Increases Cystic Fibrosis Transmembrane Conductance Regulator Levels in the Apical Membrane of Calu-3 Cells through a Protein Kinase C-Dependent Mechanism</b></p>	<p>Frédéric Chappe, Matthew E. Loewen, John W. Hanrahan, and Valérie Chappe</p>	<p>226</p>
<p><b>ENDOCRINE AND DIABETES</b></p>		
<p>☐ <b>The Translational Pharmacology of a Novel, Potent, and Selective Nonsteroidal Progesterone Receptor Antagonist, 2-[4-(4-Cyano-phenoxy)-3,5-dicyclopropyl-1<i>H</i>-pyrazol-1-yl]-<i>N</i>-methylacetamide (PF-02367982)</b></p> <p><b>Remogliflozin Etabonate, in a Novel Category of Selective Low-Affinity Sodium Glucose Cotransporter (SGLT2) Inhibitors, Exhibits Antidiabetic Efficacy in Rodent Models</b></p>	<p>Alexander de Giorgio-Miller, Peter Bungay, Michelle Tutt, Julie Owen, David Goodwin, and Nick Pullen</p>	<p>78</p>
<p><b>Remogliflozin Etabonate, in a Novel Category of Selective Low-Affinity Sodium Glucose Cotransporter (SGLT2) Inhibitors, Exhibits Antidiabetic Efficacy in Rodent Models</b></p>	<p>Yoshikazu Fujimori, Kenji Katsuno, Ikumi Nakashima, Yukiko Ishikawa-Takemura, Hideki Fujikura, and Masayuki Isaji</p>	<p>268</p>
<p><b>GASTROINTESTINAL, HEPATIC, PULMONARY, AND RENAL</b></p>		
<p><b>Levcromakalim and MgGDP Activate Small Conductance ATP-Sensitive K<sup>+</sup> Channels of K<sup>+</sup> Channel Pore 6.1/Sulfonylurea Receptor 2A in Pig Detrusor Smooth Muscle Cells: Uncoupling of cAMP Signal Pathways</b></p> <p><b>Calcium Sensitization in Human Esophageal Muscle: Role for RhoA Kinase in Maintenance of Lower Esophageal Sphincter Tone</b></p>	<p>Shunichi Kajioka, Shinsuke Nakayama, Haruhiko Asano, Narihito Seki, Seiji Naito, and Alison F. Brading</p>	<p>114</p>
<p><b>E Series of Prostaglandin Receptor 2-Mediated Activation of Extracellular Signal-Regulated Kinase/Activator Protein-1 Signaling Is Required for the Mitogenic Action of Prostaglandin E<sub>2</sub> in Esophageal Squamous-Cell Carcinoma</b></p>	<p>Stephen M. Sims, Tom Chrones, and Harold G. Preiksaitis</p>	<p>178</p>
<p>☐ <b>E Series of Prostaglandin Receptor 2-Mediated Activation of Extracellular Signal-Regulated Kinase/Activator Protein-1 Signaling Is Required for the Mitogenic Action of Prostaglandin E<sub>2</sub> in Esophageal Squamous-Cell Carcinoma</b></p>	<p>Le Yu, William Ka Kei Wu, Zhi Jie Li, Helen Pui Shan Wong, Emily Kin Ki Tai, Hai Tao Li, Ya Chun Wu, and Chi Hin Cho</p>	<p>258</p>
<p><b>INFLAMMATION, IMMUNOPHARMACOLOGY, AND ASTHMA</b></p>		
<p>☐ <b>Pharmacological Profile of JNJ-27141491 [(<i>S</i>)-3-[3,4-Difluorophenyl]-propyl]-5-isoxazol-5-yl-2-thioxo-2,3-dihydro-1<i>H</i>-imidazole-4-carboxyl Acid Methyl Ester], as a Noncompetitive and Orally Active Antagonist of the Human Chemokine Receptor CCR2</b></p> <p><b>Fispemifene [Z-2-{2-[4-(4-Chloro-1,2-diphenylbut-1-enyl)-phenoxy]ethoxy}-ethanol], a Novel Selective Estrogen Receptor Modulator, Attenuates Glandular Inflammation in an Animal Model of Chronic Nonbacterial Prostatitis</b></p> <p><b>7-Epiclusianone, a Tetraprenylated Benzophenone, Relaxes Airway Smooth Muscle through Activation of the Nitric Oxide-cGMP Pathway</b></p>	<p>Mieke Buntinx, Bart Hermans, Jan Goossens, Dieder Moechars, Ron A. H. J. Gilissen, Julien Doyon, Staf Boeckx, Erwin Coesemans, Guy Van Lommen, and Jean P. Van Wauwe</p>	<p>1</p>
<p><b>Fispemifene [Z-2-{2-[4-(4-Chloro-1,2-diphenylbut-1-enyl)-phenoxy]ethoxy}-ethanol], a Novel Selective Estrogen Receptor Modulator, Attenuates Glandular Inflammation in an Animal Model of Chronic Nonbacterial Prostatitis</b></p>	<p>Emrah Yarkin, Jenni Bernoulli, Risto Lammintausta, and Risto Santti</p>	<p>58</p>
<p><b>7-Epiclusianone, a Tetraprenylated Benzophenone, Relaxes Airway Smooth Muscle through Activation of the Nitric Oxide-cGMP Pathway</b></p>	<p>Luciana Pontes Coelho, Magda Fráguas Serra, Ana Lúcia de Aguiar Pires, Renato Sérgio Balão Cordeiro, Patrícia Machado Rodrigues e Silva, Marcelo Henrique dos Santos, and Marco Aurélio Martins</p>	<p>206</p>
<p><b>Thiorphan-Induced Survival and Proliferation of Rat Thymocytes by Activation of Akt/Survivin Pathway and Inhibition of Caspase-3 Activity</b></p>	<p>Consuelo Amantini, Michela Mosca, Roberta Lucciarini, Marina Cecilia Perfumi, and Giorgio Santoni</p>	<p>215</p>
<p><b>METABOLISM, TRANSPORT, AND PHARMACOGENOMICS</b></p>		
<p><b>Targeting of VX2 Rabbit Liver Tumor by Selective Delivery of 3-Bromopyruvate: A Biodistribution and Survival Study</b></p>	<p>Mustafa Vali, Josephina A. Vossen, Manon Buijs, James M. Engles, Eleni Liapi, Veronica Prieto Ventura, Afsheen Khwaja, Obele Acha-Ngwodo, Ganapathy Shanmugasundaram, Labiq Syed, Richard L. Wahl, and Jean-Francois H. Geschwind</p>	<p>32</p>

<b>Nonlinear Pharmacokinetics of (±)3,4-Methylenedioxymethamphetamine (MDMA, “Ecstasy”) and Its Major Metabolites in Squirrel Monkeys at Plasma Concentrations of MDMA That Develop After Typical Psychoactive Doses</b>	Melanie Mueller, Frank T. Peters, Hans H. Maurer, Una D. McCann, and George A. Ricaurte	38
<b>Apparent High CYP3A5 Expression Is Required for Significant Metabolism of Vincristine by Human Cryopreserved Hepatocytes</b>	Jennifer B. Dennison, Michael A. Mohutsky, Robert J. Barbuch, Steven A. Wrighton, and Stephen D. Hall	248
<b>NEUROPHARMACOLOGY</b>		
<b>MDMA (3,4-Methylenedioxymethamphetamine)-Mediated Distortion of Somatosensory Signal Transmission and Neurotransmitter Efflux in the Ventral Posterior Medial Thalamus</b>	M. A. Starr, M. E. Page, and B. D. Waterhouse	20
<b>Paraquat Exposure Reduces Nicotinic Receptor-Evoked Dopamine Release in Monkey Striatum</b>	Kathryn T. O’Leary, Neeraja Parameswaran, Louisa C. Johnston, J. Michael McIntosh, Donato A. Di Monte, and Maryka Quik	124
<b>The Effects of Herkinorin, the First <math>\mu</math>-Selective Ligand from a Salvinorin A-Derived Scaffold, in a Neuroendocrine Biomarker Assay in Nonhuman Primates</b>	Eduardo R. Butelman, Szymon Rus, Denise S. Simpson, Angela Wolf, Thomas E. Prinszano, and Mary Jeanne Kreek	154
<b>Methylphenidate-Induced Increases in Vesicular Dopamine Sequestration and Dopamine Release in the Striatum: The Role of Muscarinic and Dopamine D2 Receptors</b>	Trent J. Volz, Sarah J. Farnsworth, Shane D. Rowley, Glen R. Hanson, and Annette E. Fleckenstein	161
<b>Alterations in Fos-Related Antigen 2 and <math>\sigma_1</math> Receptor Gene and Protein Expression Are Associated with the Development of Cocaine-Induced Behavioral Sensitization: Time Course and Regional Distribution Studies</b>	Yun Liu and Rae R. Matsumoto	187
<b>Purinergic Type 2 Receptors at GABAergic Synapses on Ventral Tegmental Area Dopamine Neurons Are Targets for Ethanol Action</b>	Cheng Xiao, Chunyi Zhou, Kaixun Li, Daryl L. Davies, and Jiang H. Ye	196

 Supplemental material is available online at <http://jpet.aspetjournals.org>.

*About the cover:* Close-up of the EL2 as observed in the recent X-ray structure of the  $\beta_2$ -adrenergic receptor (Cherezov et al., 2007) (A) and homology model of the human H<sub>4</sub>R (B). See the article by Lim et al. on page 88 of this issue.