

# Correction to “Targeting Dopamine D<sub>2</sub>, Adenosine A<sub>2A</sub>, and Glutamate mGlu<sub>5</sub> Receptors to Reduce Repetitive Behaviors in Deer Mice

In the above article [Lewis MH, Primiani CT, and Muehlmann AM (2019) *J Pharmacol Exp Ther* **369** (1) 88-97: DOI: <https://doi.org/10.1124/jpet.118.256081>], a compositor error resulted in a few incorrect or missing values in Table 1. In the 4<sup>th</sup> row titled “Cohort 1-4”, the column ‘Dose(s)’ should list a value of “3”. In the 5<sup>th</sup> row, 4<sup>th</sup> column labeled “Dose(s)” should list a value of “30”. Finally, in the 6<sup>th</sup> row titled “Cohort 1-5”, the column “Dose(s)” should list a value of “0.05”. The correct version of Table 1 appears below and in the HTML and PDF versions of this article.

The compositor regrets this error and any inconvenience it may have caused.

TABLE 1

Cohort	<i>n</i>	Drug(s)	Dose(s) (mg/kg)	Vehicle Difference Score	Drug Difference Score	<i>P</i> Value
1-1	13	D <sub>2</sub> antagonist (L-741,626)	3	209 (275)	451 (259)	0.59
1-2	9	D <sub>2</sub> antagonist	10	789 (332)	231 (278)	0.37
1-3	13	D <sub>2</sub> antagonist	30	256 (235)	-83 (264)	0.30
1-4	11	mGlu <sub>5</sub> PAM (CDPPB)	3	94 (280)	-268 (204)	0.53
			30		-55 (283)	
1-5	12	A <sub>2A</sub> agonist (CGS21680)	0.05	-199 (205)	-324 (226)	0.54
1-6	12	D <sub>2</sub> antagonist + A <sub>2A</sub> agonist	30 + 0.05	44 (254)	-401 (382)	0.37
1-7	13	A <sub>2A</sub> agonist + mGlu <sub>5</sub> PAM	0.05 + 30	451 (213)	-307 (297)	0.07
1-8	12	D <sub>2</sub> antagonist + mGlu <sub>5</sub> PAM	30 + 30	35(169)	-376 (187)	0.15
1-9	12	D <sub>2</sub> antagonist + A <sub>2A</sub> agonist + mGlu <sub>5</sub> PAM	30 + 0.05 + 30	727 (237)	-703 (206)	0.002