NUMBER 1, SEPTEMBER, 1931

I. The Action of Oestrin on the Oxygen Consumption of the Uteri of Mice.	-
 II. The Pharmacological Action of the Principles Isolated from Ch'an Su, the Dried Venom of the Chinese Toad. By K. K. Chen, H. Jensen and A. 	
Ling Chen III. The Relation of Acquired Morphine Tolerance to the Adrenal Cortex.	13
By Eaton M. MacKay IV. Studies in Cancer Chemotherapy. X. The Effect of Thorium, Cerium, Erbium, Yttrium, Didymium, Praseodymium, Manganese, and Lead unan Transplantable Bot Turners, Br. L. C. Margall and Erite	51
 Upon Transplantable Rat Tumors. By L. C. Maxwell and Fritz Bischoff. With the technical assistance of Ella May Ottery V. The Chemotherapy of Streptococcus Infections of Mice with Special Reference to Salicyl Compounds. By John A. Kolmer and George W. 	61
 Raiziss. With the assistance of Anna M. Rule VI. Absorption and Retention of Calcium Chloride and Calcium-Magnesium- inosite-hexaphosphoric Acid Calcium. By J. C. Forbes and Hazelwood 	71
Irving VII. On the Anesthetic Action of Furan. By J. F. A. Johnston	79 85
 VIII. Anesthetic Potency in the Cyclo Hydrocarbon Series. By V. E. Hen- derson and J. F. A. Johnston. IX. The Const stimulating Substances of the Antonia Lobe of the Biblioteneous of the Antonia Lobe of	89
Body and of Pregnancy-urine. By Zonja Wallen-Lawrence and H. B. Van Dyke	93
X. Effect of Ultra-violet Rays on Epinephrine and Related Products. (Pre- liminary Report.) By Paul L. Ewing, Philip Blickensdorfer and Hugh	105
A. McGuigan XI. The Iodine Content of Commercial Desiccated Anterior Pituitary Prep- arations. By Karl Closs	125 13 1
XII. Studies on Calcium. V. Blood and Urine Levels of Calcium after Per- oral and Deep Muscular Administration of Calcium Gluconate in Man. By Arnold L. Lieberman	139
XIII. Heat Regulation and Water Exchange. XII. The Underlying Mech- anism of Fever as Illustrated by Cocaine Poisoned Rabbits. By Henry	1 477
XIV. Modification of Nerve Response by Veratrine, Protoveratrine and Aco- nitine. By Helen Tredway Graham and Herbert S. Gasser	147
XV. Absorption and Utilization of the Carbohydrate of Arctium Lappa as Shown by a Protein-sparing Action on the Diet of Dogs. By John C. Krantz Jr. and C. Jelleff Carr	187
iii	

XVI. Toxicological Studies of Derris Elliptica and Its Constituents. I. Ro- tenone. By H. B. Haag
and Wesley Bourne
XVIII. The Effect of Avertin upon the Circulation. By B. B. Raginsky, Wesley Bourne and Maurice Bruger
XIX. The Influence of Electrolytes on the Permeability of Tissues to Crystal- line Insulin. By R. J. Hamburger
NUMBER 2, OCTOBER, 1931
XX. The Influence of Lactic Acid on Hemolysis. By J. Slådek, I. A. Parfent- jev and B. Sokoloff

jev and B. Sokoloff	245
XXI. Ergotoxine Miosis. By F. F. Yonkman.	251
Histomine By George Stavraky	265
XXIII. The Influence of Sodium Barbital upon the Reactions of Normal Rab-	200
bits to Successive Doses of Insulin. By Eugene L. Jackson	277
XXIV. The Hypoglycemic Action of the Hypophysectomized Dog's Blood.	
By R. J. Cowley	287
XXV. The Mechanism of the Hypoglycemia Produced by Guanidine and Carbon Tetrachloride Poisoning and Its Relief by Calcium Medication.	
By A. S. Minot	295
XXVI. Pharmacological Effect of Impurities in Ether. By Walter L. Men-	200
denhall and Ruth Connolly	315
XXVII. Quantitative Studies on the Absorption and Excretion of Hexylre- sorcinol and Hentylresorcinol under Different Conditions By B. H.	
Robbing	225
XXVIII A Mothod for the Quantitative Determination of Herringson incl	320
in Tissues. Blood and Excreta. By B. H. Robbins and L. G. Wesson.	335
XXIX. Continued Drinking of Alcohol in Low Concentrations: Some Ex-	
nerimental Results. By P. J. Hanzlik	339
XXX. Studies on the Metabolism of Tartrates. I. A Colorimetric Method	
for the Determination of Tartaric Acid. By Frank P Underhill F. I.	
Peterman and A. G. Krause. With the cooperation of C. S. Leonard and	
T. C. Jaleski	351
XXXI. Studies on the Metabolism of Tartrates. II. The Behavior of Tar-	
trate in the Organism of the Rabbit. Dog. Rat and Guinea Pig. By	
Frank P. Underhill, C. S. Leonard, E. G. Gross and T. C. Jaleski.	359
XXXII. Studies on the Metabolism of Tartrates. III. The Behavior of	
Tartrates in the Human Body. By Frank P. Underhill, F. I. Peterman	
T. C. Jaleski and C. S. Leonard	381

NUMBER 3, NOVEMBER, 1931

XXXIII. The Action of Some Diuretics upon the Aglomerular Kidney.	By	
Raymond N. Bieter		399
XXXIV. Albuminuria in Glomerular and Aglomerular Fish. By Raymo	ond	
N. Bieter		407

iv

XXXV. The Pharmacological Action of Some Analogues of Physostigmine.	
By John A. Aeschlimann and Marc Reinert	413
XXXVI. The Effect of Carbon Dioxide on Ether, Ethylene and Nitrous Ox-	
ide Anesthesia. By George B. Kleindorfer	445
XXXVII. A Study of the Relative Efficiency as "Basal Anesthetics" of Aver-	
tin, Amytal, Chloral, Dial, and Iso Propyl Allyl Barbituric Acid. By	
George B. Kleindorfer and J. T. Halsey	449
XXXVIII. Caffeine Effect on the Crest Uniformity of Muscular Fatigue	
Curves. By Ralph H. Cheney	457
XXXIX. The Pharmacologic Properties of an Insulin-free Extract of Pan-	
creas and the Circulatory Hormone of Frey. By Albert H. Elliot and	
Franklin B. Nuzum	463
XL. Effect of Ephedrine on Contractions of the Alimentary Canal in Unanes-	
thetized Dogs. By J. H. Kinnaman and O. H. Plant	477
XLI. Behavior of Papain in the Peritoneal Cavity. By Robert P. Walton.	487
XLII Effect of Amytal on the Autonomic Nervous System as Indicated by	
the Salivary Glande By George W Stavraky	499
XLUI Interaction of Pilocarnine and Histamin on the Interstine By Fred-	
arick Barnhaim	509
XLIV A Note on Tin Compounds in the Chemothereny of Experimental	
Stanbulosocous Infostions By John & Kolmer Harman Brown and	
Malaalm I Harkina	515
VIV The Degree of Infection in Polation to the Deregitigidal Activity of	010
Chamatharanautia Compounds By John A Kolmar With the assist-	
once of Anna M. Dula	591
VIVI A Method of Comparing the Absorption of Coloium Departmention	021
De Frenk Welter	591
By Frank wokes	001
ALVII. The Action of Papaverine on the Muscular Activity of the Alimen-	E E 1
tary Canal. By Erwin G. Gross and Donald H. Slaughter	991
ALVIII. The Action of Blister Fluid on the Isolated Rat's Uterus. By G. H.	E 6 9
Percival and U. M. Scott	003
ALIA. Pharmacology and Toxicology of Monohydroxy-mercuri-di-lodo-	
resorcin-sulphonphthalein. By David I. Macht and Helen M. Cook	571

NUMBER 4, DECEMBER, 1931

L. Magnesium Absorption in Dogs and Its Effect upon the Metabolism of	
Calcium. By Henry G. Barbour and James E. Winter 607	
LI. Some Factors Influencing the Stability of the Fluid Extract of Ergot.	
By Maurice I. Smith and E. F. Stohlman 621	
LII. Avertin Anesthesia in Experimental Nephritis. By J. Ross Veal, J. R.	
Phillips and Clyde Brooks	
LIII. The Importance of a Standard of Reference in Toxicity Determina-	
tions of Mercurochrome. By J. H. Burn and G. D. Greville 645	
LIV. The Responses of the Excised Batrachian Alimentary Canal to Auto-	
The second Tradition (The South African (In-	

LV. Bulbocapnine Catalepsy and the Grasp Reflex. By Curt P. Richter and	
Arthur S. Paterson	677
LVI. A Comparison of the Rat and Mouse Units in the Assay of the Female	
Sex Hormone. By T. J. Becker, C. H. Mellish, F. E. D'Amour and R. G.	
Gustaveon	693
LVII. The Tolerance of the Toad towards Strophanthin. By David	
LVII. The Tolerance of the Toad towards Strophanthin. By David Epstein	697

 \mathbf{vi}

Oxygen consumption of uteri of mice (Fig. 1)	6
(Fig. 2)	8
Average oxygen consumptions of uteri (Fig. 3)	9
Bioassay of the pressor activity of epinephrine isolated from Ch'an Su	
(Fig. 1)	18
Action of cinobufagin on the mammalian heart (Fig. 2)	25
Electrocardiographic changes caused by cinobufagin (Fig. 3)	27
Action of cinobufotenine on the frog's heart (Fig. 4)	41
of cinobufotenine on the mammalian heart (Fig. 5)	42
Comparison of the pressor action of cinobufotenine with that of epinephrine	
(Fig. 6)	44
The relation of acquired morphine tolerance to the adrenal cortex (Fig. 1)	55
relation of acquired morphine tolerance to the adrenal cortex (Fig 2)	57
relation of acquired morphine tolerance to the adrenal cortex (Fig. 3)	59
effects of extracts on the ovaries of immature rat (twenty-six days old).	
× 13.5 (Fig. 1)	118
effect of pituitary hebin (sheep) on the ovaries and uterus of the hypo-	
physectomized rat. Ovaries, \times 15; uteri, \times 31 (Fig. 2)	119
Effect of ultra-violet rays on epinephrine and related products (Fig. 1)	126
of ultra-violet rays on epinephrine and related products (Fig. 2)	127
of ultra-violet rays on epinephrine and related products (Fig. 3)	128
Studies on calcium. V. Blood and urine levels of calcium after peroral and	
deep muscular administration of calcium gluconate in man (Fig. 1)	140
on calcium. V. Blood urine and levels of calcium after peroral and deep	
muscular administration of calcium gluconate in man (Fig. 2)	141
on calcium. V. Blood and urine levels of calcium after peroral and deep	
muscular administration of calcium gluconate in man (Fig. 3)	142
on calcium. V. Blood and urine levels of calcium after peroral and deep	
muscular administration of calcium gluconate in man (Fig. 4)	143
on calcium. V. Blood and urine levels of calcium after peroral and deep	
muscular administration of calcium gluconate in man (Fig. 5)	144
Two simultaneous experiments showing the effect of cocaine-HCl (40 mgm.	
per kilogram injected at arrows) on the rectal temperature (small dots)	
and blood specific gravity (large dots) (Fig. 1)	151
Effects of cocaine-HCl (40 mgm. per kilogram) on total solids of liver in series	
5 (Fig. 2)	155
Effect of veratrine on the after-potential (Fig. 1)	165
of rapid stimulation on the after-potential (Fig. 2)	169
of asphyxia on the veratrine after-potential (Fig. 3)	173
vii	

.

.

Date of extign of monothing on often potential invitability conduction rate	
Rate of action of veratrine on alter-potential, irritability, conduction rate	
and spike neight (Fig. 4)	175
Effect of veratrinization on the relatively refractory period (Fig. 5)	178
After-potential increased by protoveratrine, reversibly decreased by cold or	100
stimulation (Fig. 6)	180
Showing the effect of 0.05 mgm. rotenone per kilogram by way of the femoral	
vein, and 0.5 mgm. by way of one of the mesenteric veins (Fig. 1)	204
the effect of 0.05 mgm. rotenone per kilogram by way of the femoral vein	
(Fig. 2)	206
The action of ephedrine in avertin anesthesia (Fig. 1)	213
action of ephedrine in avertin anesthesia (Fig. 2)	214
action of ephedrine in avertin anesthesia (Fig. 3)	215
action of ephedrine in avertin anesthesia (Fig. 4)	216
effect of avertin upon the circulation (Fig. 1)	227
effect of avertin upon the circulation (Fig. 2)	227
effect of avertin upon the circulation (Fig. 3)	229
Ergotoxine miosis (Fig. 1)	254
— miosis (Fig. 2)	255
— miosis (Fig. 3)	257
miosis (Fig. 4)	260
Effect of large doses of histamine on the submaxillary gland of a dog (Fig. 1)	267
Parallel registration of histamine action on the submaxillary and parotid	201
alands of a dog (Fig. 2)	272
The influence of sodium harbital upon the reactions of normal rabbits to	
successive does of insulin (Fig. 1)	970
influence of sodium harbital upon the reactions of normal rabbita to suc-	218
Influence of sourian barbital upon the reactions of normal rabbits to suc-	909
Effect of blood of humanhumacterized down on blood summer of rabbits	404
Effect of blood of hypophysectomized dogs on blood sugar of rabbits $(\mathbf{F}_{in}^{*}, 1)$	000
$(\mathbf{fig. 1})$	290
of blood of normal dogs on blood sugar of rabbits (rig. 2)	291
Composite results of experiments with blood of hypophysectomized and hor-	001
mai dogs injected into rabbits (Fig. 3)	291
Quantitative studies on the absorption and excretion of hexylresorcinol and	001
heptylresorcinol under different conditions (Fig. 1)	331
Individual changes as the result of continued drinking of alcohol in pigeons of	
group I (Fig. 1)	341
changes as the result of continued drinking of alcohol in pigeons of	
group II (Fig. 2)	342
Per cent changes in body weight and daily absolute alcohol and food con-	
sumption of pigeons (groups I and II) drinking alcohol (Fig. 3)	346
The action of some diuretics upon the aglomerular kidney (Fig. 1)	402
action of some diuretics upon the aglomerular kidney (Fig. 2)	404
Action on surviving rabbit ileum (Fig. 1)	43 8
Atropine antagonism (Fig. 2)	438
Action on small intestine in situ (Fig. 3)	439
on isolated Esculenta heart (Fig. 4)	440
on blood pressure (Fig. 5)	440
on blood pressure (Fig. 6)	441

Graphs indicating the difference in the depth of the anesthesia as shown by	
the difference in the strength of the adequate stimulus, measured by the	
difference in the distance of the secondary from the primary coil of the	
inductorium before anesthesia and at the time of its greatest intensity	
(Figs. 1, 2 and 3)	447
Effect of Na amytal (20 per cent M.L.D.) on depth of anesthesia (Fig. 1)	451
Graphs 10 to 12, effect of 10 per cent; graphs 13 to 15, effect of 15 per cent of	
M.L.D. of dial on depth of anesthesia (Fig. 2).	452
WID of iso propyl allyl harbituric acid on denth of anesthesia	
(Fig 3)	453
Effect of 16 per cent of W.L.D. of evertin on denth of enesthesis (Fig. 4)	453
	454
Additive engethetic effects on enerthesis with ethylene and ovvgen	101
(Fig. 8) $(Fig. 8)$	455
(Fig. 0)	459
Creat more uniformity in the fatime surrow of normal and coffeining desutros	400
Crest wave uniformity in the fatigue curves of normal and cancinized gastroc-	450
memic muscles of the same frog (Fig. 2)	409
wave uniformity in the latigue curves of normal and caneinized gastroc-	400
Action of the (therestoneine unit?) (Fig. 3)	400
The meder and human full mine superior full descent for an and the second full mine superior full descent for an and the second full mine superior full descent for an and the second full descent for an and the second full descent for an and the second for an	407
Ine protonged hypotension following repeated small doses of pancreatic ex-	400
tract (Fig. 2)	408
Perfusion of hind leg of rabbit with pancreatic extract, dilution 1:2800	400
(Fig. 3)	408
Electrocardiographic tracing made on a patient with hypertension during and	
following the intravenous injection of pancreatic extract. Lead 2 only	400
(Fig. 4)	408
Effect of pancreatic extract in a dilution of 1:2800 on the coronary flow	400
(Fig. 5)	469
The effect of theophyllin-ethylene-diamine in a dilution of 1:23,000 (Fig. 6)	469
effect of histamine in a dilution of 1:10,000 (Fig. 7)	469
effect of acetylcholine in a dilution of 1:55,000 (Fig. 8)	470
effect of "circulatory hormone" in a dilution of 1:2800 (Fig. 9)	470
effect of "circulatory hormone" (first arrow) and untreated urine (third	
arrow, in dilutions of 1:2800 and 1:50 respectively (Fig. 10)	470
height of the column represents in each instance the average of 5 to 10	
determinations made on fresh hearts (Fig. 11)	471
Abolition of pressor response to adrenalin by pancreatic extract (Fig. 12)	472
Effect of ephedrine on the stomach (Fig. 1)	479
of ephedrine on the small intestine (Fig. 2)	481
of small doses of ephedrine on the small intestine (Fig. 3)	482
of ephedrine on contractions of the alimentary canal in unanesthetized	
dogs (Fig. 4)	483
of ephedrine on the colon (Fig. 5)	483
Behavior of papain in the peritoneal cavity (Fig. 1)	489
of papain in the peritoneal cavity (Fig. 2)	490
of papain in the peritoneal cavity (Fig. 3)	491

Experiment 18. Showing three stimulations under amytal anesthesia	
(Fig. 1)	
25. Depression of the effect of parasympathetic and sympathetic stimu-	
lation on the salivary secretion (Fig. 2)	
16 Fall of blood pressure and inhibition of the blood flow through the	
submarillant cland after interview inicities of amutal (Fig. 2A)	
submaxinary giand after intravenous injection of amytai (Fig. 5A) 505	
10 (continued). Snowing two phases in the secretion and blood now	
after chorda stimulation (Fig. 3B) 505	
Relaxation of the jejunum due to pilocarpine after contraction by histamine;	
pilocarpine added at arrow (Fig. 1A)	
Spontaneous relaxation of the jejunum after contraction by pilocarpine.	
Addition of histamin after relaxation has no effect (Fig. 1B)	
Contraction of the jejunum by histamin relayation by pilocarpine (Figs 2A	
and 2B) 512	
Variation in sussentitiitas of miss temperate provide and temis official of man	
variation in susceptionity of mice towards harcotic and toxic enects of mag-	
nesium sulphate (Fig. 1)	
Absorption of calcium salts in different doses, as measured by neutralization	
of the narcotic effect of magnesium (Fig. 2)	
of calcium salts at different times after their administration (Fig. 3) 543	
Effect of papaverine on the stomach (Fig. 1)	
of papaverine on the intestine (Fig. 2)	
of papaverine on the color (Fig. 4) 550	
The action of blister fluid on the isolated rat's utamy (Fig. 1) 585	
action of blister fluid on the isolated ratio uterus (Fig. 1)	
action of blister huid on the isolated rat's uterus (Fig. 2)	
action of blister fluid on the isolated rat's uterus (Fig. 3)	
Intestinal loop of cat—very slowly moving drum (Fig. 1)	
Turtle heart (Fig. 2) 588	
Perfusion of blood vessels of frog, Rana clamata (Fig. 3) 589	
Blood pressure and respiration curve of cat under ether anesthesia (Fig. 4) 590	
Dog, 5.46 kgm. Ether anesthesia. Showing effect of no. 7 (merodicein) and	
mercuric jodide on blood pressure and circulation (Fig. 5)	
and respiration (Fig. 6) 502	
Strin of jejupum of est sugmanded in 50 cs. of Losks solution (Fig. 7) 504	
Horn of mingin guines nig's storug suspended in 50 cc. of Docke Solution (Fig. 7)	
norm of virgin guines pig's uterus suspended in 50 cc. of oxygenated Locke	
solution at 58°C. (Fig. 8)	
Uterus strip of pregnant cat in 50 cc. of Locke solution (Fig. 9) 596	
Cat's bladder. Muscle strip from fundus suspended in 50 cc. of oxygenated	
Locke solution at 38°C. (Fig. 10) 597	
Experiment on vas deferens of Didelphys virginiana (opossum) (Fig. 11) 598	
on vas deferens of rat (Fig. 12)	
370 (Fig. 1)	
398 (Fig. 3)	
415 (Fig. 5) A20	
418 (Fig. β) 200	
TIO (I 'I K , U)	

x

Experiment 460 (Fig. 7)	632
473 (Fig. 8)	632
400 (Fig. 9)	033
$= \frac{408}{100} (Fig. 10)$	033
Energies of graded doses of avertin on rates of respiration in normal and ne-	041
paritic reports (Fig. 1)	041
Comparison of the hypnotic, anesthetic and lethal doses of avertin in normal	
and neparitic rabbits (Fig. 2)	042
Isolated esophagus of Aenopus (Fig. 1)	009
stomach of Aenopus (Fig. 2)	059
stomach (Fig. 3)	660
ileum (upper tracing) and duodenum (lower tracing) of Xenopus	
(Fig. 4)	661
ileum of Xenopus (Fig. 5)	662
rectum of Xenopus (Fig. 6)	663
ileum of Xenopus (Fig. 7)	665
duodenum of Xenopus (Fig. 8)	666
small intestine (intermediate between ileum and jejunum) of Xenopus	
(Fig. 9)	667
Photographs showing an adult and a baby monkey hanging under the influ-	
ence of bulbocapnine (Fig. 1)	680
Graphs of the hanging response of the right and left hands of an adult mon-	
key under the influence of bulbocapnine (25 mgm.) (Fig. 2A)	682
for the same monkey, but with a larger dose of bulbocapnine (a total of	
78 mgm.) (Fig. 2B)	682
for the same monkey, but with a still larger dose (100 mgm.) (Fig. 2C)	682
of the hanging response obtained for a monkey hanging by the right and	
left hands alternately, and by both hands together (Fig. 3)	687
Perfusion of the heart of Xenopus, showing systolic standstill of the ventricle	
produced by strophanthin (1:100,000) in fifteen minutes (Fig. 1)	700
of the heart of Bufo, showing systolic standstill of the ventricle pro-	
duced by strophanthin (1:300) after perfusing for six minutes (Fig. 2)	702
of Bufo heart (Fig. 3)	702