

## CONTENTS

NUMBER 1, MAY, 1933

|  |     |
|--|-----|
| I. A Study of the Effects of Agave Concentrate in the Treatment of Experimental Nephritis Induced in Animals. I. Nephritis Induced in Rabbits by the Use of Tartrates. By Herman D. Jones. Assisted by Keith D. Crane, G. Bernard Johnston and C. R. Henry . . . . . | 1   |
| II. A Study of the Effects of Agave Concentrate in the Treatment of Experimental Nephritis Induced in Animals. II. Nephritis Induced in Dogs by the Use of Uranium Nitrate. By Herman D. Jones. Assisted by R. C. Hughes and G. Bernard Johnston . . .               | 25  |
| III. Effects of Some Quaternary Ammonium and Analogous Compounds on the Autonomic Nervous System. By Reid Hunt and R. R. Renshaw . . . . .   | 51  |
| IV. The Interaction of Histamin and Nicotine on the Intestine. By Frederick Bernheim . . . . .   | 67  |
| V. The Action of Veratrine and Urethane on Tissue Oxidation. By Frederick Bernheim and Mary L. C. Bernheim . . . . .   | 73  |
| VI. The Physiological Action of Norconessine. By A. C. White . . .   | 79  |
| VII. The Effect of the Separated Fractions of the Posterior Lobe of the Pituitary on the Fat Content of the Liver. By A. C. White . .  | 89  |
| VIII. A Contribution to the Pharmacology of Anabasine. By H. B. Haag . . . . .   | 95  |
| IX. Ethers and Thio-Ethers of Triethylammonium Compounds. By Reid Hunt and R. R. Renshaw . . . . .   | 105 |

NUMBER 2, JUNE, 1933

|  |     |
|--|-----|
| X. The Fate of Glyceryl Trinitrate in the Tolerant and Non-tolerant Animal. By Lathan A. Crandall, Jr. . . . .   | 127 |
| XI. Recovery from Experimental Barbitol Poisoning under Various Types of Fluid Administration. By W. E. Gower and J. Van de Erve . . . . .   | 141 |
| XII. Chemotherapy of Quinoline Compounds. IV. The Action of Certain Quinoline Compounds on Paramoecia. By Phanindranath Brahmachari, Radhakrishna Banerjea and Upendranath Brahmachari . . . . . | 149 |
| XIII. Comparative Potency of Some Digitalis Specialties According to the Pigeon Method. By A. J. Lehman and P. J. Hanzlik . .  | 151 |
| XIV. The Comparative Physiological Actions of dl- $\beta$ -Phenylisopropylamines. II. Bronchial Effect. By Gordon A. Alles and Myron Prinzmetal . . . . .  | 161 |

|   |     |
|---|-----|
| XV. Some New Alkamines in the Tetrahydronaphthalene Series. By Gerald G. Woods and Nathan B. Eddy . . . . .   | 175 |
| XVI. Studies of Phenanthrene Derivatives. I. A Comparison of Phenanthrene and Some 2-, 3-, and 9-Monosubstitution Products. By Nathan B. Eddy . . . . .   | 183 |
| XVII. A Study of the Cause of Death in Experimental Nicotin Poisoning in Dogs. By F. E. Franke and J. Earl Thomas . . . . .   | 199 |
| XVIII. Heat Regulation and Water Exchange. XIV. Liver Edema in the Mechanism of Fever Produced by Beta-Tetrahydronaphthylamine and by Anaphylaxis. By H. T. Marshall and H. G. Barbour . . . . .          | 209 |
| XIX. Heat Regulation and Water Exchange. XV. The Water Content of the Rat Liver in Shiga Vaccine Fever and Amidopyrine Antipyresis. By M. K. Horwitt, H. Sherman and H. G. Barbour . . . . .              | 217 |
| XX. The Intracisternal Minimum Lethal Dose of Procaine Hydrochloride (Novocain) in Dogs. By Frank Wang Cotui . . . . .  | 223 |
| XXI. The Effect of Different Narcotics and Narcotic Combinations on the Minimum Lethal Dose of Procaine Hydrochloride Intracisternally. By Frank Wang Cotui . . . . .                                     | 229 |
| XXII. Observations on the Influence of Certain Drugs on Edema of Paraphenylenediamine. By Milton B. Cohen, Philip Wasserman and J. A. Rudolph . . . . .   | 235 |
| XXIII. The Influence of the Oxygen Tension on the Reversal of Proteolysis (Protein Synthesis) in Certain Malignant Tumors and Normal Tissues. By Carl Voegtlin, Mary E. Maver and J. M. Johnson . . . . . | 241 |
| NUMBER 3, JULY, 1933  |     |
| XXIV. The Scientific Proceedings of the American Society for Pharmacology and Experimental Therapeutics. Twenty-fourth Annual Meeting, Held at Cincinnati, Ohio, April 10-11-12, 1933 . . . . .           | 267 |
| XXV. Studies on Calcium. VII. Some Calcium Effects on Thoracic Lymph Flow of Dogs. By Arnold L. Lieberman . . . . .   | 293 |
| XXVI. Studies on Calcium. VIII. The Therapeutic Effects of Calglucon (Calcium Gluconate) on Thrombophlebitic Edema. By Arnold L. Lieberman and Leo M. Zimmerman . . . . .                                 | 301 |
| XXVII. The Mechanism of Vomiting Induced by Quinidine. I. Quinidine Emesis in Animals with Denervated Hearts. By A. Carlton Ernstene and Samuel Lewis . . . . .   | 305 |
| XXVIII. The Effect of Anthelmintics on the Host. I. Tetrachlorethylene. II. Hexylresorcinol. By B. V. Christensen and H. J. Lynch . . . . .   | 311 |
| XXIX. The Development of Tolerance to Nicotine by Rats. By A. Behrend and C. H. Thienes . . . . .   | 317 |
| XXX. The Effect of the Administration of Cyanides on the Thyroid Gland of Chickens. By A. W. Spence . . . . .   | 327 |
| XXXI. The Physico-chemical Properties of Some New Choline Derivatives in Relation to Their Chemical Constitution and Pharmacologic Action. By W. F. Oettingen and R. O. Bowman . . . . .                  | 333 |

CONTENTS

v

|  |     |
|--|-----|
| XXXII. Liver Damage in Dogs and Rats after Repeated Oral Administration of Cinchophen, Ethyl Ester of Paramethyl-Phenyleinchonic Acid (Tolysin) and Sodium Salicylate. By Henry G. Barbour and Merl E. Fisk..... | 341 |
| XXXIII. The Mechanism of Vomiting Induced by Quinidine. II. By A. Carlton Ernstene and Samuel Lewis.....   | 359 |
| XXXIV. The Local Anesthetic Action of <i>p</i> -Aminobenzoates of Diethylamino-Ethoxy Alcohols. By W. H. Horne and R. L. Shriner..   | 371 |
| NUMBER 4, AUGUST, 1933   |     |
| XXXV. On the Determination of the Toxicity of Neosarsphenamine. I. The Increase in Toxicity on Exposure to Air. By C. A. Morrell and C. W. Chapman.....  | 375 |
| XXXVI. On the Determination of the Toxicity of Neosarsphenamine. II. The Determination of the Characteristic Curve for Rats. By C. A. Morrell and C. W. Chapman.....   | 391 |
| XXXVII. Febrile, Respiratory and Some Other Actions of Dinitrophenol. By M. L. Tainter and W. C. Cutting.....  | 410 |
| XXXVIII. Cumulative Poisoning by Squill Derivatives and by Ouabain. By E. W. Wallace and H. B. Van Dyke.....   | 430 |
| XXXIX. A Study of the Antidotal Action of Sodium Thiosulphate and Dihydroxyacetone in Cyanide Poisoning, and the Alleged Antidotal Action of Glucose. By B. B. Turner and H. R. Hulpieu.                         | 445 |
| XL. Phosphate-buffered Injection Medium Disturbance in Caffeine Effects on Voluntary Muscle Response. By Ralph H. Cheney.  | 470 |
| XLI. Toxicity and Deposition of Thallium in Certain Game Birds. By Paul A. Shaw.....   | 478 |
| XLII. Narcotic Potency in the Paraldehyde Series. By P. K. Knoefel.  | 488 |

## ILLUSTRATIONS

|  |     |
|--|-----|
| Agave concentrate in treatment of nephritis (Plate 1) .....  | 19  |
| — concentrate in treatment of nephritis (Plate 2) .....  | 21  |
| — concentrate in treatment of nephritis (Plate 3) .....  | 23  |
| — concentrate in treatment of nephritis (Plate 3) .....  | 45  |
| — concentrate in treatment of nephritis (Plate 4) .....  | 47  |
| — concentrate in treatment of nephritis (Plate 5) .....  | 49  |
| Interaction of drugs on intestine (Fig. 1A) .....  | 69  |
| — of drugs on intestine (Fig. 1B) .....  | 69  |
| — of drugs on intestine (Fig. 2) .....   | 69  |
| Effect of 9.5 mgm. per kilogram (intravenous) norconessine on the intestinal volume (upper tracing) and the blood pressure (lower tracing) in the anaesthetised cat (Fig. 1) .....   | 82  |
| Isolated rabbit intestine (ileum); upper tracing circular muscle, lower tracing longitudinal muscle (Trendelenburg method) (Fig. 2) .....  | 84  |
| — rabbit intestine (duodenum). Trendelenburg method; upper tracing circular muscle, lower tracing longitudinal muscle (Fig. 3) .....   | 84  |
| Effect of pituitary on fat content of liver (Fig. 1) .....   | 92  |
| Nicotine anabasin (Fig. 1) .....   | 96  |
| Contribution to pharmacology of anabasin (Fig. 2) .....  | 101 |
| — to pharmacology of anabasin (Fig. 3) .....   | 101 |
| Date of three typical experiments on recovery rate and urine flow in the same animal, weighing 11.9 kgm., given 4.0 grams of sodium barbital intravenously in 10 per cent solution on each occasion, and subjected to three different types of fluid administration (Fig. 1) ..... | 144 |
| dl- $\beta$ -phenylisopropylamines (Fig. 1) .....  | 166 |
| — (Fig. 2) .....   | 166 |
| — (Fig. 3) .....   | 168 |
| — (Fig. 4) .....   | 169 |
| Record of blood pressure and respiration in a dog poisoned with nicotine while under ether anesthesia (Fig. 1) .....   | 201 |
| Nicotine poisoning in dogs (Fig. 2) .....  | 204 |
| Proteolysis and reversal of proteolysis of rabbit muscle extract at pH 6.97 in nitrogen and oxygen respectively (Chart 1) .....  | 250 |
| Influence of copper upon the reversal of proteolysis of rabbit skeletal muscle extract in a current of oxygen at pH 6.90 (Chart 2) .....   | 251 |
| Proteolysis and reversal of proteolysis of a Jensen sarcoma extract at pH 6.91 (Chart 3) .....   | 254 |
| — in nitrogen and reversal of proteolysis in oxygen of Walker carcinoma tissue extract at pH 6.66 (Chart 4) .....  | 255 |
| Influence of copper upon the reversal of proteolysis in a Walker carcinoma extract at pH 6.50 (Chart 5) .....  | 256 |

|  |     |
|--|-----|
| Proteolysis of fibrin by papain in nitrogen and the reversal of proteolysis (protein synthesis) in oxygen at pH 7.2 (Chart 6).....   | 259 |
| Studies on calcium (Fig. 1).....   | 302 |
| Development of tolerance to nicotine (Fig. 1).....   | 319 |
| Diffusion velocity of m/100 choline hydrochloride (A) and m/100 trimethyl-ammonium-ethyl-amine-chloride (B) (Fig. 1).....  | 339 |
| Liver damage after cinchophen, etc. (Plate 1).....   | 345 |
| Rate of increase in toxicity of protected and unprotected solutions (Fig. 1).....  | 387 |
| Determination of toxicity of neoarsphenamine (Fig. 1).....   | 395 |
| — of toxicity of neoarsphenamine (Fig. 2).....   | 398 |
| — of toxicity of neoarsphenamine (Fig. 3).....   | 399 |
| — of toxicity of neoarsphenamine (Fig. 4).....   | 401 |
| Relationship of dosage to the fever and to the percentage mortality caused by dinitrophenol subcutaneously in unanesthetized rats (Fig. 1).....  | 414 |
| Average changes in respiration and rectal temperature following 20 mgm. per kilogram of dinitrophenol intramuscularly in 5 unanesthetized rabbits (Fig. 2).....                            | 417 |
| Respiratory and circulatory responses to dinitrophenol, 25 mgm. per kilogram intramuscularly (Fig. 3).....   | 418 |
| Correlation of blood sugar level and the symptoms observed in rabbits poisoned with sodium cyanide (Fig. 1).....   | 452 |
| Effect of repeated dosage of dihydroxyacetone on the blood sugar (i.e., reducing power of blood) (Fig. 2).....   | 455 |
| Sodium thiosulphate as an antidote to sodium cyanide poisoning (Fig. 3).....   | 459 |
| — thiosulphate plus dihydroxyacetone as an antidote for sodium cyanide (Fig. 4).....   | 462 |
| Behavior of the blood sugar level during and after asphyxia caused by re-breathing (Fig. 5).....   | 464 |
| Comparisons of the sugar and lactic acid in the blood during cyanide poisoning (Fig. 6).....   | 465 |
| Graph demonstrating the difference in XY value units between the treated muscle and its non-treated control with respect to the composition of the buffered injection medium (Fig. 1)..... | 473 |