

The Library  
of the Psychiatric  
Society

## CONTENTS

### NUMBER 1, MAY, 1936

|   |    |
|---|----|
| I. A Method for Obtaining a Preparation of the Melanophore Hormone of the Pituitary Gland. R. L. Stehle.....  | 1  |
| II. A New Bloodless Method for Continuous Recording of Peripheral Circulatory Changes. Hans Molitor and Michael Kniazuk...  | 6  |
| III. The Relative Hypnotic Effects of Some Aryl and Unsymmetrical Alkylaryl Thioureas. Edwin J. deBeer, Johannes S. Buck, Walter S. Ide and Axel M. Hjort.....                | 19 |
| IV. Effects of Acetanilid on the Growth and Blood Morphology of Rats. Paul K. Smith and W. E. Hambourger.....   | 34 |
| V. The Growth and Blood Morphology of Rats Receiving Sodium Bromide, Caffeine and Combinations with Acetanilid. Paul K. Smith and W. E. Hambourger.....                       | 43 |
| VI. The Thyrotropic Hormone of the Pituitary Gland and Iodine Metabolism. Benjamin F. Stimmel, D. Roy McCullagh and Valerian Picha.....                                       | 49 |
| VII. Chemotherapeutic Action on <i>Sp. minus</i> in Mice by Certain Anil and Styryl Quinoline Compounds Free from Metals or Metalloids. C. H. Browning and R. Gulbransen..... | 56 |
| VIII. Effect of Dinitrophenol on Rate of Alcohol Metabolism. H. W. Newman and M. L. Tainter.....  | 67 |
| IX. Ergotocin, Ergometrine, Ergostetrine and Ergobasine. K. K. Chen, Edward E. Swanson, E. C. Kleiderer and G. H. A. Clowes.  | 74 |
| X. The Toxicity and Glycaemic Properties of a Number of Amidine and Guanidine Derivatives. W. A. Broom.....   | 81 |
| XI. Dilation of the Coronary Vessels by Certain Organic Extracts and Drugs. Charles W. Greene.....  | 98 |

### NUMBER 2, JUNE, 1936

|   |     |
|---|-----|
| XII. The Scientific Proceedings of the American Society for Pharmacology and Experimental Therapeutics, Incorporated. Twenty-Seventh Annual Meeting, Held at Washington, D. C., March 25, 26, 27, 28, 1936. Edited by the Secretary, E. M. K. Geiling.... | 113 |
| XIII. Comparative Actions of Sympathomimetic Compounds: Bronchodilator Actions in Bronchial Spasm Induced by Histamine. W. M. Cameron and M. L. Tainter.....  | 152 |
| XIV. The Effect of Morphine Sulphate and of Dihydromorphinone Hydrochloride upon the Antrum, Pyloric Sphincter and Duodenum in Non-Anesthetized Dogs. Charles M. Gruber, J. Earl Thomas, Joseph O. Crider and John T. Brundage.....                       | 170 |

- XV. The Action of Certain Choline Derivatives on the Coronary Flow. Alfred M. Wedd . . . . . 179
- XVI. The Effect of Certain Salicyl Derivatives on the Isolated Hearts of Frogs and Turtles. Robert L. Johnston . . . . . 193

## NUMBER 3, JULY, 1936

- XVII. The Local Anaesthetic Actions of Certain Pyrazoline and Quinoline Compounds. H. K. Sinha . . . . . 199
- XVIII. Threshold Anesthetic and Lethal Concentrations of Certain Spinal Anesthetics in the Rabbit. Raymond N. Bieter, Raymond W. Cunningham, Oa Lenz and J. J. McNearney . . . . . 221
- XIX. Addiction and Tolerance to Barbiturates? The Effects of Daily Administration and Abrupt Withdrawal of Phenobarbital-Sodium and Pentobarbital-Sodium in the Albino Rat. Eugene J. Stanton . . . . . 245
- XX. The Effect of Acid on the Guinea Pig Ileum Contracted by Acetylcholine and Histamine. James W. Sachs and Joseph McK. Ivie . . . . . 253
- XXI. Studies on Barbiturates. XV. The Excretion of Barbitol in Normal and Nephropathic Subjects. William P. Argy, Charles R. Linegar and James M. Dille . . . . . 258
- XXII. On the Duration of Spinal Anesthesia in the Rabbit. Raymond N. Bieter, J. J. McNearney, Raymond W. Cunningham and Oa Lenz . . . . . 264
- XXIII. Some Pharmacological and Toxicological Properties of Vinyl Ether. Hans Molitor . . . . . 274
- XXIV. On the Cause of the Delayed Death in the Rat by Isopropyl Betabromallyl Barbituric Acid (Nostal) and Some Related Barbiturates. Harald G. O. Holck and Paul R. Cannon . . . . . 289
- XXV. Studies on the Respiratory Actions of Drugs by Means of Phrenic Potentials. I. Nicotine. Harry Gold and Walter Modell . . . . . 310
- XXVI. The Reactions of the Human Foetal Gastrointestinal Tract in vitro. A. D. McLachlin . . . . . 324

## NUMBER 4, AUGUST, 1936

- XXVII. Comparative Effects of Barbituric Acid Derivatives on the Isolated Heart. Robert L. Johnston . . . . . 333
- XXVIII. Comparative Assay of Oestrone in Rat and Mouse. A. M. Hain and J. M. Robson . . . . . 337
- XXIX. Action of Epinephrine, Tyramine and Ephedrine on Small Intestine of Unanesthetized Dog, Before and Following the Administration of Cocaine. Charles M. Gruber . . . . . 347
- XXX. Studies on the Pharmacological Action of Coriamyrtin. A. H. Maloney . . . . . 361
- XXXI. Rôle of Potassium in Epinephrine Action. W. J. R. Camp and J. A. Higgins . . . . . 376

|   |     |
|---|-----|
| XXXII. Alcohol Injected Intravenously: Further Observations on the Effect of Habituation on Rate of Metabolism. Henry W. Newman and Windsor C. Cutting.....   | 388 |
| XXXIII. Anaesthetic Effects of Some Furan Derivatives. V. E. Henderson and A. H. R. Smith.....  | 394 |
| XXXIV. Rate of Bismuth Absorption in Experimental Animals Following Peroral Administration. Geo. E. Clarke and Homer F. Marsh.....  | 399 |
| XXXV. Pharmacological Action of Coriamyrtin. Edward E. Swanson and K. K. Chen.....  | 410 |
| XXXVI. Rôle of Histamine in Canine Anaphylactic Shock. Carl A. Dragstedt and Franklin B. Mead.....  | 419 |
| XXXVII. Action of Drugs on the Choline Esterase of the Brain. Frederick Bernheim and Mary L. C. Bernheim.....   | 427 |
| XXXVIII. Depression of Respiration by Oxygen. E. K. Marshall, Jr., and Morris Rosenfeld.....  | 437 |
| XXXIX. Site of Action of Caffeine as a Respiratory Stimulant. D. H. Le Messurier.....   | 458 |
| XL. Antagonism between Ephedrine Sulphate and Sodium Isoamylethylbarbiturate (Sodium Amytal) after Intracisternal Injection during Morphine-sodium Isoamylethylbarbiturate (Sodium Amytal) Anesthesia and Ether Anesthesia. James C. Rice and Robert M. Isenberger..... | 464 |
| XLI. Biologic Assay of "International Standard" Estrin and of Certain Commercial Preparations. Fred E. D'Amour and R. G. Gustavson.....   | 472 |

## ILLUSTRATIONS

|   |        |
|---|--------|
| Wiring diagram of apparatus for recording peripheral circulatory changes (fig. 1) . . . . .   | 8      |
| Photo-electric cell (fig. 2) . . . . .  | 9      |
| — cell in position (fig. 3) . . . . .   | 9      |
| Effect of active hyperemia; peripheral vasodilatation after intravenous injection of bulbocapnine (fig. 4) . . . . .  | 11     |
| — of congestion on peripheral circulation (fig. 5) . . . . .  | 12     |
| Difference between regular Traube-Hering waves and response to a sensory stimulus (fig. 6) . . . . .  | 13     |
| Effect of intravenous injection of papaverine on peripheral circulation (fig. 7) . . . . .  | 14     |
| — of two equal doses of adrenalin on peripheral circulation (fig. 8) . . . . .  | 15     |
| Influence of small and large doses of morphine on vascular response to sensory stimuli (fig. 9) . . . . .   | 16, 17 |
| Relative hypnotic values of thioureas, graphically expressed (fig. 1) . . . . .   | 26     |
| Duration of various phases of intoxications induced by thioureas, graphically expressed (fig. 2) . . . . .  | 27     |
| Growth of rats receiving daily doses of acetanilid (fig. 1) . . . . .   | 36     |
| — of rats receiving daily doses of acetanilid (fig. 2) . . . . .  | 38     |
| — of rats receiving daily doses of acetanilid (fig. 3) . . . . .  | 40     |
| — of rats receiving daily doses of caffeine and of acetanilid-caffeine (fig. 1) . . . . .   | 46     |
| Influence of respiratory volume and rebreathing on rate of fall of blood alcohol (fig. 1) . . . . .   | 69     |
| Comparison of ergotocin, ergometrine, ergostetrine and ergobasine on isolated rabbit's uterus (fig. 1) . . . . .  | 77     |
| Effects on coronary flow and blood pressure of 1 cc. padutin in jugular vein (fig. 1) . . . . .   | 102    |
| — on rate of coronary flow of 1 cc. padutin in jugular vein (fig. 2) . . . . .  | 104    |
| — on rate of coronary flow of 1 cc. pancreatic extract into jugular vein (fig. 3) . . . . .   | 106    |
| Effect of injection of 3 cc. of pancreatic extract into jugular vein to demonstrate active dilation of coronaries (fig. 4) . . . . .  | 107    |
| — on coronaries and blood pressure of intravenous injection of muscle extract, lacarnol (fig. 5) . . . . .  | 108    |
| — on coronaries and blood pressure of intravenous injection of muscle extract, lacarnol (fig. 6) . . . . .  | 109    |
| — on coronaries and blood pressure of injection of 2.5 cc. of 25 per cent aqueous solution of coramine into jugular vein (fig. 7) . . . . .   | 110    |
| Bronchodilator and pressure actions of sympathomimetic amines in pithed dogs treated with histamine: epinephrine, epinine, 3-4 dioxyphehrine, ethyl Norsuprarenin, arterenol and neosynephrine (fig. 1) . . . . . | 154    |
| — and pressor actions of sympathomimetic amines in pithed dogs treated with histamine: cobefrin, ephedrine, phenylisopropylamine, octin and atropine (fig. 2) . . . . .   | 157    |

|  |     |
|--|-----|
| Effect on gastric, pyloric and duodenal tonus and activity of injection of dihydromorphinone hydrochloride on unanesthetized male dog with gastric and duodenal fistulae (fig. 1)..... | 173 |
| — on gastric, pyloric and duodenal tonus and activity of injection of dihydromorphinone hydrochloride on unanesthetized female dog with gastric and duodenal fistulae (fig. 2).....    | 175 |
| Record of pyloric sphincter of cat under ether anesthesia (fig. 3).....  | 176 |
| — of pyloric sphincter of dog under ether anesthesia (fig. 4).....   | 176 |
| Reaction of coronary vessels of cat to injection of acetylcholine (figs. 1 and 2).....   | 183 |
| Response of cat heart to successive injections of acetylcholine (fig. 3).....  | 184 |
| Reaction of coronary vessels of cat to injection of carbaminoyl choline (fig. 4).....  | 185 |
| Method of mounting sciatic-gastrocnemius of <i>Rana esculenta</i> Hung (fig. 1).....   | 201 |
| Individual variations in paralysis of frog's sciatic (fig. 2).....   | 203 |
| Anaesthesia of rabbit's cornea (fig. 3).....   | 206 |
| — of rabbit's cornea (fig. 4).....   | 208 |
| — of human wheal (fig. 5).....   | 209 |
| — of rabbit's cornea (fig. 6).....   | 210 |
| — of human wheal (fig. 7).....   | 211 |
| Percentage mortality produced by intravenous injection of drugs in mice (fig. 8).....  | 213 |
| Diagram showing site of injection in human fingers (fig. 9).....   | 215 |
| Group median responses (struggles per minute) of rats during daily administration of phenobarbital-sodium and pentobarbital-sodium and after permanent withdrawal (fig. 1).....        | 248 |
| Amount of acid necessary to relax and isolated strip of guinea pig ileum contracted with histamine and acetylcholine (fig. 1).....   | 255 |
| Spinal anaesthesia in rabbit with procaine HCl (fig. 1).....   | 268 |
| — anaesthesia in rabbit with procaine HCl, tutocaine, panthesine, metycaïne, pantocaine and nupercaine (fig. 2).....   | 270 |
| Toxicity curves of chloroform, ethyl ether and vinyl ether during a 3-hour anaesthesia (fig. 1).....   | 276 |
| Arrangement used for determination of chemical changes of vinyl ether during rebreathing (fig. 2).....   | 280 |
| Toxicity curves of decomposed vinyl ether during a 3-hour anaesthesia (fig. 3).....  | 281 |
| Relation between anaesthetic concentration and time of induction (fig. 4).....   | 284 |
| Influence of temperature on time of induction in mice (fig. 5).....  | 285 |
| — of temperature on time of recovery in mice (fig. 6).....   | 286 |
| Amplifier used in study of phrenic potentials (fig. 1).....  | 311 |
| Types of records of inspiratory impulses (fig. 2).....   | 316 |
| Data from typical record of phrenic potentials before, during and after injection of nicotine (fig. 3).....  | 319 |
| Tracings of respiratory cycles at different times before and after injection of nicotine in typical experiment (fig. 4).....   | 320 |
| — of inspirations following injection of nicotine (fig. 5).....  | 321 |
| Circular ring from stomach of human foetus (fig. 1).....   | 325 |
| — ring from stomach of human foetus (fig. 2).....  | 326 |
| Longitudinal section from jejunum of human foetus (fig. 3).....  | 327 |
| — section from ileum of human foetus (fig. 4).....   | 327 |

|  |     |
|--|-----|
| Decrease in amplitude of cardiac contractions in succeeding minutes (fig. 1) . . .   | 334 |
| Average decrease in heart tracings in millimeters per minute (fig. 2) . . . . .  | 335 |
| Reactions of groups of 20 or 40 rats to oestrone and its benzoate (fig. 1) . . . . .   | 339 |
| — of groups of 20 or 40 mice to oestrone and its benzoate (fig. 2) . . . . .   | 340 |
| Thiry-Vella loop of jejunum from stomach of dog (fig. 1) . . . . .   | 352 |
| Record taken on dog with Thiry-Vella fistula of ileum (fig. 2) . . . . .   | 353 |
| Thiry-Vella loop of ileum of dog (fig. 3) . . . . .  | 355 |
| — loop of jejunum of animal (fig. 4) . . . . .   | 356 |
| Tracings showing carotid pressure and respiration following nembutal anes-<br>thesia in rabbit (fig. 1) . . . . .  | 367 |
| — showing carotid pressure and respiration following nembutal anesthesia<br>(fig. 2) . . . . .   | 367 |
| Slowing of heart followed by acceleration following administration of potas-<br>sium (fig. 1) . . . . .  | 378 |
| Changes in urinary bladder induced by potassium chloride and stimulation of<br>cut cervical vagus (fig. 2) . . . . .   | 380 |
| Rise in blood pressure subsequent to vagus stimulation (fig. 3) . . . . .  | 381 |
| Changes induced in auricle and ventricle by epinephrine and potassium<br>chloride (fig. 4) . . . . .   | 382 |
| Rise in blood pressure effected by potassium chloride after removal of adrenal<br>glands (fig. 5) . . . . .  | 382 |
| Relaxation of duodenum and rise in blood pressure induced by epinephrine<br>and potassium chloride (fig. 6) . . . . .  | 383 |
| Constriction of bronchial muscles effected by histamine and relieved by<br>potassium chloride (fig. 7) . . . . .   | 384 |
| Contraction of kidney produced by potassium chloride (fig. 8) . . . . .  | 386 |
| Average blood alcohol values after administration of alcohol (fig. 1) . . . . .  | 390 |
| — blood alcohol values after administration of alcohol (fig. 2) . . . . .  | 390 |
| — blood alcohol values after administration of alcohol (fig. 3) . . . . .  | 391 |
| Detoxification of "sodium amytal" by coriamyrtin (fig. 1) . . . . .  | 416 |
| Estimation of activity of brain choline esterase by guinea pig ileum (fig. 1a) . .   | 428 |
| Effect of addition of brain esterase on intestine contracted by acetylcholine<br>(fig. 1b) . . . . .   | 429 |
| — of hydrogen ion concentration on activity of brain choline esterase<br>(fig. 2) . . . . .  | 430 |
| — of different concentrations of morphine and apomorphine on hydrolysis<br>of acetylcholine by brain esterase (fig. 3) . . . . .   | 433 |
| Respiratory depression following administration of oxygen after anesthetiza-<br>tion with phenobarbital sodium and injection of morphine (fig. 1) . . . . .              | 439 |
| — depression following administration of oxygen after anesthetization with<br>phenobarbital sodium and injection of morphine (fig. 2) . . . . .                          | 440 |
| Oxygen depression in cats under different anesthetics (fig. 3) . . . . .   | 441 |
| Respiratory depression following administration of oxygen preceded by<br>injection of morphine sulfate (fig. 4) . . . . .  | 442 |
| Respiration following administration of carbon dioxide in oxygen and in air<br>preceded by anesthetization with phenobarbital sodium (fig. 5) . . . . .                  | 443 |
| — and blood pressure following administration of oxygen preceded by<br>anesthetization with phenobarbital sodium and injection of morphine<br>sulfate (fig. 6) . . . . . | 445 |

|   |     |
|---|-----|
| Respiration following administration of oxygen preceded by anesthetization with phenobarbital sodium (fig. 7) . . . . .   | 446 |
| — following administration of oxygen preceded by anesthetization with phenobarbital sodium (fig. 8) . . . . .   | 447 |
| Percentage saturation of hemoglobin of arterial blood plotted against percentage reduction of respiratory minute volume by oxygen (fig. 9) . . . . .                          | 448 |
| Respiration and blood pressure following administration of oxygen preceded by anesthetization with phenobarbital sodium and injection of morphine sulfate (fig. 10) . . . . . | 451 |
| Effect of intravenous injection of caffeine sodium benzoate on respiration and blood pressure (fig. 1) . . . . .  | 460 |
| — of intravenous injection of caffeine sodium benzoate and of epinephrine on respiration and blood pressure (fig. 2) . . . . .  | 461 |
| — of intravenous ephedrine and of cisternal ephedrine on duration of cisternal sodium amylal respiratory paralysis (fig. 1) . . . . .   | 466 |
| Effects of cisternal ephedrine on duration of cisternal sodium amylal respiratory paralysis (fig. 2) . . . . .  | 467 |
| Respiration following administration of sodium amylal and ephedrine sulfate (fig. 3) . . . . .  | 469 |
| — following administration of sodium amylal and ephedrine sulphate (fig. 4) . . . . .   | 469 |
| Biologic assay of "International Standard" estrin and of certain commercial preparations (fig. 1) . . . . .   | 476 |
| — assay of "International Standard" estrin and of certain commercial preparations (fig. 2) . . . . .  | 476 |
| — assay of "International Standard" estrin and of certain commercial preparations (fig. 3) . . . . .  | 477 |
| — assay of "International Standard" estrin and of certain commercial preparations (fig. 4) . . . . .  | 479 |
| — assay of "International Standard" estrin and of certain commercial preparations (fig. 5) . . . . .  | 479 |
| — assay of "International Standard" estrin and of certain commercial preparations (fig. 6) . . . . .  | 480 |