

INDEX

- Abreu, B. E., and Woodbury, R. A. Blood pressure and respiratory changes produced by strychnine convulsions, 321
- Adams, W. Lloyd. Comparative toxicity of chloral alcoholate and chloral hydrate, 340.
- Adrenal cortex extract, Ineffectiveness of, in standardized hemorrhagic shock, 139
- Adrenalin, Effect of, on electrical activity of cortex, 1
- Ambrose, Anthony M., deEds, Floyd, and Cox, Alvin J., Jr. Effect of high fat diet on chronic toxicity of derris and rotenone, 90
- p*-Aminobenzoate protection of rats receiving lethal doses of phenyl arsonates, Time-factor influencing, 209
- p*-Aminobenzoic acid and sulfonamides, Fate of, in cold-blooded animals, 366
- Correlation of quantity of, required to protect rats against high doses of carbarsone and arsanilic acid, 203
- Detoxication by means of, of certain pentavalent arsenical drugs given in massive doses to rats, 109
- Analgetic effect of drugs in animals, Method for studying, 93
- Anderson, Carl E., and Andrews, James C. Absorption of quinine sulfate and quinine dihydrochloride from isolated intestinal loops of dogs, 346
- Anderson, Robert C., Chen, K. K., and Harris, Paul N. Action of riddelline, 372
- Henderson, Francis G., Chen, K. K., and Failey, Robert B., Jr. Fate of sulfonamides and *p*-aminobenzoic acid in cold-blooded animals, 366
- Andrews, James C., and Anderson, Carl E. Absorption of quinine sulfate and quinine dihydrochloride from isolated intestinal loops of dogs, 346
- Anesthesia, Effect of, on lymph flow, 400
- Effect on, of cholesterol administration, 276
- Anesthetic action of isopropenyl methyl ether, 115
- agents, effects of, on muscular contraction, 358
- Antimalarials, Studies on. Accumulation and excretion of atabrine, 120
- Arsanilic acid and carbarsone, Correlation of quantity of *p*-aminobenzoic acid required to protect rats against high doses of, 203
- Arsenic, prevention by, of chronic selenium poisoning in dogs, 249
- Arsenical compounds, organic, Studies on detoxication of, 109, 203, 209
- drugs, Detoxication by means of *p*-aminobenzoic acid of certain pentavalent, given in massive doses to rats, 109
- Arsonates, phenyl, Time-factor influencing *p*-aminobenzoate protection of rats receiving lethal doses of, 209
- Ascorbic acid, utilization of by guinea pigs, Effect of sodium diphenyl hydantoinate (dilantin sodium) on, 215
- Aspergillus flavus*, Antibacterial substance, flavicin, produced by, 164
- Astwood, E. B. Chemical nature of compounds which inhibit function of thyroid gland, 79
- Atabrine, Accumulation and excretion of, 120
- Barbiturate anesthesia, duration of, Sodium succinate in control of, 49
- poisoning, Sodium succinate as antidote for, 49
- Reduction of fluid loss from damaged (burned) tissues by, 39
- Barbiturates, Effect of, on electrical activity of cortex, 1
- Possible method for determination of prolonged action of, 170
- Barbour, J. H., and Seevers, M. H. Comparison of acute and chronic toxicity of carbon dioxide with especial reference to its narcotic action, 11
- and Seevers, M. H. Narcosis induced by carbon dioxide at low environmental temperatures, 296
- Beecher, Henry K., and Foldes, Francis F. Effect of cholesterol administration on anesthesia, 276
- and McCarrell, Jane D. Reduction of fluid loss from damaged (burned) tissues by barbiturate, 39
- Polderman, Hugo, and McCarrell, Jane D. Effect of anesthesia on lymph flow

- (local procaine, ether, pentobarbital sodium), 400
- Benzedrine, Effect of, on electrical activity of cortex, 1
- Bernheim, Frederick, and Bernheim, Mary L. C. Conjugation *in vitro* of phenol by guinea pig liver, 394
- Bernheim, Mary L. C., and Bernheim, Frederick. Conjugation *in vitro* of phenol by guinea pig liver, 394
- Bismuth, new compound of: Dihydroxypropyl bismuthate, experimental studies of, 265
- Blood and hemin, Dosage relationships in augmentation of pituitary gonadotropic extract by, 197
pressure and respiratory changes produced by strychnine convulsions, 321
pressure, Separation from kidney tissue of substance capable of reducing, in experimentally induced hypertension, 174
- Brodie, Bernard B., and Udenfriend, Sidney. Estimation of quinine in human plasma, with note on estimation of quinidine, 154
- Brofman, B. L., Wiggers, C. J., and Hui-zenga, K. A. Ineffectiveness of adrenal cortex extracts in standardized hemorrhagic shock, 139
- Brown, R. A., Emmett, A. D., and Hartzler, Eva R. Effect of sodium diphenyl hydantoinate (dilantin sodium) on utilization of ascorbic acid by guinea pigs, 215
- Bush, Milton T., and Goth, Andres. Flavin: antibacterial substance produced by *Aspergillus flavus*, 164
- Caffeine, Effect of, on electrical activity of cortex, 1
- Carbarsone and arsanilic acid, Correlation of quantity of *p*-aminobenzoic acid required to protect rats against high doses of, 203
- Carbon dioxide, Comparison of acute and chronic toxicity of, with especial reference to its narcotic action, 11
Narcosis induced by, at low environmental temperatures, 296
- Cardiac output and electrocardiogram, Serial determinations of, in normal man after intravenous administration of purified cardiac glycosides, 22
- Carr, C. Jelleff, Evans, William E., Jr., Forman, Sylvan E., and Krantz, John C., Jr. Anesthesia. VIII. Anesthetic action of isopropenyl methyl ether, 115
- Casida, L. E., Meyer, R. K., and McShan, W. H. Dosage relationships in augmentation of pituitary gonadotropic extract by blood and hemin, 197
- Cevine and veratridine, Qualitative and quantitative differences in the action of, 238
- Chen, Graham, and Geiling, Eugene M. K. Chemistry and pharmacology of melanophore hormone of pituitary gland, 222
- Chen, K. K., Failey, Robert B., Jr., Anderson, Robert C., and Henderson, Francis G. Fate of sulfonamides and *p*-aminobenzoic acid in cold-blooded animals, 366.
- Harris, Paul N., and Anderson, Robert C. Action of riddelline, 372
- Chloral alcoholate and chloral hydrate, Comparative toxicity of, 340
- Cholesterol administration, Effect of, on anesthesia, 276
- Cholinesterase, Inactivation of, by morphine, dilaudid, codeine and desomorphine, 375
- Cinchonidine, quinoidine, quinine, quinidine and cinchonine, Comparative activity of, against *Plasmodium lophurae* infections of Pekin ducklings, 159
- Cinchonine, cinchonidine, quinoidine, quinine and quinidine, Comparative activity of, against *Plasmodium lophurae* infections of Pekin ducklings, 159
- Clarke, Eleanor, and Selye, Hans. Overt and masked manifestations of folliculoid hormones, 187
- Cocaine, Effect of, on inactivation of epinephrine and sympathin, 331
Influence of low concentrations of, on metabolism of phenol, 336
- Codeine, Inactivation by, of cholinesterase, 375
- Colchicine, Stimulating action of, on pituitary-induced ovulation of the frog, 304
- Cole, Versa V. Possible method for determination of barbiturates, 170
- Convallaria majalis* leaves, Potency of new extract of. III. Assays by papillary muscle procedure and U.S.P. XII cat method, 180

- Cortex, electrical activity of, effect on, of certain depressant and stimulant drugs—barbiturates, morphine, caffeine, benzedrine and adrenalin, 1
- Cox, Alvin J., Jr., Ambrose, Anthony M., and deEds, Floyd. Effect of high fat diet on chronic toxicity of derris and rotenone, 90
- Cullen, Stuart C., and Gross, E. G. Effects of anesthetic agents on muscular contraction, 358
- Dearborn, Earl H., Kelsey, F. E., Oldham, Frances K., and Geiling, E. M. K. Studies on antimalarials. Accumulation and excretion of atabrine, 120
- deEds, Floyd, Cox, Alvin J., Jr., and Ambrose, Anthony M. Effect of high fat diet on chronic toxicity of derris and rotenone, 90
- deGraff, Arthur C., Eichna, Ludwig W., and Taube, Harry. Serial determinations of cardiac output and electrocardiogram in normal man after intravenous administration of purified cardiac glycosides, 22
- Derris and rotenone, chronic toxicity of, Effect on, of high fat diet, 90
- Desomorphine, Inactivation by, of cholinesterase, 375
- Dihydroxypropyl bismuthate: experimental studies of a new bismuth compound, 265
- Dilantin sodium (sodium diphenyl hydantoinate), Effect of, on utilization of ascorbic acid by guinea pigs, 215
- Dilaudid, Inactivation by, of cholinesterase, 375
- Dusenbery, E., Malanga, C., and Seeler, A. O. Comparative activity of quinine, quinidine, cinchonine, cinchonidine and quinoidine against *Plasmodium lophurae* infections of Pekin ducklings, 159
- Eichna, Ludwig W., Taube, Harry, and deGraff, Arthur C. Serial determinations of cardiac output and electrocardiogram in normal man after intravenous administration of purified cardiac glycosides, 22
- Electrocardiogram and cardiac output, Serial determinations of, in normal man after intravenous administration of purified cardiac glycosides, 22
- Emmett, A. D., Hartzler, Eva R., and Brown, R. A. Effect of sodium diphenyl hydantoinate (dilantin sodium) on utilization of ascorbic acid by guinea pigs, 215
- Epinephrine and sympathin, Effect of cocaine on inactivation of, 331 (orthoquinoid) derivatives, Antipressor effects of, in experimental hypertension in rats, 100
- Ether, Effect of, on lymph flow, 400
- Evans, Robley D., Reiner, L., Lang, E. H. Irvine, John W., Jr., and Peacock, Wendell. Absorption rates of insulin, globin insulin and protamine zinc insulin labelled with radioactive iodine, 352
- Evans, William E., Jr., Forman, Sylvan E., Krantz, John C., Jr., and Carr, C. Jelleff. Anesthesia. VIII. Anesthetic action of isopropenyl methyl ether, 115
- Failley, Robert B., Jr., Anderson, Robert C., Henderson, Francis G., and Chen, K. K. Fate of sulfonamides and *p*-aminobenzoic acid in cold-blooded animals, 366
- Fat in diet, Effect of, on chronic toxicity of derris and rotenone, 90
- Flavin: antibacterial substance produced by *Aspergillus flavus*, 164
- Fluid loss, Reduction of, from damaged (burned) tissues by barbiturate, 39
- Foldes, Francis F., and Beecher, Henry K. Effect of cholesterol administration on anesthesia, 276
- Folliculoid hormones, Overt and masked manifestations of, 187
- Forman, Sylvan E., Carr, C. Jelleff, Evans, William E., Jr., and Krantz, John C., Jr. Anesthesia. VII. Anesthetic action of isopropenyl methyl ether, 115
- Geiling, Eugene M. K., and Chen, Graham. Chemistry and pharmacology of melanophore hormone of pituitary gland, 222
- Dearborn, Earl H., Kelsey, F. E., and Oldham, Frances K. Studies on antimalarials. Accumulation and excretion of atabrine, 120
- Kelsey, F. E., and Oldham, Frances K. Studies on antimalarial drugs. Distribution of quinine in tissues of fowl, 314

- Gibbs, Frederic A., and Maltby, George L. Effect on electrical activity of cortex of certain depressant and stimulant drugs—barbiturates, morphine, caffeine, benzedrine and adrenalin, 1
- Globin insulin, protamine zinc insulin and insulin labelled with radioactive iodine, Absorption rates of, 352
- Glycosides, purified cardiac, Serial determinations of cardiac output and electrocardiogram in normal man following intravenous administration of, 22
- Gonadotropic pituitary extract, Dosage relationships in augmentation of, by blood and hemin, 197
- Goth, Andres, and Bush, Milton T. Flavicin: antibacterial substance produced by *Aspergillus flavus*, 164
- Grollman, Arthur and Harrison, T. R. Separation from kidney tissue of substance capable of reducing blood pressure in experimentally induced hypertension, 174
- Gross, E. G., and Cullen, Stuart C. Effects of anesthetic agents on muscular contraction, 358
- and Knowlton, G. C. Method for studying analgetic effect of drugs in animals, 93
- Hamilton, Charles R., and Sandground, J. H. Studies on detoxication of organic arsenical compounds. I. Detoxication by means of *p*-aminobenzoic acid of certain pentavalent arsenical drugs given in massive doses to rats, 109
- II. Correlation of quantity of *p*-aminobenzoic acid required to protect rats against high doses of carbarsonne and arsanilic acid, 203
- Harris, Jerome S., and Kohn, Henry I. Chronic toxicity of sulfonamides for growing rat, as influenced by type of diet, addition of feces to diet, and appetite, 56
- Harris, Paul N., Anderson, Robert C., and Chen, K. K. Action of riddelline, 372
- Harrison, T. R., and Grollman, Arthur. Separation from kidney tissue of substance capable of reducing blood pressure in experimentally induced hypertension, 174
- Hartzler, Eva R., Brown, R. A., and Emmett, A. D. Effect of sodium diphenyl hydantoinate (dilantin sodium) on utilization of ascorbic acid by guinea pigs, 215
- Hemin and blood, Dosage relationships in augmentation of pituitary gonadotropic extract by, 197
- Henderson, Francis G., Chen, K. K., Failey, Robert B., Jr., and Anderson, Robert C. Fate of sulfonamides and *p*-aminobenzoic acid in cold-blooded animals 366
- Histamine shock in dogs, standardized and graded, Hematic and organic reactions in, 127
- shock, standardized and graded, Treatment of, in dogs with solutions of methyl cellulose and *S*-methyl isothioureia sulfate, 282
- Holck, Harald G. O., and Weeks, James R. Potency of new extract of *Convallaria majalis* leaves. III. Assays by papillary muscle procedure and U.S.P. XII. Cat method, 180
- Hormone, melanophore, of pituitary gland, Chemistry and pharmacology of, 222
- Hormones, folliculoid, Overt and masked manifestations of, 187
- Hueper, W. C., and Ichniowski, C. T. Hematic and organic reactions in standardized and graded histamine shock in dogs, 127
- and Ichniowski, C. T. Treatment of standardized and graded histamine shock in dogs with solutions of methyl cellulose and *S*-methyl isothioureia sulfate, 282
- Huizenga, K. A., Brofman, B. L., and Wiggers, C. J. Ineffectiveness of adrenal cortex extracts in standardized hemorrhagic shock, 139
- Hypertension, experimental, in rats, Antipressor effects of orthoquinoid epinephrine derivatives in, 100
- experimentally induced, Separation from kidney tissue of substance capable of reducing blood pressure in, 174
- Ichniowski, C. T., and Hueper, W. C. Hematic and organic reactions in standardized and graded histamine shock in dogs, 127
- and Hueper, W. C. Treatment of standardized and graded histamine shock in

- dogs with solutions of methyl cellulose and *S*-methyl isothioureia sulfate, 282
- Insulin, globin insulin and protamine zinc insulin labelled with radioactive iodine, Absorption rates of, 352
- Irvine, John W., Jr., Peacock, Wendell, Evans, Robley D., Reiner, L., and Lang, E. H. Absorption rates of insulin, globin insulin and protamine zinc insulin labelled with radioactive iodine, 352
- Isopropenyl methyl ether, Anesthetic action of, 115
- Kelsey, F. E., Oldham, Frances K., and Geiling, E. M. K. Studies on antimalarial drugs. Distribution of quinine in tissues of fowl, 314
- Oldham, Frances K., Geiling, E. M. K., and Dearborn, Earl H. Studies on antimalarials. Accumulation and excretion of atabrine, 120
- Kidney tissue, Separation from, of substance capable of reducing blood pressure in experimentally induced hypertension, 174
- Knowlton, G. C., and Gross, E. G. Method for studying analgetic effect of drugs in animals, 93
- Kohn, Henry I., and Harris, Jerome S. Chronic toxicity of sulfonamides for growing rat, as influenced by type of diet, addition of feces to diet, and appetite, 56
- Krantz, John C., Jr., Carr, C. Jelleff, Evans, William E., Jr., and Forman, Sylvan E. Anesthesia. VIII. Anesthetic action of isopropenyl methyl ether, 115
- Lang, E. H., Irvine, John W., Jr., Peacock, Wendell, Evans, Robley D., and Reiner, L. Absorption rates of insulin, globin insulin and protamine zinc insulin labelled with radioactive iodine, 352
- Lymph flow, Effect on, of anesthesia, 400
- Malanga, C., Seeler, A. O., and Dusenbery, E. Comparative activity of quinine, quinidine, cinchonine, cinchonidine and quinoidine against *Plasmodium lophurae* infections of Pekin ducklings, 159
- Maltby, George L., and Gibbs, Frederic A. Effect on electrical activity of cortex of certain depressant and stimulant drugs—barbiturates, morphine, caffeine, benzedrine and adrenalin, 1
- McCarrell, Jane D., and Beecher, Henry K. Reduction of fluid loss from damaged (burned) tissues by barbiturate, 39
- Beecher, Henry K., and Polderman, Hugo. Effect of anesthesia on lymph flow (local procaine, ether, pentobarbital sodium), 400
- McPhail, M. K., and Wilbur, K. M. Stimulating action of colchicine on pituitary-induced ovulation of the frog, 304
- McShan, W. H., Casida, L. E., and Meyer, R. K. Dosage relationships in augmentation of pituitary gonadotropic extract by blood and hemin, 197
- Melanophore hormone of pituitary gland, chemistry and pharmacology of, 222
- Mendez, Rafael, and Montes, Gonzalo. Studies on veratrum alkaloids. III. Qualitative and quantitative differences in the action of cevine and veratridine, 238
- Methyl cellulose and *S*-methyl isothioureia sulfate, solutions of, Treatment with, of standardized and graded histamine shock in dogs, 282
- Meyer, R. K., McShan, W. H., and Casida, L. E. Dosage relationships in augmentation of pituitary gonadotropic extract by blood and hemin, 197
- Montes, Gonzalo, and Mendez, Rafael. Studies on veratrum alkaloids. III. Qualitative and quantitative differences in the action of cevine and veratridine, 238
- Morphine, Effect of, on electrical activity of cortex, 1
- Inactivation by, of cholinesterase, 375
- Moxon, Alvin L., and Rhian, Morris. Chronic selenium poisoning in dogs and its prevention by arsenic, 249
- Muscular contraction, Effects of anesthetic agents on, 358
- Narcosis induced by carbon dioxide at low environmental temperatures, 296
- Ointment bases, various, Penetration of, 65
- Oldham, Frances K., Geiling, E. M. K., and Kelsey, F. E. Studies on antimalarial drugs. Distribution of quinine in tissues of fowl, 314

- Geiling, E. M. K., Dearborn, Earl H., and Kelsey, F. E. Studies on antimalarials. Accumulation and excretion of atabrine, 120
- Oster, Kurt A., and Sobotka, Harry. Antipressor effects of orthoquinoid epinephrine derivatives in experimental hypertension in rat, 100
- Ovulation of the frog, pituitary-induced, Stimulating action of colchicine on, 304
- Peacock, Wendell, Evans, Robley D., Reiner, L., Lang, E. H., and Irvine, John W., Jr. Absorption rates of insulin, globin insulin and protamine zinc insulin labelled with radioactive iodine, 352
- Pentobarbital sodium, Effect of, on lymph flow, 400
- Phenol, Conjugation of, *in vitro*, by guinea pig liver, 394
metabolism of, Influence of low concentrations of cocaine on, 336
- Pituitary gland, melanophore hormone of, Chemistry and pharmacology of, 222
- Pituitary gonadotropic extract, Dosage relationships in augmentation of, by blood and hemin, 197
-induced ovulation of the frog, Stimulating action of colchicine on, 304
- Plasma, human, Estimation of quinine in, with note on estimation of quinidine, 154
- Plasmodium lophurae* infections of Pekin ducklings, Comparative activity against, of quinine, quinidine, cinchonine, cinchonidine and quinoidine, 159
- Polderman, Hugo, McCarrell, Jane D., and Beecher, Henry K. Effect of anesthesia on lymph flow (local procaine, ether, pentobarbital sodium), 400
- Posterior pituitary solution, Biological assay of, 72
- Procaine, local, Effect of, on lymph flow, 400
- Protamine zinc insulin, insulin and globin insulin labelled with radioactive iodine, Absorption rates of, 352
- Quinidine, cinchonine, cinchonidine, quinoidine and quinine, Comparative activity of, against *Plasmodium lophurae* infections of Pekin ducklings, 159
Estimation of, in human plasma, 154
- Quinine, Distribution of, in tissues of fowl, 314
Estimation of, in human plasma, with note on estimation of quinidine, 154
quinidine, cinchonine, cinchonidine and quinoidine, Comparative activity of, against *Plasmodium lophurae* infections of Pekin ducklings, 159
sulfate and quinine hydrochloride, Absorption of, from isolated intestinal loops of dogs, 346
- Quinoidine, quinine, quinidine, cinchonine and cinchonidine, Comparative activity of, against *Plasmodium lophurae* infections of Pekin ducklings, 159
- Reiner, L., Lang, E. H., Irvine, John W., Jr., Peacock, Wendell, and Evans, Robley D. Absorption rates of insulin, globin insulin and protamine zinc insulin labelled with radioactive iodine, 352
- Rhian, Morris, and Moxon, Alvin L. Chronic selenium poisoning in dogs and its prevention by arsenic, 249
- Riddelline, Action of, 372
- Rotenone and derris, chronic toxicity of, Effect on, of high fat diet, 90
- Sabine, Jean C., and Wright, C. I. Inactivation of cholinesterase by morphine, dilaudid, codeine and desomorphine, 375
- Sandground, J. H. Studies on detoxication of organic arsenical compounds. III. Time-factor influencing *p*-aminobenzoate protection of rats receiving lethal doses of phenyl arsonates, 209
and Hamilton, Charles R. Studies on detoxication of organic arsenical compounds. I. Detoxication by means of *p*-aminobenzoic acid of certain pentavalent arsenical drugs given in massive doses to rats, 109
II. Correlation of quantity of *p*-aminobenzoic acid required to protect rats against high doses of carbarsone and arsanilic acid, 203
- Seeler, A. O., Dusenbery, E., and Malanga, C. Comparative activity of quinine, quinidine, cinchonine, cinchonidine and quinoidine against *Plasmodium lophurae* infections of Pekin ducklings, 159
- Seevers, M. H., and Barbour, J. H. Comparison of acute and chronic toxicity of

- carbon dioxide with especial reference to its narcotic action, 11
- and Barbour, J. H. Narcosis induced by carbon dioxide at low environmental temperatures, 296
- Selenium poisoning, Chronic, in dogs, and its prevention by arsenic, 249
- Selye, Hans, and Clarke, Eleanor. Overt and masked manifestations of follicle hormones, 187
- Shock, histamine, in dogs, standardized and graded, Hematic and organic reactions in, 127
- standardized, hemorrhagic, Ineffectiveness of adrenal cortex extracts in, 139
- Smith, R. Blackwell, Jr., and Vos, Bert J., Jr. Biological assay of posterior pituitary solution, 72
- Sobotka, Harry, and Oster, Kurt A. Antipressor effects of orthoquinoid epinephrine derivatives in experimental hypertension in rat, 100
- Sodium, diphenyl hydantoinate (dilantin sodium), Effect of, on utilization of ascorbic acid by guinea pigs, 215
- succinate as antidote for barbiturate poisoning and in control of duration of barbiturate anesthesia, 49
- Soskin, Samuel, and Taubenhaus, Matthew. Sodium succinate as antidote for barbiturate poisoning and in control of duration of barbiturate anesthesia, 49
- Strakosch, Ernest A. Studies on ointments. I. Penetration of various ointment bases, 65
- Strychnine convulsions, Blood pressure and respiratory changes produced by, 321
- Sulfonamides and *p*-aminobenzoic acid, Fate of, in cold-blooded animals, 366
- Chronic toxicity of, for growing rat, as influenced by type of diet, addition of feces to diet, and appetite, 56
- Sympathin and epinephrine, Effect of cocaine on inactivation of, 331
- Taube, Harry, deGraff, Arthur C., and Eichna, Ludwig W. Serial determinations of cardiac output and electrocardiogram in normal man after intravenous administration of purified cardiac glycosides, 22
- Taubenhaus, Matthew, and Soskin, Samuel. Sodium succinate as antidote for barbiturate poisoning and in control of duration of barbiturate anesthesia, 49
- Thyroid gland, function of, Chemical nature of compounds which inhibit, 79
- Tissues, damaged (burned) Reduction of fluid, loss from, by barbiturate, 39
- Torda, Clara. Effect of cocaine on inactivation of epinephrine and sympathin, 331
- Influence of low concentrations of cocaine on metabolism of phenol, 336
- 2,4,6-Trinitrotoluene, Reduction of, by animal tissue *in vitro*, 386
- Udenfriend, Sidney, and Brodie, Bernard B. Estimation of quinine in human plasma, with note on estimation of quinidine, 154
- Veratrum alkaloids, Studies on. III. Qualitative and quantitative differences in the action of cevine and veratridine, 238
- Veratridine and cevine, Qualitative and quantitative differences in the action of, 238
- Vos, Bert J., Jr., and Smith, R. Blackwell, Jr. Biological assay of posterior pituitary solution, 72
- Weeks, James R., and Holck, Harald G. O. Potency of new extract of *Convallaria majalis* leaves. III. Assays by papillary muscle procedure and U.S.P. XII cat method, 180
- Westfall, Benton B. Reduction of 2,4,6-trinitrotoluene by animal tissue *in vitro*, 386
- Wheeler, Larry M. Dihydroxypropyl bismuthate: experimental studies of a new bismuth compound, 265
- Wiggers, C. J., Huizenga, K. A., and Brofman, B. L. Ineffectiveness of adrenal cortex extract in standardized hemorrhagic shock, 139
- Wilbur, K. M., and McPhail, M. K. Stimulating action of colchicine on pituitary-induced ovulation of the frog, 304
- Woodbury, R. A., and Abreu, B. E. Blood pressure and respiratory changes produced by strychnine convulsions, 321
- Wright, C. I., and Sabine, Jean C. Inactivation of cholinesterase by morphine, dilaudid, codeine and desomorphine, 375